






2.2.2 6dB BW














3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	13.46	<=30	Pass
		2437	12.97	<=30	Pass
		2462	13.01	<=30	Pass
802.11g	SISO	2412	11.94	<=30	Pass
		2437	11.98	<=30	Pass
		2462	11.47	<=30	Pass
802.11n (HT20)	SISO	2412	11.79	<=30	Pass
		2437	11.94	<=30	Pass
		2462	11.35	<=30	Pass


Note1: Antenna Gain: Ant1: 0.00dBi;


3.2 Test Graph


3.2.1 Power














4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3KHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-11.70	<=8	Pass
		2437	-12.26	<=8	Pass
		2462	-12.24	<=8	Pass
802.11g	SISO	2412	-19.90	<=8	Pass
		2437	-20.02	<=8	Pass
		2462	-20.08	<=8	Pass
802.11n (HT20)	SISO	2412	-19.39	<=8	Pass
		2437	-19.76	<=8	Pass
		2462	-20.42	<=8	Pass

Note1: Antenna Gain: Ant1: 0.00dBi;

4.2 Test Graph

4.2.1 PSD

