

Annex A.3 6 dB U-NII-width

1. 802.11a_20M_U-NII-4_L

1.1. A.2.1-6dB U-NII-Width(NTNV)



2. 802.11a_20M_U-NII-4_M

2.1. A.2.1-6dB U-NII-Width(NTNV)

Center Frequency (MHz)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	XdB U-NII-Width (MHz)	Verdict
5785	6	0.1	Peak	0.5	15.299805	Pass



3. 802.11a_20M_U-NII-4_H

3.1. A.2.1-6dB U-NII-Width(NTNV)



4. 802.11n_20M_U-NII-4_L

4.1. A.2.1-6dB U-NII-Width(NTNV)



6. 802.11n_20M_U-NII-4_H

6.1. A.2.1-6dB U-NII-Width(NTNV)



7. 802.11ac_20M_U-NII-4_L

7.1. A.2.1-6dB U-NII-Width(NTNV)



8. 802.11ac_20M_U-NII-4_M

8.1. A.2.1-6dB U-NII-Width(NTNV)



9. 802.11ac_20M_U-NII-4_H

9.1. A.2.1-6dB U-NII-Width(NTNV)



10. 802.11ax_20M_U-NII-4_L

10.1. A.2.1-6dB U-NII-Width(NTNV)



11. 802.11ax_20M_U-NII-4_M

11.1. A.2.1-6dB U-NII-Width(NTNV)



