

FCC SDoC REPORT

Project No. : TM-2504000208P
Applicant : FIH CO., LTD.
Address : No.4, Minsheng St., Tu-Cheng Dist., New Taipei City 23679, Taiwan
Manufacturer : FIH CO., LTD.
Address : No.4, Minsheng St., Tu-Cheng Dist., New Taipei City 23679, Taiwan

Equipment Under Test (EUT) :

Product Name : Smartwatch
Brand Name : Gabb
Model No. : GW4
Added Model(s) : N/A

Standards : 47 CFR FCC Part 15 Subpart B
ANSI C63.4 : 2014

Date of Sample Receipt : Apr. 14, 2025

Date of Test : Apr. 30 ~ Dec. 23, 2025

Date of Issue : Dec. 31, 2025

Test Result :	PASS
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electromagnetic Compatibility Laboratory or testing done by SGS Taiwan Electromagnetic Compatibility Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electromagnetic Compatibility Laboratory in writing.

Approved By**Date**

Dec. 31, 2025

Bill Cheng (Supervisor)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group

Revision History

Revision	Report Number	Description	Issue Date
00	TMHY2504000784YE	Original.	Dec. 31, 2025

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group



Contents

1. GENERAL INFORMATION	4
1.1 GENERAL DESCRIPTION OF EUT	4
1.2 DETAILS OF EUT	4
1.3 DESCRIPTION OF SUPPORT UNITS	5
1.4 OPERATION PROCEDURE	6
1.5 ACCESSORIES CABLE LIST	6
1.6 TEST SET-UP CONFIGURATION	6
1.7 MEASUREMENT PROCEDURE	7
1.8 STANDARDS APPLICABLE FOR TESTING	7
1.9 DECISION RULES OF RESULTS	7
1.10 SUMMARY OF RESULTS	8
1.11 REPORTING STATEMENTS OF CONFORMITY	8
1.12 TEST FACILITY	8
2. EMISSION	9
2.1 TEST RESULTS	9
2.2 FREQUENCY RANGE	9
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	10
2.3.1 LIMITS OF CONDUCTED EMISSION	10
2.3.2 LIMITS OF RADIATED EMISSIONS	11
2.4 TEST OF CONDUCTED EMISSION	12
2.4.1 TEST EQUIPMENTS	12
2.4.2 MEASUREMENT LEVEL CALCULATION	12
2.4.3 MEASUREMENT DATA	13
2.5 TEST OF RADIATED EMISSION	15
2.5.1 TEST EQUIPMENTS	15
2.5.2 MEASUREMENT LEVEL CALCULATION	16
2.5.3 MEASUREMENT DATA	17
APPENDIX	21
PHOTOGRAPH OF TESTING GENERAL SET-UP	21
PHOTOGRAPHS OF PRODUCT	24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group

1. General Information

1.1 General Description of EUT

Product Name	Smartwatch
Brand Name	Gabb
Model No.	GW4
Added Model(s)	N/A
Model Difference	N/A

1.2 Details of EUT

Power Supply	DC 3.87V from battery DC 5V charge from Wireless charger
Highest internal frequency	2472MHz
Modes/Function	Mode 1: EUT+LTE B4 Link+WiFi 2.4G Link+BT Link+Camera On+GPS on+Wireless charger to Adapter Mode 2: EUT+LTE B13 Link+WiFi 2.4G Link+BT Link+Camera On+GPS on+Wireless charger to N/B Mode 3: EUT+LTE Idle+WiFi 2.4G Link+BT Link+Hand-Free Handset+GPS on+Stand alone Mode 4: EUT+LTE B4 Link+WiFi 2.4G Link+BT Link+Camera On+GPS on+Wireless charger to Adapter Mode 5: EUT+LTE B4 Link+WiFi 2.4G Link+BT Link+Camera On+GPS on+Wireless charger to Adapter Mode 6: EUT+LTE B4 Link+WiFi 2.4G Link+BT Link+Camera On+GPS on+Wireless charger to Adapter
Worst case	CE Worst case : Mode 1 Below 1GHz RE Worst case : Mode 1 Above 1GHz RE Worst case : Mode 1
Wireless charger	Brand Name: Gabb Model No.: WX013
Battery	Supplier: SHENZHEN UTILITY ENERGY CO.,LTD. Model No.: HE413

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Keypart:

Item	Brand Name	Model no.	Spec.
Battery	SHENZHEN UTILITY ENERGY CO., LTD.	HE413	3.87V, 680mAh Resistor: 200kΩ±1%
	SHENZHEN UTILITY ENERGY CO., LTD.	HE413	3.87V, 680mAh Resistor: 100kΩ±1%
	VDL	542831PN5	3.87V, 680mAh
Memory	LONGSYS	FAPEA3216-58C2930	32GB
		FAPEA6416-A3N1130	64GB
	Kingston	32EP16-M4MTC2W-GA68-R	32GB
		64EP16-M4MTB9W-GB03	64GB

Matrix:

Item	Brand Name	Model no.	Spec.	Mode					
				1	2	3	4	5	6
Battery	SHENZHEN UTILITY ENERGY CO., LTD.	HE413	3.87V, 680mAh Resistor: 200kΩ±1%	V	V	V			V
	SHENZHEN UTILITY ENERGY CO., LTD.	HE413	3.87V, 680mAh Resistor: 100kΩ±1%				V		
	VDL	542831PN5	3.87V, 680mAh					V	
Memory	LONGSYS	FAPEA3216-58C2930	32GB	V	V	V			
		FAPEA6416-A3N1130	64GB				V		
	Kingston	32EP16-M4MTC2W-GA68-R	32GB						V
		64EP16-M4MTB9W-GB03	64GB					V	

1.3 Description of Support Units**Mode 1:**

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
Communication Tester	R&S	CMW500	152303
Wireless AP	ASUS	RT-AX88U	KAITHP000135
BT Speaker	Creative	MF8090	YFMF8090245R00855Y
Notebook Computer	Lenovo	TP00109A	SL10N19265
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218
Adapter	Lenovo	C-P35	N/A

Support Equipment Used in Tested Cable**Mode 1:**

Cable Type	Core	Length	Shielding/Non-shielding
N/A			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group

1.4 Operation Procedure

Mode 1:


1. Press the Power button to turn on the EUT.
2. Set up the base station, set up LTE Band 4, EUT link base station.
3. Set up GPS simulator, set up GPS signal transmission, EUT link GPS simulator.
4. EUT WiFi link Wireless AP, notebook computer ping EUT IP address..
5. EUT BT link BT speaker.
6. Place the EUT on the Wireless charger to charge.
7. EUT turns on camera.
8. Start test.

1.5 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
Wireless charger USB-A cable	N/A	0.95m	Non-shielding

1.6 Test Set-Up Configuration

Mode 1:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.7 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 3/10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequency and amplitude of the worse emissions were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.8 Standards Applicable for Testing

Tests to be carried out under 47 CFR FCC Part 15 Subpart B/CISPR 22/
ANSI C63.4 : 2014

Test Standards	Status
47 CFR FCC Part 15 Subpart B CISPR 22 ANSI C63.4 : 2014	Applicable
Deviation from Standard	No deviation

1.9 Decision Rules of Results

Reported measurement data comply with 47 CFR FCC Part 15 Subpart B.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.10 Summary of Results

Standard	Test Type	Result
47 CFR FCC Part 15 Subpart B ANSI C63.4 : 2014	Conducted Emission	PASS
	Radiated Emission	PASS

1.11 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

1.12 Test Facility

Laboratory	SGS Taiwan Ltd. Electromagnetic Compatibility Lab
Test Site	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan
FCC Designation Number	TW1124
FCC Registration Number	636272

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group

2. EMISSION

2.1 Test Results

Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

47 CFR FCC Part 15 Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or used in the device or on which the device operates or tunes (MHz)	Upper frequency of measurement range (MHz)
Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

47 CFR FCC Part 15 Subpart B:

FREQUENCY (MHz)	Class A dB(μ V)		Class B dB(μ V)	
	Quasi-peak	Average	Quasi-peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.5 - 5	73	60	56	46
5.0 - 30	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3.2 Limits of Radiated Emissions

47 CFR FCC Part 15 Subpart B Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10 m)	Class B (at 3 m)
	dB(μ V/m)	dB(μ V/m)
30~88	39	40
88~216	43.5	43.5
216~960	46.4	46
960~1000	49.5	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A dB(μ V/m) (at 3 m)		Class B dB(μ V/m) (at 3 m)	
	Peak	Average	Peak	Average
Above 1000	80	60	74	54

CISPR 22 Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10 m)	Class B (at 10 m)
	dB(μ V/m)	dB(μ V/m)
30~230	40	30
230~1000	47	37

Note: 1. The lower limit shall apply at the transition frequency.
2. Additional provisions may be required for cases where interference occurs.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.4. Test of Conducted Emission

2.4.1 Test Equipments

SGS Conducted Emission HWAYA Conducted Room No.B EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100924	2024/9/23	2025/9/22
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM-BM-3000	241013	2024/10/23	2025/10/22
Pulse Limiter	Schwarzbeck	VTSD 9561-F	01245	2024/11/29	2025/11/28
LISN	TESEQ	NNB 51	36061	2025/2/23	2026/2/22
Communication Tester	R&S	CMW500	152303	2025/3/20	2026/3/19
Test Software	Farad	EZ-EMC	Ver. SGS-03A2-11	N.C.R.	N.C.R.
Testing Site : No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan					
Measurement Uncertainty of Conducted Emission					
Expanded uncertainty U _{lab} (k=2) of Conducted Emission measurement is 2.26 dB.					
Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Conducted Emission measurement is 3.44 dB.					

2.4.2 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter insertion loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group

2.4.3 Measurement Data:


Model No.: GW4

Mode_1_L

Site: : Conduction Room B	Date: 2025/5/2	Time: 下午 4:30:30
Limit: FCC Class B Conduction(QP)	Phase: L1	Temperature: 24 °C
Mode: Mode_1	Power: AC 120 V / 60 Hz	Humidity: 56 %RH
Report: TMHY2504000784YE		atm pressure: 990 mbar
Tester: David Lee		

Note:

SGS Taiwan Ltd., Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Measurement (dBuV)	Limit (dBuV)	Over (dB)	Detector	Comment
1		0.3210	24.44	20.30	44.74	59.68	-14.94	QP	
2	*	0.3210	21.12	20.30	41.42	49.68	-8.26	AVG	
3		0.4695	16.63	20.30	36.93	56.52	-19.59	QP	
4		0.4695	10.67	20.30	30.97	46.52	-15.55	AVG	
5		3.8850	5.22	20.61	25.83	56.00	-30.17	QP	
6		3.8850	-1.71	20.61	18.90	46.00	-27.10	AVG	
7		6.4095	2.79	20.64	23.43	60.00	-36.57	QP	
8		6.4095	-3.86	20.64	16.78	50.00	-33.22	AVG	
9		7.7235	3.23	20.64	23.87	60.00	-36.13	QP	
10		7.7235	-3.31	20.64	17.33	50.00	-32.67	AVG	
11		9.6810	1.65	20.62	22.27	60.00	-37.73	QP	
12		9.6810	-3.83	20.62	16.79	50.00	-33.21	AVG	

*:Maximum data x:Over limit l:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode_1_N

Site: : Conduction Room B Date: 2025/5/2 Time: 下午 4:33:45
Limit: FCC Class B Conduction(QP) Phase: N Temperature: 24 °C
Mode: Mode_1 Power: AC 120 V / 60 Hz Humidity: 56 %RH
Report: TMHY2504000784YE atm pressure: 990 mbar
Tester: David Lee

Note:

SGS Taiwan Ltd. Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Measurement (dBuV)	Limit (dBuV)	Over (dB)	Detector	Comment
1		0.3390	24.22	20.29	44.51	59.23	-14.72	QP	
2	*	0.3390	19.92	20.29	40.21	49.23	-9.02	AVG	
3		0.4560	17.79	20.29	38.08	56.77	-18.69	QP	
4		0.4560	8.94	20.29	29.23	46.77	-17.54	AVG	
5		1.0275	4.21	20.30	24.51	56.00	-31.49	QP	
6		1.0275	-1.34	20.30	18.96	46.00	-27.04	AVG	
7		3.7635	2.13	20.60	22.73	56.00	-33.27	QP	
8		3.7635	-3.89	20.60	16.71	46.00	-29.29	AVG	
9		4.4475	1.08	20.62	21.70	56.00	-34.30	QP	
10		4.4475	-4.50	20.62	16.12	46.00	-29.88	AVG	
11		10.2615	-0.32	20.60	20.28	60.00	-39.72	QP	
12		10.2615	-5.11	20.60	15.49	50.00	-34.51	AVG	

*:Maximum data x:Over limit l:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group



2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

SGS Radiated_Below_1GHz HWAYA 10m EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI	101300	2024/9/11	2025/9/10
EMI Test Receiver	R&S	ESCI 7	100950	2024/8/26	2025/8/25
Broadband Antenna	Schwarzbeck	VULB9168	VULB 9168-628	2024/8/29	2025/8/28
Broadband Antenna	SCHWAZBECK	VULB9168	VULB 9168-629	2024/11/13	2025/11/12
Pre Amplifier	EMC Instruments	EMC330	060793	2025/4/25	2026/4/24
Pre Amplifier	EMC Instruments	EMC330	060847	2025/4/25	2026/4/24
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2024/9/16	2025/9/15
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2024/9/16	2025/9/15
Coaxial Cable	Huber+Suhner	RG214/U	2211955	2024/9/16	2025/9/15
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2024/9/16	2025/9/15
Coaxial Cable	Huber+Suhner	RG214/U	2211955	2024/9/16	2025/9/15
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2024/9/16	2025/9/15
Communication Tester	R&S	CMW500	152303	2025/3/20	2026/3/19
Site NSA	SGS	10m Chamber	10M SAC	2024/12/31	2025/12/30
Test S/W	Farad	EZ-EMC	Ver. SGS 10m-03A2-9	N.C.R.	N.C.R.
Testing Site : No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan					
Measurement Uncertainty of Radiated Emission					
Expanded uncertainty U _{lab} (k=2) of Radiated Emission measurement is 4.32 dB.(30MHz-1000MHz)					
Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.22 dB.(30MHz-1000MHz)					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group



Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2024/10/18	2025/10/17
Horn Antenna	Schwarzbeck	BBHA9120D	BBHA9120D285	2025/4/15	2026/4/14
Pre Amplifier	EMC Instruments	EMC118A45V1SEE	981037	2025/3/30	2026/3/29
Coaxial Cable	JUNFLOW	MWX221-NMSNMS	J0778929	2024/7/22	2025/7/21
Coaxial Cable	EMC Instruments	EMC 104-SM-SM-8000	200905	2024/7/22	2025/7/21
Coaxial Cable	Wokentech	N/A	20221111-4	2024/7/22	2025/7/21
Coaxial Cable	Wokentech	N/A	20221111-4-2	2024/7/22	2025/7/21
Coaxial Cable	Harbour	N/A	LL142MI	2024/7/22	2025/7/21
Filter	Woken	WFIL-N2400-2483.5F-02	WR145WC2B1	2025/1/30	2026/1/29
Filter	Solvang Technology	STI15-9993	TW07058	2024/5/22	2025/5/21
Filter	Solvang Technology	STI15-9988	TW07058	2024/5/22	2025/5/21
Communication Tester	R&S	CMW500	152303	2025/3/20	2026/3/19
Site VSWR	SGS	966 Chamber A	SAC-A	2025/1/12	2026/1/11
Test Software	Farad	EZ-EMC	Ver. SGS-03A2-11	N.C.R.	N.C.R.
Testing Site : No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan					
Measurement Uncertainty of Radiated Emission					
Expanded uncertainty Ulab (k=2) of Radiated Emission measurement is 4.24 dB.(1-6GHz)					
Expanded uncertainty Ulab (k=2) of Radiated Emission measurement is 4.39 dB.(6-18GHz)					
Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.18 dB.(1-6GHz)					
Expanded uncertainty CISPR 16-4-2:2011+A1:2014+A2:2018 (k=2) of Radiated Emission measurement is 5.48 dB.(6-18GHz)					

2.5.2 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group



2.5.3 Measurement Data

Below 1GHz


Model No.: GW4

Mode_1_H

Site: SGS 10m Chamber	Date: 2025/4/30	Time: 上午 04:28:48
Limit: CISPR22 Class B 10m Radiation	Polarization: Horizontal	Temperature: 20 °C
Mode: Mode 1	Power: AC 220 V / 60 Hz	Humidity: 60 %RH
Report: File :TMHY2504000784YE	Distance: 10m	atm pressure: 990 mbar
Tester: Moore Cheng		

Note:

SGS Taiwan Ltd. Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB/m)	Measurement (dBuV/m)	Limit (dBuV/m)	Over (dB)	Detector	Height (cm)	Degree (deg.)	Comment
1		853.8500	32.64	-9.28	23.36	37.00	-13.64	QP			
2		879.9400	32.40	-9.00	23.40	37.00	-13.60	QP			
3		897.7600	32.39	-8.51	23.88	37.00	-13.12	QP			
4		916.8000	32.16	-8.22	23.94	37.00	-13.06	QP			
5		949.9000	32.03	-7.90	24.13	37.00	-12.87	QP			
6	*	998.2200	31.73	-7.35	24.38	37.00	-12.62	QP	136	262	

*:Maximum data x:Over limit l:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw


Member of SGS Group

Mode_1_V

Site: SGS 10m Chamber	Date: 2025/4/30	Time: 上午 04:28:47
Limit: CISPR22 Class B 10m Radiation	Polarization: Vertical	Temperature: 20 °C
Mode: Mode 1	Power: AC 220 V / 60 Hz	Humidity: 60 %RH
Report: File :TMHY2504000784YE	Distance: 10m	atm pressure: 990 mbar
Tester: Moore Cheng		

Note:

SGS Taiwan Ltd. Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB/m)	Measurement (dBuV/m)	Limit (dBuV/m)	Over (dB)	Detector	Height (cm)	Degree (deg.)	Comment
1		825.4700	31.83	-8.99	22.84	37.00	-14.16	QP			
2		847.9500	31.76	-8.51	23.25	37.00	-13.75	QP			
3		903.3600	30.54	-7.35	23.19	37.00	-13.81	QP			
4		924.7200	30.46	-7.11	23.35	37.00	-13.65	QP			
5		955.6000	30.46	-7.00	23.46	37.00	-13.54	QP			
6	*	993.5800	30.19	-6.23	23.96	37.00	-13.04	QP	110	137	

*:Maximum data x:Over limit l:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group



Above 1GHz


Model No.: GW4

Mode_1_H

Site: SGS 966 Chamber A	Date: 2025/4/30	Time: 上午 08:03:23
Limit: FCC Class B 1G-18G(Peak)	Polarization: Horizontal	Temperature: 21 °C
Mode: Mode 1	Power: AC 120V/60Hz	Humidity: 65 %RH
Report: TMHY2504000784YE	Distance: 3m	atm pressure: 990 mbar
Tester: Moore Cheng		

Note:

SGS Taiwan Ltd.-Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Height	Degree	Comment
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)		(cm)	(deg.)	
1		3108.000	44.72	-2.16	42.56	74.00	-31.44	peak			
2		3839.000	45.70	-0.52	45.18	74.00	-28.82	peak			
3		4451.000	45.76	0.95	46.71	74.00	-27.29	peak			
4		4995.000	45.19	2.29	47.48	74.00	-26.52	peak			
5		5913.000	45.37	3.77	49.14	74.00	-24.86	peak			
6		6967.000	45.65	6.13	51.78	74.00	-22.22	peak	100	360	
7	*	6967.000	34.11	6.13	40.24	54.00	-13.76	AVG	100	360	

*:Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559


www.sgs.com.tw

Member of SGS Group

Mode_1_V

Site: SGS 966 Chamber A	Date: 2025/4/30	Time: 上午 07:41:07
Limit: FCC Class B 1G-18G(Peak)	Polarization: Vertical	Temperature: 21 °C
Mode: Mode 1	Power: AC 120V/60Hz	Humidity: 65 %RH
Report: TMHY2504000784YE	Distance: 3m	atm pressure: 990 mbar
Tester: Moore Cheng		
Note:		

SGS Taiwan Ltd.-Electromagnetic Compatibility Laboratory Address: No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Height	Degree	Comment
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)		(cm)	(deg.)	
1		3601.000	44.93	-1.08	43.85	74.00	-30.15	peak			
2		4128.000	44.93	-0.08	44.85	74.00	-29.15	peak			
3		4621.000	44.76	1.56	46.32	74.00	-27.68	peak			
4		5369.000	44.58	2.46	47.04	74.00	-26.96	peak			
5		5913.000	44.63	3.77	48.40	74.00	-25.60	peak			
6		6984.000	45.69	6.22	51.91	74.00	-22.09	peak	100	143	
7	*	6984.000	34.15	6.22	40.37	54.00	-13.63	AVG	100	143	

*:Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan / 桃園市龜山區科技一路2號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-3) 327-7559

www.sgs.com.tw

Member of SGS Group