


**ANT+**

**Middle Channel (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 2377.02 | 52.89  | 15.51 | 37.29 | 74.00  | -21.20 |      | 100  | 45   | Peak   | Horizontal |      |
| 2 * | 2441.00 | 104.83 | 67.39 | 37.44 | 74.00  | 30.83  |      | 100  | 45   | Peak   | Horizontal |      |
| 3   | 2595.05 | 54.79  | 16.95 | 37.84 | 74.00  | -19.21 |      | 100  | 45   | Peak   | Horizontal |      |

**Middle Channel (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 2377.02 | 53.50  | 16.21 | 37.29 | 74.00  | -20.50 |      | 100  | 108  | Peak   | Vertical  |      |
| 2 * | 2441.00 | 101.41 | 63.97 | 37.44 | 74.00  | 27.41  |      | 100  | 108  | Peak   | Vertical  |      |
| 3   | 2842.53 | 54.45  | 16.22 | 38.23 | 74.00  | -19.55 |      | 100  | 108  | Peak   | Vertical  |      |

**ANT+**
**Middle Channel (Horizontal) Average**


TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322


**Middle Channel (Vertical) Average**


TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322




**ANT+**


**High Channel (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**ANT+**


**High Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**NORDIC ORIGINAL**

**Low Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2370.06 | 52.30  | 15.02 | 37.28 | 74.00  | -21.70 | 100  | 42   | Peak | Horizontal |           |      |
| 2 * | 2402.00 | 104.26 | 66.94 | 37.32 | 74.00  | 30.26  | 100  | 42   | Peak | Horizontal |           |      |
| 3   | 2848.43 | 54.29  | 16.06 | 38.23 | 74.00  | -19.71 | 100  | 42   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2370.10 | 52.80  | 15.52 | 37.28 | 74.00  | -21.20 | 100  | 110  | Peak | Vertical |           |      |
| 2 * | 2402.00 | 101.63 | 64.31 | 37.32 | 74.00  | 27.63  | 100  | 110  | Peak | Vertical |           |      |
| 3   | 2834.86 | 54.53  | 16.31 | 38.22 | 74.00  | -19.47 | 100  | 110  | Peak | Vertical |           |      |

**NORDIC ORIGINAL**

**Low Channel (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



**Low Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**NORDIC ORIGINAL**

**Middle Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 2377.02 | 52.86  | 15.57 | 37.29  | 74.00 | -21.14 | 100  | 44   | Peak   | Horizontal |      |
| 2 *  | 2441.00 | 104.68 | 67.24 | 37.44  | 74.00 | 30.68  | 100  | 44   | Peak   | Horizontal |      |
| 3    | 2837.46 | 54.19  | 15.97 | 38.22  | 74.00 | -19.81 | 100  | 44   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 2376.79 | 52.10  | 14.81 | 37.29  | 74.00 | -21.90 | 100  | 108  | Peak   | Vertical  |      |
| 2 *  | 2441.00 | 101.62 | 64.18 | 37.44  | 74.00 | 27.62  | 100  | 108  | Peak   | Vertical  |      |
| 3    | 2828.73 | 54.03  | 15.82 | 38.21  | 74.00 | -19.97 | 100  | 108  | Peak   | Vertical  |      |

**NORDIC ORIGINAL**

**Middle Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2370.06 | 52.39  | 15.02 | 37.28 | 74.00  | -21.70 | 100  | 42   | Peak | Horizontal |           |      |
| 2 * | 2402.00 | 104.26 | 66.94 | 37.32 | 74.00  | 30.26  | 100  | 42   | Peak | Horizontal |           |      |
| 3   | 2848.43 | 54.29  | 16.06 | 38.23 | 74.00  | -19.71 | 100  | 42   | Peak | Horizontal |           |      |

**Middle Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2370.10 | 52.89  | 15.52 | 37.28 | 74.00  | -21.20 | 100  | 110  | Peak | Vertical |           |      |
| 2 * | 2402.00 | 101.63 | 64.31 | 37.32 | 74.00  | 27.63  | 100  | 110  | Peak | Vertical |           |      |
| 3   | 2834.86 | 54.53  | 16.31 | 38.22 | 74.00  | -19.47 | 100  | 110  | Peak | Vertical |           |      |

**NORDIC ORIGINAL**

**High Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2375.96 | 53.25  | 15.96 | 37.29  | 74.00 | -20.75 | 109  | 42   | Peak   | Horizontal |      |
| 2 *  | 2480.00 | 101.92 | 64.23 | 37.69  | 74.00 | 27.92  | 109  | 42   | Peak   | Horizontal |      |
| 3    | 2483.58 | 55.16  | 17.45 | 37.71  | 74.00 | -18.84 | 109  | 42   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2376.20 | 52.23 | 14.04 | 37.29  | 74.00 | -21.77 | 100  | 110  | Peak   | Vertical  |      |
| 2 *  | 2480.00 | 99.41 | 61.72 | 37.69  | 74.00 | 25.41  | 100  | 110  | Peak   | Vertical  |      |
| 3    | 2483.58 | 54.19 | 16.48 | 37.71  | 74.00 | -19.81 | 100  | 110  | Peak   | Vertical  |      |

**NORDIC ORIGINAL**

**High Channel (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2375.96 | 40.63  | 3.34  | 37.29  | 54.00 | -13.37 | 109  | 42   | Average | Horizontal |      |
| 2 *  | 2480.00 | 100.65 | 62.96 | 37.69  | 54.00 | 46.65  | 109  | 42   | Average | Horizontal |      |
| 3    | 2483.50 | 44.18  | 6.47  | 37.71  | 54.00 | -9.82  | 109  | 42   | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 2375.20 | 40.21 | 2.92  | 37.29  | 54.00 | -13.79 | 100  | 110  | Average | Vertical  |      |
| 2 *  | 2480.00 | 98.38 | 60.69 | 37.69  | 54.00 | 44.38  | 100  | 110  | Average | Vertical  |      |
| 3    | 2483.58 | 42.59 | 4.88  | 37.71  | 54.00 | -11.41 | 100  | 110  | Average | Vertical  |      |


## Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

### ANT+

#### Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |        |           |      |
| 1 | 0.01 | 55.57  | 35.63 | 19.94 | 127.57 | -72.00 | 100  | 236  | QP   | Open   |           |      |
| 2 | 0.06 | 43.44  | 23.19 | 20.25 | 111.72 | -68.28 | 100  | 211  | QP   | Open   |           |      |
| 3 | 0.09 | 45.87  | 25.66 | 20.21 | 109.00 | -63.13 | 100  | 160  | QP   | Open   |           |      |
| 4 | 0.10 | 43.04  | 22.84 | 20.20 | 107.38 | -64.34 | 100  | 221  | QP   | Open   |           |      |
| 5 | 0.11 | 45.52  | 25.33 | 20.19 | 106.48 | -60.96 | 100  | 176  | QP   | Open   |           |      |
| 6 | 0.14 | 39.78  | 19.62 | 20.16 | 104.77 | -64.99 | 100  | 169  | QP   | Open   |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq  | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |        |           |      |
| 1 | 0.63  | 58.62  | 38.55 | 20.07 | 71.65  | -13.03 | 100  | 181  | QP   | Open   |           |      |
| 2 | 2.51  | 36.44  | 16.30 | 20.14 | 69.50  | -33.06 | 100  | 181  | QP   | Open   |           |      |
| 3 | 9.25  | 45.45  | 25.05 | 20.40 | 69.50  | -24.05 | 100  | 285  | QP   | Open   |           |      |
| 4 | 15.58 | 35.78  | 15.20 | 20.58 | 69.50  | -33.72 | 100  | 149  | QP   | Open   |           |      |
| 5 | 19.79 | 37.58  | 16.94 | 20.64 | 69.50  | -31.92 | 100  | 61   | QP   | Open   |           |      |
| 6 | 22.74 | 39.02  | 18.33 | 20.69 | 69.50  | -30.48 | 100  | 0    | QP   | Open   |           |      |

ANT+

Low Channel (Close) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     |      | cm   | deg  |        |           |      |
| 1 | 0.01 | 49.00  | 29.05 | 19.95 | 127.74 | -78.74 | 100  | 132  | QP   | Close  |           |      |
| 2 | 0.02 | 43.26  | 23.06 | 20.20 | 120.70 | -77.44 | 100  | 265  | QP   | Close  |           |      |
| 3 | 0.06 | 38.67  | 18.42 | 20.25 | 111.72 | -73.05 | 100  | 238  | QP   | Close  |           |      |
| 4 | 0.09 | 38.99  | 18.78 | 20.21 | 108.98 | -69.99 | 100  | 120  | QP   | Close  |           |      |
| 5 | 0.10 | 39.76  | 19.56 | 20.20 | 107.29 | -67.53 | 100  | 137  | QP   | Close  |           |      |
| 6 | 0.14 | 32.75  | 12.59 | 20.16 | 104.76 | -72.01 | 100  | 139  | QP   | Close  |           |      |

Low Channel (Close) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     |      | cm   | deg  |        |           |      |
| 1 | 0.50  | 49.17  | 29.09 | 20.08 | 73.59  | -24.42 | 100  | 108  | QP   | Close  |           |      |
| 2 | 1.97  | 44.81  | 24.68 | 20.13 | 69.50  | -24.69 | 100  | 145  | QP   | Close  |           |      |
| 3 | 6.29  | 44.90  | 24.62 | 20.28 | 69.50  | -24.60 | 100  | 82   | QP   | Close  |           |      |
| 4 | 9.16  | 59.84  | 39.45 | 20.39 | 69.50  | -9.66  | 100  | 2    | QP   | Close  |           |      |
| 5 | 14.25 | 45.34  | 24.79 | 20.55 | 69.50  | -24.16 | 100  | 300  | QP   | Close  |           |      |
| 6 | 19.80 | 51.85  | 31.21 | 20.64 | 69.50  | -17.65 | 100  | 310  | QP   | Close  |           |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


### ANT+

#### Low Channel (Horizontal)

#### Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 | 48.14  | 23.17  | 28.95 | -5.78 | 48.00  | -16.83 | 100  | 65   | QP   | Horizontal |           |      |
| 2 | 145.14 | 22.70  | 28.51 | -5.81 | 43.50  | -20.80 | 200  | 131  | QP   | Horizontal |           |      |
| 3 | 346.12 | 25.83  | 29.56 | -3.73 | 46.00  | -20.17 | 300  | 106  | QP   | Horizontal |           |      |
| 4 | 478.92 | 27.98  | 29.69 | -1.71 | 46.00  | -18.02 | 100  | 190  | QP   | Horizontal |           |      |
| 5 | 625.19 | 29.91  | 29.24 | 0.67  | 46.00  | -16.09 | 400  | 200  | QP   | Horizontal |           |      |
| 6 | 848.58 | 33.43  | 29.31 | 4.12  | 46.00  | -12.57 | 100  | 81   | QP   | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 | 49.40  | 22.53  | 28.47 | -5.94 | 40.00  | -17.47 | 100  | 87   | QP   | Vertical |           |      |
| 2 | 164.35 | 23.41  | 29.11 | -5.70 | 43.50  | -20.09 | 200  | 308  | QP   | Vertical |           |      |
| 3 | 332.74 | 24.92  | 28.77 | -3.85 | 46.00  | -21.08 | 100  | 195  | QP   | Vertical |           |      |
| 4 | 413.25 | 26.04  | 28.78 | -2.74 | 46.00  | -19.96 | 200  | 9    | QP   | Vertical |           |      |
| 5 | 592.12 | 29.58  | 29.40 | 0.18  | 46.00  | -16.42 | 400  | 320  | QP   | Vertical |           |      |
| 6 | 858.62 | 33.77  | 29.64 | 4.13  | 46.00  | -12.23 | 100  | 152  | QP   | Vertical |           |      |


## Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

### ANT+

#### Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 | 4894.00  | 53.93  | 63.34 | -9.41 | 74.00  | -20.07 | 334  | 295  | Peak    | Horizontal |           |      |
| 2 | 4894.00  | 50.68  | 60.09 | -9.41 | 54.00  | -3.32  | 334  | 295  | Average | Horizontal |           |      |
| 3 | 7206.00  | 53.78  | 60.42 | -6.64 | 84.78  | -31.00 | 356  | 178  | Peak    | Horizontal |           |      |
| 4 | 7206.00  | 48.45  | 55.09 | -6.64 | 84.54  | -36.09 | 356  | 178  | Average | Horizontal |           |      |
| 5 | 12010.00 | 51.73  | 51.33 | 0.40  | 74.00  | -22.27 | 301  | 258  | Peak    | Horizontal |           |      |
| 6 | 12010.00 | 40.09  | 39.69 | 0.40  | 54.00  | -13.91 | 301  | 258  | Average | Horizontal |           |      |

#### Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 | 4894.00  | 51.36  | 60.77 | -9.41 | 74.00  | -22.64 | 320  | 130  | Peak    | Vertical |           |      |
| 2 | 4894.00  | 47.53  | 56.94 | -9.41 | 54.00  | -6.47  | 320  | 130  | Average | Vertical |           |      |
| 3 | 7206.00  | 52.48  | 59.12 | -6.64 | 82.67  | -30.19 | 309  | 308  | Peak    | Vertical |           |      |
| 4 | 7206.00  | 46.81  | 53.45 | -6.64 | 81.87  | -35.06 | 309  | 308  | Average | Vertical |           |      |
| 5 | 12010.00 | 54.93  | 54.53 | 0.40  | 74.00  | -19.07 | 330  | 204  | Peak    | Vertical |           |      |
| 6 | 12010.00 | 43.19  | 42.79 | 0.40  | 54.00  | -10.81 | 330  | 204  | Average | Vertical |           |      |

**ANT+**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 | 4882.00  | 51.11  | 60.46 | -9.35 | 74.00  | -22.89 | 351  | 320  | Peak    | Horizontal |           |      |
| 2 | 4882.00  | 47.59  | 56.94 | -9.35 | 54.00  | -6.41  | 351  | 320  | Average | Horizontal |           |      |
| 3 | 7323.00  | 53.24  | 59.86 | -6.62 | 74.00  | -20.76 | 382  | 164  | Peak    | Horizontal |           |      |
| 4 | 7323.00  | 45.14  | 51.76 | -6.62 | 54.00  | -8.86  | 382  | 164  | Average | Horizontal |           |      |
| 5 | 12205.00 | 50.41  | 49.54 | 0.87  | 74.00  | -23.59 | 375  | 324  | Peak    | Horizontal |           |      |
| 6 | 12205.00 | 39.33  | 38.46 | 0.87  | 54.00  | -14.67 | 375  | 324  | Average | Horizontal |           |      |

**Middle Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 | 4882.00  | 50.33  | 59.68 | -9.35 | 74.00  | -23.67 | 345  | 118  | Peak    | Vertical |           |      |
| 2 | 4882.00  | 45.53  | 54.88 | -9.35 | 54.00  | -8.47  | 345  | 118  | Average | Vertical |           |      |
| 3 | 7323.00  | 52.95  | 59.57 | -6.62 | 74.00  | -21.05 | 316  | 338  | Peak    | Vertical |           |      |
| 4 | 7323.00  | 46.46  | 53.08 | -6.62 | 54.00  | -7.54  | 316  | 338  | Average | Vertical |           |      |
| 5 | 12205.00 | 54.72  | 53.85 | 0.87  | 74.00  | -19.28 | 278  | 285  | Peak    | Vertical |           |      |
| 6 | 12205.00 | 43.24  | 42.37 | 0.87  | 54.00  | -10.76 | 278  | 285  | Average | Vertical |           |      |

**ANT+**
**High Channel (Horizontal)**

 TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 4960.00  | 46.75 | 56.02 | -9.27  | 74.00 | -27.25 | 380  | 117  | Peak    | Horizontal |      |
| 2    | 7440.00  | 53.08 | 59.67 | -6.59  | 74.00 | -20.92 | 382  | 308  | Peak    | Horizontal |      |
| 3    | 7440.00  | 47.00 | 53.59 | -6.59  | 54.00 | -7.00  | 382  | 308  | Average | Horizontal |      |
| 4    | 12400.00 | 49.19 | 48.11 | 1.08   | 74.00 | -24.81 | 256  | 209  | Peak    | Horizontal |      |
| 5    | 12400.00 | 38.76 | 37.68 | 1.08   | 54.00 | -15.24 | 256  | 209  | Average | Horizontal |      |

**High Channel (Vertical)**

 TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 4960.00  | 45.51 | 54.78 | -9.27  | 74.00 | -28.49 | 380  | 64   | Peak    | Vertical  |      |
| 2    | 7440.00  | 52.36 | 58.95 | -6.59  | 74.00 | -21.64 | 375  | 276  | Peak    | Vertical  |      |
| 3    | 7440.00  | 46.10 | 52.69 | -6.59  | 54.00 | -7.90  | 375  | 276  | Average | Vertical  |      |
| 4    | 12400.00 | 52.72 | 51.64 | 1.08   | 74.00 | -21.28 | 273  | 304  | Peak    | Vertical  |      |
| 5    | 12400.00 | 40.85 | 39.77 | 1.08   | 54.00 | -13.15 | 273  | 304  | Average | Vertical  |      |

NORDIC ORIGINAL

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Peak | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1    | 4894.00  | 54.42  | 63.83 | -9.41  | 74.00  | -19.58 | 333  | 294  | Peak    | Horizontal |      |
| 2    | 4894.00  | 46.88  | 56.29 | -9.41  | 54.00  | -7.12  | 333  | 294  | Average | Horizontal |      |
| 3    | 7286.00  | 54.35  | 60.99 | -6.64  | 84.26  | -29.91 | 352  | 174  | Peak    | Horizontal |      |
| 4    | 7286.00  | 46.15  | 52.79 | -6.64  | 83.31  | -37.16 | 352  | 174  | Average | Horizontal |      |
| 5    | 12010.00 | 51.04  | 50.64 | 0.40   | 74.00  | -22.96 | 295  | 256  | Peak    | Horizontal |      |
| 6    | 12010.00 | 40.94  | 40.54 | 0.40   | 54.00  | -13.06 | 295  | 256  | Average | Horizontal |      |

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Peak | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1    | 4894.00  | 50.80  | 60.21 | -9.41  | 74.00  | -23.20 | 319  | 127  | Peak    | Vertical  |      |
| 2    | 4894.00  | 43.95  | 53.36 | -9.41  | 54.00  | -10.05 | 319  | 127  | Average | Vertical  |      |
| 3    | 7286.00  | 53.16  | 59.80 | -6.64  | 81.63  | -28.47 | 294  | 317  | Peak    | Vertical  |      |
| 4    | 7286.00  | 45.61  | 52.25 | -6.64  | 80.61  | -35.00 | 294  | 317  | Average | Vertical  |      |
| 5    | 12010.00 | 52.17  | 51.77 | 0.40   | 74.00  | -21.83 | 300  | 258  | Peak    | Vertical  |      |
| 6    | 12010.00 | 43.08  | 42.68 | 0.40   | 54.00  | -10.92 | 300  | 258  | Average | Vertical  |      |

**NORDIC ORIGINAL**

**Middle Channel (Horizontal)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 | 4882.00  | 51.51  | 60.86 | -9.35 | 74.00  | -22.49 | 352  | 53   | Peak    | Horizontal |           |      |
| 2 | 4882.00  | 43.69  | 53.04 | -9.35 | 54.00  | -10.31 | 352  | 53   | Average | Horizontal |           |      |
| 3 | 7323.00  | 53.82  | 60.44 | -6.62 | 74.00  | -20.18 | 373  | 154  | Peak    | Horizontal |           |      |
| 4 | 7323.00  | 46.52  | 53.14 | -6.62 | 54.00  | -7.48  | 373  | 154  | Average | Horizontal |           |      |
| 5 | 12285.00 | 47.53  | 46.66 | 0.87  | 74.00  | -26.47 | 268  | 173  | Peak    | Horizontal |           |      |
| 6 | 12285.00 | 34.91  | 34.04 | 0.87  | 54.00  | -19.09 | 268  | 173  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 | 4882.00  | 50.53  | 59.88 | -9.35 | 74.00  | -23.47 | 340  | 122  | Peak    | Vertical |           |      |
| 2 | 4882.00  | 42.92  | 52.27 | -9.35 | 54.00  | -11.08 | 340  | 122  | Average | Vertical |           |      |
| 3 | 7323.00  | 52.53  | 59.15 | -6.62 | 74.00  | -21.47 | 320  | 329  | Peak    | Vertical |           |      |
| 4 | 7323.00  | 44.46  | 51.08 | -6.62 | 54.00  | -9.54  | 320  | 329  | Average | Vertical |           |      |
| 5 | 12285.00 | 50.79  | 49.92 | 0.87  | 74.00  | -23.21 | 275  | 315  | Peak    | Vertical |           |      |
| 6 | 12285.00 | 40.33  | 39.46 | 0.87  | 54.00  | -13.67 | 275  | 315  | Average | Vertical |           |      |

**NORDIC ORIGINAL**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 4960.00  | 45.58 | 54.85 | -9.27  | 74.00 | -28.42 | 180  | 289  | Peak    | Horizontal |      |
| 2    | 7440.00  | 53.06 | 59.65 | -6.59  | 74.00 | -20.94 | 376  | 249  | Peak    | Horizontal |      |
| 3    | 7440.00  | 45.45 | 52.04 | -6.59  | 54.00 | -8.55  | 376  | 249  | Average | Horizontal |      |
| 4    | 12400.00 | 48.47 | 47.39 | 1.08   | 74.00 | -25.53 | 272  | 294  | Peak    | Horizontal |      |
| 5    | 12400.00 | 37.18 | 36.10 | 1.08   | 54.00 | -16.82 | 272  | 294  | Average | Horizontal |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 4960.00  | 44.71 | 53.08 | -9.27  | 74.00 | -29.29 | 380  | 67   | Peak    | Vertical  |      |
| 2    | 7440.00  | 52.03 | 58.62 | -6.59  | 74.00 | -21.97 | 352  | 256  | Peak    | Vertical  |      |
| 3    | 7440.00  | 45.12 | 51.71 | -6.59  | 54.00 | -8.88  | 352  | 256  | Average | Vertical  |      |
| 4    | 12400.00 | 50.88 | 49.80 | 1.08   | 74.00 | -23.12 | 290  | 124  | Peak    | Vertical  |      |
| 5    | 12400.00 | 39.50 | 38.42 | 1.08   | 54.00 | -14.50 | 290  | 124  | Average | Vertical  |      |

# Mains Conducted Emission, 150kHz ~ 30MHz

## NORDIC ORIGINAL


### Worst Band

#### (Line)

#### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq  | Level | Read   | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|-------|-------|--------|--------|-------|--------|---------|-----------|------|
|    | MHz   | dBuV  | dBuV   | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.17  | -2.22 | -11.88 | 9.66   | 55.13 | -57.35 | Average | line1     |      |
| 2  | 0.17  | 4.51  | -5.15  | 9.66   | 65.13 | -60.62 | QP      | line1     |      |
| 3  | 0.54  | -3.56 | -13.21 | 9.65   | 46.00 | -49.56 | Average | line1     |      |
| 4  | 0.54  | 7.36  | -2.29  | 9.65   | 56.00 | -48.64 | QP      | line1     |      |
| 5  | 1.70  | -2.74 | -12.41 | 9.67   | 46.00 | -48.74 | Average | line1     |      |
| 6  | 1.70  | 14.67 | 5.00   | 9.67   | 56.00 | -41.33 | QP      | line1     |      |
| 7  | 3.75  | -0.73 | -10.43 | 9.70   | 46.00 | -46.73 | Average | line1     |      |
| 8  | 3.75  | 18.71 | 9.01   | 9.70   | 56.00 | -37.29 | QP      | line1     |      |
| 9  | 15.46 | 22.65 | 12.90  | 9.75   | 50.00 | -27.35 | Average | line1     |      |
| 10 | 15.46 | 28.07 | 18.32  | 9.75   | 60.00 | -31.93 | QP      | line1     |      |
| 11 | 19.84 | 19.78 | 10.05  | 9.73   | 50.00 | -30.22 | Average | line1     |      |
| 12 | 19.84 | 25.86 | 16.13  | 9.73   | 60.00 | -34.14 | QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq  | Level | Read   | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|-------|-------|--------|--------|-------|--------|---------|-----------|------|
|    | MHz   | dBuV  | dBuV   | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.15  | -2.18 | -11.86 | 9.68   | 55.92 | -58.10 | Average | neutral   |      |
| 2  | 0.15  | 5.53  | -4.15  | 9.68   | 65.92 | -60.39 | QP      | neutral   |      |
| 3  | 0.58  | -3.62 | -13.28 | 9.66   | 46.00 | -49.62 | Average | neutral   |      |
| 4  | 0.58  | 7.28  | -2.38  | 9.66   | 56.00 | -48.72 | QP      | neutral   |      |
| 5  | 3.83  | -0.16 | -9.87  | 9.71   | 46.00 | -46.16 | Average | neutral   |      |
| 6  | 3.83  | 20.40 | 10.69  | 9.71   | 56.00 | -35.60 | QP      | neutral   |      |
| 7  | 4.38  | 2.36  | -7.56  | 9.72   | 46.00 | -43.64 | Average | neutral   |      |
| 8  | 4.38  | 18.48 | 8.76   | 9.72   | 56.00 | -37.52 | QP      | neutral   |      |
| 9  | 15.08 | 20.25 | 10.44  | 9.81   | 50.00 | -29.75 | Average | neutral   |      |
| 10 | 15.08 | 25.87 | 16.06  | 9.81   | 60.00 | -34.13 | QP      | neutral   |      |
| 11 | 19.84 | 17.69 | 7.87   | 9.82   | 50.00 | -32.31 | Average | neutral   |      |
| 12 | 19.84 | 24.29 | 14.47  | 9.82   | 60.00 | -35.71 | QP      | neutral   |      |