


Modulation: 802.11ax HE20


Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2412	18.23	18.87	0.5
	2437	17.91	18.98	0.5
	2462	18.51	18.87	0.5

Data Rate : MCS0-6 dB Bandwidth






Channel Frequency: 2412MHz

Channel Frequency: 2437MHz



Channel Frequency: 2462MHz


Data Rate : MCS0-99 % Bandwidth



Modulation: 802.11ax HE40


Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2422	36.29	37.50	0.5
	2437	35.26	37.21	0.5
	2452	37.22	38.09	0.5

Data Rate : MCS0-6 dB Bandwidth




Channel Frequency: 2422MHz

Channel Frequency: 2437MHz




Channel Frequency: 2452MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2422MHz



Channel Frequency: 2437MHz




Channel Frequency: 2452MHz

ANT 1


Modulation: 802.11b

Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
1Mbps	2412	10.13	14.97	0.5
	2437	10.28	14.97	0.5
	2462	10.11	14.97	0.5


Data Rate : 1Mbps-6 dB Bandwidth



Channel Frequency: 2412MHz




Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Data Rate : 1 Mbps-99 % Bandwidth



Channel Frequency: 2412MHz



Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Modulation: 802.11g

Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
6Mbps	2412	16.03	16.43	0.5
	2437	15.59	16.43	0.5
	2462	16.54	16.43	0.5


Data Rate : 6 Mbps-6 dB Bandwidth



Channel Frequency: 2412MHz




Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Data Rate : 6 Mbps-99% Bandwidth



Channel Frequency: 2412MHz



Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Modulation: 802.11n HT20

Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2412	17.01	17.57	0.5
	2437	17.40	17.57	0.5
	2462	17.35	17.57	0.5


Data Rate : MCS0-6 dB Bandwidth



Channel Frequency: 2412MHz






Channel Frequency: 2437MHz



Channel Frequency: 2462MHz


Data Rate : MCS0-99 % Bandwidth



Modulation: 802.11n HT40


Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2422	35.17	37.90	0.5
	2437	36.06	36.75	0.5
	2452	35.74	36.16	0.5

Data Rate : MCS0-6 dB Bandwidth




Channel Frequency: 2422MHz

Channel Frequency: 2437MHz




Channel Frequency: 2452MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2422MHz



Channel Frequency: 2437MHz




Channel Frequency: 2452MHz


Modulation: 802.11ac VHT20

Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2412	16.36	17.57	0.5
	2437	17.41	17.57	0.5
	2462	17.46	17.57	0.5


Data Rate : MCS0-6 dB Bandwidth



Channel Frequency: 2412MHz




Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2412MHz



Channel Frequency: 2437MHz




Channel Frequency: 2462MHz

Modulation: 802.11ac VHT40


Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2422	35.65	35.72	0.5
	2437	35.23	36.77	0.5
	2452	35.57	36.65	0.5

Data Rate : MCS0-6 dB Bandwidth




Channel Frequency: 2422MHz

Channel Frequency: 2437MHz




Channel Frequency: 2452MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2422MHz



Channel Frequency: 2437MHz




Channel Frequency: 2452MHz

Modulation: 802.11ax HE20


Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2412	18.54	18.92	0.5
	2437	17.44	18.87	0.5
	2462	18.15	18.87	0.5

Data Rate : MCS0-6 dB Bandwidth




Channel Frequency: 2412MHz

Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2412MHz



Channel Frequency: 2437MHz




Channel Frequency: 2462MHz


Modulation: 802.11ax HE40

Data rate	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	99% OBW (MHz)	Minimum Limit (MHz)
MCS0	2422	36.88	37.66	0.5
	2437	37.11	37.70	0.5
	2452	35.55	37.48	0.5


Data Rate : MCS0-6 dB Bandwidth



Channel Frequency: 2422MHz




Channel Frequency: 2437MHz




Channel Frequency: 2452MHz


Data Rate : MCS0-99 % Bandwidth



Channel Frequency: 2422MHz



Channel Frequency: 2437MHz




Channel Frequency: 2452MHz

7.4 Emissions in non-restricted frequency bands and Conducted Spurious Emission

Result	Pass
Test Specification	FCC part 15 Subpart C 15.247 (d) / RSS 247 Issue 2, Section 5.5
Test Method	Subclause 11.11 of ANSI C63.10
Measurement Bandwidth	100 kHz
Detector	Peak
Port of testing	Antenna port
Requirement	In any 100kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 30dB below that in the 100kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required under this paragraph shall be 30dB instead of 20 dB.

Test Method:



Test Condition

Normal Test Condition:

Temperature (Norm) = + 22.3 °C	Voltage =DC 12.0V Adapter	Relative humidity: 58%
--------------------------------	---------------------------	------------------------

KDB Guidelines applied:

Measurements were made as per section 8.5 in KDB 558074 D01 15.247 Measurement Guidance v05r02.

Test results:

Note:

1. All the losses are included during measurement and final values are mentioned in the test report.
2. Peak Output power (dBm) = Measured peak power (dBm) + Cable loss (1.0 dB)
3. This product does not support additional beamforming gain / directional gain, it uses signal antenna and hence directional gain of the 2T2R antenna is ANT0:5.96 dBi, ANT1:5.93 dBi

7.4.1 Band edge and reference plots

ANT0


Modulation: 802.11b

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
1Mbps	2412	9.85	2399.06	-25.04	34.89	30
	2462	10.28	2488.47	-43.97	54.25	30

Data Rate : 1Mbps



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11g

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
6Mbps	2412	9.70	2397.62	-28.76	38.46	30
	2462	8.63	2483.5	-36.51	45.14	30

Data Rate : 6Mbps



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	8.20	2396.95	-33.28	41.48	30
	2462	8.45	2483.5	-36.86	45.31	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	5.31	2398.27	-35.75	41.06	30
	2452	3.91	2486.94	-35.96	39.87	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz


Modulation: 802.11ac VHT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	6.05	2393.50	-39.33	45.38	30
	2462	6.99	2485.43	-38.01	45.00	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ac VHT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	1.42	2393.24	-44.18	45.60	30
	2452	2.38	2486.94	-37.71	40.09	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz


Modulation: 802.11ax HE20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	5.46	2395.52	-40.54	46.00	30
	2462	5.57	2483.5	-42.09	47.66	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ax HE40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	1.03	2399.51	-40.71	41.74	30
	2452	0.62	2486.98	-38.60	39.22	30

Data Rate : MCS0



Channel Frequency: 2422 MHz



Channel Frequency: 2452 MHz

ANT1


Modulation: 802.11b

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
1Mbps	2412	9.18	2399.50	-33.57	42.75	30
	2462	11.28	2488.47	-44.77	56.05	30

Data Rate : 1Mbps



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11g

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
6Mbps	2412	8.66	2397.61	-28.21	36.87	30
	2462	8.1	2483.5	-39.14	47.24	30

Data Rate : 6Mbps



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	8.04	2390.68	-33.58	41.62	30
	2462	5.93	2483.5	-42.42	48.35	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	2.91	2384.49	-39.46	42.37	30
	2452	1.32	2486.95	-37.88	39.20	30

Data Rate : MCS0



Channel Frequency: 2422 MHz



Channel Frequency: 2452 MHz


Modulation: 802.11ac VHT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	6.18	2400	-43.77	49.95	30
	2462	5.86	2485.42	-41.03	46.89	30

Data Rate : MCS0



Channel Frequency: 2412 MHz



Channel Frequency: 2462 MHz


Modulation: 802.11ac VHT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	2.41	2393.24	-40.67	43.08	30
	2452	2.06	2484.49	-37.52	39.58	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz


Modulation: 802.11ax HE20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	5.06	2398.55	-42.77	47.83	30
	2462	6.89	2483.5	-40.44	47.33	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ax HE40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	0.53	2399.47	-43.35	43.88	30
	2452	0.66	2484.49	-38.47	39.13	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz

MIMO ANT0


Modulation: 802.11n HT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS8	2412	7.29	2396.96	-39.07	46.36	30
	2462	7.14	2484.16	-39.00	46.14	30

Data Rate : MCS8



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS8	2422	2.11	2388.21	-40.69	42.80	30
	2452	2.00	2485.70	-39.68	41.68	30

Data Rate : MCS8



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz


Modulation: 802.11ac VHT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	5.35	2396.54	-42.17	47.52	30
	2462	4.56	2483.5	-46.98	51.54	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ac VHT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	0.70	2388.25	-41.62	43.32	30
	2452	0.27	2485.73	-40.15	40.42	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz


Modulation: 802.11ax HE20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	4.63	2392.00	-43.37	48.00	30
	2462	5.01	2483.5	-44.87	49.88	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ax HE40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	0.64	2391.76	-43.35	43.99	30
	2452	0.02	2484.31	-42.71	42.73	30

Data Rate : MCS0



Channel Frequency: 2422 MHz




Channel Frequency: 2452 MHz

MIMO ANT1


Modulation: 802.11n HT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS8	2412	6.22	2399.17	-39.31	45.53	30
	2462	8.03	2483.5	-35.55	45.58	30

Data Rate : MCS8



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11n HT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS8	2422	2.30	2393.25	-39.40	41.70	30
	2452	2.74	2486.96	-35.70	38.44	30

Data Rate : MCS8



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ac VHT20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	5.13	2395.45	-44.21	49.34	30
	2462	5.95	2483.5	-42.61	48.26	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ac VHT40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	0.58	2396.96	-44.27	44.85	30
	2452	0.35	2485.78	-40.00	40.35	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ax HE20

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2412	4.52	2399.83	-42.63	47.15	30
	2462	5.61	2485.88	-40.43	46.04	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz


Modulation: 802.11ax HE40

Data rate	Channel Frequency (MHz)	Reference Value (B) (dBm)	Band edge Frequency (MHz)	Value at Band edge (A) (dBm)	A-B (dBc)	Minimum Limit (dBc)
MCS0	2422	0.38	2393.29	-44.55	44.93	30
	2452	-0.09	2484.47	-38.60	38.51	30

Data Rate : MCS0



Channel Frequency: 2412 MHz




Channel Frequency: 2462 MHz

7.4.2 Out-Of-Band Emissions


ANT0

Modulation: 802.11b


Data rate 1 Mbps



Channel Frequency 2412 MHz




Channel Frequency 2437 MHz




Channel Frequency 2462 MHz

Modulation: 802.11g


Data rate 6 Mbps



Channel Frequency 2412 MHz




Channel Frequency 2437 MHz




Channel Frequency 2462 MHz

Modulation: 802.11n20


Data rate Mcs 0



Channel Frequency 2412 MHz




Channel Frequency 2437 MHz




Channel Frequency 2462 MHz

Modulation: 802.11n40


Data rate Mcs 0



Channel Frequency 2422 MHz




Channel Frequency 2437 MHz




Channel Frequency 2452 MHz

Modulation: 802.11ac20


Data rate Mcs 0



Channel Frequency 2412 MHz




Channel Frequency 2437 MHz




Channel Frequency 2462 MHz

Modulation: 802.11ac40


Data rate Mcs 0



Channel Frequency 2422 MHz




Channel Frequency 2437 MHz




Channel Frequency 2452 MHz

Modulation: 802.11ax20


Data rate Mcs 0



Channel Frequency 2412 MHz



Channel Frequency 2437 MHz



Channel Frequency 2462 MHz