


- (UNLESS OTHERWISE SPECIFIED)
1. ALL POLARIZED CAPACITORS ARE TANTALUM.
 2. ALL RESISTORS ARE 1% TOLERANCE.
 3. ALL SMD RESISTORS ARE 0402 PACKAGE SIZE.

A	RELEASED, ECN #10195	JRB	23NOV01
REV.	DESCRIPTION	BY	DATE

DRAWN:	DATED:
D.SWENSON	12NOV03
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

COMPANY:  Invivo™		12601 RESEARCH PARKWAY ORLANDO, FL 32826 USA	
TITLE: SCHEMATIC: AB216 PCA, WECG, 2.4G NRF, 3160			
PCB:	SIZE:	DRAWING NO:	REV:
B274	C	185C319	A
SCALE: NONE		SHEET: 1 OF 3	



THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY AND IS THE SOLE PROPERTY OF INVIVO™ CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY PARTY, REPRODUCED OR USED IN ANY OTHER MANNER WITHOUT WRITTEN CONSENT OF SAID COMPANY. INVIVO™ CORPORATION MAINTAINS THE RIGHT TO CHANGE ANY SPECIFICATIONS AT ANY TIME WITHOUT PRIOR NOTICE.

COMPANY: 		12601 RESEARCH PARKWAY ORLANDO, FL 32826 USA	
TITLE: SCHEMATIC: AB216 PCA, WECG, 2.4G NRF, 3160			
PCB:	SIZE:	DRAWING NO:	REV:
B274	C	185C319	A
SCALE: NONE		SHEET: 2 OF 3	

