



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	QP	46.42M	38.64	-	-	3	Vertical	45	1.00


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz_DC Power Supply	Pass	PK	468.44M	42.78	46.00	-3.22	3	Vertical	0	1.00
5775MHz_DC Power Supply	Pass	PK	532.46M	42.55	46.00	-3.45	3	Vertical	0	1.00
5775MHz_DC Power Supply	Pass	PK	829.28M	42.12	46.00	-3.88	3	Vertical	0	1.00
*5775MHz_DC Power Supply	Pass	QP	46.42M	38.64	-	-	3	Vertical	45	1.00
5775MHz_DC Power Supply	Pass	QP	70.74M	35.90	40.00	-4.10	3	Vertical	336	1.64
5775MHz_DC Power Supply	Pass	QP	497.54M	41.24	46.00	-4.76	3	Vertical	205	1.33
5775MHz_DC Power Supply	Pass	QP	612M	38.18	46.00	-7.82	3	Vertical	350	1.00
5775MHz_DC Power Supply	Pass	QP	48.43M	33.22	40.00	-6.78	3	Horizontal	350	1.36
*5775MHz_DC Power Supply	Pass	QP	66.86M	48.04	-	-	3	Horizontal	206	2.61
5775MHz_DC Power Supply	Pass	QP	162.89M	40.32	43.50	-3.18	3	Horizontal	121	2.00
*5775MHz_DC Power Supply	Pass	QP	246.31M	59.03	-	-	3	Horizontal	9	1.27
5775MHz_DC Power Supply	Pass	QP	369.5M	41.81	46.00	-4.19	3	Horizontal	239	1.64
5775MHz_DC Power Supply	Pass	QP	496.57M	42.60	46.00	-3.40	3	Horizontal	1	1.72
5775MHz_DC Power Supply	Pass	QP	647.89M	40.01	46.00	-5.99	3	Horizontal	159	1.48
5775MHz_DC Power Supply	Pass	QP	732.28M	41.34	46.00	-4.66	3	Horizontal	157	1.22

*The frequencies mentioned in Comments and Explanations are not limited to this Limit.


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_DC Power Supply



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_DC Power Supply



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1474G	51.27	54.00	-2.73	3	Horizontal	310	1.17
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.1468G	52.60	54.00	-1.40	3	Horizontal	310	1.19
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.1488G	52.87	54.00	-1.13	3	Horizontal	312	1.27
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.67	54.00	-0.33	3	Horizontal	310	1.17
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.46	54.00	-0.54	3	Horizontal	309	1.26
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3502G	50.54	54.00	-3.46	3	Vertical	28	1.17
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.3552G	53.06	54.00	-0.94	3	Horizontal	313	1.13
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.02	54.00	-0.98	3	Horizontal	315	1.45
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.02	54.00	-0.98	3	Horizontal	311	1.12
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.4694G	62.97	68.20	-5.23	3	Horizontal	305	1.20
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.726G	65.46	68.20	-2.74	3	Horizontal	302	2.04
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.4604G	67.12	68.20	-1.08	3	Horizontal	302	1.14
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.46G	52.91	54.00	-1.09	3	Horizontal	305	1.14
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.4536G	53.47	54.00	-0.53	3	Horizontal	305	1.24
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.4594G	47.15	54.00	-6.85	3	Horizontal	300	1.92
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.4486G	47.30	54.00	-6.70	3	Horizontal	323	1.02
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.4598G	46.72	54.00	-7.28	3	Vertical	346	2.65
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6466G	62.34	68.20	-5.86	3	Horizontal	322	1.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1468G	50.79	54.00	-3.21	3	Vertical	360	2.90
5180MHz	Pass	AV	5.1776G	107.51	Inf	-Inf	3	Vertical	360	2.90
5180MHz	Pass	PK	5.1472G	65.86	74.00	-8.14	3	Vertical	360	2.90
5180MHz	Pass	PK	5.1776G	115.97	Inf	-Inf	3	Vertical	360	2.90
5180MHz	Pass	AV	5.1474G	51.27	54.00	-2.73	3	Horizontal	310	1.17
5180MHz	Pass	AV	5.1784G	109.10	Inf	-Inf	3	Horizontal	310	1.17
5180MHz	Pass	PK	5.1482G	67.45	74.00	-6.55	3	Horizontal	310	1.17
5180MHz	Pass	PK	5.1784G	117.45	Inf	-Inf	3	Horizontal	310	1.17
5180MHz	Pass	AV	15.53442G	45.96	54.00	-8.04	3	Vertical	35	1.37
5180MHz	Pass	PK	10.35418G	51.97	68.20	-16.23	3	Vertical	163	1.00
5180MHz	Pass	PK	15.53334G	57.90	74.00	-16.10	3	Vertical	35	1.37
5180MHz	Pass	AV	15.53436G	47.03	54.00	-6.97	3	Horizontal	194	1.94
5180MHz	Pass	PK	10.3555G	49.76	68.20	-18.44	3	Horizontal	4	2.45
5180MHz	Pass	PK	15.53388G	58.76	74.00	-15.24	3	Horizontal	194	1.94
5200MHz	Pass	AV	5.1488G	45.74	54.00	-8.26	3	Vertical	336	2.59
5200MHz	Pass	AV	5.202G	105.45	Inf	-Inf	3	Vertical	336	2.59
5200MHz	Pass	PK	5.1472G	57.44	74.00	-16.56	3	Vertical	336	2.59
5200MHz	Pass	PK	5.202G	113.67	Inf	-Inf	3	Vertical	336	2.59
5200MHz	Pass	AV	5.1448G	45.81	54.00	-8.19	3	Horizontal	310	1.12
5200MHz	Pass	AV	5.1984G	108.48	Inf	-Inf	3	Horizontal	310	1.12
5200MHz	Pass	PK	5.1404G	57.68	74.00	-16.32	3	Horizontal	310	1.12
5200MHz	Pass	PK	5.1984G	116.94	Inf	-Inf	3	Horizontal	310	1.12
5200MHz	Pass	AV	15.5931G	39.53	54.00	-14.47	3	Vertical	160	1.50
5200MHz	Pass	PK	10.40168G	51.20	68.20	-17.00	3	Vertical	60	1.83
5200MHz	Pass	PK	15.59412G	51.09	74.00	-22.91	3	Vertical	160	1.50
5200MHz	Pass	AV	15.59424G	43.80	54.00	-10.20	3	Horizontal	178	1.74
5200MHz	Pass	PK	10.39442G	52.51	68.20	-15.69	3	Horizontal	182	2.08
5200MHz	Pass	PK	15.59448G	57.49	74.00	-16.51	3	Horizontal	178	1.74
5240MHz	Pass	AV	5.0918G	45.54	54.00	-8.46	3	Vertical	334	2.57
5240MHz	Pass	AV	5.2412G	105.38	Inf	-Inf	3	Vertical	334	2.57
5240MHz	Pass	AV	5.3894G	46.30	54.00	-7.70	3	Vertical	334	2.57
5240MHz	Pass	PK	5.102G	57.67	74.00	-16.33	3	Vertical	334	2.57
5240MHz	Pass	PK	5.2418G	113.44	Inf	-Inf	3	Vertical	334	2.57
5240MHz	Pass	PK	5.3888G	58.03	74.00	-15.97	3	Vertical	334	2.57
5240MHz	Pass	AV	5.09G	45.58	54.00	-8.42	3	Horizontal	313	1.19
5240MHz	Pass	AV	5.2382G	108.32	Inf	-Inf	3	Horizontal	313	1.19
5240MHz	Pass	AV	5.39G	46.50	54.00	-7.50	3	Horizontal	313	1.19
5240MHz	Pass	PK	5.1044G	58.33	74.00	-15.67	3	Horizontal	313	1.19
5240MHz	Pass	PK	5.2388G	116.95	Inf	-Inf	3	Horizontal	313	1.19
5240MHz	Pass	PK	5.3768G	58.36	74.00	-15.64	3	Horizontal	313	1.19
5240MHz	Pass	AV	15.7191G	44.62	54.00	-9.38	3	Vertical	36	1.22
5240MHz	Pass	PK	10.47988G	49.57	68.20	-18.63	3	Vertical	59	1.91
5240MHz	Pass	PK	15.71778G	56.45	74.00	-17.55	3	Vertical	36	1.22
5240MHz	Pass	AV	15.71508G	44.58	54.00	-9.42	3	Horizontal	174	1.76
5240MHz	Pass	PK	10.47526G	49.11	68.20	-19.09	3	Horizontal	182	2.50
5240MHz	Pass	PK	15.71634G	57.01	74.00	-16.99	3	Horizontal	174	1.76
5260MHz	Pass	AV	5.11G	45.35	54.00	-8.65	3	Vertical	0	2.96
5260MHz	Pass	AV	5.257G	107.24	Inf	-Inf	3	Vertical	0	2.96
5260MHz	Pass	AV	5.4094G	46.61	54.00	-7.39	3	Vertical	0	2.96
5260MHz	Pass	PK	5.1286G	58.29	74.00	-15.71	3	Vertical	0	2.96
5260MHz	Pass	PK	5.2576G	115.62	Inf	-Inf	3	Vertical	0	2.96
5260MHz	Pass	PK	5.4094G	59.14	74.00	-14.86	3	Vertical	0	2.96
5260MHz	Pass	AV	5.1106G	45.38	54.00	-8.62	3	Horizontal	310	1.16
5260MHz	Pass	AV	5.2582G	108.35	Inf	-Inf	3	Horizontal	310	1.16
5260MHz	Pass	AV	5.4094G	46.65	54.00	-7.35	3	Horizontal	310	1.16
5260MHz	Pass	PK	5.1328G	57.53	74.00	-16.47	3	Horizontal	310	1.16
5260MHz	Pass	PK	5.2582G	116.75	Inf	-Inf	3	Horizontal	310	1.16
5260MHz	Pass	PK	5.3986G	58.72	74.00	-15.28	3	Horizontal	310	1.16
5260MHz	Pass	AV	15.77448G	42.91	54.00	-11.09	3	Vertical	33	1.50
5260MHz	Pass	PK	10.51982G	48.82	68.20	-19.38	3	Vertical	249	2.02

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.77466G	55.20	74.00	-18.80	3	Vertical	33	1.50
5260MHz	Pass	AV	15.77502G	44.34	54.00	-9.66	3	Horizontal	173	1.78
5260MHz	Pass	PK	10.5152G	48.46	68.20	-19.74	3	Horizontal	185	1.84
5260MHz	Pass	PK	15.7737G	56.61	74.00	-17.39	3	Horizontal	173	1.78
5300MHz	Pass	AV	5.2936G	105.06	Inf	-Inf	3	Vertical	19	2.93
5300MHz	Pass	AV	5.3956G	46.44	54.00	-7.56	3	Vertical	19	2.93
5300MHz	Pass	PK	5.2936G	113.84	Inf	-Inf	3	Vertical	19	2.93
5300MHz	Pass	PK	5.3584G	58.82	74.00	-15.18	3	Vertical	19	2.93
5300MHz	Pass	AV	5.2984G	108.20	Inf	-Inf	3	Horizontal	315	1.26
5300MHz	Pass	AV	5.35G	46.86	54.00	-7.14	3	Horizontal	315	1.26
5300MHz	Pass	PK	5.2984G	116.61	Inf	-Inf	3	Horizontal	315	1.26
5300MHz	Pass	PK	5.3556G	59.07	74.00	-14.93	3	Horizontal	315	1.26
5300MHz	Pass	AV	15.8991G	42.94	54.00	-11.06	3	Vertical	73	1.33
5300MHz	Pass	PK	10.59988G	48.82	68.20	-19.38	3	Vertical	358	1.53
5300MHz	Pass	PK	15.89916G	54.75	74.00	-19.25	3	Vertical	73	1.33
5300MHz	Pass	AV	15.89712G	41.23	54.00	-12.77	3	Horizontal	189	1.00
5300MHz	Pass	PK	10.59946G	49.53	68.20	-18.67	3	Horizontal	184	2.66
5300MHz	Pass	PK	15.89964G	53.48	74.00	-20.52	3	Horizontal	189	1.00
5320MHz	Pass	AV	5.3128G	103.47	Inf	-Inf	3	Vertical	28	1.17
5320MHz	Pass	AV	5.3502G	50.54	54.00	-3.46	3	Vertical	28	1.17
5320MHz	Pass	PK	5.313G	112.00	Inf	-Inf	3	Vertical	28	1.17
5320MHz	Pass	PK	5.353G	64.82	74.00	-9.18	3	Vertical	28	1.17
5320MHz	Pass	AV	5.3182G	108.16	Inf	-Inf	3	Horizontal	316	1.14
5320MHz	Pass	AV	5.354G	49.45	54.00	-4.55	3	Horizontal	316	1.14
5320MHz	Pass	PK	5.3184G	116.46	Inf	-Inf	3	Horizontal	316	1.14
5320MHz	Pass	PK	5.3528G	64.79	74.00	-9.21	3	Horizontal	316	1.14
5320MHz	Pass	AV	10.64G	39.06	54.00	-14.94	3	Vertical	160	1.50
5320MHz	Pass	AV	15.95988G	40.97	54.00	-13.03	3	Vertical	74	1.26
5320MHz	Pass	PK	10.6397G	50.01	74.00	-23.99	3	Vertical	160	1.50
5320MHz	Pass	PK	15.95982G	52.45	74.00	-21.55	3	Vertical	74	1.26
5320MHz	Pass	AV	10.63988G	40.09	54.00	-13.91	3	Horizontal	135	2.77
5320MHz	Pass	AV	15.95904G	40.53	54.00	-13.47	3	Horizontal	176	1.96
5320MHz	Pass	PK	10.63976G	50.12	74.00	-23.88	3	Horizontal	135	2.77
5320MHz	Pass	PK	15.95622G	52.66	74.00	-21.34	3	Horizontal	176	1.96
5500MHz	Pass	AV	5.4576G	46.18	54.00	-7.82	3	Vertical	7	1.06
5500MHz	Pass	AV	5.4964G	105.76	Inf	-Inf	3	Vertical	7	1.06
5500MHz	Pass	PK	5.4506G	58.41	74.00	-15.59	3	Vertical	7	1.06
5500MHz	Pass	PK	5.4602G	57.91	68.20	-10.29	3	Vertical	7	1.06
5500MHz	Pass	PK	5.4966G	114.96	Inf	-Inf	3	Vertical	7	1.06
5500MHz	Pass	AV	5.46G	46.39	54.00	-7.61	3	Horizontal	305	1.20
5500MHz	Pass	AV	5.5032G	108.96	Inf	-Inf	3	Horizontal	305	1.20
5500MHz	Pass	PK	5.455G	58.20	74.00	-15.80	3	Horizontal	305	1.20
5500MHz	Pass	PK	5.4694G	62.97	68.20	-5.23	3	Horizontal	305	1.20
5500MHz	Pass	PK	5.5024G	117.41	Inf	-Inf	3	Horizontal	305	1.20
5500MHz	Pass	AV	10.99994G	39.68	54.00	-14.32	3	Vertical	162	2.89
5500MHz	Pass	PK	11.0102G	50.54	74.00	-23.46	3	Vertical	162	2.89
5500MHz	Pass	PK	16.49268G	50.99	68.20	-17.21	3	Vertical	31	1.01
5500MHz	Pass	AV	10.99994G	40.05	54.00	-13.95	3	Horizontal	167	2.83
5500MHz	Pass	PK	10.9979G	51.11	74.00	-22.89	3	Horizontal	167	2.83
5500MHz	Pass	PK	16.4979G	50.78	68.20	-17.42	3	Horizontal	204	2.68
5580MHz	Pass	AV	5.4564G	45.69	54.00	-8.31	3	Vertical	10	1.24
5580MHz	Pass	AV	5.5764G	105.71	Inf	-Inf	3	Vertical	10	1.24
5580MHz	Pass	PK	5.4402G	58.44	74.00	-15.56	3	Vertical	10	1.24
5580MHz	Pass	PK	5.4618G	58.15	68.20	-10.05	3	Vertical	10	1.24
5580MHz	Pass	PK	5.5764G	114.81	Inf	-Inf	3	Vertical	10	1.24
5580MHz	Pass	PK	5.727G	58.18	68.20	-10.02	3	Vertical	10	1.24
5580MHz	Pass	AV	5.46G	45.92	54.00	-8.08	3	Horizontal	301	1.20
5580MHz	Pass	AV	5.583G	109.18	Inf	-Inf	3	Horizontal	301	1.20
5580MHz	Pass	PK	5.4564G	57.41	74.00	-16.59	3	Horizontal	301	1.20
5580MHz	Pass	PK	5.4672G	57.65	68.20	-10.55	3	Horizontal	301	1.20
5580MHz	Pass	PK	5.583G	117.54	Inf	-Inf	3	Horizontal	301	1.20
5580MHz	Pass	PK	5.7264G	59.27	68.20	-8.93	3	Horizontal	301	1.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.15736G	40.25	54.00	-13.75	3	Vertical	58	1.10
5580MHz	Pass	PK	11.15622G	51.46	74.00	-22.54	3	Vertical	58	1.10
5580MHz	Pass	PK	16.74966G	50.73	68.20	-17.47	3	Vertical	357	1.50
5580MHz	Pass	AV	11.15994G	39.59	54.00	-14.41	3	Horizontal	140	2.32
5580MHz	Pass	PK	11.16126G	50.50	74.00	-23.50	3	Horizontal	140	2.32
5580MHz	Pass	PK	16.73112G	49.65	68.20	-18.55	3	Horizontal	309	1.47
5700MHz	Pass	AV	5.6964G	105.09	Inf	-Inf	3	Vertical	12	1.06
5700MHz	Pass	PK	5.6968G	114.13	Inf	-Inf	3	Vertical	12	1.06
5700MHz	Pass	PK	5.7256G	60.61	68.20	-7.59	3	Vertical	12	1.06
5700MHz	Pass	AV	5.702G	109.38	Inf	-Inf	3	Horizontal	306	1.85
5700MHz	Pass	PK	5.7024G	117.84	Inf	-Inf	3	Horizontal	306	1.85
5700MHz	Pass	PK	5.728G	61.99	68.20	-6.21	3	Horizontal	306	1.85
5700MHz	Pass	AV	11.39988G	42.30	54.00	-11.70	3	Vertical	136	1.50
5700MHz	Pass	PK	11.39916G	53.11	74.00	-20.89	3	Vertical	136	1.50
5700MHz	Pass	PK	17.09562G	51.27	68.20	-16.93	3	Vertical	339	1.50
5700MHz	Pass	AV	11.39994G	42.56	54.00	-11.44	3	Horizontal	138	2.01
5700MHz	Pass	PK	11.40156G	55.16	74.00	-18.84	3	Horizontal	138	2.01
5700MHz	Pass	PK	17.1021G	51.86	68.20	-16.34	3	Horizontal	245	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	47.15	54.00	-6.85	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	104.65	Inf	-Inf	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	58.15	74.00	-15.85	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.63	68.20	-10.57	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	112.72	Inf	-Inf	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9612G	59.43	68.20	-8.77	3	Vertical	344	2.79
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	46.86	54.00	-7.14	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	110.37	Inf	-Inf	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	58.01	74.00	-15.99	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.91	68.20	-11.29	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	118.76	Inf	-Inf	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	59.56	68.20	-8.64	3	Horizontal	303	2.04
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44606G	40.58	54.00	-13.42	3	Vertical	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44774G	51.80	74.00	-22.20	3	Vertical	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1696G	50.41	68.20	-17.79	3	Vertical	326	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	43.86	54.00	-10.14	3	Horizontal	138	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44078G	55.37	74.00	-18.63	3	Horizontal	138	1.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16768G	49.93	68.20	-18.27	3	Horizontal	251	1.50
5745MHz	Pass	AV	5.4534G	45.90	54.00	-8.10	3	Vertical	11	1.23
5745MHz	Pass	AV	5.7414G	105.52	Inf	-Inf	3	Vertical	11	1.23
5745MHz	Pass	PK	5.559G	59.06	68.20	-9.14	3	Vertical	11	1.23
5745MHz	Pass	PK	5.7414G	114.21	Inf	-Inf	3	Vertical	11	1.23
5745MHz	Pass	PK	5.961G	58.93	68.20	-9.27	3	Vertical	11	1.23
5745MHz	Pass	AV	5.4594G	47.15	54.00	-6.85	3	Horizontal	300	1.92
5745MHz	Pass	AV	5.7462G	110.75	Inf	-Inf	3	Horizontal	300	1.92
5745MHz	Pass	PK	5.5506G	58.95	68.20	-9.25	3	Horizontal	300	1.92
5745MHz	Pass	PK	5.7462G	118.65	Inf	-Inf	3	Horizontal	300	1.92
5745MHz	Pass	PK	5.9826G	59.22	68.20	-8.98	3	Horizontal	300	1.92
5745MHz	Pass	AV	11.49576G	42.18	54.00	-11.82	3	Vertical	34	1.50
5745MHz	Pass	PK	11.4957G	53.36	74.00	-20.64	3	Vertical	34	1.50
5745MHz	Pass	PK	17.24574G	50.09	68.20	-18.11	3	Vertical	136	2.50
5745MHz	Pass	AV	11.48994G	44.91	54.00	-9.09	3	Horizontal	137	2.08
5745MHz	Pass	PK	11.49024G	56.33	74.00	-17.67	3	Horizontal	137	2.08
5745MHz	Pass	PK	17.23392G	49.93	68.20	-18.27	3	Horizontal	66	1.50
5785MHz	Pass	AV	5.7922G	105.24	Inf	-Inf	3	Vertical	29	1.02
5785MHz	Pass	PK	5.5834G	59.02	68.20	-9.18	3	Vertical	29	1.02
5785MHz	Pass	PK	5.791G	113.49	Inf	-Inf	3	Vertical	29	1.02
5785MHz	Pass	PK	5.977G	59.38	68.20	-8.82	3	Vertical	29	1.02
5785MHz	Pass	AV	5.7862G	109.70	Inf	-Inf	3	Horizontal	299	1.92
5785MHz	Pass	PK	5.599G	59.55	68.20	-8.65	3	Horizontal	299	1.92
5785MHz	Pass	PK	5.7862G	117.66	Inf	-Inf	3	Horizontal	299	1.92
5785MHz	Pass	PK	5.941G	59.46	68.20	-8.74	3	Horizontal	299	1.92
5785MHz	Pass	AV	11.57546G	44.52	54.00	-9.48	3	Vertical	32	2.71
5785MHz	Pass	PK	11.5748G	57.28	74.00	-16.72	3	Vertical	32	2.71

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	17.34108G	50.55	68.20	-17.65	3	Vertical	242	1.50
5785MHz	Pass	AV	11.56988G	44.70	54.00	-9.30	3	Horizontal	142	2.15
5785MHz	Pass	PK	11.57054G	55.20	74.00	-18.80	3	Horizontal	142	2.15
5785MHz	Pass	PK	17.34186G	50.44	68.20	-17.76	3	Horizontal	75	1.50
5825MHz	Pass	AV	5.8214G	103.93	Inf	-Inf	3	Vertical	14	1.13
5825MHz	Pass	PK	5.5406G	59.14	68.20	-9.06	3	Vertical	14	1.13
5825MHz	Pass	PK	5.8214G	112.69	Inf	-Inf	3	Vertical	14	1.13
5825MHz	Pass	PK	5.933G	58.81	68.20	-9.39	3	Vertical	14	1.13
5825MHz	Pass	AV	5.8262G	109.35	Inf	-Inf	3	Horizontal	304	2.10
5825MHz	Pass	PK	5.603G	59.05	68.20	-9.15	3	Horizontal	304	2.10
5825MHz	Pass	PK	5.8262G	117.30	Inf	-Inf	3	Horizontal	304	2.10
5825MHz	Pass	PK	6.1082G	58.95	68.20	-9.25	3	Horizontal	304	2.10
5825MHz	Pass	AV	11.65576G	43.02	54.00	-10.98	3	Vertical	32	2.74
5825MHz	Pass	PK	11.65486G	55.01	74.00	-18.99	3	Vertical	32	2.74
5825MHz	Pass	PK	17.48508G	51.17	68.20	-17.03	3	Vertical	186	2.62
5825MHz	Pass	AV	11.64988G	41.70	54.00	-12.30	3	Horizontal	146	2.20
5825MHz	Pass	PK	11.65504G	51.32	74.00	-22.68	3	Horizontal	146	2.20
5825MHz	Pass	PK	17.4669G	51.46	68.20	-16.74	3	Horizontal	153	1.72
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.26	54.00	-3.74	3	Vertical	318	2.81
5180MHz	Pass	AV	5.1742G	103.94	Inf	-Inf	3	Vertical	318	2.81
5180MHz	Pass	PK	5.1492G	64.14	74.00	-9.86	3	Vertical	318	2.81
5180MHz	Pass	PK	5.174G	115.57	Inf	-Inf	3	Vertical	318	2.81
5180MHz	Pass	AV	5.1468G	52.60	54.00	-1.40	3	Horizontal	310	1.19
5180MHz	Pass	AV	5.1784G	107.71	Inf	-Inf	3	Horizontal	310	1.19
5180MHz	Pass	PK	5.147G	66.47	74.00	-7.53	3	Horizontal	310	1.19
5180MHz	Pass	PK	5.1782G	118.76	Inf	-Inf	3	Horizontal	310	1.19
5180MHz	Pass	AV	15.53322G	43.26	54.00	-10.74	3	Vertical	34	1.50
5180MHz	Pass	PK	10.35748G	51.51	68.20	-16.69	3	Vertical	161	1.02
5180MHz	Pass	PK	15.53346G	54.21	74.00	-19.79	3	Vertical	34	1.50
5180MHz	Pass	AV	15.53382G	47.26	54.00	-6.74	3	Horizontal	194	1.95
5180MHz	Pass	PK	10.35988G	49.79	68.20	-18.41	3	Horizontal	153	1.89
5180MHz	Pass	PK	15.5325G	59.48	74.00	-14.52	3	Horizontal	194	1.95
5200MHz	Pass	AV	5.15G	45.88	54.00	-8.12	3	Vertical	318	2.91
5200MHz	Pass	AV	5.194G	104.64	Inf	-Inf	3	Vertical	318	2.91
5200MHz	Pass	PK	5.1372G	58.13	74.00	-15.87	3	Vertical	318	2.91
5200MHz	Pass	PK	5.1944G	116.15	Inf	-Inf	3	Vertical	318	2.91
5200MHz	Pass	AV	5.146G	46.89	54.00	-7.11	3	Horizontal	310	1.11
5200MHz	Pass	AV	5.198G	107.89	Inf	-Inf	3	Horizontal	310	1.11
5200MHz	Pass	PK	5.1444G	61.55	74.00	-12.45	3	Horizontal	310	1.11
5200MHz	Pass	PK	5.1988G	119.02	Inf	-Inf	3	Horizontal	310	1.11
5200MHz	Pass	AV	15.5931G	40.70	54.00	-13.30	3	Vertical	160	1.50
5200MHz	Pass	PK	10.4036G	51.33	68.20	-16.87	3	Vertical	163	1.00
5200MHz	Pass	PK	15.5934G	52.36	74.00	-21.64	3	Vertical	160	1.50
5200MHz	Pass	AV	15.59358G	45.36	54.00	-8.64	3	Horizontal	179	1.82
5200MHz	Pass	PK	10.39586G	51.33	68.20	-16.87	3	Horizontal	184	2.05
5200MHz	Pass	PK	15.59376G	57.83	74.00	-16.17	3	Horizontal	179	1.82
5240MHz	Pass	AV	5.0918G	45.65	54.00	-8.35	3	Vertical	315	1.05
5240MHz	Pass	AV	5.231G	104.59	Inf	-Inf	3	Vertical	315	1.05
5240MHz	Pass	AV	5.3882G	46.41	54.00	-7.59	3	Vertical	315	1.05
5240MHz	Pass	PK	5.1098G	57.65	74.00	-16.35	3	Vertical	315	1.05
5240MHz	Pass	PK	5.2322G	115.22	Inf	-Inf	3	Vertical	315	1.05
5240MHz	Pass	PK	5.3822G	58.47	74.00	-15.53	3	Vertical	315	1.05
5240MHz	Pass	AV	5.0924G	45.68	54.00	-8.32	3	Horizontal	312	1.16
5240MHz	Pass	AV	5.2382G	108.00	Inf	-Inf	3	Horizontal	312	1.16
5240MHz	Pass	AV	5.387G	46.71	54.00	-7.29	3	Horizontal	312	1.16
5240MHz	Pass	PK	5.1092G	59.48	74.00	-14.52	3	Horizontal	312	1.16
5240MHz	Pass	PK	5.2388G	118.88	Inf	-Inf	3	Horizontal	312	1.16
5240MHz	Pass	PK	5.3864G	58.60	74.00	-15.40	3	Horizontal	312	1.16
5240MHz	Pass	AV	15.71994G	43.94	54.00	-10.06	3	Vertical	68	1.30
5240MHz	Pass	PK	10.48012G	48.88	68.20	-19.32	3	Vertical	249	1.92
5240MHz	Pass	PK	15.7146G	56.46	74.00	-17.54	3	Vertical	68	1.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	15.71472G	47.22	54.00	-6.78	3	Horizontal	176	1.96
5240MHz	Pass	PK	10.47574G	49.22	68.20	-18.98	3	Horizontal	185	1.83
5240MHz	Pass	PK	15.7146G	59.18	74.00	-14.82	3	Horizontal	176	1.96
5260MHz	Pass	AV	5.1124G	45.47	54.00	-8.53	3	Vertical	17	3.00
5260MHz	Pass	AV	5.254G	104.15	Inf	-Inf	3	Vertical	17	3.00
5260MHz	Pass	AV	5.41G	46.57	54.00	-7.43	3	Vertical	17	3.00
5260MHz	Pass	PK	5.1184G	57.72	74.00	-16.28	3	Vertical	17	3.00
5260MHz	Pass	PK	5.2534G	115.01	Inf	-Inf	3	Vertical	17	3.00
5260MHz	Pass	PK	5.3986G	58.86	74.00	-15.14	3	Vertical	17	3.00
5260MHz	Pass	AV	5.1466G	45.60	54.00	-8.40	3	Horizontal	312	1.15
5260MHz	Pass	AV	5.2582G	107.79	Inf	-Inf	3	Horizontal	312	1.15
5260MHz	Pass	AV	5.407G	46.79	54.00	-7.21	3	Horizontal	312	1.15
5260MHz	Pass	PK	5.1136G	57.82	74.00	-16.18	3	Horizontal	312	1.15
5260MHz	Pass	PK	5.257G	118.51	Inf	-Inf	3	Horizontal	312	1.15
5260MHz	Pass	PK	5.362G	58.48	74.00	-15.52	3	Horizontal	312	1.15
5260MHz	Pass	AV	15.77394G	46.98	54.00	-7.02	3	Vertical	26	1.11
5260MHz	Pass	PK	10.52012G	49.24	68.20	-18.96	3	Vertical	158	2.14
5260MHz	Pass	PK	15.77376G	59.48	74.00	-14.52	3	Vertical	26	1.11
5260MHz	Pass	AV	15.77502G	43.83	54.00	-10.17	3	Horizontal	176	1.83
5260MHz	Pass	PK	10.5197G	48.37	68.20	-19.83	3	Horizontal	184	1.84
5260MHz	Pass	PK	15.77334G	55.16	74.00	-18.84	3	Horizontal	176	1.83
5300MHz	Pass	AV	5.2916G	103.39	Inf	-Inf	3	Vertical	26	1.00
5300MHz	Pass	AV	5.35G	47.24	54.00	-6.76	3	Vertical	26	1.00
5300MHz	Pass	PK	5.2908G	114.22	Inf	-Inf	3	Vertical	26	1.00
5300MHz	Pass	PK	5.3508G	59.16	74.00	-14.84	3	Vertical	26	1.00
5300MHz	Pass	AV	5.298G	108.08	Inf	-Inf	3	Horizontal	312	1.18
5300MHz	Pass	AV	5.3532G	47.58	54.00	-6.42	3	Horizontal	312	1.18
5300MHz	Pass	PK	5.2984G	119.10	Inf	-Inf	3	Horizontal	312	1.18
5300MHz	Pass	PK	5.3548G	59.62	74.00	-14.38	3	Horizontal	312	1.18
5300MHz	Pass	AV	15.89934G	43.06	54.00	-10.94	3	Vertical	75	1.28
5300MHz	Pass	PK	10.58992G	48.10	68.20	-20.10	3	Vertical	357	1.50
5300MHz	Pass	PK	15.89862G	54.82	74.00	-19.18	3	Vertical	75	1.28
5300MHz	Pass	AV	15.89922G	43.05	54.00	-10.95	3	Horizontal	160	1.01
5300MHz	Pass	PK	10.6G	48.39	74.00	-25.61	3	Horizontal	22	1.00
5300MHz	Pass	PK	15.89622G	54.32	74.00	-19.68	3	Horizontal	160	1.01
5320MHz	Pass	AV	5.3136G	103.69	Inf	-Inf	3	Vertical	23	2.92
5320MHz	Pass	AV	5.3514G	50.84	54.00	-3.16	3	Vertical	23	2.92
5320MHz	Pass	PK	5.3142G	115.00	Inf	-Inf	3	Vertical	23	2.92
5320MHz	Pass	PK	5.3512G	63.68	74.00	-10.32	3	Vertical	23	2.92
5320MHz	Pass	AV	5.3182G	107.83	Inf	-Inf	3	Horizontal	313	1.13
5320MHz	Pass	AV	5.3552G	53.06	54.00	-0.94	3	Horizontal	313	1.13
5320MHz	Pass	PK	5.318G	119.00	Inf	-Inf	3	Horizontal	313	1.13
5320MHz	Pass	PK	5.356G	68.63	74.00	-5.37	3	Horizontal	313	1.13
5320MHz	Pass	AV	10.63994G	39.95	54.00	-14.05	3	Vertical	131	1.05
5320MHz	Pass	AV	15.95994G	41.61	54.00	-12.39	3	Vertical	74	1.26
5320MHz	Pass	PK	10.63934G	51.40	74.00	-22.60	3	Vertical	131	1.05
5320MHz	Pass	PK	15.95946G	53.44	74.00	-20.56	3	Vertical	74	1.26
5320MHz	Pass	AV	10.6397G	39.09	54.00	-14.91	3	Horizontal	198	2.54
5320MHz	Pass	AV	15.95988G	40.57	54.00	-13.43	3	Horizontal	178	1.96
5320MHz	Pass	PK	10.63658G	49.15	74.00	-24.85	3	Horizontal	198	2.54
5320MHz	Pass	PK	15.96882G	52.93	74.00	-21.07	3	Horizontal	178	1.96
5500MHz	Pass	AV	5.4576G	47.26	54.00	-6.74	3	Vertical	6	1.06
5500MHz	Pass	AV	5.4964G	105.50	Inf	-Inf	3	Vertical	6	1.06
5500MHz	Pass	PK	5.4574G	60.12	74.00	-13.88	3	Vertical	6	1.06
5500MHz	Pass	PK	5.4672G	58.73	68.20	-9.47	3	Vertical	6	1.06
5500MHz	Pass	PK	5.4964G	117.05	Inf	-Inf	3	Vertical	6	1.06
5500MHz	Pass	AV	5.4532G	47.98	54.00	-6.02	3	Horizontal	319	1.01
5500MHz	Pass	AV	5.492G	109.36	Inf	-Inf	3	Horizontal	319	1.01
5500MHz	Pass	PK	5.4598G	60.74	74.00	-13.26	3	Horizontal	319	1.01
5500MHz	Pass	PK	5.47G	63.83	68.20	-4.37	3	Horizontal	319	1.01
5500MHz	Pass	PK	5.4932G	121.01	Inf	-Inf	3	Horizontal	319	1.01
5500MHz	Pass	AV	10.99982G	38.84	54.00	-15.16	3	Vertical	162	2.96

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	10.99136G	50.57	74.00	-23.43	3	Vertical	162	2.96
5500MHz	Pass	PK	16.50354G	50.98	68.20	-17.22	3	Vertical	31	1.24
5500MHz	Pass	AV	10.99454G	40.56	54.00	-13.44	3	Horizontal	153	1.98
5500MHz	Pass	PK	10.99532G	52.37	74.00	-21.63	3	Horizontal	153	1.98
5500MHz	Pass	PK	16.5069G	49.43	68.20	-18.77	3	Horizontal	19	1.29
5580MHz	Pass	AV	5.4546G	45.85	54.00	-8.15	3	Vertical	50	2.22
5580MHz	Pass	AV	5.5782G	104.45	Inf	-Inf	3	Vertical	50	2.22
5580MHz	Pass	PK	5.4576G	57.60	74.00	-16.40	3	Vertical	50	2.22
5580MHz	Pass	PK	5.4636G	57.93	68.20	-10.27	3	Vertical	50	2.22
5580MHz	Pass	PK	5.5764G	115.74	Inf	-Inf	3	Vertical	50	2.22
5580MHz	Pass	PK	5.7258G	58.50	68.20	-9.70	3	Vertical	50	2.22
5580MHz	Pass	AV	5.4576G	46.13	54.00	-7.87	3	Horizontal	294	1.92
5580MHz	Pass	AV	5.5818G	108.97	Inf	-Inf	3	Horizontal	294	1.92
5580MHz	Pass	PK	5.4456G	57.56	74.00	-16.44	3	Horizontal	294	1.92
5580MHz	Pass	PK	5.4654G	58.25	68.20	-9.95	3	Horizontal	294	1.92
5580MHz	Pass	PK	5.5818G	120.20	Inf	-Inf	3	Horizontal	294	1.92
5580MHz	Pass	PK	5.7288G	59.40	68.20	-8.80	3	Horizontal	294	1.92
5580MHz	Pass	AV	11.15778G	39.69	54.00	-14.31	3	Vertical	64	1.09
5580MHz	Pass	PK	11.16534G	51.42	74.00	-22.58	3	Vertical	64	1.09
5580MHz	Pass	PK	16.75398G	50.13	68.20	-18.07	3	Vertical	87	1.50
5580MHz	Pass	AV	11.15994G	39.24	54.00	-14.76	3	Horizontal	144	1.96
5580MHz	Pass	PK	11.14938G	50.53	74.00	-23.47	3	Horizontal	144	1.96
5580MHz	Pass	PK	16.74888G	50.37	68.20	-17.83	3	Horizontal	231	3.00
5700MHz	Pass	AV	5.696G	104.45	Inf	-Inf	3	Vertical	12	1.06
5700MHz	Pass	PK	5.6964G	116.05	Inf	-Inf	3	Vertical	12	1.06
5700MHz	Pass	PK	5.7256G	62.84	68.20	-5.36	3	Vertical	12	1.06
5700MHz	Pass	AV	5.7016G	109.69	Inf	-Inf	3	Horizontal	302	2.04
5700MHz	Pass	PK	5.7028G	120.02	Inf	-Inf	3	Horizontal	302	2.04
5700MHz	Pass	PK	5.726G	65.46	68.20	-2.74	3	Horizontal	302	2.04
5700MHz	Pass	AV	11.39976G	40.97	54.00	-13.03	3	Vertical	139	1.67
5700MHz	Pass	PK	11.39994G	51.74	74.00	-22.26	3	Vertical	139	1.67
5700MHz	Pass	PK	17.1066G	50.12	68.20	-18.08	3	Vertical	122	1.50
5700MHz	Pass	AV	11.39982G	42.27	54.00	-11.73	3	Horizontal	141	3.00
5700MHz	Pass	PK	11.39982G	51.03	74.00	-22.97	3	Horizontal	141	3.00
5700MHz	Pass	PK	17.10876G	51.14	68.20	-17.06	3	Horizontal	1	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	45.75	54.00	-8.25	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	104.59	Inf	-Inf	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	57.04	74.00	-16.96	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.08	68.20	-11.12	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	115.92	Inf	-Inf	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.954G	59.14	68.20	-9.06	3	Vertical	13	1.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	46.66	54.00	-7.34	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	110.10	Inf	-Inf	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	58.31	74.00	-15.69	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.67	68.20	-11.53	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	120.89	Inf	-Inf	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9576G	59.63	68.20	-8.57	3	Horizontal	302	2.02
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43982G	39.44	54.00	-14.56	3	Vertical	134	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44864G	50.67	74.00	-23.33	3	Vertical	134	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14626G	50.12	68.20	-18.08	3	Vertical	318	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4409G	42.11	54.00	-11.89	3	Horizontal	139	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44138G	53.45	74.00	-20.55	3	Horizontal	139	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14686G	50.28	68.20	-17.92	3	Horizontal	242	1.50
5745MHz	Pass	AV	5.4534G	45.93	54.00	-8.07	3	Vertical	12	1.23
5745MHz	Pass	AV	5.7414G	104.58	Inf	-Inf	3	Vertical	12	1.23
5745MHz	Pass	PK	5.6226G	58.52	68.20	-9.68	3	Vertical	12	1.23
5745MHz	Pass	PK	5.7426G	114.55	Inf	-Inf	3	Vertical	12	1.23
5745MHz	Pass	PK	5.9646G	59.38	68.20	-8.82	3	Vertical	12	1.23
5745MHz	Pass	AV	5.4486G	47.30	54.00	-6.70	3	Horizontal	323	1.02
5745MHz	Pass	AV	5.7366G	109.67	Inf	-Inf	3	Horizontal	323	1.02
5745MHz	Pass	PK	5.6082G	59.22	68.20	-8.98	3	Horizontal	323	1.02
5745MHz	Pass	PK	5.7366G	121.67	Inf	-Inf	3	Horizontal	323	1.02

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.9382G	59.00	68.20	-9.20	3	Horizontal	323	1.02
5745MHz	Pass	AV	11.49534G	42.68	54.00	-11.32	3	Vertical	30	1.50
5745MHz	Pass	PK	11.49498G	55.30	74.00	-18.70	3	Vertical	30	1.50
5745MHz	Pass	PK	17.2467G	49.51	68.20	-18.69	3	Vertical	236	2.32
5745MHz	Pass	AV	11.48994G	43.94	54.00	-10.06	3	Horizontal	139	2.10
5745MHz	Pass	PK	11.49126G	54.95	74.00	-19.05	3	Horizontal	139	2.10
5745MHz	Pass	PK	17.23644G	49.65	68.20	-18.55	3	Horizontal	179	1.50
5785MHz	Pass	AV	5.7778G	102.33	Inf	-Inf	3	Vertical	41	1.50
5785MHz	Pass	PK	5.6194G	58.77	68.20	-9.43	3	Vertical	41	1.50
5785MHz	Pass	PK	5.7778G	113.40	Inf	-Inf	3	Vertical	41	1.50
5785MHz	Pass	PK	6.0118G	58.95	68.20	-9.25	3	Vertical	41	1.50
5785MHz	Pass	AV	5.7766G	108.53	Inf	-Inf	3	Horizontal	325	1.27
5785MHz	Pass	PK	5.497G	59.33	68.20	-8.87	3	Horizontal	325	1.27
5785MHz	Pass	PK	5.7766G	119.41	Inf	-Inf	3	Horizontal	325	1.27
5785MHz	Pass	PK	5.9458G	58.94	68.20	-9.26	3	Horizontal	325	1.27
5785MHz	Pass	AV	11.5751G	43.24	54.00	-10.76	3	Vertical	32	2.72
5785MHz	Pass	PK	11.57528G	54.57	74.00	-19.43	3	Vertical	32	2.72
5785MHz	Pass	PK	17.35212G	50.54	68.20	-17.66	3	Vertical	4	3.00
5785MHz	Pass	AV	11.56988G	43.26	54.00	-10.74	3	Horizontal	144	2.07
5785MHz	Pass	PK	11.56982G	52.61	74.00	-21.39	3	Horizontal	144	2.07
5785MHz	Pass	PK	17.35794G	50.69	68.20	-17.51	3	Horizontal	153	1.50
5825MHz	Pass	AV	5.8226G	103.31	Inf	-Inf	3	Vertical	15	1.12
5825MHz	Pass	PK	5.609G	59.19	68.20	-9.01	3	Vertical	15	1.12
5825MHz	Pass	PK	5.8214G	113.99	Inf	-Inf	3	Vertical	15	1.12
5825MHz	Pass	PK	5.939G	59.63	68.20	-8.57	3	Vertical	15	1.12
5825MHz	Pass	AV	5.8166G	108.28	Inf	-Inf	3	Horizontal	325	1.28
5825MHz	Pass	PK	5.5442G	59.90	68.20	-8.30	3	Horizontal	325	1.28
5825MHz	Pass	PK	5.8154G	119.15	Inf	-Inf	3	Horizontal	325	1.28
5825MHz	Pass	PK	6.053G	58.90	68.20	-9.30	3	Horizontal	325	1.28
5825MHz	Pass	AV	11.65498G	42.13	54.00	-11.87	3	Vertical	32	2.80
5825MHz	Pass	PK	11.6533G	53.71	74.00	-20.29	3	Vertical	32	2.80
5825MHz	Pass	PK	17.48922G	50.85	68.20	-17.35	3	Vertical	3	1.00
5825MHz	Pass	AV	11.64988G	40.00	54.00	-14.00	3	Horizontal	146	1.82
5825MHz	Pass	PK	11.6497G	48.79	74.00	-25.21	3	Horizontal	146	1.82
5825MHz	Pass	PK	17.48088G	51.49	68.20	-16.71	3	Horizontal	154	1.88
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1444G	48.30	54.00	-5.70	3	Vertical	317	2.91
5190MHz	Pass	AV	5.2044G	98.89	Inf	-Inf	3	Vertical	317	2.91
5190MHz	Pass	PK	5.144G	61.03	74.00	-12.97	3	Vertical	317	2.91
5190MHz	Pass	PK	5.2044G	110.18	Inf	-Inf	3	Vertical	317	2.91
5190MHz	Pass	AV	5.1488G	52.87	54.00	-1.13	3	Horizontal	312	1.27
5190MHz	Pass	AV	5.208G	102.18	Inf	-Inf	3	Horizontal	312	1.27
5190MHz	Pass	PK	5.1492G	64.99	74.00	-9.01	3	Horizontal	312	1.27
5190MHz	Pass	PK	5.2072G	112.45	Inf	-Inf	3	Horizontal	312	1.27
5190MHz	Pass	AV	15.56244G	38.60	54.00	-15.40	3	Vertical	32	1.50
5190MHz	Pass	PK	10.38012G	49.16	68.20	-19.04	3	Vertical	162	1.00
5190MHz	Pass	PK	15.56244G	50.99	74.00	-23.01	3	Vertical	32	1.50
5190MHz	Pass	AV	15.56292G	40.36	54.00	-13.64	3	Horizontal	195	1.93
5190MHz	Pass	PK	10.36512G	48.45	68.20	-19.75	3	Horizontal	149	2.93
5190MHz	Pass	PK	15.5652G	51.58	74.00	-22.42	3	Horizontal	195	1.93
5230MHz	Pass	AV	5.15G	48.24	54.00	-5.76	3	Vertical	38	2.11
5230MHz	Pass	AV	5.2308G	100.66	Inf	-Inf	3	Vertical	38	2.11
5230MHz	Pass	PK	5.1468G	60.83	74.00	-13.17	3	Vertical	38	2.11
5230MHz	Pass	PK	5.2288G	112.10	Inf	-Inf	3	Vertical	38	2.11
5230MHz	Pass	AV	5.15G	49.19	54.00	-4.81	3	Horizontal	309	1.12
5230MHz	Pass	AV	5.248G	105.35	Inf	-Inf	3	Horizontal	309	1.12
5230MHz	Pass	PK	5.1328G	61.78	74.00	-12.22	3	Horizontal	309	1.12
5230MHz	Pass	PK	5.2472G	116.38	Inf	-Inf	3	Horizontal	309	1.12
5230MHz	Pass	AV	15.68892G	37.09	54.00	-16.91	3	Vertical	203	1.50
5230MHz	Pass	PK	10.4816G	47.75	68.20	-20.45	3	Vertical	259	1.50
5230MHz	Pass	PK	15.69096G	49.24	74.00	-24.76	3	Vertical	203	1.50
5230MHz	Pass	AV	15.71616G	37.11	54.00	-16.89	3	Horizontal	236	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.4594G	48.41	68.20	-19.79	3	Horizontal	254	1.39
5230MHz	Pass	PK	15.66816G	48.76	74.00	-25.24	3	Horizontal	236	1.50
5270MHz	Pass	AV	5.2552G	103.00	Inf	-Inf	3	Vertical	12	2.96
5270MHz	Pass	AV	5.35G	48.69	54.00	-5.31	3	Vertical	12	2.96
5270MHz	Pass	PK	5.256G	115.29	Inf	-Inf	3	Vertical	12	2.96
5270MHz	Pass	PK	5.3524G	61.27	74.00	-12.73	3	Vertical	12	2.96
5270MHz	Pass	AV	5.2684G	105.45	Inf	-Inf	3	Horizontal	312	1.13
5270MHz	Pass	AV	5.3548G	49.83	54.00	-4.17	3	Horizontal	312	1.13
5270MHz	Pass	PK	5.2688G	116.63	Inf	-Inf	3	Horizontal	312	1.13
5270MHz	Pass	PK	5.3544G	61.39	74.00	-12.61	3	Horizontal	312	1.13
5270MHz	Pass	AV	15.78708G	37.06	54.00	-16.94	3	Vertical	33	1.49
5270MHz	Pass	PK	10.51108G	47.66	68.20	-20.54	3	Vertical	150	1.50
5270MHz	Pass	PK	15.78144G	49.71	74.00	-24.29	3	Vertical	33	1.49
5270MHz	Pass	AV	15.78288G	37.06	54.00	-16.94	3	Horizontal	60	2.00
5270MHz	Pass	PK	10.56148G	48.48	68.20	-19.72	3	Horizontal	241	1.50
5270MHz	Pass	PK	15.83316G	49.79	74.00	-24.21	3	Horizontal	60	2.00
5310MHz	Pass	AV	5.3032G	95.50	Inf	-Inf	3	Vertical	27	1.16
5310MHz	Pass	AV	5.356G	47.61	54.00	-6.39	3	Vertical	27	1.16
5310MHz	Pass	PK	5.304G	107.46	Inf	-Inf	3	Vertical	27	1.16
5310MHz	Pass	PK	5.3532G	59.36	74.00	-14.64	3	Vertical	27	1.16
5310MHz	Pass	AV	5.3284G	100.07	Inf	-Inf	3	Horizontal	315	1.45
5310MHz	Pass	AV	5.35G	53.02	54.00	-0.98	3	Horizontal	315	1.45
5310MHz	Pass	PK	5.3276G	112.58	Inf	-Inf	3	Horizontal	315	1.45
5310MHz	Pass	PK	5.35G	64.71	74.00	-9.29	3	Horizontal	315	1.45
5310MHz	Pass	AV	10.61988G	37.96	54.00	-16.04	3	Vertical	197	1.34
5310MHz	Pass	AV	15.95532G	37.15	54.00	-16.85	3	Vertical	124	1.50
5310MHz	Pass	PK	10.64796G	47.99	74.00	-26.01	3	Vertical	197	1.34
5310MHz	Pass	PK	15.93012G	49.11	74.00	-24.89	3	Vertical	124	1.50
5310MHz	Pass	AV	10.61988G	37.76	54.00	-16.24	3	Horizontal	168	2.01
5310MHz	Pass	AV	15.95856G	37.10	54.00	-16.90	3	Horizontal	215	1.50
5310MHz	Pass	PK	10.59168G	48.48	68.20	-19.72	3	Horizontal	168	2.01
5310MHz	Pass	PK	15.94656G	49.75	74.00	-24.25	3	Horizontal	215	1.50
5510MHz	Pass	AV	5.4596G	47.41	54.00	-6.59	3	Vertical	6	1.04
5510MHz	Pass	AV	5.526G	101.72	Inf	-Inf	3	Vertical	6	1.04
5510MHz	Pass	PK	5.4592G	59.84	74.00	-14.16	3	Vertical	6	1.04
5510MHz	Pass	PK	5.4652G	66.50	68.20	-1.70	3	Vertical	6	1.04
5510MHz	Pass	PK	5.5252G	112.70	Inf	-Inf	3	Vertical	6	1.04
5510MHz	Pass	AV	5.46G	52.16	54.00	-1.84	3	Horizontal	302	1.14
5510MHz	Pass	AV	5.5136G	104.37	Inf	-Inf	3	Horizontal	302	1.14
5510MHz	Pass	PK	5.4596G	66.52	74.00	-7.48	3	Horizontal	302	1.14
5510MHz	Pass	PK	5.4604G	67.12	68.20	-1.08	3	Horizontal	302	1.14
5510MHz	Pass	PK	5.5132G	117.51	Inf	-Inf	3	Horizontal	302	1.14
5510MHz	Pass	AV	11.01976G	39.11	54.00	-14.89	3	Vertical	155	1.50
5510MHz	Pass	PK	11.01988G	49.40	74.00	-24.60	3	Vertical	155	1.50
5510MHz	Pass	PK	16.51212G	50.82	68.20	-17.38	3	Vertical	212	1.50
5510MHz	Pass	AV	11.01388G	38.28	54.00	-15.72	3	Horizontal	152	2.35
5510MHz	Pass	PK	11.01604G	50.41	74.00	-23.59	3	Horizontal	152	2.35
5510MHz	Pass	PK	16.50204G	49.77	68.20	-18.43	3	Horizontal	227	1.50
5550MHz	Pass	AV	5.4576G	45.85	54.00	-8.15	3	Vertical	23	2.96
5550MHz	Pass	AV	5.5368G	103.17	Inf	-Inf	3	Vertical	23	2.96
5550MHz	Pass	PK	5.4584G	57.47	74.00	-16.53	3	Vertical	23	2.96
5550MHz	Pass	PK	5.468G	57.19	68.20	-11.01	3	Vertical	23	2.96
5550MHz	Pass	PK	5.5572G	114.15	Inf	-Inf	3	Vertical	23	2.96
5550MHz	Pass	AV	5.4596G	46.77	54.00	-7.23	3	Horizontal	295	1.93
5550MHz	Pass	AV	5.552G	106.16	Inf	-Inf	3	Horizontal	295	1.93
5550MHz	Pass	PK	5.4596G	57.88	74.00	-16.12	3	Horizontal	295	1.93
5550MHz	Pass	PK	5.47G	58.12	68.20	-10.08	3	Horizontal	295	1.93
5550MHz	Pass	PK	5.5316G	117.08	Inf	-Inf	3	Horizontal	295	1.93
5550MHz	Pass	AV	11.09988G	40.72	54.00	-13.28	3	Vertical	162	2.74
5550MHz	Pass	PK	11.09172G	49.90	74.00	-24.10	3	Vertical	162	2.74
5550MHz	Pass	PK	16.6596G	49.51	68.20	-18.69	3	Vertical	204	1.27
5550MHz	Pass	AV	11.09304G	38.73	54.00	-15.27	3	Horizontal	151	2.45

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	11.09148G	49.25	74.00	-24.75	3	Horizontal	151	2.45
5550MHz	Pass	PK	16.67736G	49.86	68.20	-18.34	3	Horizontal	17	1.50
5670MHz	Pass	AV	5.6664G	102.31	Inf	-Inf	3	Vertical	10	1.00
5670MHz	Pass	PK	5.6658G	113.73	Inf	-Inf	3	Vertical	10	1.00
5670MHz	Pass	PK	5.7258G	63.30	68.20	-4.90	3	Vertical	10	1.00
5670MHz	Pass	AV	5.652G	106.63	Inf	-Inf	3	Horizontal	300	1.97
5670MHz	Pass	PK	5.6538G	118.20	Inf	-Inf	3	Horizontal	300	1.97
5670MHz	Pass	PK	5.7252G	66.50	68.20	-1.70	3	Horizontal	300	1.97
5670MHz	Pass	AV	11.34468G	39.70	54.00	-14.30	3	Vertical	354	1.88
5670MHz	Pass	PK	11.34624G	50.40	74.00	-23.60	3	Vertical	354	1.88
5670MHz	Pass	PK	17.01552G	49.79	68.20	-18.41	3	Vertical	316	1.50
5670MHz	Pass	AV	11.33988G	40.68	54.00	-13.32	3	Horizontal	144	2.09
5670MHz	Pass	PK	11.3292G	49.60	74.00	-24.40	3	Horizontal	144	2.09
5670MHz	Pass	PK	17.0094G	49.85	68.20	-18.35	3	Horizontal	100	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.57	54.00	-8.43	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	99.88	Inf	-Inf	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4352G	57.87	74.00	-16.13	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	56.96	68.20	-11.24	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	112.15	Inf	-Inf	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9728G	59.08	68.20	-9.12	3	Vertical	57	2.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4268G	46.55	54.00	-7.45	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	106.70	Inf	-Inf	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4352G	58.92	74.00	-15.08	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.59	68.20	-10.61	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	116.28	Inf	-Inf	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8996G	59.68	68.20	-8.52	3	Horizontal	302	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	39.77	54.00	-14.23	3	Vertical	136	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41952G	50.78	74.00	-23.22	3	Vertical	136	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11656G	50.33	68.20	-17.87	3	Vertical	30	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	41.07	54.00	-12.93	3	Horizontal	144	2.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4098G	49.90	74.00	-24.10	3	Horizontal	144	2.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1156G	50.32	68.20	-17.88	3	Horizontal	0	1.50
5755MHz	Pass	AV	5.4598G	46.72	54.00	-7.28	3	Vertical	346	2.65
5755MHz	Pass	AV	5.7502G	101.35	Inf	-Inf	3	Vertical	346	2.65
5755MHz	Pass	PK	5.5534G	59.42	68.20	-8.78	3	Vertical	346	2.65
5755MHz	Pass	PK	5.7502G	112.33	Inf	-Inf	3	Vertical	346	2.65
5755MHz	Pass	PK	6.0034G	58.53	68.20	-9.67	3	Vertical	346	2.65
5755MHz	Pass	AV	5.455G	46.42	54.00	-7.58	3	Horizontal	17	1.93
5755MHz	Pass	AV	5.7418G	102.25	Inf	-Inf	3	Horizontal	17	1.93
5755MHz	Pass	PK	5.5762G	58.79	68.20	-9.41	3	Horizontal	17	1.93
5755MHz	Pass	PK	5.743G	112.86	Inf	-Inf	3	Horizontal	17	1.93
5755MHz	Pass	PK	6.0154G	58.66	68.20	-9.54	3	Horizontal	17	1.93
5755MHz	Pass	AV	11.51528G	41.45	54.00	-12.55	3	Vertical	32	1.46
5755MHz	Pass	PK	11.51624G	53.86	74.00	-20.14	3	Vertical	32	1.46
5755MHz	Pass	PK	17.27508G	50.25	68.20	-17.95	3	Vertical	98	1.50
5755MHz	Pass	AV	11.50988G	43.09	54.00	-10.91	3	Horizontal	142	2.62
5755MHz	Pass	PK	11.50964G	51.33	74.00	-22.67	3	Horizontal	142	2.62
5755MHz	Pass	PK	17.24892G	50.52	68.20	-17.68	3	Horizontal	106	2.33
5795MHz	Pass	AV	5.777G	100.88	Inf	-Inf	3	Vertical	353	3.00
5795MHz	Pass	PK	5.5166G	59.65	68.20	-8.55	3	Vertical	353	3.00
5795MHz	Pass	PK	5.7782G	110.79	Inf	-Inf	3	Vertical	353	3.00
5795MHz	Pass	PK	6.0434G	59.11	68.20	-9.09	3	Vertical	353	3.00
5795MHz	Pass	AV	5.7866G	105.32	Inf	-Inf	3	Horizontal	324	1.14
5795MHz	Pass	PK	5.519G	58.90	68.20	-9.30	3	Horizontal	324	1.14
5795MHz	Pass	PK	5.7854G	116.39	Inf	-Inf	3	Horizontal	324	1.14
5795MHz	Pass	PK	5.9582G	58.99	68.20	-9.21	3	Horizontal	324	1.14
5795MHz	Pass	AV	11.59456G	42.11	54.00	-11.89	3	Vertical	32	2.84
5795MHz	Pass	PK	11.59456G	54.37	74.00	-19.63	3	Vertical	32	2.84
5795MHz	Pass	PK	17.3982G	50.20	68.20	-18.00	3	Vertical	10	1.50
5795MHz	Pass	AV	11.58988G	43.15	54.00	-10.85	3	Horizontal	144	2.33
5795MHz	Pass	PK	11.59012G	50.39	74.00	-23.61	3	Horizontal	144	2.33
5795MHz	Pass	PK	17.3766G	51.12	68.20	-17.08	3	Horizontal	104	1.93

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	49.51	54.00	-4.49	3	Vertical	37	1.82
5210MHz	Pass	AV	5.23G	93.43	Inf	-Inf	3	Vertical	37	1.82
5210MHz	Pass	AV	5.459G	46.89	54.00	-7.11	3	Vertical	37	1.82
5210MHz	Pass	PK	5.15G	59.59	74.00	-14.41	3	Vertical	37	1.82
5210MHz	Pass	PK	5.209G	104.53	Inf	-Inf	3	Vertical	37	1.82
5210MHz	Pass	PK	5.456G	58.48	74.00	-15.52	3	Vertical	37	1.82
5210MHz	Pass	AV	5.149G	53.67	54.00	-0.33	3	Horizontal	310	1.17
5210MHz	Pass	AV	5.208G	98.36	Inf	-Inf	3	Horizontal	310	1.17
5210MHz	Pass	AV	5.46G	47.55	54.00	-6.45	3	Horizontal	310	1.17
5210MHz	Pass	PK	5.148G	63.74	74.00	-10.26	3	Horizontal	310	1.17
5210MHz	Pass	PK	5.229G	109.22	Inf	-Inf	3	Horizontal	310	1.17
5210MHz	Pass	PK	5.412G	59.25	74.00	-14.75	3	Horizontal	310	1.17
5210MHz	Pass	AV	15.58344G	37.55	54.00	-16.45	3	Vertical	196	3.00
5210MHz	Pass	PK	10.402G	48.29	68.20	-19.91	3	Vertical	267	1.95
5210MHz	Pass	PK	15.58872G	49.10	74.00	-24.90	3	Vertical	196	3.00
5210MHz	Pass	AV	15.62184G	37.86	54.00	-16.14	3	Horizontal	186	2.51
5210MHz	Pass	PK	10.42G	47.74	68.20	-20.46	3	Horizontal	182	1.77
5210MHz	Pass	PK	15.58872G	50.57	74.00	-23.43	3	Horizontal	186	2.51
5290MHz	Pass	AV	5.05G	46.26	54.00	-7.74	3	Vertical	44	1.87
5290MHz	Pass	AV	5.269G	93.55	Inf	-Inf	3	Vertical	44	1.87
5290MHz	Pass	AV	5.35G	51.62	54.00	-2.38	3	Vertical	44	1.87
5290MHz	Pass	PK	5.098G	59.16	74.00	-14.84	3	Vertical	44	1.87
5290MHz	Pass	PK	5.312G	103.43	Inf	-Inf	3	Vertical	44	1.87
5290MHz	Pass	PK	5.35G	64.20	74.00	-9.80	3	Vertical	44	1.87
5290MHz	Pass	PK	5.465G	59.30	68.20	-8.90	3	Vertical	44	1.87
5290MHz	Pass	AV	5.052G	46.26	54.00	-7.74	3	Horizontal	311	1.12
5290MHz	Pass	AV	5.268G	96.94	Inf	-Inf	3	Horizontal	311	1.12
5290MHz	Pass	AV	5.35G	53.02	54.00	-0.98	3	Horizontal	311	1.12
5290MHz	Pass	PK	5.099G	58.08	74.00	-15.92	3	Horizontal	311	1.12
5290MHz	Pass	PK	5.307G	108.20	Inf	-Inf	3	Horizontal	311	1.12
5290MHz	Pass	PK	5.35G	63.65	74.00	-10.35	3	Horizontal	311	1.12
5290MHz	Pass	PK	5.486G	60.29	68.20	-7.91	3	Horizontal	311	1.12
5290MHz	Pass	AV	15.87048G	37.09	54.00	-16.91	3	Vertical	322	2.94
5290MHz	Pass	PK	10.57952G	48.91	68.20	-19.29	3	Vertical	15	1.66
5290MHz	Pass	PK	15.91728G	49.37	74.00	-24.63	3	Vertical	322	2.94
5290MHz	Pass	AV	15.86664G	37.10	54.00	-16.90	3	Horizontal	130	1.50
5290MHz	Pass	PK	10.57616G	48.14	68.20	-20.06	3	Horizontal	183	3.00
5290MHz	Pass	PK	15.92472G	49.08	74.00	-24.92	3	Horizontal	130	1.50
5330MHz	Pass	AV	5.35G	45.25	54.00	-8.75	3	Vertical	7	1.00
5330MHz	Pass	AV	5.447G	48.59	54.00	-5.41	3	Vertical	7	1.00
5330MHz	Pass	AV	5.546G	96.83	Inf	-Inf	3	Vertical	7	1.00
5330MHz	Pass	PK	5.343G	56.90	68.20	-11.30	3	Vertical	7	1.00
5330MHz	Pass	PK	5.447G	61.17	74.00	-12.83	3	Vertical	7	1.00
5330MHz	Pass	PK	5.466G	62.74	68.20	-5.46	3	Vertical	7	1.00
5330MHz	Pass	PK	5.565G	108.16	Inf	-Inf	3	Vertical	7	1.00
5330MHz	Pass	PK	5.78G	58.90	68.20	-9.30	3	Vertical	7	1.00
5330MHz	Pass	AV	5.35G	45.55	54.00	-8.45	3	Horizontal	305	1.14
5330MHz	Pass	AV	5.46G	52.91	54.00	-1.09	3	Horizontal	305	1.14
5330MHz	Pass	AV	5.513G	99.37	Inf	-Inf	3	Horizontal	305	1.14
5330MHz	Pass	PK	5.336G	57.32	68.20	-10.88	3	Horizontal	305	1.14
5330MHz	Pass	PK	5.456G	63.06	74.00	-10.94	3	Horizontal	305	1.14
5330MHz	Pass	PK	5.461G	63.99	68.20	-4.21	3	Horizontal	305	1.14
5330MHz	Pass	PK	5.561G	109.70	Inf	-Inf	3	Horizontal	305	1.14
5330MHz	Pass	PK	5.731G	59.63	68.20	-8.57	3	Horizontal	305	1.14
5330MHz	Pass	AV	11.06G	40.55	54.00	-13.45	3	Vertical	158	2.99
5330MHz	Pass	PK	11.06024G	48.63	74.00	-25.37	3	Vertical	158	2.99
5330MHz	Pass	PK	16.61688G	49.78	68.20	-18.42	3	Vertical	294	1.50
5330MHz	Pass	AV	11.05976G	36.94	54.00	-17.06	3	Horizontal	42	1.02
5330MHz	Pass	PK	11.05544G	48.51	74.00	-25.49	3	Horizontal	42	1.02
5330MHz	Pass	PK	16.63728G	50.06	68.20	-18.14	3	Horizontal	21	1.50
5610MHz	Pass	AV	5.46G	47.50	54.00	-6.50	3	Vertical	353	2.93

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.579G	100.76	Inf	-Inf	3	Vertical	353	2.93
5610MHz	Pass	PK	5.424G	58.59	74.00	-15.41	3	Vertical	353	2.93
5610MHz	Pass	PK	5.461G	58.06	68.20	-10.14	3	Vertical	353	2.93
5610MHz	Pass	PK	5.58G	111.15	Inf	-Inf	3	Vertical	353	2.93
5610MHz	Pass	PK	5.726G	59.65	68.20	-8.55	3	Vertical	353	2.93
5610MHz	Pass	AV	5.459G	47.83	54.00	-6.17	3	Horizontal	295	1.98
5610MHz	Pass	AV	5.572G	103.41	Inf	-Inf	3	Horizontal	295	1.98
5610MHz	Pass	PK	5.437G	59.21	74.00	-14.79	3	Horizontal	295	1.98
5610MHz	Pass	PK	5.465G	60.09	68.20	-8.11	3	Horizontal	295	1.98
5610MHz	Pass	PK	5.572G	116.20	Inf	-Inf	3	Horizontal	295	1.98
5610MHz	Pass	PK	5.725G	62.00	68.20	-6.20	3	Horizontal	295	1.98
5610MHz	Pass	AV	11.21976G	39.48	54.00	-14.52	3	Vertical	165	2.34
5610MHz	Pass	PK	11.25216G	49.56	74.00	-24.44	3	Vertical	165	2.34
5610MHz	Pass	PK	16.81248G	50.08	68.20	-18.12	3	Vertical	230	1.50
5610MHz	Pass	AV	11.22G	37.47	54.00	-16.53	3	Horizontal	147	2.18
5610MHz	Pass	PK	11.25072G	48.86	74.00	-25.14	3	Horizontal	147	2.18
5610MHz	Pass	PK	16.86768G	50.75	68.20	-17.45	3	Horizontal	243	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.71	54.00	-8.29	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.666G	98.71	Inf	-Inf	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	59.39	74.00	-14.61	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.41	68.20	-10.79	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	109.12	Inf	-Inf	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	58.96	68.20	-9.24	3	Vertical	10	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.46	54.00	-7.54	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	103.17	Inf	-Inf	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.42G	57.64	74.00	-16.36	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.68	68.20	-10.52	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	115.14	Inf	-Inf	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	59.16	68.20	-9.04	3	Horizontal	300	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37976G	39.10	54.00	-14.90	3	Vertical	134	1.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36344G	49.75	74.00	-24.25	3	Vertical	134	1.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.11752G	49.76	68.20	-18.44	3	Vertical	271	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37976G	39.30	54.00	-14.70	3	Horizontal	147	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34928G	49.02	74.00	-24.98	3	Horizontal	147	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0952G	50.20	68.20	-18.00	3	Horizontal	4	1.50
5775MHz	Pass	AV	5.751G	97.57	Inf	-Inf	3	Vertical	48	2.14
5775MHz	Pass	PK	5.649G	61.36	68.20	-6.84	3	Vertical	48	2.14
5775MHz	Pass	PK	5.7522G	108.32	Inf	-Inf	3	Vertical	48	2.14
5775MHz	Pass	PK	5.9574G	59.16	68.20	-9.04	3	Vertical	48	2.14
5775MHz	Pass	AV	5.7462G	102.86	Inf	-Inf	3	Horizontal	322	1.11
5775MHz	Pass	PK	5.6466G	62.34	68.20	-5.86	3	Horizontal	322	1.11
5775MHz	Pass	PK	5.7462G	113.14	Inf	-Inf	3	Horizontal	322	1.11
5775MHz	Pass	PK	5.9466G	59.07	68.20	-9.13	3	Horizontal	322	1.11
5775MHz	Pass	AV	11.55528G	38.75	54.00	-15.25	3	Vertical	34	1.50
5775MHz	Pass	PK	11.5776G	50.16	74.00	-23.84	3	Vertical	34	1.50
5775MHz	Pass	PK	17.37996G	50.08	68.20	-18.12	3	Vertical	290	1.50
5775MHz	Pass	AV	11.55G	41.68	54.00	-12.32	3	Horizontal	142	2.99
5775MHz	Pass	PK	11.55024G	49.16	74.00	-24.84	3	Horizontal	142	2.99
5775MHz	Pass	PK	17.34708G	49.65	68.20	-18.55	3	Horizontal	50	1.50
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	50.24	54.00	-3.76	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2296G	91.34	Inf	-Inf	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3652G	51.13	54.00	-2.87	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	60.24	74.00	-13.76	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2296G	102.80	Inf	-Inf	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3676G	62.87	74.00	-11.13	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5308G	59.79	68.20	-8.41	3	Vertical	33	1.81
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	53.46	54.00	-0.54	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2476G	95.63	Inf	-Inf	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	53.27	54.00	-0.73	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1492G	64.36	74.00	-9.64	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2476G	106.91	Inf	-Inf	3	Horizontal	309	1.26




RSE TX above 1GHz _Non-Beamforming_PIFA

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	64.48	74.00	-9.52	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	61.19	68.20	-7.01	3	Horizontal	309	1.26
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.77064G	37.43	54.00	-16.57	3	Vertical	99	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54848G	48.60	68.20	-19.60	3	Vertical	301	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.79992G	47.80	74.00	-26.20	3	Vertical	99	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.77352G	37.49	54.00	-16.51	3	Horizontal	28	1.67
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54272G	47.38	68.20	-20.82	3	Horizontal	124	2.33
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.77208G	48.82	74.00	-25.18	3	Horizontal	28	1.67
5570MHz	Pass	AV	5.4488G	49.18	54.00	-4.82	3	Vertical	51	1.74
5570MHz	Pass	AV	5.5496G	93.13	Inf	-Inf	3	Vertical	51	1.74
5570MHz	Pass	PK	5.2868G	57.04	68.20	-11.16	3	Vertical	51	1.74
5570MHz	Pass	PK	5.4416G	62.54	74.00	-11.46	3	Vertical	51	1.74
5570MHz	Pass	PK	5.468G	62.48	68.20	-5.72	3	Vertical	51	1.74
5570MHz	Pass	PK	5.5472G	104.13	Inf	-Inf	3	Vertical	51	1.74
5570MHz	Pass	PK	5.7896G	60.42	68.20	-7.78	3	Vertical	51	1.74
5570MHz	Pass	AV	5.4536G	53.47	54.00	-0.53	3	Horizontal	305	1.24
5570MHz	Pass	AV	5.5532G	98.45	Inf	-Inf	3	Horizontal	305	1.24
5570MHz	Pass	PK	5.3048G	58.56	68.20	-9.64	3	Horizontal	305	1.24
5570MHz	Pass	PK	5.414G	65.06	74.00	-8.94	3	Horizontal	305	1.24
5570MHz	Pass	PK	5.4608G	64.17	68.20	-4.03	3	Horizontal	305	1.24
5570MHz	Pass	PK	5.6132G	110.03	Inf	-Inf	3	Horizontal	305	1.24
5570MHz	Pass	PK	5.7404G	62.17	68.20	-6.03	3	Horizontal	305	1.24
5570MHz	Pass	AV	11.13988G	39.92	54.00	-14.08	3	Vertical	144	2.63
5570MHz	Pass	PK	11.14008G	49.54	74.00	-24.46	3	Vertical	144	2.63
5570MHz	Pass	PK	16.70568G	49.81	68.20	-18.39	3	Vertical	41	1.50
5570MHz	Pass	AV	11.1398G	37.42	54.00	-16.58	3	Horizontal	142	2.01
5570MHz	Pass	PK	11.13954G	48.76	74.00	-25.24	3	Horizontal	142	2.01
5570MHz	Pass	PK	16.70606G	50.06	68.20	-18.14	3	Horizontal	318	1.97


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.51	54.00	-4.49	5.21	3	Vertical	37	1.82	44.30	33.30	6.46	34.55
AV	5.23G	93.43	Inf	-Inf	5.02	3	Vertical	37	1.82	88.41	33.08	6.47	34.53
AV	5.459G	46.89	54.00	-7.11	5.29	3	Vertical	37	1.82	41.60	32.94	6.81	34.46
PK	5.15G	59.59	74.00	-14.41	5.21	3	Vertical	37	1.82	54.38	33.30	6.46	34.55
PK	5.209G	104.53	Inf	-Inf	5.08	3	Vertical	37	1.82	99.45	33.16	6.46	34.54
PK	5.456G	58.48	74.00	-15.52	5.26	3	Vertical	37	1.82	53.22	32.92	6.80	34.46

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.67	54.00	-0.33	5.20	3	Horizontal	310	1.17	48.47	33.30	6.46	34.56
AV	5.208G	98.36	Inf	-Inf	5.09	3	Horizontal	310	1.17	93.27	33.17	6.46	34.54
AV	5.46G	47.55	54.00	-6.45	5.30	3	Horizontal	310	1.17	42.25	32.94	6.82	34.46
PK	5.148G	63.74	74.00	-10.26	5.19	3	Horizontal	310	1.17	58.55	33.29	6.46	34.56
PK	5.229G	109.22	Inf	-Inf	5.02	3	Horizontal	310	1.17	104.20	33.08	6.47	34.53
PK	5.412G	59.25	74.00	-14.75	5.14	3	Horizontal	310	1.17	54.11	32.98	6.64	34.48


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4576G	46.18	54.00	-7.82	5.28	3	Vertical	7	1.06	40.90	32.93	6.81	34.46				
AV	5.4964G	105.76	Inf	-Inf	5.60	3	Vertical	7	1.06	100.16	33.09	6.96	34.45				
PK	5.4506G	58.41	74.00	-15.59	5.22	3	Vertical	7	1.06	53.19	32.90	6.78	34.46				
PK	5.4602G	57.91	68.20	-10.29	5.30	3	Vertical	7	1.06	52.61	32.94	6.82	34.46				
PK	5.4966G	114.96	Inf	-Inf	5.60	3	Vertical	7	1.06	109.36	33.09	6.96	34.45				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	46.39	54.00	-7.61	5.30	3	Horizontal	305	1.20	41.09	32.94	6.82	34.46				
AV	5.5032G	108.96	Inf	-Inf	5.63	3	Horizontal	305	1.20	103.33	33.10	6.98	34.45				
PK	5.455G	58.20	74.00	-15.80	5.26	3	Horizontal	305	1.20	52.94	32.92	6.80	34.46				
PK	5.4694G	62.97	68.20	-5.23	5.37	3	Horizontal	305	1.20	57.60	32.98	6.85	34.46				
PK	5.5024G	117.41	Inf	-Inf	5.63	3	Horizontal	305	1.20	111.78	33.10	6.98	34.45				


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.25	54.00	-8.75	5.05	3	Vertical	7	1.00	40.20	33.00	6.55	34.50
AV	5.447G	48.59	54.00	-5.41	5.21	3	Vertical	7	1.00	43.38	32.91	6.77	34.47
AV	5.546G	96.83	Inf	-Inf	5.77	3	Vertical	7	1.00	91.06	33.10	7.14	34.47
PK	5.343G	56.90	68.20	-11.30	5.04	3	Vertical	7	1.00	51.86	32.99	6.55	34.50
PK	5.447G	61.17	74.00	-12.83	5.21	3	Vertical	7	1.00	55.96	32.91	6.77	34.47
PK	5.466G	62.74	68.20	-5.46	5.34	3	Vertical	7	1.00	57.40	32.96	6.84	34.46
PK	5.565G	108.16	Inf	-Inf	5.84	3	Vertical	7	1.00	102.32	33.10	7.22	34.48
PK	5.78G	58.90	68.20	-9.30	6.70	3	Vertical	7	1.00	52.20	34.08	7.18	34.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.55	54.00	-8.45	5.05	3	Horizontal	305	1.14	40.50	33.00	6.55	34.50
AV	5.46G	52.91	54.00	-1.09	5.30	3	Horizontal	305	1.14	47.61	32.94	6.82	34.46
AV	5.513G	99.37	Inf	-Inf	5.66	3	Horizontal	305	1.14	93.71	33.10	7.02	34.46
PK	5.336G	57.32	68.20	-10.88	5.02	3	Horizontal	305	1.14	52.30	32.97	6.55	34.50
PK	5.456G	63.06	74.00	-10.94	5.26	3	Horizontal	305	1.14	57.80	32.92	6.80	34.46
PK	5.461G	63.99	68.20	-4.21	5.30	3	Horizontal	305	1.14	58.69	32.94	6.82	34.46
PK	5.561G	109.70	Inf	-Inf	5.83	3	Horizontal	305	1.14	103.87	33.10	7.20	34.47
PK	5.731G	59.63	68.20	-8.57	6.51	3	Horizontal	305	1.14	53.12	33.82	7.23	34.54


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	2.46078G	63.16	68.20	-5.04	Vertical

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.46327G	60.16	68.20	-8.04	3	Vertical	27	1.02
Mode 1	Pass	AV	2.795G	37.13	54.00	-16.87	3	Vertical	22	1.50
Mode 1	Pass	AV	5.5386G	34.41	68.20	-33.79	3	Vertical	7	1.50
Mode 1	Pass	PK	2.46078G	63.16	68.20	-5.04	3	Vertical	27	1.02
Mode 1	Pass	PK	2.78663G	54.11	74.00	-19.89	3	Vertical	22	1.50
Mode 1	Pass	PK	5.54646G	61.73	68.20	-6.47	3	Vertical	7	1.50
Mode 1	Pass	AV	2.0251G	24.99	68.20	-43.21	3	Horizontal	261	2.43
Mode 1	Pass	AV	2.46273G	46.43	68.20	-21.77	3	Horizontal	189	1.50
Mode 1	Pass	AV	5.50128G	50.92	68.20	-17.28	3	Horizontal	13	1.96
Mode 1	Pass	PK	2.0242G	46.45	68.20	-21.75	3	Horizontal	261	2.43
Mode 1	Pass	PK	2.46138G	51.12	68.20	-17.08	3	Horizontal	189	1.50
Mode 1	Pass	PK	5.50107G	61.04	68.20	-7.16	3	Horizontal	13	1.96

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46327G	60.16	68.20	-8.04	-10.87	3	Vertical	27	1.02	71.03	27.70	4.82	43.39
AV	2.795G	37.13	54.00	-16.87	-9.82	3	Vertical	22	1.50	46.95	28.55	5.07	43.44
AV	5.5386G	34.41	68.20	-33.79	-4.02	3	Vertical	7	1.50	38.43	33.38	6.84	44.24
PK	2.46078G	63.16	68.20	-5.04	-10.88	3	Vertical	27	1.02	74.04	27.70	4.81	43.39
PK	2.78663G	54.11	74.00	-19.89	-9.87	3	Vertical	22	1.50	63.98	28.50	5.07	43.44
PK	5.54646G	61.73	68.20	-6.47	-4.00	3	Vertical	7	1.50	65.73	33.39	6.85	44.24

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.0251G	24.99	68.20	-43.21	-11.45	3	Horizontal	261	2.43	36.44	27.10	4.61	43.16
AV	2.46273G	46.43	68.20	-21.77	-10.87	3	Horizontal	189	1.50	57.30	27.70	4.82	43.39
AV	5.50128G	50.92	68.20	-17.28	-4.14	3	Horizontal	13	1.96	55.06	33.30	6.80	44.24
PK	2.0242G	46.45	68.20	-21.75	-11.47	3	Horizontal	261	2.43	57.92	27.08	4.61	43.16
PK	2.46138G	51.12	68.20	-17.08	-10.88	3	Horizontal	189	1.50	62.00	27.70	4.81	43.39
PK	5.50107G	61.04	68.20	-7.16	-4.14	3	Horizontal	13	1.96	65.18	33.30	6.80	44.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	2.46471G	56.69	68.20	-11.51	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.46429G	53.84	68.20	-14.36	3	Vertical	327	1.52
Mode 1	Pass	AV	2.66293G	30.29	68.20	-37.91	3	Vertical	192	1.50
Mode 1	Pass	AV	5.50568G	41.94	68.20	-26.26	3	Vertical	35	1.59
Mode 1	Pass	PK	2.46471G	56.69	68.20	-11.51	3	Vertical	327	1.52
Mode 1	Pass	PK	2.65882G	50.81	68.20	-17.39	3	Vertical	192	1.50
Mode 1	Pass	PK	5.50643G	54.89	68.20	-13.31	3	Vertical	35	1.59
Mode 1	Pass	AV	1.9199G	25.21	68.20	-42.99	3	Horizontal	267	1.50
Mode 1	Pass	AV	2.46124G	51.60	68.20	-16.60	3	Horizontal	192	2.87
Mode 1	Pass	AV	3.57179G	26.51	68.20	-41.69	3	Horizontal	276	1.55
Mode 1	Pass	PK	1.92401G	52.97	68.20	-15.23	3	Horizontal	267	1.50
Mode 1	Pass	PK	2.46112G	54.42	68.20	-13.78	3	Horizontal	192	2.87
Mode 1	Pass	PK	3.57383G	48.91	68.20	-19.29	3	Horizontal	276	1.55

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46429G	53.84	68.20	-14.36	-10.87	3	Vertical	327	1.52	64.71	27.70	4.82	43.39
AV	2.66293G	30.29	68.20	-37.91	-9.84	3	Vertical	192	1.50	40.13	28.47	5.12	43.43
AV	5.50568G	41.94	68.20	-26.26	-4.12	3	Vertical	35	1.59	46.06	33.31	6.81	44.24
PK	2.46471G	56.69	68.20	-11.51	-10.87	3	Vertical	327	1.52	67.56	27.70	4.82	43.39
PK	2.65882G	50.81	68.20	-17.39	-9.81	3	Vertical	192	1.50	60.62	28.50	5.12	43.43
PK	5.50643G	54.89	68.20	-13.31	-4.12	3	Vertical	35	1.59	59.01	33.31	6.81	44.24

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.9199G	25.21	68.20	-42.99	-12.75	3	Horizontal	267	1.50	37.96	25.80	4.57	43.12
AV	2.46124G	51.60	68.20	-16.60	-10.88	3	Horizontal	192	2.87	62.48	27.70	4.81	43.39
AV	3.57179G	26.51	68.20	-41.69	-8.37	3	Horizontal	276	1.55	34.88	29.64	5.62	43.63
PK	1.92401G	52.97	68.20	-15.23	-12.71	3	Horizontal	267	1.50	65.68	25.84	4.57	43.12
PK	2.46112G	54.42	68.20	-13.78	-10.88	3	Horizontal	192	2.87	65.30	27.70	4.81	43.39
PK	3.57383G	48.91	68.20	-19.29	-8.36	3	Horizontal	276	1.55	57.27	29.65	5.62	43.63