

RF Test Data for BLE (Conducted Measurements)

General Description of EUT	
EUT Name:	HCB2
Model:	73355046
Sample ID:	HC-C-202506-0272-01-01
Test Standard:	FCC Part 15.247
Environmental Conditions	
Ambient Temperature:	25℃
Ambient Humidity:	45%RH
Test Power Supply:	DC 5V
Test Engineer:	Gold zhang
Note: For a more detailed features description, please refer to the report TBR-C-202506-0272-8	

Contents


1: DTS Bandwidth.....	3
1.1 Test Result.....	3
1.2 Test Graphs	4
2: Occupied Channel Bandwidth	6
2.1 Test Result.....	6
2.2 Test Graphs	7
3: Maximum conducted output power.....	9
3.1 Test Result Peak.....	9
3.2 Test Graphs Peak.....	10
4: Maximum power spectral density	12
4.1 Test Result.....	12
4.2 Test Graphs	13
5: Band edge measurements	15
5.1 Test Result.....	15
5.2 Test Graphs	16
6: Conducted Spurious Emission.....	18
6.1 Test Result.....	18
6.2 Test Graphs	19
7: Duty Cycle	25
7.1 Test Result.....	25
7.2 Test Graphs	26

1: DTS Bandwidth


1.1 Test Result

Test Mode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.66	2401.65	2402.31	0.5	PASS
BLE_1M	Ant1	2440	0.66	2439.65	2440.30	0.5	PASS
BLE_1M	Ant1	2480	0.65	2479.65	2480.30	0.5	PASS
BLE_2M	Ant1	2402	1.07	2401.45	2402.52	0.5	PASS
BLE_2M	Ant1	2440	0.92	2439.59	2440.51	0.5	PASS
BLE_2M	Ant1	2480	1.23	2479.34	2480.56	0.5	PASS
BLE_125K	Ant1	2402	0.70	2401.63	2402.33	0.5	PASS
BLE_125K	Ant1	2440	0.62	2439.67	2440.29	0.5	PASS
BLE_125K	Ant1	2480	0.69	2479.63	2480.32	0.5	PASS
BLE_500K	Ant1	2402	0.72	2401.63	2402.35	0.5	PASS
BLE_500K	Ant1	2440	0.69	2439.64	2440.32	0.5	PASS
BLE_500K	Ant1	2480	0.74	2479.60	2480.35	0.5	PASS

1.2 Test Graphs




Date: 8.AUG.2025 20:14:13




Date: 8.AUG.2025 20:22:19

BLE_1M-Ant1-2402-PASS

BLE_1M-Ant1-2440-PASS




Date: 8.AUG.2025 20:23:42




Date: 8.AUG.2025 20:25:20

BLE_1M-Ant1-2480-PASS

BLE_2M-Ant1-2402-PASS





Date: 8.AUG.2025 20:26:50



Date: 8.AUG.2025 20:28:17



BLE_2M-Ant1-2440-PASS

BLE_2M-Ant1-2480-PASS





BLE_125K-Ant1-2402-PASS

BLE_125K-Ant1-2440-PASS



BLE_125K-Ant1-2480-PASS

BLE_500K-Ant1-2402-PASS



BLE_500K-Ant1-2440-PASS


BLE_500K-Ant1-2480-PASS

2: Occupied Channel Bandwidth


2.1 Test Result

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0310	2401.4725	2402.5035	---	---
BLE_1M	Ant1	2440	1.0470	2439.4565	2440.5035	---	---
BLE_1M	Ant1	2480	1.0230	2479.4725	2480.4955	---	---
BLE_2M	Ant1	2402	2.0539	2400.9730	2403.0270	---	---
BLE_2M	Ant1	2440	2.0539	2438.9690	2441.0230	---	---
BLE_2M	Ant1	2480	2.0579	2478.9690	2481.0270	---	---
BLE_125K	Ant1	2402	1.0509	2401.4525	2402.5035	---	---
BLE_125K	Ant1	2440	1.0470	2439.4565	2440.5035	---	---
BLE_125K	Ant1	2480	1.0509	2479.4525	2480.5035	---	---
BLE_500K	Ant1	2402	1.0150	2401.4725	2402.4875	---	---
BLE_500K	Ant1	2440	1.0310	2439.4685	2440.4995	---	---
BLE_500K	Ant1	2480	1.0310	2479.4685	2480.4995	---	---

2.2 Test Graphs




Date: 8.AUG.2025 20:14:18




Date: 8.AUG.2025 20:22:24

BLE_1M-Ant1-2402




Date: 8.AUG.2025 20:23:48

BLE_1M-Ant1-2440




Date: 8.AUG.2025 20:25:25

BLE_1M-Ant1-2480



Date: 8.AUG.2025 20:26:55


BLE_2M-Ant1-2402



Date: 8.AUG.2025 20:28:22


BLE_2M-Ant1-2440

BLE_2M-Ant1-2480





BLE_125K-Ant1-2402

BLE_125K-Ant1-2440



BLE_125K-Ant1-2480

BLE_500K-Ant1-2402



BLE_500K-Ant1-2440


BLE_500K-Ant1-2480

3: Maximum conducted output power


3.1 Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	16.30	≤30	PASS
BLE_1M	Ant1	2440	16.54	≤30	PASS
BLE_1M	Ant1	2480	13.47	≤30	PASS
BLE_2M	Ant1	2402	16.30	≤30	PASS
BLE_2M	Ant1	2440	16.58	≤30	PASS
BLE_2M	Ant1	2480	16.30	≤30	PASS
BLE_125K	Ant1	2402	12.50	≤30	PASS
BLE_125K	Ant1	2440	12.19	≤30	PASS
BLE_125K	Ant1	2480	11.58	≤30	PASS
BLE_500K	Ant1	2402	12.49	≤30	PASS
BLE_500K	Ant1	2440	12.21	≤30	PASS
BLE_500K	Ant1	2480	11.61	≤30	PASS

3.2 Test Graphs Peak




Date: 8.AUG.2025 20:14:26




Date: 8.AUG.2025 20:22:31

BLE_1M-Ant1-2402-PASS

BLE_1M-Ant1-2440-PASS




Date: 8.AUG.2025 20:23:55




Date: 8.AUG.2025 20:25:33

BLE_1M-Ant1-2480-PASS

BLE_2M-Ant1-2402-PASS




Date: 8.AUG.2025 20:27:03




Date: 8.AUG.2025 20:28:30

BLE_2M-Ant1-2440-PASS

BLE_2M-Ant1-2480-PASS




Date: 6.AUG.2025 20:32:19




Date: 6.AUG.2025 20:33:48

BLE_125K-Ant1-2402-PASS

BLE_125K-Ant1-2440-PASS




Date: 6.AUG.2025 20:35:12




Date: 6.AUG.2025 20:36:43

BLE_125K-Ant1-2480-PASS

BLE_500K-Ant1-2402-PASS



Date: 6.AUG.2025 20:38:03



Date: 6.AUG.2025 20:39:19

BLE_500K-Ant1-2440-PASS


BLE_500K-Ant1-2480-PASS

4: Maximum power spectral density


4.1 Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	1.21	≤8.00	PASS
BLE_1M	Ant1	2440	1.37	≤8.00	PASS
BLE_1M	Ant1	2480	-1.66	≤8.00	PASS
BLE_2M	Ant1	2402	0.72	≤8.00	PASS
BLE_2M	Ant1	2440	0.72	≤8.00	PASS
BLE_2M	Ant1	2480	0.72	≤8.00	PASS
BLE_125K	Ant1	2402	6.31	≤8.00	PASS
BLE_125K	Ant1	2440	6.02	≤8.00	PASS
BLE_125K	Ant1	2480	5.38	≤8.00	PASS
BLE_500K	Ant1	2402	6.14	≤8.00	PASS
BLE_500K	Ant1	2440	5.85	≤8.00	PASS
BLE_500K	Ant1	2480	5.15	≤8.00	PASS


4.2 Test Graphs




BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2440-PASS




BLE_1M-Ant1-2480-PASS




BLE_2M-Ant1-2402-PASS




BLE_2M-Ant1-2440-PASS



BLE_2M-Ant1-2480-PASS




Date: 8.AUG.2025 20:31:30




Date: 8.AUG.2025 20:33:58

BLE_125K-Ant1-2402-PASS

BLE_125K-Ant1-2440-PASS




Date: 8.AUG.2025 20:35:22




Date: 8.AUG.2025 20:36:53

BLE_125K-Ant1-2480-PASS

BLE_500K-Ant1-2402-PASS



Date: 8.AUG.2025 20:38:13



Date: 8.AUG.2025 20:39:29

BLE_500K-Ant1-2440-PASS



BLE_500K-Ant1-2480-PASS

5: Band edge measurements

5.1 Test Result



Test Mode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	15.68	-35.79	≤ -4.32	PASS
BLE_1M	Ant1	High	2480	13.13	-45.91	≤ -6.87	PASS
BLE_2M	Ant1	Low	2402	16.26	-15.98	≤ -3.74	PASS
BLE_2M	Ant1	High	2480	15.90	-39.44	≤ -4.1	PASS
BLE_125K	Ant1	Low	2402	9.01	-42.37	≤ -10.99	PASS
BLE_125K	Ant1	High	2480	8.23	-47.45	≤ -11.77	PASS
BLE_500K	Ant1	Low	2402	12.48	-42.06	≤ -7.52	PASS
BLE_500K	Ant1	High	2480	10.64	-47.92	≤ -9.36	PASS

5.2 Test Graphs





BLE_1M-Ant1-2402-PASS

BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS

BLE_2M-Ant1-2480-PASS




BLE_125K-Ant1-2402-PASS

BLE_125K-Ant1-2480-PASS

Spectrum

Ref Level 20.00 dBm Offset 15.01 dB RBW 100 kHz
Att 20 dB SWT 75.8 μ s VBW 300 kHz Mode Auto FFT
SQL Count 100/100




Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1			2.401697 GHz	12.48 dBm		
M2	1			2.4 GHz	-40.81 dBm		
M3	1			2.39 GHz	-55.94 dBm		
M4	1			2.3998986 GHz	-42.06 dBm		

Date: 8.AUG.2025 20:37:00

BLE_500K-Ant1-2402-PASS

Spectrum

Ref Level 20.00 dBm Offset 15.97 dB RBW 100 kHz
Att 20 dB SWT 94.8 μ s VBW 300 kHz Mode Auto FFT
SQL Count 100/100



Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1			2.4799 GHz	10.64 dBm		
M2	1			2.4835 GHz	-48.80 dBm		
M3	1			2.5 GHz	-57.41 dBm		
M4	1			2.483681 GHz	-47.92 dBm		

Date: 8.AUG.2025 20:39:37



BLE_500K-Ant1-2480-PASS

6: Conducted Spurious Emission

6.1 Test Result


Test Mode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	15.96	15.96	---	PASS
BLE_1M	Ant1	2402	30~1000	15.96	-47.5	≤-4.04	PASS
BLE_1M	Ant1	2402	1000~26500	15.96	-15.82	≤-4.04	PASS
BLE_1M	Ant1	2440	0~Reference	15.55	15.55	---	PASS
BLE_1M	Ant1	2440	30~1000	15.55	-46.72	≤-4.45	PASS
BLE_1M	Ant1	2440	1000~26500	15.55	-16.11	≤-4.45	PASS
BLE_1M	Ant1	2480	0~Reference	11.67	11.67	---	PASS
BLE_1M	Ant1	2480	30~1000	11.67	-47.52	≤-8.33	PASS
BLE_1M	Ant1	2480	1000~26500	11.67	-15.17	≤-8.33	PASS
BLE_2M	Ant1	2402	0~Reference	15.49	15.49	---	PASS
BLE_2M	Ant1	2402	30~1000	15.49	-47.87	≤-4.51	PASS
BLE_2M	Ant1	2402	1000~26500	15.49	-16.06	≤-4.51	PASS
BLE_2M	Ant1	2440	0~Reference	16.41	16.41	---	PASS
BLE_2M	Ant1	2440	30~1000	16.41	-47.55	≤-3.59	PASS
BLE_2M	Ant1	2440	1000~26500	16.41	-16.06	≤-3.59	PASS
BLE_2M	Ant1	2480	0~Reference	12.31	12.31	---	PASS
BLE_2M	Ant1	2480	30~1000	12.31	-48.5	≤-7.69	PASS
BLE_2M	Ant1	2480	1000~26500	12.31	-15.57	≤-7.69	PASS
BLE_125K	Ant1	2402	0~Reference	9.13	9.13	---	PASS
BLE_125K	Ant1	2402	30~1000	9.13	-47.49	≤-10.87	PASS
BLE_125K	Ant1	2402	1000~26500	9.13	-16.22	≤-10.87	PASS
BLE_125K	Ant1	2440	0~Reference	8.69	8.69	---	PASS
BLE_125K	Ant1	2440	30~1000	8.69	-47.12	≤-11.31	PASS
BLE_125K	Ant1	2440	1000~26500	8.69	-16.1	≤-11.31	PASS
BLE_125K	Ant1	2480	0~Reference	8.20	8.20	---	PASS
BLE_125K	Ant1	2480	30~1000	8.20	-47.82	≤-11.8	PASS
BLE_125K	Ant1	2480	1000~26500	8.20	-16.73	≤-11.8	PASS
BLE_500K	Ant1	2402	0~Reference	9.01	9.01	---	PASS
BLE_500K	Ant1	2402	30~1000	9.01	-48.1	≤-10.99	PASS
BLE_500K	Ant1	2402	1000~26500	9.01	-16.35	≤-10.99	PASS
BLE_500K	Ant1	2440	0~Reference	9.71	9.71	---	PASS
BLE_500K	Ant1	2440	30~1000	9.71	-47.78	≤-10.29	PASS
BLE_500K	Ant1	2440	1000~26500	9.71	-16.15	≤-10.29	PASS
BLE_500K	Ant1	2480	0~Reference	9.99	9.99	---	PASS
BLE_500K	Ant1	2480	30~1000	9.99	-47.22	≤-10.01	PASS
BLE_500K	Ant1	2480	1000~26500	9.99	-16.55	≤-10.01	PASS

6.2 Test Graphs





BLE_1M-Ant1-2402-0~Reference-PASS

BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~26500-PASS

BLE_1M-Ant1-2440-0~Reference-PASS




BLE_1M-Ant1-2440-30~1000-PASS

BLE_1M-Ant1-2440-1000~26500-PASS




Date: 8.AUG.2025 20:24:17




Date: 8.AUG.2025 20:24:25

BLE_1M-Ant1-2480-0~Reference-PASS

BLE_1M-Ant1-2480-30~1000-PASS




Date: 8.AUG.2025 20:24:43




Date: 8.AUG.2025 20:25:55

BLE_1M-Ant1-2480-1000~26500-PASS

BLE_2M-Ant1-2402-0~Reference-PASS




Date: 8.AUG.2025 20:26:03




Date: 8.AUG.2025 20:26:20

BLE_2M-Ant1-2402-30~1000-PASS

BLE_2M-Ant1-2402-1000~26500-PASS




Date: 8.AUG.2025 20:27:18




Date: 8.AUG.2025 20:27:25

BLE_2M-Ant1-2440-0~Reference-PASS

BLE_2M-Ant1-2440-30~1000-PASS




Date: 8.AUG.2025 20:27:43




Date: 8.AUG.2025 20:28:52

BLE_2M-Ant1-2440-1000~26500-PASS

BLE_2M-Ant1-2480-0~Reference-PASS




Date: 8.AUG.2025 20:29:00




Date: 8.AUG.2025 20:29:18

BLE_2M-Ant1-2480-30~1000-PASS

BLE_2M-Ant1-2480-1000~26500-PASS




Date: 8.AUG.2025 20:32:30




Date: 8.AUG.2025 20:32:38

BLE_125K-Ant1-2402-0~Reference-PASS

BLE_125K-Ant1-2402-30~1000-PASS




Date: 8.AUG.2025 20:32:55




Date: 8.AUG.2025 20:34:02

BLE_125K-Ant1-2402-1000~26500-PASS

BLE_125K-Ant1-2440-0~Reference-PASS




Date: 8.AUG.2025 20:34:10




Date: 8.AUG.2025 20:34:28

BLE_125K-Ant1-2440-30~1000-PASS

BLE_125K-Ant1-2440-1000~26500-PASS




Date: 8.AUG.2025 20:35:34




Date: 8.AUG.2025 20:35:42

BLE_125K-Ant1-2480-0~Reference-PASS

BLE_125K-Ant1-2480-30~1000-PASS




Date: 8.AUG.2025 20:36:00




Date: 8.AUG.2025 20:37:05

BLE_125K-Ant1-2480-1000~26500-PASS

BLE_500K-Ant1-2402-0~Reference-PASS




Date: 8.AUG.2025 20:37:12




Date: 8.AUG.2025 20:37:30

BLE_500K-Ant1-2402-30~1000-PASS

BLE_500K-Ant1-2402-1000~26500-PASS




Date: 8.AUG.2025 20:38:18




Date: 8.AUG.2025 20:38:25

BLE_500K-Ant1-2440-0~Reference-PASS

BLE_500K-Ant1-2440-30~1000-PASS




Date: 8.AUG.2025 20:38:43




Date: 8.AUG.2025 20:39:42

BLE_500K-Ant1-2440-1000~26500-PASS

BLE_500K-Ant1-2480-0~Reference-PASS



Date: 8.AUG.2025 20:39:50



Date: 8.AUG.2025 20:40:07

BLE_500K-Ant1-2480-30~1000-PASS

BLE_500K-Ant1-2480-1000~26500-PASS

7: Duty Cycle

7.1 Test Result


TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	1/T [kHz]
BLE_1M	Ant1	2402	0.40	0.63	63.49	1.97	2.50
BLE_1M	Ant1	2440	0.40	0.63	63.49	1.97	2.50
BLE_1M	Ant1	2480	0.40	0.63	63.49	1.97	2.50
BLE_2M	Ant1	2402	0.21	0.62	33.87	4.70	4.76
BLE_2M	Ant1	2440	0.21	0.62	33.87	4.70	4.76
BLE_2M	Ant1	2480	0.21	0.62	33.87	4.70	4.76
BLE_125K	Ant1	2402	3.11	3.75	82.93	0.81	0.32
BLE_125K	Ant1	2440	3.11	3.75	82.93	0.81	0.32
BLE_125K	Ant1	2480	3.11	3.75	82.93	0.81	0.32
BLE_500K	Ant1	2402	1.08	1.88	57.45	2.41	0.93
BLE_500K	Ant1	2440	1.08	1.88	57.45	2.41	0.93
BLE_500K	Ant1	2480	1.08	1.88	57.45	2.41	0.93

Note: 1, Duty Cycle= Transmission Duration/ Transmission Period


2, DC Factor= $10 \cdot \log_{10}(1/\text{Duty Cycle})$

3, $1/T = 1/\text{Transmission Duration}$

7.2 Test Graphs




Date: 8.AUG.2025 20:14:06




Date: 8.AUG.2025 20:22:12

NTNV-BLE_1M-Ant1-2402

NTNV-BLE_1M-Ant1-2440




Date: 8.AUG.2025 20:23:36




Date: 8.AUG.2025 20:25:13

NTNV-BLE_1M-Ant1-2480

NTNV-BLE_2M-Ant1-2402





Date: 8.AUG.2025 20:26:44



Date: 8.AUG.2025 20:28:10



NTNV-BLE_2M-Ant1-2440

NTNV-BLE_2M-Ant1-2480





NTNV-BLE_125K-Ant1-2402

NTNV-BLE_125K-Ant1-2440



NTNV-BLE_125K-Ant1-2480

NTNV-BLE_500K-Ant1-2402



NTNV-BLE_500K-Ant1-2440

NTNV-BLE_500K-Ant1-2480

--- END OF REPORT ---