



**FCC CFR47 PART 15 SUBPART E
INDUSTRY CANADA RSS-210 ISSUE 8**

CERTIFICATION TEST REPORT

FOR

**Dual-Band 802.11 a/b/g/n Industrial Access Point with Integrated DOCSIS 3.0
Modem**

MODEL NUMBER: ZoneFlex7761-CM

**FCC ID: S9GZF7761CM
IC: 5912A-ZF7761CM**

REPORT NUMBER: 10U13475-3, Revision C

ISSUE DATE: JUNE 06, 2011

Prepared for
**RUCKUS WIRELESS
880 WEST MAUDE AVE., SUITE 101
SUNNYVALE, CA 94085, U.S.A.**

Prepared by
**COMPLIANCE CERTIFICATION SERVICES
47173 BENICIA STREET
FREMONT, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888**



NVLAP LAB CODE 200065-0

Revision History

Rev.	Issue Date	Revisions	Revised By
--	03/02/11	Initial Issue	F. Ibrahim
A	03/03/11	Inserted the conducted spurious data for the notch band of 5.6-5.65 GHz	F. Ibrahim
B	03/21/11	Revised output power values in sections 7.4.2, section 7.6.2, section 7.7.2, section 7.8.2, and section 7.9.2. Revised MPE section.	F. Ibrahim
C	06/06/11	Revised sections 7.4.6, 7.5.2, 7.5.4, 7.5.6, 7.6.2, 7.6.4, 7.6.6, 7.7.6, 7.8.2, 7.8.4, 7.8.6, 7.9.2, 7.9.4, and 7.9.6 for limits and test procedure paragraphs.	F. Ibrahim

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	6
2. TEST METHODOLOGY	7
3. FACILITIES AND ACCREDITATION	7
4. CALIBRATION AND UNCERTAINTY	7
4.1. MEASURING INSTRUMENT CALIBRATION	7
4.2. SAMPLE CALCULATION	7
4.3. MEASUREMENT UNCERTAINTY	7
5. EQUIPMENT UNDER TEST	8
5.1. DESCRIPTION OF EUT	8
5.2. MAXIMUM OUTPUT POWER	8
5.3. DESCRIPTION OF AVAILABLE ANTENNAS	9
5.4. SOFTWARE AND FIRMWARE	9
5.5. WORST-CASE CONFIGURATION AND MODE	9
5.6. DESCRIPTION OF TEST SETUP	10
6. TEST AND MEASUREMENT EQUIPMENT	12
7. ANTENNA PORT TEST RESULTS	13
7.1. 802.11a THREE CHAIN LEGACY MODE IN THE 5.2 GHz BAND	13
7.1.1. 26 dB and 99% BANDWIDTH	13
7.1.2. OUTPUT POWER	23
7.1.3. AVERAGE POWER	34
7.1.4. PEAK POWER SPECTRAL DENSITY	35
7.1.5. PEAK EXCURSION	40
7.1.6. CONDUCTED SPURIOUS EMISSIONS	51
7.2. 802.11n THREE CHAINS HT20 MODE IN THE 5.2 GHz BAND	55
7.2.1. 26 dB and 99% BANDWIDTH	55
7.2.2. OUTPUT POWER	65
7.2.3. AVERAGE POWER	76
7.2.4. PEAK POWER SPECTRAL DENSITY	77
7.2.5. PEAK EXCURSION	81
7.2.6. CONDUCTED SPURIOUS EMISSIONS	92
7.3. 802.11n THREE CHAINS HT40 MODE IN THE 5.2 GHz BAND	96
7.3.1. 26 dB and 99% BANDWIDTH	96
7.3.2. OUTPUT POWER	103
7.3.3. AVERAGE POWER	111
7.3.4. PEAK POWER SPECTRAL DENSITY	112
7.3.5. PEAK EXCURSION	115
7.3.6. CONDUCTED SPURIOUS EMISSIONS	123
7.4. 802.11a THREE CHAINS LEGACY MODE IN THE 5.3 GHz BAND	126

7.4.1.	26 dB and 99% BANDWIDTH	126
7.4.2.	OUTPUT POWER	136
7.4.3.	AVERAGE POWER	147
7.4.4.	PEAK POWER SPECTRAL DENSITY	148
7.4.5.	PEAK EXCURSION	153
7.4.6.	CONDUCTED SPURIOUS EMISSIONS.....	164
7.5.	<i>802.11n THREE CHAIN HT20 MODE IN THE 5.3 GHz BAND</i>	<i>168</i>
7.5.1.	26 dB and 99% BANDWIDTH	168
7.5.2.	OUTPUT POWER	178
7.5.3.	AVERAGE POWER	189
7.5.4.	PEAK POWER SPECTRAL DENSITY	190
7.5.5.	PEAK EXCURSION	194
7.5.6.	CONDUCTED SPURIOUS EMISSIONS.....	205
7.6.	<i>802.11n THREE CHAINS HT40 MODE IN THE 5.3 GHz BAND</i>	<i>209</i>
7.6.1.	26 dB and 99% BANDWIDTH	209
7.6.2.	OUTPUT POWER	216
7.6.3.	AVERAGE POWER	224
7.6.4.	PEAK POWER SPECTRAL DENSITY	225
7.6.5.	PEAK EXCURSION	229
7.6.6.	CONDUCTED SPURIOUS EMISSIONS.....	237
7.7.	<i>802.11a THREE CHAINS Legacy MODE IN THE 5.6 GHz BAND</i>	<i>240</i>
7.7.1.	26 dB and 99% BANDWIDTH	240
7.7.2.	OUTPUT POWER	250
7.7.3.	AVERAGE POWER	261
7.7.4.	PEAK POWER SPECTRAL DENSITY	262
7.7.5.	PEAK EXCURSION	267
7.7.6.	CONDUCTED SPURIOUS EMISSIONS.....	278
7.8.	<i>802.11n THREE CHAINS HT20 MODE IN THE 5.6 GHz BAND</i>	<i>288</i>
7.8.1.	26 dB and 99% BANDWIDTH	288
7.8.2.	OUTPUT POWER	298
7.8.3.	AVERAGE POWER	309
7.8.4.	PEAK POWER SPECTRAL DENSITY	310
7.8.5.	PEAK EXCURSION	315
7.8.6.	CONDUCTED SPURIOUS EMISSIONS.....	326
7.9.	<i>802.11n THREE CHAINS HT40 MODE IN THE 5.6 GHz BAND</i>	<i>336</i>
7.9.1.	26 dB and 99% BANDWIDTH	336
7.9.2.	OUTPUT POWER	346
7.9.3.	AVERAGE POWER	357
7.9.4.	PEAK POWER SPECTRAL DENSITY	358
7.9.5.	PEAK EXCURSION	363
7.9.6.	CONDUCTED SPURIOUS EMISSIONS.....	374
7.10.	<i>RECEIVER CONDUCTED SPURIOUS EMISSIONS</i>	<i>381</i>
8.	RADIATED TEST RESULTS	391
8.1.	<i>LIMITS AND PROCEDURE</i>	<i>391</i>
8.2.	<i>TRANSMITTER ABOVE 1 GHz</i>	<i>392</i>
8.2.1.	TX ABOVE 1 GHz FOR 802.11a MODE IN THE 5.2 GHz BAND	392
8.2.2.	TX ABOVE 1 GHz FOR 802.11n HT20 MODE IN THE 5.2 GHz BAND	397


8.2.3.	TX ABOVE 1 GHz FOR 802.11n HT40 MODE IN THE 5.2 GHz BAND	402
8.2.4.	TX ABOVE 1 GHz FOR 802.11a MODE IN THE 5.3 GHz BAND	407
8.2.5.	TX ABOVE 1 GHz FOR 802.11n HT20 MODE IN THE 5.3 GHz BAND	412
8.2.6.	TX ABOVE 1 GHz FOR 802.11n HT40 MODE IN THE 5.3 GHz BAND	417
8.2.7.	TX ABOVE 1 GHz FOR 802.11a MODE IN THE 5.6 GHz BAND	426
8.2.8.	TX ABOVE 1 GHz FOR 802.11n HT20 MODE IN THE 5.6 GHz BAND	433
8.2.9.	TX ABOVE 1 GHz FOR 802.11n HT40 MODE IN THE 5.6 GHz BAND	440
8.3.	WORST-CASE BELOW 1 GHz.....	447
9.	AC POWER LINE CONDUCTED EMISSIONS	451
10.	DYNAMIC FREQUENCY SELECTION	455
10.1.	OVERVIEW.....	455
10.1.1.	LIMITS.....	455
10.1.2.	TEST AND MEASUREMENT SYSTEM	458
10.1.3.	SETUP OF EUT	461
10.1.4.	DESCRIPTION OF EUT	462
10.2.	RESULTS FOR 20 MHz BANDWIDTH	463
10.2.1.	TEST CHANNEL	463
10.2.2.	RADAR WAVEFORMS AND TRAFFIC.....	463
10.2.3.	CHANNEL AVAILABILITY CHECK TIME.....	470
10.2.4.	OVERLAPPING CHANNEL TESTS	475
10.2.5.	MOVE AND CLOSING TIME.....	475
10.2.6.	DETECTION BANDWIDTH.....	481
10.2.7.	IN-SERVICE MONITORING.....	483
10.3.	RESULTS FOR 40 MHz BANDWIDTH	490
10.3.1.	TEST CHANNEL	490
10.3.2.	RADAR WAVEFORMS AND TRAFFIC.....	490
10.3.3.	CHANNEL AVAILABILITY CHECK TIME.....	497
10.3.4.	OVERLAPPING CHANNEL TESTS	502
10.3.5.	MOVE AND CLOSING TIME.....	502
10.3.6.	NON-OCCUPANCY PERIOD.....	508
10.3.7.	DETECTION BANDWIDTH.....	509
10.3.8.	IN-SERVICE MONITORING.....	511
11.	MAXIMUM PERMISSIBLE EXPOSURE	518
12.	SETUP PHOTOS	522

12. SETUP PHOTOS


ANTENNA PORT CONDUCTED RF MEASUREMENT SETUP



RADIATED RF MEASUREMENT SETUP



RADIATED BACK PHOTO




POWERLINE CONDUCTED EMISSIONS MEASUREMENT SETUP

LINE CONDUCTED FRONT PHOTO



LINE CONDUCTED BACK PHOTO



DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP

DFS FRONT PHOTO



DFS BACK PHOTO



END OF REPORT