


BlueNRG-Tile – Bluetooth LE enabled Sensor Node Development Kit

Data Brief**Features**

Evaluation boards Kit based on two boards:
STEVAL-BCN002V1

- BlueNRG-232: Bluetooth Low Energy single-mode system-on-chip, compliant with Bluetooth 5.0 specifications
- BALF-NRG-02D3: ultra-miniature balun and harmonic filter
- LSM6DSO: iNEMO 6DoF inertial module, ultra-low power and high accuracy
- LIS2MDL: Magnetic sensor, digital output, 50 gauss magnetic field dynamic range, ultra-low power high performance 3-axis magnetometer
- VL53L1X: Long distance ranging Time-of-Flight sensor based on ST FlightSense technology
- MP34DT05TR-A: MEMS audio sensor omnidirectional digital microphone, 64 dB SNR, -26 dBFS sensitivity, top-port, 122.5 dB SPL AOP
- LPS22HH: Ultra-compact piezo-resistive absolute pressure sensor, 260-1260 hPa,

digital output barometer, full-mold dust resistant, holed LGA package (HLGA)

- HTS221: Capacitive digital sensor for relative humidity and temperature
 - CR2032 Battery powered (not included)
- STEVAL-BCN002V1D
- Daughter board to reprogram and debug firmware running on sensor board
 - ST BlueMS and BlueNRG-Mesh demo Apps available on Android (Google Play) and iOS (iTunes)
 - Target Applications:
 - Internet of Things, Smart Building, Home and City
 - Tracking System, Supply Chain/ Cold-Chain Management
 - Smart Agriculture (soil control, animal activity tracking, etc.)

Description

STEVAL-BCN002V1B Is a bundle kit based on STEVAL-BCN2V1, multi sensors board based on BlueNRG-2 SoC Bluetooth Low Energy 5.0 Application processor. This board is embedding difference sensor as Accelerometer, Gyroscope, Magnetometer, Pressure, Humidity, Time-of-Flight, Microphone and is powered by a common coin battery, CR2032. This sensor board is connecting to Bluetooth LE enabled smartphone, using ST BlueMS APP available on Google Play and iTunes stores. The Adapter board, STEVAL-BCN002V1D is used to program, debug and power the board via USB.

DRAFT

1 Schematic diagram

Figure 1. STEVAL-BCN002V1 BlueNRG-2 Schematic diagram




Figure 2. STEVAL-BCN002V1 Sensors Schematic diagram

Figure 4. STEVAL-BCN002V1D STM32 Schematic diagram




Figure 5. STEVAL-BCN002V1D Debug Schematic diagram





Figure 6. STEVAL-BCN002V1D ST-LinkV3 Schematic diagram



2 Component layout

Figure 7. STEVAL-BCN002V1 Components





Figure 8. STEVAL-BCN002V1D Components



3 Getting Started with STEVAL-BCN002V1D

STEVAL-BCN002V1D Default configuration allow user to:

1) If PLUGGED on a NUCLEO STLink:

- Hardware modification: populate R6 and R8 with 0 ohm
- Programming: using Nucleo STLink mini USB
- Virtual COM: using Nucleo STLink mini USB; both SW3 and SW2 must be in (P1-P2) position

2) If using an EXTERNAL JTAG debugger:

- Programming: using JTAG connector on top
- Virtual COM: using micro USB connector on the bottom; both SW3 and SW2 must be in (P2-P3) position

3) If using the INTEGRATED USB to UART interface:

- Programming: using micro USB connector on the bottom and only using BlueNRG-1 Flasher Utility
- Virtual COM: using micro USB connector on the bottom; both SW3 and SW2 must be in (P2-P3) position

3) If using the INTEGRATED ST-LINK/V3:

- Hardware modification: populate R4 and R14 with 0 ohm
- Programming: using ST-LINK/V3 SWD
- Virtual COM: using ST-LINK/V3 micro USB; both SW3 and SW2 must be in (P1-P2) position

4 Certification

4.1 Regulatory compliance

The RF certifications obtained are described in Table 1.

Table 1. RF certification summary

		Comment
FCC ID	S9NSTEBCN2V1	On board PCB antenna
IC ID	8976C- STEBCN2V1	On board PCB antenna
RED	Compliant	Approved with on PCB board antenna

4.2 FCC and IC

FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

Innovation, Science and Economic Development Canada Compliance

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference
2. This device must accept any interference, including interference that may cause undesired operation of the device

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

Conformité à Innovation, Sciences et Développement Économique Canada

Cet appareil contient un ou plusieurs émetteurs / récepteurs exemptés de licence conformes à la norme Innovation, Science (s) RSS exemptés de licence par Science et Développement économique Canada.

L'utilisation est soumise aux deux conditions suivantes:

1. cet appareil ne doit pas causer d'interférences nuisibles, et
2. cet appareil doit accepter de recevoir tous les types d'interférence, y comprises les interférences susceptibles d'entraîner un fonctionnement indésirable.

Les changements ou les modifications non expressément approuvés par le fabricant pourraient annuler le permis d'utiliser l'équipement.

4.3 CE

STEVAL-BCN002V1B bundle kit complies with the following European EMI/EMC and safety directives and standards:

- EN 300 328 V 2.1.1 (2016-11) (a)
- ETSI EN 301 489-17 V3.1.1 (2017-02) (b)
- ETSI EN 301 489-1 V2.1.1 (2017-02) (c)
- EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 (d)
- EN 62311:2008

The module is provided by CE marking:

Figure 9. CE marking



The module has obtained the RED certificate: No. (**certification in progress**)

The certified module production firmware release is: 1.X

For additional information please refer to:

STMicroelectronics Via C. Olivetti, 2 Agrate Brianza 20864 (ITALY)

Simplified EU Declaration of Conformity

Hereby, STMicroelectronics SRL declares that the radio equipment type STEVAL-BCN002V1B is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address: www.st.com/blutile

5 Radio Features

Standard	Bluetooth Low Energy	
Antenna	Embedded	
RF Frequency	2402-2480	MHz
Max Output Power	8	dBm

6 Revision history

Table 2. Document revision history

Revision	Date of modification	Description of modification
1.0	27-Jun-2018	Preliminary draft
1.1	19-October-2018	Updated chapter 4
1.2	5-Nov-2018	Added RF Features table

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF ST, ST PRODUCTS ARE NOT DESIGNED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS, WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2006 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com