



TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	45.90	60.19	14.29	122.20	62.01	PK	Vertical	PASS
2	5963.20	47.78	62.31	14.53	68.20	5.89	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5137.11	51.78	65.20	13.42	74.00	8.80	PK	Vertical	PASS
2	5150.00	49.17	62.64	13.47	74.00	11.36	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5137.11	13.42	38.21	51.63	54.00	2.37	Vertical	PASS
2	5150.00	13.46	39.18	52.64	54.00	1.36	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	49.83	62.55	12.72	74.00	11.45	PK	Vertical	PASS
2	5361.94	50.17	63.07	12.90	74.00	10.93	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	12.72	32.53	45.25	54.00	8.75	Vertical	PASS
2	5361.94	12.90	31.68	44.58	54.00	9.42	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5457.12	45.16	61.36	16.20	74.00	12.64	PK	Vertical	PASS
2	5460.00	41.14	57.39	16.25	74.00	16.61	PK	Vertical	PASS
3	5466.21	49.15	65.52	16.37	68.20	2.68	PK	Vertical	PASS
4	5470.00	46.62	63.07	16.45	68.20	5.13	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5457.12	16.20	32.75	48.95	54.00	5.05	Vertical	PASS
2	5460.00	16.25	32.50	48.75	54.00	5.25	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	38.98	51.60	12.62	68.20	16.60	PK	Vertical	PASS
2	5737.20	42.30	54.95	12.65	68.20	13.25	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5646.22	51.31	66.20	14.89	68.20	2.00	PK	Vertical	PASS
2	5725.00	65.88	80.05	14.17	122.20	42.15	PK	Vertical	PASS
3	5850.00	62.48	76.77	14.29	122.20	45.43	PK	Vertical	PASS
4	5931.77	40.40	54.77	14.37	68.20	13.43	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

8.3. SPURIOUS EMISSIONS(1 GHZ~8 GHZ)-RA0


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.53	31.66	-27.87	74.00	42.34	PK	Horizontal	PASS
2	2404.20	62.48	38.28	-24.20	68.20	29.92	PK	Horizontal	PASS
3	4274.14	57.20	37.05	-20.15	74.00	36.95	PK	Horizontal	PASS
4	4977.99	56.91	37.81	-19.10	74.00	36.19	PK	Horizontal	PASS
5	6644.82	55.43	40.33	-15.10	68.20	27.87	PK	Horizontal	PASS
6	7954.48	54.79	41.71	-13.08	68.20	26.49	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.67	31.80	-27.87	74.00	42.20	PK	Vertical	PASS
2	2001.50	58.68	33.79	-24.89	68.20	34.41	PK	Vertical	PASS
3	2554.78	58.60	34.83	-23.77	68.20	33.37	PK	Vertical	PASS
4	3808.40	56.43	34.66	-21.77	74.00	39.34	PK	Vertical	PASS
5	5181.09	58.72	40.01	-18.71	68.20	28.19	PK	Vertical	PASS
6	7142.07	56.45	42.38	-14.07	68.20	25.82	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	58.70	30.85	-27.85	74.00	43.15	PK	Horizontal	PASS
2	2589.79	58.05	34.37	-23.68	68.20	33.83	PK	Horizontal	PASS
3	3860.93	57.18	35.33	-21.85	74.00	38.67	PK	Horizontal	PASS
4	4452.73	58.61	38.06	-20.55	68.20	30.14	PK	Horizontal	PASS
5	5202.10	56.45	37.78	-18.67	68.20	30.42	PK	Horizontal	PASS
6	7835.42	54.87	41.45	-13.42	68.20	26.75	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	61.25	33.38	-27.87	74.00	40.62	PK	Vertical	PASS
2	2996.00	57.36	34.58	-22.78	68.20	33.62	PK	Vertical	PASS
3	4277.64	57.25	37.09	-20.16	74.00	36.91	PK	Vertical	PASS
4	5195.10	58.37	39.69	-18.68	68.20	28.51	PK	Vertical	PASS
5	7373.19	55.19	41.24	-13.95	74.00	32.76	PK	Vertical	PASS
6	7954.48	55.39	42.31	-13.08	68.20	25.89	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.09	32.22	-27.87	74.00	41.78	PK	Horizontal	PASS
2	2481.24	58.17	34.19	-23.98	68.20	34.01	PK	Horizontal	PASS
3	4232.12	56.96	36.96	-20.00	74.00	37.04	PK	Horizontal	PASS
4	4963.98	56.66	37.51	-19.15	74.00	36.49	PK	Horizontal	PASS
5	5979.49	56.05	38.87	-17.18	68.20	29.33	PK	Horizontal	PASS
6	6970.49	55.39	42.03	-13.36	68.20	26.17	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.66	31.79	-27.87	74.00	42.21	PK	Vertical	PASS
2	2001.50	58.84	33.95	-24.89	68.20	34.25	PK	Vertical	PASS
3	3934.47	58.17	36.20	-21.97	74.00	37.80	PK	Vertical	PASS
4	5233.62	55.48	36.87	-18.61	68.20	31.33	PK	Vertical	PASS
5	6872.44	55.75	41.61	-14.14	68.20	26.59	PK	Vertical	PASS
6	7765.38	55.09	41.48	-13.61	68.20	26.72	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	58.77	30.90	-27.87	74.00	43.10	PK	Horizontal	PASS
2	2400.70	58.23	34.01	-24.22	68.20	34.19	PK	Horizontal	PASS
3	4512.26	57.95	37.42	-20.53	74.00	36.58	PK	Horizontal	PASS
4	5258.13	57.31	38.74	-18.57	68.20	29.46	PK	Horizontal	PASS
5	5965.48	56.56	39.36	-17.20	68.20	28.84	PK	Horizontal	PASS
6	6966.98	55.12	41.74	-13.38	68.20	26.46	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.01	32.16	-27.85	74.00	41.84	PK	Vertical	PASS
2	2400.70	59.47	35.25	-24.22	68.20	32.95	PK	Vertical	PASS
3	2936.47	58.73	35.75	-22.98	68.20	32.45	PK	Vertical	PASS
4	5261.63	58.42	39.85	-18.57	68.20	28.35	PK	Vertical	PASS
5	6574.79	55.85	40.53	-15.32	68.20	27.67	PK	Vertical	PASS
6	7093.05	55.70	41.95	-13.75	68.20	26.25	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.66	31.79	-27.87	74.00	42.21	PK	Horizontal	PASS
2	2418.21	57.82	33.65	-24.17	68.20	34.55	PK	Horizontal	PASS
3	4148.07	58.54	38.09	-20.45	74.00	35.91	PK	Horizontal	PASS
4	5275.64	58.18	39.63	-18.55	68.20	28.57	PK	Horizontal	PASS
5	6995.00	54.75	41.58	-13.17	68.20	26.62	PK	Horizontal	PASS
6	7457.23	55.50	41.59	-13.91	74.00	32.41	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.74	32.89	-27.85	74.00	41.11	PK	Vertical	PASS
2	2001.50	59.14	34.25	-24.89	68.20	33.95	PK	Vertical	PASS
3	4480.74	56.95	36.41	-20.54	68.20	31.79	PK	Vertical	PASS
4	5286.14	59.22	40.69	-18.53	68.20	27.51	PK	Vertical	PASS
5	6228.11	56.85	40.45	-16.40	68.20	27.75	PK	Vertical	PASS
6	7954.48	55.46	42.38	-13.08	68.20	25.82	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	59.07	31.22	-27.85	74.00	42.78	PK	Horizontal	PASS
2	2425.21	62.22	38.07	-24.15	68.20	30.13	PK	Horizontal	PASS
3	4424.71	57.95	37.39	-20.56	68.20	30.81	PK	Horizontal	PASS
4	5317.66	57.62	39.14	-18.48	68.20	29.06	PK	Horizontal	PASS
5	6966.98	54.68	41.30	-13.38	68.20	26.90	PK	Horizontal	PASS
6	7821.41	54.84	41.37	-13.47	68.20	26.83	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.11	32.24	-27.87	74.00	41.76	PK	Vertical	PASS
2	2001.50	60.65	35.76	-24.89	68.20	32.44	PK	Vertical	PASS
3	3202.60	57.22	34.80	-22.42	68.20	33.40	PK	Vertical	PASS
4	5321.16	62.94	44.48	-18.46	68.20	23.72	PK	Vertical	PASS
5	7107.05	55.90	42.06	-13.84	68.20	26.14	PK	Vertical	PASS
6	7961.48	55.09	42.03	-13.06	68.20	26.17	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.60	31.73	-27.87	74.00	42.27	PK	Horizontal	PASS
2	2425.21	62.77	38.62	-24.15	68.20	29.58	PK	Horizontal	PASS
3	4487.74	57.93	37.39	-20.54	68.20	30.81	PK	Horizontal	PASS
4	5496.25	62.37	44.20	-18.17	68.20	24.00	PK	Horizontal	PASS
5	6956.48	55.37	41.89	-13.48	68.20	26.31	PK	Horizontal	PASS
6	7912.46	54.70	41.50	-13.20	68.20	26.70	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	60.52	32.64	-27.88	74.00	41.36	PK	Vertical	PASS
2	2001.50	58.68	33.79	-24.89	68.20	34.41	PK	Vertical	PASS
3	3867.93	57.92	36.05	-21.87	74.00	37.95	PK	Vertical	PASS
4	5496.25	68.41	50.24	-18.17	68.20	17.96	PK	Vertical	PASS
5	6984.49	54.65	41.40	-13.25	68.20	26.80	PK	Vertical	PASS
6	7950.98	55.30	42.21	-13.09	68.20	25.99	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.35	31.48	-27.87	74.00	42.52	PK	Horizontal	PASS
2	2768.38	58.04	34.57	-23.47	74.00	39.43	PK	Horizontal	PASS
3	4914.96	56.46	37.11	-19.35	74.00	36.89	PK	Horizontal	PASS
4	5583.79	62.41	44.44	-17.97	68.20	23.76	PK	Horizontal	PASS
5	7086.04	55.65	41.95	-13.70	68.20	26.25	PK	Horizontal	PASS
6	7639.32	55.30	41.38	-13.92	74.00	32.62	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.25	32.38	-27.87	74.00	41.62	PK	Vertical	PASS
2	2001.50	58.84	33.95	-24.89	68.20	34.25	PK	Vertical	PASS
3	4284.64	58.13	37.95	-20.18	74.00	36.05	PK	Vertical	PASS
4	5580.29	69.56	51.58	-17.98	68.20	16.62	PK	Vertical	PASS
5	7051.03	54.96	41.48	-13.48	68.20	26.72	PK	Vertical	PASS
6	7838.92	54.67	41.26	-13.41	68.20	26.94	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.93	32.06	-27.87	74.00	41.94	PK	Horizontal	PASS
2	2621.31	57.86	34.24	-23.62	68.20	33.96	PK	Horizontal	PASS
3	4123.56	57.10	36.38	-20.72	74.00	37.62	PK	Horizontal	PASS
4	4999.00	56.61	37.61	-19.00	74.00	36.39	PK	Horizontal	PASS
5	5699.35	59.13	41.40	-17.73	68.20	26.80	PK	Horizontal	PASS
6	7100.05	55.57	41.77	-13.80	68.20	26.43	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.12	32.27	-27.85	74.00	41.73	PK	Vertical	PASS
2	2001.50	60.86	35.97	-24.89	68.20	32.23	PK	Vertical	PASS
3	4218.11	56.47	36.52	-19.95	74.00	37.48	PK	Vertical	PASS
4	5699.35	66.92	49.19	-17.73	68.20	19.01	PK	Vertical	PASS
5	6875.94	55.20	41.09	-14.11	68.20	27.11	PK	Vertical	PASS
6	7446.72	55.83	41.94	-13.89	74.00	32.06	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1196.10	58.63	30.72	-27.91	74.00	43.28	PK	Horizontal	PASS
2	2001.50	58.35	33.46	-24.89	68.20	34.74	PK	Horizontal	PASS
3	4393.20	58.47	37.93	-20.54	74.00	36.07	PK	Horizontal	PASS
4	5720.36	59.96	42.28	-17.68	68.20	25.92	PK	Horizontal	PASS
5	6935.47	54.58	40.94	-13.64	68.20	27.26	PK	Horizontal	PASS
6	7835.42	54.81	41.39	-13.42	68.20	26.81	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.96	33.11	-27.85	74.00	40.89	PK	Vertical	PASS
2	2001.50	58.49	33.60	-24.89	68.20	34.60	PK	Vertical	PASS
3	4820.41	57.14	37.39	-19.75	74.00	36.61	PK	Vertical	PASS
4	5720.36	69.29	51.61	-17.68	68.20	16.59	PK	Vertical	PASS
5	6942.47	55.02	41.44	-13.58	68.20	26.76	PK	Vertical	PASS
6	7936.97	54.90	41.78	-13.12	68.20	26.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.39	31.52	-27.87	74.00	42.48	PK	Horizontal	PASS
2	2694.85	57.50	33.96	-23.54	74.00	40.04	PK	Horizontal	PASS
3	3433.72	57.16	34.94	-22.22	68.20	33.26	PK	Horizontal	PASS
4	4939.47	56.80	37.55	-19.25	74.00	36.45	PK	Horizontal	PASS
5	5744.87	63.06	45.42	-17.64	68.20	22.78	PK	Horizontal	PASS
6	7646.32	56.77	42.87	-13.90	74.00	31.13	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.41	32.54	-27.87	74.00	41.46	PK	Vertical	PASS
2	2001.50	59.20	34.31	-24.89	68.20	33.89	PK	Vertical	PASS
3	4970.99	56.45	37.33	-19.12	74.00	36.67	PK	Vertical	PASS
4	5744.87	70.46	52.82	-17.64	68.20	15.38	PK	Vertical	PASS
5	7026.51	55.14	41.84	-13.30	68.20	26.36	PK	Vertical	PASS
6	7821.41	54.77	41.30	-13.47	68.20	26.90	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.19	31.32	-27.87	74.00	42.68	PK	Horizontal	PASS
2	2701.85	57.50	33.96	-23.54	74.00	40.04	PK	Horizontal	PASS
3	4333.67	58.08	37.73	-20.35	74.00	36.27	PK	Horizontal	PASS
4	5786.89	57.86	40.30	-17.56	68.20	27.90	PK	Horizontal	PASS
5	6966.98	54.58	41.20	-13.38	68.20	27.00	PK	Horizontal	PASS
6	7709.35	54.95	41.20	-13.75	74.00	32.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.03	32.16	-27.87	74.00	41.84	PK	Vertical	PASS
2	2001.50	59.17	34.28	-24.89	68.20	33.92	PK	Vertical	PASS
3	4575.29	57.44	36.91	-20.53	74.00	37.09	PK	Vertical	PASS
4	5786.89	60.02	42.46	-17.56	68.20	25.74	PK	Vertical	PASS
5	6977.49	54.95	41.64	-13.31	68.20	26.56	PK	Vertical	PASS
6	7803.90	54.90	41.38	-13.52	68.20	26.82	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	59.47	31.62	-27.85	74.00	42.38	PK	Horizontal	PASS
2	2001.50	58.12	33.23	-24.89	68.20	34.97	PK	Horizontal	PASS
3	4855.43	57.45	37.84	-19.61	74.00	36.16	PK	Horizontal	PASS
4	5821.91	57.74	40.26	-17.48	68.20	27.94	PK	Horizontal	PASS
5	6980.99	54.69	41.41	-13.28	68.20	26.79	PK	Horizontal	PASS
6	7954.48	54.71	41.63	-13.08	68.20	26.57	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.44	32.59	-27.85	74.00	41.41	PK	Vertical	PASS
2	2001.50	60.43	35.54	-24.89	68.20	32.66	PK	Vertical	PASS
3	2425.21	64.26	40.11	-24.15	68.20	28.09	PK	Vertical	PASS
4	4421.21	57.82	37.26	-20.56	68.20	30.94	PK	Vertical	PASS
5	5821.91	59.82	42.34	-17.48	68.20	25.86	PK	Vertical	PASS
6	7471.24	55.52	41.60	-13.92	74.00	32.40	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

8.4. SPURIOUS EMISSIONS(1 GHZ~8 GHZ)-RA1


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2250.13	58.85	34.34	-24.51	74.00	39.66	PK	Horizontal	PASS
2	4263.63	56.79	36.68	-20.11	74.00	37.32	PK	Horizontal	PASS
3	5275.64	56.45	37.90	-18.55	68.20	30.30	PK	Horizontal	PASS
4	6333.17	56.09	39.95	-16.14	68.20	28.25	PK	Horizontal	PASS
5	6963.48	54.40	40.99	-13.41	68.20	27.21	PK	Horizontal	PASS
6	7457.23	55.68	41.77	-13.91	74.00	32.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2001.50	58.88	33.99	-24.89	68.20	34.21	PK	Vertical	PASS
2	3213.11	57.58	35.17	-22.41	68.20	33.03	PK	Vertical	PASS
3	4284.64	57.78	37.60	-20.18	74.00	36.40	PK	Vertical	PASS
4	5188.09	56.86	38.17	-18.69	68.20	30.03	PK	Vertical	PASS
5	6938.97	55.35	41.75	-13.60	68.20	26.45	PK	Vertical	PASS
6	7821.41	54.80	41.33	-13.47	68.20	26.87	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2250.13	58.62	34.11	-24.51	74.00	39.89	PK	Horizontal	PASS
2	4186.59	57.10	37.06	-20.04	74.00	36.94	PK	Horizontal	PASS
3	4820.41	57.19	37.44	-19.75	74.00	36.56	PK	Horizontal	PASS
4	6329.66	55.64	39.49	-16.15	68.20	28.71	PK	Horizontal	PASS
5	6966.98	54.35	40.97	-13.38	68.20	27.23	PK	Horizontal	PASS
6	7943.97	54.32	41.22	-13.10	68.20	26.98	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.62	32.75	-27.87	74.00	41.25	PK	Vertical	PASS
2	2001.50	58.84	33.95	-24.89	68.20	34.25	PK	Vertical	PASS
3	4190.10	56.43	36.43	-20.00	74.00	37.57	PK	Vertical	PASS
4	4946.47	56.36	37.14	-19.22	74.00	36.86	PK	Vertical	PASS
5	6098.55	55.49	38.69	-16.80	68.20	29.51	PK	Vertical	PASS
6	6995.00	54.75	41.58	-13.17	68.20	26.62	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2519.76	60.27	36.40	-23.87	68.20	31.80	PK	Horizontal	PASS
2	4242.62	56.90	36.87	-20.03	74.00	37.13	PK	Horizontal	PASS
3	5034.02	55.92	36.98	-18.94	74.00	37.02	PK	Horizontal	PASS
4	6060.03	55.91	38.97	-16.94	68.20	29.23	PK	Horizontal	PASS
5	6966.98	55.08	41.70	-13.38	68.20	26.50	PK	Horizontal	PASS
6	7947.47	54.65	41.56	-13.09	68.20	26.64	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2596.80	58.31	34.65	-23.66	68.20	33.55	PK	Vertical	PASS
2	3325.16	57.12	34.85	-22.27	68.20	33.35	PK	Vertical	PASS
3	4319.66	57.66	37.36	-20.30	74.00	36.64	PK	Vertical	PASS
4	4918.46	56.49	37.15	-19.34	74.00	36.85	PK	Vertical	PASS
5	6018.01	55.80	38.74	-17.06	68.20	29.46	PK	Vertical	PASS
6	6970.49	54.39	41.03	-13.36	68.20	27.17	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.40	32.53	-27.87	74.00	41.47	PK	Horizontal	PASS
2	3258.63	56.79	34.43	-22.36	68.20	33.77	PK	Horizontal	PASS
3	4648.82	57.48	37.13	-20.35	74.00	36.87	PK	Horizontal	PASS
4	6175.59	55.56	39.01	-16.55	68.20	29.19	PK	Horizontal	PASS
5	6980.99	55.10	41.82	-13.28	68.20	26.38	PK	Horizontal	PASS
6	7817.91	54.92	41.45	-13.47	68.20	26.75	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	60.64	32.79	-27.85	74.00	41.21	PK	Vertical	PASS
2	2736.87	57.81	34.31	-23.50	74.00	39.69	PK	Vertical	PASS
3	4396.70	57.57	37.01	-20.56	74.00	36.99	PK	Vertical	PASS
4	4981.49	56.48	37.40	-19.08	74.00	36.60	PK	Vertical	PASS
5	7023.01	55.43	42.15	-13.28	68.20	26.05	PK	Vertical	PASS
6	7950.98	55.37	42.28	-13.09	68.20	25.92	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1920.96	58.80	33.64	-25.16	68.20	34.56	PK	Horizontal	PASS
2	2596.80	61.36	37.70	-23.66	68.20	30.50	PK	Horizontal	PASS
3	4270.64	56.74	36.61	-20.13	74.00	37.39	PK	Horizontal	PASS
4	5258.13	55.84	37.27	-18.57	68.20	30.93	PK	Horizontal	PASS
5	6609.80	55.07	39.87	-15.20	68.20	28.33	PK	Horizontal	PASS
6	7642.82	56.27	42.36	-13.91	74.00	31.64	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.78	32.91	-27.87	74.00	41.09	PK	Vertical	PASS
2	2400.70	59.17	34.95	-24.22	68.20	33.25	PK	Vertical	PASS
3	3381.19	57.12	34.89	-22.23	68.20	33.31	PK	Vertical	PASS
4	4354.68	56.96	36.54	-20.42	74.00	37.46	PK	Vertical	PASS
5	6588.79	55.31	40.06	-15.25	68.20	28.14	PK	Vertical	PASS
6	7821.41	54.90	41.43	-13.47	68.20	26.77	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.59	31.72	-27.87	74.00	42.28	PK	Horizontal	PASS
2	2547.77	58.27	34.48	-23.79	68.20	33.72	PK	Horizontal	PASS
3	4344.17	57.46	37.09	-20.37	74.00	36.91	PK	Horizontal	PASS
4	6091.55	55.09	38.26	-16.83	68.20	29.94	PK	Horizontal	PASS
5	6910.96	54.79	40.95	-13.84	68.20	27.25	PK	Horizontal	PASS
6	7961.48	55.08	42.02	-13.06	68.20	26.18	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1206.60	59.76	31.91	-27.85	74.00	42.09	PK	Vertical	PASS
2	2530.27	58.53	34.69	-23.84	68.20	33.34	PK	Vertical	PASS
3	4183.09	57.03	36.95	-20.08	74.00	37.05	PK	Vertical	PASS
4	4981.49	56.35	37.27	-19.08	74.00	36.73	PK	Vertical	PASS
5	7208.60	55.86	41.43	-14.43	68.20	26.77	PK	Vertical	PASS
6	7954.48	54.62	41.54	-13.08	68.20	26.66	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.83	31.96	-27.87	74.00	42.04	PK	Horizontal	PASS
2	2547.77	60.93	37.14	-23.79	68.20	31.06	PK	Horizontal	PASS
3	4386.19	57.12	36.60	-20.52	74.00	37.40	PK	Horizontal	PASS
4	5982.99	55.82	38.66	-17.16	68.20	29.54	PK	Horizontal	PASS
5	6973.99	54.48	41.14	-13.34	68.20	27.06	PK	Horizontal	PASS
6	7940.47	54.67	41.56	-13.11	68.20	26.64	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.57	31.70	-27.87	74.00	42.30	PK	Vertical	PASS
2	2001.50	58.82	33.93	-24.89	68.20	34.27	PK	Vertical	PASS
3	3465.23	56.58	34.34	-22.24	68.20	33.86	PK	Vertical	PASS
4	4277.64	57.80	37.64	-20.16	74.00	36.36	PK	Vertical	PASS
5	4967.48	55.87	36.73	-19.14	74.00	37.27	PK	Vertical	PASS
6	6567.78	55.72	40.38	-15.34	68.20	27.82	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2250.13	57.57	33.06	-24.51	74.00	40.94	PK	Horizontal	PASS
2	4204.10	57.19	37.29	-19.90	74.00	36.71	PK	Horizontal	PASS
3	5272.14	55.14	36.60	-18.54	68.20	31.60	PK	Horizontal	PASS
4	6382.19	56.16	40.13	-16.03	68.20	28.07	PK	Horizontal	PASS
5	6991.50	54.22	41.02	-13.20	68.20	27.18	PK	Horizontal	PASS
6	7908.95	55.32	42.11	-13.21	68.20	26.09	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.28	32.41	-27.87	74.00	41.59	PK	Vertical	PASS
2	3538.77	57.32	35.04	-22.28	68.20	33.16	PK	Vertical	PASS
3	4939.47	57.14	37.89	-19.25	74.00	36.11	PK	Vertical	PASS
4	6329.66	55.81	39.66	-16.15	68.20	28.54	PK	Vertical	PASS
5	7054.53	54.63	41.13	-13.50	68.20	27.07	PK	Vertical	PASS
6	7845.92	55.05	41.66	-13.39	68.20	26.54	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.48	31.61	-27.87	74.00	42.39	PK	Horizontal	PASS
2	2600.30	57.52	33.87	-23.65	68.20	34.33	PK	Horizontal	PASS
3	4319.66	57.02	36.72	-20.30	74.00	37.28	PK	Horizontal	PASS
4	6326.16	55.53	39.37	-16.16	68.20	28.83	PK	Horizontal	PASS
5	7089.54	55.38	41.65	-13.73	68.20	26.55	PK	Horizontal	PASS
6	7954.48	54.76	41.68	-13.08	68.20	26.52	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.67	31.80	-27.87	74.00	42.20	PK	Vertical	PASS
2	3209.60	56.74	34.33	-22.41	68.20	33.87	PK	Vertical	PASS
3	4186.59	56.49	36.45	-20.04	74.00	37.55	PK	Vertical	PASS
4	4974.49	55.96	36.85	-19.11	74.00	37.15	PK	Vertical	PASS
5	6357.68	56.60	40.52	-16.08	68.20	27.68	PK	Vertical	PASS
6	7639.32	54.84	40.92	-13.92	74.00	33.08	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.48	32.61	-27.87	74.00	41.39	PK	Horizontal	PASS
2	2250.13	59.60	35.09	-24.51	74.00	38.91	PK	Horizontal	PASS
3	4326.66	56.75	36.43	-20.32	74.00	37.57	PK	Horizontal	PASS
4	5195.10	56.23	37.55	-18.68	68.20	30.65	PK	Horizontal	PASS
5	7103.55	55.10	41.28	-13.82	68.20	26.92	PK	Horizontal	PASS
6	7954.48	54.72	41.64	-13.08	68.20	26.56	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.38	32.51	-27.87	74.00	41.49	PK	Vertical	PASS
2	3244.62	57.16	34.78	-22.38	68.20	33.42	PK	Vertical	PASS
3	4925.46	56.12	36.81	-19.31	74.00	37.19	PK	Vertical	PASS
4	5989.99	55.98	38.83	-17.15	68.20	29.37	PK	Vertical	PASS
5	6973.99	54.85	41.51	-13.34	68.20	26.69	PK	Vertical	PASS
6	7828.41	55.14	41.70	-13.44	68.20	26.50	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2183.59	58.31	33.68	-24.63	68.20	34.52	PK	Horizontal	PASS
2	3857.43	57.27	35.42	-21.85	74.00	38.58	PK	Horizontal	PASS
3	4935.97	56.72	37.45	-19.27	74.00	36.55	PK	Horizontal	PASS
4	6259.63	56.61	40.28	-16.33	68.20	27.92	PK	Horizontal	PASS
5	7054.53	55.22	41.72	-13.50	68.20	26.48	PK	Horizontal	PASS
6	7891.45	54.87	41.61	-13.26	68.20	26.59	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.56	32.69	-27.87	74.00	41.31	PK	Vertical	PASS
2	3076.54	57.27	34.64	-22.63	68.20	33.56	PK	Vertical	PASS
3	4186.59	56.76	36.72	-20.04	74.00	37.28	PK	Vertical	PASS
4	6105.55	55.91	39.12	-16.79	68.20	29.08	PK	Vertical	PASS
5	7096.55	54.70	40.93	-13.77	68.20	27.27	PK	Vertical	PASS
6	7523.76	55.14	41.18	-13.96	74.00	32.82	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	59.60	31.72	-27.88	74.00	42.28	PK	Horizontal	PASS
2	2498.75	57.76	33.83	-23.93	74.00	40.17	PK	Horizontal	PASS
3	4260.13	57.17	37.07	-20.10	74.00	36.93	PK	Horizontal	PASS
4	5972.49	55.87	38.69	-17.18	68.20	29.51	PK	Horizontal	PASS
5	7030.02	54.83	41.50	-13.33	68.20	26.70	PK	Horizontal	PASS
6	7933.47	54.55	41.41	-13.14	68.20	26.79	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	60.09	32.22	-27.87	74.00	41.78	PK	Vertical	PASS
2	3118.56	58.01	35.46	-22.55	68.20	32.74	PK	Vertical	PASS
3	4249.62	56.25	36.20	-20.05	74.00	37.80	PK	Vertical	PASS
4	6074.04	56.51	39.63	-16.88	68.20	28.57	PK	Vertical	PASS
5	6995.00	54.04	40.87	-13.17	68.20	27.33	PK	Vertical	PASS
6	7772.39	55.20	41.60	-13.60	68.20	26.60	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

8.5. SPURIOUS EMISSIONS(8 GHZ~18 GHZ)-RA0


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8325.16	54.00	42.29	-11.71	74.00	31.71	PK	Horizontal	PASS
2	11061.53	50.11	46.76	-3.35	74.00	27.24	PK	Horizontal	PASS
3	11986.99	51.27	43.81	-7.46	74.00	30.19	PK	Horizontal	PASS
4	13582.79	54.16	46.17	-7.99	68.20	22.03	PK	Horizontal	PASS
5	15198.60	50.93	40.27	-10.66	68.20	27.93	PK	Horizontal	PASS
6	17939.97	46.74	45.50	-1.24	74.00	28.50	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8385.19	53.69	42.41	-11.28	74.00	31.59	PK	Vertical	PASS
2	10981.49	49.01	45.90	-3.11	74.00	28.10	PK	Vertical	PASS
3	12237.12	51.82	43.98	-7.84	74.00	30.02	PK	Vertical	PASS
4	13507.75	52.94	44.94	-8.00	68.20	23.26	PK	Vertical	PASS
5	15038.52	50.01	40.37	-9.64	68.20	27.83	PK	Vertical	PASS
6	17934.97	46.66	45.41	-1.25	74.00	28.59	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8145.07	54.94	42.41	-12.53	74.00	31.59	PK	Horizontal	PASS
2	11016.51	49.62	46.60	-3.02	74.00	27.40	PK	Horizontal	PASS
3	12177.09	51.71	43.92	-7.79	74.00	30.08	PK	Horizontal	PASS
4	13787.89	52.76	45.20	-7.56	68.20	23.00	PK	Horizontal	PASS
5	15598.80	50.47	39.52	-10.95	74.00	34.48	PK	Horizontal	PASS
6	17799.90	46.98	45.60	-1.38	74.00	28.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8790.40	53.19	42.57	-10.62	68.20	25.63	PK	Vertical	PASS
2	11011.51	48.89	45.90	-2.99	74.00	28.10	PK	Vertical	PASS
3	13667.83	53.37	45.55	-7.82	68.20	22.65	PK	Vertical	PASS
4	15013.51	49.89	40.40	-9.49	68.20	27.80	PK	Vertical	PASS
5	17259.63	49.06	42.60	-6.46	68.20	25.60	PK	Vertical	PASS
6	17924.96	46.81	45.55	-1.26	74.00	28.45	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8155.08	55.30	42.76	-12.54	74.00	31.24	PK	Horizontal	PASS
2	9970.99	51.89	42.69	-9.20	68.20	25.51	PK	Horizontal	PASS
3	10941.47	49.82	46.28	-3.54	74.00	27.72	PK	Horizontal	PASS
4	11821.91	51.91	44.33	-7.58	74.00	29.67	PK	Horizontal	PASS
5	13677.84	52.92	45.11	-7.81	68.20	23.09	PK	Horizontal	PASS
6	17794.90	46.93	45.48	-1.45	74.00	28.52	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8375.19	54.46	43.11	-11.35	74.00	30.89	PK	Vertical	PASS
2	9295.65	52.32	42.51	-9.81	68.20	25.69	PK	Vertical	PASS
3	11011.51	49.21	46.22	-2.99	74.00	27.78	PK	Vertical	PASS
4	13672.84	53.13	45.32	-7.81	68.20	22.88	PK	Vertical	PASS
5	14928.46	51.32	41.73	-9.59	68.20	26.47	PK	Vertical	PASS
6	17914.96	47.11	45.84	-1.27	74.00	28.16	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8220.11	54.78	42.33	-12.45	74.00	31.67	PK	Horizontal	PASS
2	10016.01	51.57	42.52	-9.05	68.20	25.68	PK	Horizontal	PASS
3	11016.51	49.96	46.94	-3.02	74.00	27.06	PK	Horizontal	PASS
4	13682.84	53.51	45.71	-7.80	68.20	22.49	PK	Horizontal	PASS
5	14968.48	50.02	40.53	-9.49	68.20	27.67	PK	Horizontal	PASS
6	17849.92	47.30	45.97	-1.33	74.00	28.03	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8310.16	54.08	42.27	-11.81	74.00	31.73	PK	Vertical	PASS
2	11061.53	49.81	46.46	-3.35	74.00	27.54	PK	Vertical	PASS
3	13522.76	53.40	45.41	-7.99	68.20	22.79	PK	Vertical	PASS
4	14338.17	51.15	42.26	-8.89	68.20	25.94	PK	Vertical	PASS
5	15653.83	49.87	38.70	-11.17	74.00	35.30	PK	Vertical	PASS
6	17854.93	47.63	46.30	-1.33	74.00	27.70	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9280.64	51.72	41.91	-9.81	68.20	26.29	PK	Horizontal	PASS
2	11076.54	49.90	46.45	-3.45	74.00	27.55	PK	Horizontal	PASS
3	12227.11	51.61	43.76	-7.85	74.00	30.24	PK	Horizontal	PASS
4	13672.84	52.64	44.83	-7.81	68.20	23.37	PK	Horizontal	PASS
5	14708.35	49.81	40.28	-9.53	68.20	27.92	PK	Horizontal	PASS
6	17859.93	47.07	45.75	-1.32	74.00	28.25	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9680.84	52.04	42.10	-9.94	68.20	26.10	PK	Vertical	PASS
2	10931.47	49.53	45.87	-3.66	74.00	28.13	PK	Vertical	PASS
3	12287.14	52.43	44.58	-7.85	74.00	29.42	PK	Vertical	PASS
4	13722.86	52.26	44.56	-7.70	68.20	23.64	PK	Vertical	PASS
5	15588.79	50.36	39.40	-10.96	74.00	34.60	PK	Vertical	PASS
6	17914.96	48.09	46.82	-1.27	74.00	27.18	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9165.58	51.84	41.86	-9.98	74.00	32.14	PK	Horizontal	PASS
2	11016.51	49.32	46.30	-3.02	74.00	27.70	PK	Horizontal	PASS
3	12967.48	53.59	43.57	-10.02	68.20	24.63	PK	Horizontal	PASS
4	13662.83	52.49	44.65	-7.84	68.20	23.55	PK	Horizontal	PASS
5	15388.69	50.01	39.21	-10.80	74.00	34.79	PK	Horizontal	PASS
6	17924.96	46.71	45.45	-1.26	74.00	28.55	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8710.36	53.94	42.64	-11.30	68.20	25.56	PK	Vertical	PASS
2	11021.51	48.66	45.61	-3.05	74.00	28.39	PK	Vertical	PASS
3	12237.12	51.54	43.70	-7.84	74.00	30.30	PK	Vertical	PASS
4	13627.81	53.31	45.39	-7.92	68.20	22.81	PK	Vertical	PASS
5	15888.94	50.70	38.81	-11.89	74.00	35.19	PK	Vertical	PASS
6	17919.96	47.64	46.38	-1.26	74.00	27.62	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8830.42	52.58	41.97	-10.61	68.20	26.23	PK	Horizontal	PASS
2	9605.80	52.49	42.92	-9.57	68.20	25.28	PK	Horizontal	PASS
3	11021.51	48.77	45.72	-3.05	74.00	28.28	PK	Horizontal	PASS
4	12187.09	52.02	44.21	-7.81	74.00	29.79	PK	Horizontal	PASS
5	13667.83	52.94	45.12	-7.82	68.20	23.08	PK	Horizontal	PASS
6	17849.92	47.12	45.79	-1.33	74.00	28.21	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8350.18	53.72	42.19	-11.53	74.00	31.81	PK	Vertical	PASS
2	9320.66	52.08	42.26	-9.82	74.00	31.74	PK	Vertical	PASS
3	10986.49	49.80	46.75	-3.05	74.00	27.25	PK	Vertical	PASS
4	13717.86	52.52	44.81	-7.71	68.20	23.39	PK	Vertical	PASS
5	15528.76	50.37	39.42	-10.95	74.00	34.58	PK	Vertical	PASS
6	17794.90	46.90	45.45	-1.45	74.00	28.55	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9440.72	51.62	41.85	-9.77	74.00	32.15	PK	Horizontal	PASS
2	11001.50	48.75	45.84	-2.91	74.00	28.16	PK	Horizontal	PASS
3	12687.34	52.59	43.05	-9.54	74.00	30.95	PK	Horizontal	PASS
4	13572.79	53.12	45.14	-7.98	68.20	23.06	PK	Horizontal	PASS
5	15593.80	49.99	39.04	-10.95	74.00	34.96	PK	Horizontal	PASS
6	17859.93	47.03	45.71	-1.32	74.00	28.29	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8705.35	53.14	41.80	-11.34	68.20	26.40	PK	Vertical	PASS
2	11011.51	49.92	46.93	-2.99	74.00	27.07	PK	Vertical	PASS
3	11921.96	51.12	43.61	-7.51	74.00	30.39	PK	Vertical	PASS
4	13607.80	53.32	45.36	-7.96	68.20	22.84	PK	Vertical	PASS
5	14943.47	50.79	41.24	-9.55	68.20	26.96	PK	Vertical	PASS
6	17799.90	46.91	45.53	-1.38	74.00	28.47	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8385.19	53.01	41.73	-11.28	74.00	32.27	PK	Horizontal	PASS
2	10036.02	51.57	42.42	-9.15	68.20	25.78	PK	Horizontal	PASS
3	11041.52	49.97	46.76	-3.21	74.00	27.24	PK	Horizontal	PASS
4	13632.82	53.29	45.38	-7.91	68.20	22.82	PK	Horizontal	PASS
5	14988.49	49.70	40.26	-9.44	68.20	27.94	PK	Horizontal	PASS
6	17849.92	47.01	45.68	-1.33	74.00	28.32	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8365.18	53.54	42.13	-11.41	74.00	31.87	PK	Vertical	PASS
2	9940.97	51.77	42.35	-9.42	68.20	25.85	PK	Vertical	PASS
3	11016.51	49.08	46.06	-3.02	74.00	27.94	PK	Vertical	PASS
4	13457.73	52.73	44.63	-8.10	68.20	23.57	PK	Vertical	PASS
5	15503.75	50.17	39.23	-10.94	74.00	34.77	PK	Vertical	PASS
6	17784.89	46.76	45.17	-1.59	74.00	28.83	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	52.22	42.64	-9.58	68.20	25.56	PK	Horizontal	PASS
2	11076.54	49.42	45.97	-3.45	74.00	28.03	PK	Horizontal	PASS
3	12162.08	51.26	43.49	-7.77	74.00	30.51	PK	Horizontal	PASS
4	13467.73	53.77	45.70	-8.07	68.20	22.50	PK	Horizontal	PASS
5	14993.50	50.22	40.80	-9.42	68.20	27.40	PK	Horizontal	PASS
6	17924.96	46.81	45.55	-1.26	74.00	28.45	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9570.79	52.47	42.90	-9.57	68.20	25.30	PK	Vertical	PASS
2	11011.51	49.15	46.16	-2.99	74.00	27.84	PK	Vertical	PASS
3	12277.14	51.18	43.33	-7.85	74.00	30.67	PK	Vertical	PASS
4	13597.80	53.08	45.10	-7.98	68.20	23.10	PK	Vertical	PASS
5	15593.80	50.12	39.17	-10.95	74.00	34.83	PK	Vertical	PASS
6	17924.96	47.28	46.02	-1.26	74.00	27.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8045.02	54.07	41.68	-12.39	74.00	32.32	PK	Horizontal	PASS
2	10051.03	52.05	42.84	-9.21	68.20	25.36	PK	Horizontal	PASS
3	11021.51	49.09	46.04	-3.05	74.00	27.96	PK	Horizontal	PASS
4	13547.77	52.50	44.51	-7.99	68.20	23.69	PK	Horizontal	PASS
5	14993.50	50.34	40.92	-9.42	68.20	27.28	PK	Horizontal	PASS
6	17814.91	46.69	45.32	-1.37	74.00	28.68	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8105.05	55.18	42.71	-12.47	74.00	31.29	PK	Vertical	PASS
2	10111.06	53.11	43.63	-9.48	68.20	24.57	PK	Vertical	PASS
3	11066.53	49.85	46.47	-3.38	74.00	27.53	PK	Vertical	PASS
4	13582.79	53.13	45.14	-7.99	68.20	23.06	PK	Vertical	PASS
5	15823.91	50.38	38.58	-11.80	74.00	35.42	PK	Vertical	PASS
6	17784.89	47.11	45.52	-1.59	74.00	28.48	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	52.96	43.38	-9.58	68.20	24.82	PK	Horizontal	PASS
2	11076.54	49.70	46.25	-3.45	74.00	27.75	PK	Horizontal	PASS
3	13737.87	53.29	45.62	-7.67	68.20	22.58	PK	Horizontal	PASS
4	15343.67	50.46	39.69	-10.77	68.20	28.51	PK	Horizontal	PASS
5	17234.62	48.95	42.35	-6.60	68.20	25.85	PK	Horizontal	PASS
6	17794.90	47.78	46.33	-1.45	74.00	27.67	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8325.16	53.96	42.25	-11.71	74.00	31.75	PK	Vertical	PASS
2	11011.51	49.64	46.65	-2.99	74.00	27.35	PK	Vertical	PASS
3	12317.16	51.89	44.03	-7.86	74.00	29.97	PK	Vertical	PASS
4	13637.82	52.88	44.98	-7.90	68.20	23.22	PK	Vertical	PASS
5	15603.80	50.59	39.63	-10.96	74.00	34.37	PK	Vertical	PASS
6	17799.90	47.09	45.71	-1.38	74.00	28.29	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	51.89	42.08	-9.81	68.20	26.12	PK	Horizontal	PASS
2	10486.24	52.02	43.49	-8.53	68.20	24.71	PK	Horizontal	PASS
3	11011.51	49.46	46.47	-2.99	74.00	27.53	PK	Horizontal	PASS
4	12332.17	51.27	43.41	-7.86	74.00	30.59	PK	Horizontal	PASS
5	15653.83	50.47	39.30	-11.17	74.00	34.70	PK	Horizontal	PASS
6	17914.96	47.25	45.98	-1.27	74.00	28.02	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9570.79	52.24	42.67	-9.57	68.20	25.53	PK	Vertical	PASS
2	11041.52	49.34	46.13	-3.21	74.00	27.87	PK	Vertical	PASS
3	13847.92	53.38	45.77	-7.61	68.20	22.43	PK	Vertical	PASS
4	14953.48	50.81	41.29	-9.52	68.20	26.91	PK	Vertical	PASS
5	16769.38	49.41	39.64	-9.77	68.20	28.56	PK	Vertical	PASS
6	17894.95	46.42	45.13	-1.29	74.00	28.87	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8385.19	53.02	41.74	-11.28	74.00	32.26	PK	Horizontal	PASS
2	9555.78	51.62	42.03	-9.59	68.20	26.17	PK	Horizontal	PASS
3	10976.49	49.19	46.03	-3.16	74.00	27.97	PK	Horizontal	PASS
4	12252.13	51.91	44.06	-7.85	74.00	29.94	PK	Horizontal	PASS
5	13697.85	52.25	44.49	-7.76	68.20	23.71	PK	Horizontal	PASS
6	17894.95	46.96	45.67	-1.29	74.00	28.33	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8220.11	54.72	42.27	-12.45	74.00	31.73	PK	Vertical	PASS
2	9685.84	52.17	42.21	-9.96	68.20	25.99	PK	Vertical	PASS
3	11011.51	49.01	46.02	-2.99	74.00	27.98	PK	Vertical	PASS
4	13422.71	53.22	45.03	-8.19	68.20	23.17	PK	Vertical	PASS
5	14993.50	50.73	41.31	-9.42	68.20	26.89	PK	Vertical	PASS
6	17829.91	46.95	45.60	-1.35	74.00	28.40	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8360.18	53.96	42.51	-11.45	74.00	31.49	PK	Horizontal	PASS
2	9680.84	52.21	42.27	-9.94	68.20	25.93	PK	Horizontal	PASS
3	11011.51	49.57	46.58	-2.99	74.00	27.42	PK	Horizontal	PASS
4	12347.17	51.49	43.62	-7.87	74.00	30.38	PK	Horizontal	PASS
5	13927.96	52.63	44.89	-7.74	68.20	23.31	PK	Horizontal	PASS
6	17914.96	46.81	45.54	-1.27	74.00	28.46	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8105.05	54.61	42.14	-12.47	74.00	31.86	PK	Vertical	PASS
2	8380.19	52.97	41.65	-11.32	74.00	32.35	PK	Vertical	PASS
3	9565.78	51.82	42.24	-9.58	68.20	25.96	PK	Vertical	PASS
4	11016.51	49.31	46.29	-3.02	74.00	27.71	PK	Vertical	PASS
5	12412.21	51.23	43.24	-7.99	74.00	30.76	PK	Vertical	PASS
6	15503.75	50.41	39.47	-10.94	74.00	34.53	PK	Vertical	PASS
7	17914.96	46.78	45.51	-1.27	74.00	28.49	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8145.07	54.39	41.86	-12.53	74.00	32.14	PK	Horizontal	PASS
2	10991.50	49.18	46.18	-3.00	74.00	27.82	PK	Horizontal	PASS
3	12112.06	51.38	43.72	-7.66	74.00	30.28	PK	Horizontal	PASS
4	13607.80	53.48	45.52	-7.96	68.20	22.68	PK	Horizontal	PASS
5	15013.51	49.76	40.27	-9.49	68.20	27.93	PK	Horizontal	PASS
6	17819.91	48.23	46.87	-1.36	74.00	27.13	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9050.53	52.86	42.18	-10.68	74.00	31.82	PK	Vertical	PASS
2	10981.49	48.87	45.76	-3.11	74.00	28.24	PK	Vertical	PASS
3	11981.99	51.74	44.27	-7.47	74.00	29.73	PK	Vertical	PASS
4	13697.85	53.34	45.58	-7.76	68.20	22.62	PK	Vertical	PASS
5	14953.48	50.42	40.90	-9.52	68.20	27.30	PK	Vertical	PASS
6	17849.92	47.50	46.17	-1.33	74.00	27.83	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10086.04	52.30	42.92	-9.38	68.20	25.28	PK	Horizontal	PASS
2	10981.49	49.24	46.13	-3.11	74.00	27.87	PK	Horizontal	PASS
3	12257.13	51.48	43.63	-7.85	74.00	30.37	PK	Horizontal	PASS
4	13732.87	52.57	44.88	-7.69	68.20	23.32	PK	Horizontal	PASS
5	14983.49	50.70	41.26	-9.44	68.20	26.94	PK	Horizontal	PASS
6	17834.92	47.33	45.98	-1.35	74.00	28.02	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8375.19	52.93	41.58	-11.35	74.00	32.42	PK	Vertical	PASS
2	11016.51	48.97	45.95	-3.02	74.00	28.05	PK	Vertical	PASS
3	11986.99	51.48	44.02	-7.46	74.00	29.98	PK	Vertical	PASS
4	13707.85	52.75	45.01	-7.74	68.20	23.19	PK	Vertical	PASS
5	14983.49	50.71	41.27	-9.44	68.20	26.93	PK	Vertical	PASS
6	17839.92	47.74	46.40	-1.34	74.00	27.60	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10021.01	51.59	42.52	-9.07	68.20	25.68	PK	Horizontal	PASS
2	11086.54	49.97	46.43	-3.54	74.00	27.57	PK	Horizontal	PASS
3	12227.11	51.50	43.65	-7.85	74.00	30.35	PK	Horizontal	PASS
4	13782.89	52.69	45.11	-7.58	68.20	23.09	PK	Horizontal	PASS
5	14993.50	50.69	41.27	-9.42	68.20	26.93	PK	Horizontal	PASS
6	17829.91	47.49	46.14	-1.35	74.00	27.86	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8945.47	51.76	40.90	-10.86	68.20	27.30	PK	Vertical	PASS
2	11011.51	48.65	45.66	-2.99	74.00	28.34	PK	Vertical	PASS
3	12087.04	51.31	43.69	-7.62	74.00	30.31	PK	Vertical	PASS
4	13537.77	53.26	45.27	-7.99	68.20	22.93	PK	Vertical	PASS
5	15043.52	51.35	41.68	-9.67	68.20	26.52	PK	Vertical	PASS
6	17679.84	47.54	44.53	-3.01	68.20	23.67	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8795.40	51.45	40.87	-10.58	68.20	27.33	PK	Horizontal	PASS
2	11066.53	50.00	46.62	-3.38	74.00	27.38	PK	Horizontal	PASS
3	12192.10	51.86	44.03	-7.83	74.00	29.97	PK	Horizontal	PASS
4	13667.83	52.84	45.02	-7.82	68.20	23.18	PK	Horizontal	PASS
5	14968.48	50.34	40.85	-9.49	68.20	27.35	PK	Horizontal	PASS
6	17789.89	47.99	46.47	-1.52	74.00	27.53	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8380.19	54.02	42.70	-11.32	74.00	31.30	PK	Vertical	PASS
2	9980.99	51.36	42.23	-9.13	68.20	25.97	PK	Vertical	PASS
3	11001.50	49.43	46.52	-2.91	74.00	27.48	PK	Vertical	PASS
4	13597.80	52.90	44.92	-7.98	68.20	23.28	PK	Vertical	PASS
5	14968.48	50.79	41.30	-9.49	68.20	26.90	PK	Vertical	PASS
6	17804.90	47.22	45.84	-1.38	74.00	28.16	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.89	41.93	-9.96	74.00	32.07	PK	Horizontal	PASS
2	11036.52	49.07	45.90	-3.17	74.00	28.10	PK	Horizontal	PASS
3	13597.80	53.42	45.44	-7.98	68.20	22.76	PK	Horizontal	PASS
4	14953.48	50.27	40.75	-9.52	68.20	27.45	PK	Horizontal	PASS
5	16569.28	49.21	38.83	-10.38	68.20	29.37	PK	Horizontal	PASS
6	17934.97	47.82	46.57	-1.25	74.00	27.43	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8895.45	51.69	40.94	-10.75	68.20	27.26	PK	Vertical	PASS
2	11136.57	49.67	45.77	-3.90	74.00	28.23	PK	Vertical	PASS
3	13562.78	53.18	45.20	-7.98	68.20	23.00	PK	Vertical	PASS
4	15033.52	51.18	41.57	-9.61	68.20	26.63	PK	Vertical	PASS
5	16724.36	48.49	38.63	-9.86	68.20	29.57	PK	Vertical	PASS
6	17919.96	48.16	46.90	-1.26	74.00	27.10	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8740.37	52.42	41.37	-11.05	68.20	26.83	PK	Horizontal	PASS
2	11006.50	49.48	46.53	-2.95	74.00	27.47	PK	Horizontal	PASS
3	12167.08	50.99	43.21	-7.78	74.00	30.79	PK	Horizontal	PASS
4	13602.80	53.11	45.14	-7.97	68.20	23.06	PK	Horizontal	PASS
5	14998.50	51.02	41.61	-9.41	68.20	26.59	PK	Horizontal	PASS
6	17924.96	47.54	46.28	-1.26	74.00	27.72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9965.98	51.80	42.56	-9.24	68.20	25.64	PK	Vertical	PASS
2	10961.48	49.14	45.82	-3.32	74.00	28.18	PK	Vertical	PASS
3	12272.14	51.67	43.81	-7.86	74.00	30.19	PK	Vertical	PASS
4	13562.78	52.73	44.75	-7.98	68.20	23.45	PK	Vertical	PASS
5	14988.49	50.65	41.21	-9.44	68.20	26.99	PK	Vertical	PASS
6	17794.90	46.95	45.50	-1.45	74.00	28.50	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8265.13	53.58	41.45	-12.13	74.00	32.55	PK	Horizontal	PASS
2	9900.95	52.66	42.92	-9.74	68.20	25.28	PK	Horizontal	PASS
3	10991.50	49.13	46.13	-3.00	74.00	27.87	PK	Horizontal	PASS
4	13662.83	52.79	44.95	-7.84	68.20	23.25	PK	Horizontal	PASS
5	15068.53	51.00	41.17	-9.83	68.20	27.03	PK	Horizontal	PASS
6	17919.96	47.15	45.89	-1.26	74.00	28.11	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10036.02	51.35	42.20	-9.15	68.20	26.00	PK	Vertical	PASS
2	11051.53	49.27	46.00	-3.27	74.00	28.00	PK	Vertical	PASS
3	12387.19	51.29	43.42	-7.87	74.00	30.58	PK	Vertical	PASS
4	13562.78	52.97	44.99	-7.98	68.20	23.21	PK	Vertical	PASS
5	14918.46	50.71	41.09	-9.62	68.20	27.11	PK	Vertical	PASS
6	17834.92	47.42	46.07	-1.35	74.00	27.93	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9996.00	51.15	42.14	-9.01	68.20	26.06	PK	Horizontal	PASS
2	10971.49	49.47	46.26	-3.21	74.00	27.74	PK	Horizontal	PASS
3	12252.13	51.46	43.61	-7.85	74.00	30.39	PK	Horizontal	PASS
4	13647.82	53.63	45.76	-7.87	68.20	22.44	PK	Horizontal	PASS
5	15063.53	51.01	41.21	-9.80	68.20	26.99	PK	Horizontal	PASS
6	17789.89	47.31	45.79	-1.52	74.00	28.21	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9325.66	51.98	42.16	-9.82	74.00	31.84	PK	Vertical	PASS
2	10976.49	49.22	46.06	-3.16	74.00	27.94	PK	Vertical	PASS
3	12227.11	51.74	43.89	-7.85	74.00	30.11	PK	Vertical	PASS
4	13637.82	53.11	45.21	-7.90	68.20	22.99	PK	Vertical	PASS
5	15013.51	49.84	40.35	-9.49	68.20	27.85	PK	Vertical	PASS
6	17849.92	47.49	46.16	-1.33	74.00	27.84	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9585.79	51.41	41.85	-9.56	68.20	26.35	PK	Horizontal	PASS
2	11111.56	49.76	46.05	-3.71	74.00	27.95	PK	Horizontal	PASS
3	12347.17	51.79	43.92	-7.87	74.00	30.08	PK	Horizontal	PASS
4	13552.78	53.50	45.52	-7.98	68.20	22.68	PK	Horizontal	PASS
5	14988.49	50.31	40.87	-9.44	68.20	27.33	PK	Horizontal	PASS
6	17929.96	47.53	46.28	-1.25	74.00	27.72	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8090.05	54.05	41.59	-12.46	74.00	32.41	PK	Vertical	PASS
2	10021.01	51.13	42.06	-9.07	68.20	26.14	PK	Vertical	PASS
3	11006.50	48.75	45.80	-2.95	74.00	28.20	PK	Vertical	PASS
4	13492.75	52.87	44.86	-8.01	68.20	23.34	PK	Vertical	PASS
5	14978.49	50.87	41.41	-9.46	68.20	26.79	PK	Vertical	PASS
6	17789.89	47.21	45.69	-1.52	74.00	28.31	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8785.39	51.82	41.16	-10.66	68.20	27.04	PK	Horizontal	PASS
2	11016.51	48.75	45.73	-3.02	74.00	28.27	PK	Horizontal	PASS
3	13532.77	52.75	44.75	-8.00	68.20	23.45	PK	Horizontal	PASS
4	14988.49	50.70	41.26	-9.44	68.20	26.94	PK	Horizontal	PASS
5	17259.63	48.22	41.76	-6.46	68.20	26.44	PK	Horizontal	PASS
6	17929.96	47.75	46.50	-1.25	74.00	27.50	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	10986.49	48.78	45.73	-3.05	74.00	28.27	PK	Vertical	PASS
2	12287.14	50.92	43.07	-7.85	74.00	30.93	PK	Vertical	PASS
3	13547.77	52.95	44.96	-7.99	68.20	23.24	PK	Vertical	PASS
4	14928.46	50.33	40.74	-9.59	68.20	27.46	PK	Vertical	PASS
5	17284.64	48.26	41.94	-6.32	68.20	26.26	PK	Vertical	PASS
6	17844.92	47.36	46.02	-1.34	74.00	27.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9680.84	52.41	42.47	-9.94	68.20	25.73	PK	Horizontal	PASS
2	10981.49	48.55	45.44	-3.11	74.00	28.56	PK	Horizontal	PASS
3	12282.14	51.79	43.93	-7.86	74.00	30.07	PK	Horizontal	PASS
4	13512.76	53.34	45.35	-7.99	68.20	22.85	PK	Horizontal	PASS
5	14998.50	49.86	40.45	-9.41	68.20	27.75	PK	Horizontal	PASS
6	17784.89	47.53	45.94	-1.59	74.00	28.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	52.10	41.69	-10.41	74.00	32.31	PK	Vertical	PASS
2	10111.06	52.37	42.89	-9.48	68.20	25.31	PK	Vertical	PASS
3	10971.49	49.10	45.89	-3.21	74.00	28.11	PK	Vertical	PASS
4	13797.90	52.55	45.01	-7.54	68.20	23.19	PK	Vertical	PASS
5	14953.48	50.06	40.54	-9.52	68.20	27.66	PK	Vertical	PASS
6	17829.91	48.48	47.13	-1.35	74.00	26.87	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8975.49	52.75	41.82	-10.93	68.20	26.38	PK	Horizontal	PASS
2	11041.52	50.02	46.81	-3.21	74.00	27.19	PK	Horizontal	PASS
3	12277.14	51.33	43.48	-7.85	74.00	30.52	PK	Horizontal	PASS
4	13662.83	52.72	44.88	-7.84	68.20	23.32	PK	Horizontal	PASS
5	14958.48	50.72	41.20	-9.52	68.20	27.00	PK	Horizontal	PASS
6	17839.92	47.94	46.60	-1.34	74.00	27.40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9915.96	51.89	42.27	-9.62	68.20	25.93	PK	Vertical	PASS
2	11006.50	48.56	45.61	-2.95	74.00	28.39	PK	Vertical	PASS
3	13697.85	53.30	45.54	-7.76	68.20	22.66	PK	Vertical	PASS
4	14983.49	50.11	40.67	-9.44	68.20	27.53	PK	Vertical	PASS
5	16264.13	50.10	38.20	-11.90	68.20	30.00	PK	Vertical	PASS
6	17864.93	47.51	46.19	-1.32	74.00	27.81	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level