







ATTACHMENT D: TEST PLOTS

Conducted Spurious CDMA Ch. 1013


Conducted Spurious CDMA Ch. 0384

Conducted Spurious CDMA Ch. 0777


Power Out. CDMA Ch. 1013




Power Out. CDMA Ch. 0777




Power Out. CDMA Ch. 0384




Channel Power. CDMA Ch. 0384




Occupied Bandwidth. CDMA Ch. 0384




Band Edge. CDMA Ch. 1013



Band Edge. CDMA Ch. 0777



FCC ID: SBWVK200C
Manufacturer: VK Corp.
Channel: 869.0 ~ 894.0 MHz
Test Mode: CDMA Receiving Band




DIGITAL EMC
TOKIN

<<CONDUCTED EMISSION>>

6 August, 2004 15:50
VK200C_Rx.dat

Manufacturer : VK Corp
Model : VK200C
Operator : K.T. LEE
AC Power : 120V 60Hz
Temp, Humidity : 27 58

Standard : FCC PART 15
Remark1 : CDMA CH.384
Remark2 : Idle MODE
Remark3 :
:




DIGITAL EMC
TOKIN

<<CONDUCTED EMISSION>>

6 August, 2004 15:50
VK200C_Rx.dat

Manufacturer : VK Corp
Model : VK200C
Operator : K.T. LEE
AC Power : 120V 60Hz
Temp, Humidity : 27 58

Standard : FCC PART 15
Remark1 : CDMA CH.384
Remark2 : Idle MODE
Remark3 :
:



<<CONDUCTED EMISSION>>

6 August, 2004 15:50

VK200C_Rx.dat

Standard : FCC PART 15
 Manufacturer : VK Corp
 Model : VK200C
 Operator : K.T. LEE
 AC Power : 120V 60Hz
 Temp, Humidity : 27 58
 Remark1 : CDMA CH.384
 Remark2 : Idle MODE
 Remark3 :
 :

Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.469	41.4	31.5	0.0	41.4	31.5	56.5	46.5	15.1	15.0	
2	0.351	45.1	34.6	0.0	45.1	34.6	58.9	48.9	13.8	14.3	
3	0.528	42.8	33.4	0.0	42.8	33.4	56.0	46.0	13.2	12.6	
4	0.587	41.5	32.3	0.0	41.5	32.3	56.0	46.0	14.5	13.7	
5	0.821	42.3	32.3	0.1	42.4	32.4	56.0	46.0	13.6	13.6	
6	0.880	41.8	32.6	0.1	41.9	32.7	56.0	46.0	14.1	13.3	
7	1.173	40.6	30.4	0.1	40.7	30.5	56.0	46.0	15.3	15.5	
8	1.232	40.3	31.0	0.1	40.4	31.1	56.0	46.0	15.6	14.9	
9	1.583	41.1	31.7	0.1	41.2	31.8	56.0	46.0	14.8	14.2	
10	1.818	41.3	28.5	0.1	41.4	28.6	56.0	46.0	14.6	17.4	
11	2.228	40.2	29.0	0.1	40.3	29.1	56.0	46.0	15.7	16.9	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.351	42.8	34.2	0.1	42.9	34.3	58.9	48.9	16.0	14.6	
2	0.528	43.7	33.0	0.1	43.8	33.1	56.0	46.0	12.2	12.9	
3	0.586	42.2	31.8	0.1	42.3	31.9	56.0	46.0	13.7	14.1	
4	0.645	39.8	29.3	0.1	39.9	29.4	56.0	46.0	16.1	16.6	
5	0.821	43.0	31.5	0.1	43.1	31.6	56.0	46.0	12.9	14.4	
6	0.880	42.5	32.2	0.1	42.6	32.3	56.0	46.0	13.4	13.7	
7	0.940	40.8	30.4	0.1	40.9	30.5	56.0	46.0	15.1	15.5	
8	0.999	37.9	26.2	0.1	38.0	26.3	56.0	46.0	18.0	19.7	
9	1.174	41.1	29.6	0.1	41.2	29.7	56.0	46.0	14.8	16.3	
10	1.643	40.5	30.4	0.1	40.6	30.5	56.0	46.0	15.4	15.5	
11	1.524	41.7	29.3	0.1	41.8	29.4	56.0	46.0	14.2	16.6	
12	2.406	38.5	26.2	0.2	38.7	26.4	56.0	46.0	17.3	19.6	
13	2.230	40.5	28.5	0.1	40.6	28.6	56.0	46.0	15.4	17.4	
14	0.469	42.3	30.8	0.1	42.4	30.9	56.5	46.5	14.1	15.6	