


Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5585.08	Peak	49.75	4.26	54.01	68.20	-14.19
5665.31	Peak	49.11	4.73	53.84	79.53	-25.69
5702.41	Peak	49.84	5.09	54.93	105.87	-50.94
5720.96	Peak	47.48	5.19	52.67	113.56	-60.89
5885.00	Average	49.76	6.11	55.87	-	-
5885.00	Peak	87.20	6.11	93.31	-	-
5895.00	Average	67.45	6.21	73.66	90.20	-16.54
5895.00	Peak	75.20	6.21	81.41	110.20	-28.79
5947.49	Average	39.39	6.17	45.56	68.20	-22.64
5973.13	Peak	49.00	6.11	55.11	88.20	-33.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5631.14	Peak	50.00	4.43	54.43	68.20	-13.77
5660.10	Peak	49.46	4.68	54.14	75.68	-21.54
5716.58	Peak	49.13	5.16	54.29	109.84	-55.55
5721.58	Peak	47.45	5.19	52.64	115.36	-62.72
5885.00	Average	50.01	6.11	56.12	-	-
5885.00	Peak	91.29	6.11	97.40	-	-
5895.00	Average	71.27	6.21	77.48	90.20	-12.72
5895.00	Peak	80.27	6.21	86.48	110.20	-23.72
5965.62	Peak	48.10	6.13	54.23	88.20	-33.97
5969.79	Average	39.49	6.12	45.61	68.20	-22.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

External Antenna_Dipole
SRE3W084-S9P

Report Number :TERF2409002669ER
Operation Mode :802.11a
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5072.54	Peak	50.78	4.15	54.93	74.00	-19.07
5103.99	Average	40.82	4.22	45.04	54.00	-8.96
5180.00	Average	82.26	3.86	86.12	-	-
5180.00	Peak	88.38	3.86	92.24	-	-
5432.39	Peak	48.21	4.09	52.30	74.00	-21.70
5458.80	Average	38.39	4.39	42.78	54.00	-11.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5149.84	Peak	56.07	4.01	60.08	74.00	-13.92
5150.00	Average	43.76	4.01	47.77	54.00	-6.23
5180.00	Average	93.01	3.86	96.87	-	-
5180.00	Peak	99.71	3.86	103.57	-	-
5428.55	Peak	48.33	4.04	52.37	74.00	-21.63
5458.08	Average	38.35	4.38	42.73	54.00	-11.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11a
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5093.19	Peak	50.88	4.22	55.10	74.00	-18.90
5100.87	Average	41.22	4.25	45.47	54.00	-8.53
5320.00	Average	91.06	3.73	94.79	-	-
5320.00	Peak	97.77	3.73	101.50	-	-
5350.05	Average	42.07	3.72	45.79	54.00	-8.21
5350.29	Peak	54.55	3.72	58.27	74.00	-15.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4997.65	Peak	50.76	4.00	54.76	74.00	-19.24
5103.03	Average	40.63	4.24	44.87	54.00	-9.13
5320.00	Average	94.56	3.73	98.29	-	-
5320.00	Peak	100.61	3.73	104.34	-	-
5350.05	Peak	56.90	3.72	60.62	74.00	-13.38
5350.53	Average	45.93	3.72	49.65	54.00	-4.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5351.88	Peak	49.59	3.72	53.31	74.00	-20.69
5460.00	Average	39.58	4.39	43.97	54.00	-10.03
5468.58	Peak	50.93	4.48	55.41	68.20	-12.79
5500.00	Average	84.05	4.79	88.84	-	-
5500.00	Peak	90.19	4.79	94.98	-	-
5840.16	Peak	50.18	5.70	55.88	68.20	-12.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5425.86	Peak	51.04	4.02	55.06	74.00	-18.94
5426.48	Average	41.48	4.02	45.50	54.00	-8.50
5470.00	Peak	53.64	4.50	58.14	68.20	-10.06
5500.00	Average	91.17	4.79	95.96	-	-
5500.00	Peak	97.48	4.79	102.27	-	-
5955.83	Peak	49.13	6.15	55.28	68.20	-12.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5384.18	Peak	49.45	3.72	53.17	74.00	-20.83
5458.37	Average	39.30	4.37	43.67	54.00	-10.33
5462.75	Peak	48.21	4.42	52.63	68.20	-15.57
5700.00	Average	90.21	5.08	95.29	-	-
5700.00	Peak	97.22	5.08	102.30	-	-
5725.00	Peak	55.25	5.21	60.46	68.20	-7.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.16	Peak	47.57	4.33	51.90	74.00	-22.10
5458.79	Average	38.91	4.39	43.30	54.00	-10.70
5466.91	Peak	47.47	4.47	51.94	68.20	-16.26
5700.00	Average	92.39	5.08	97.47	-	-
5700.00	Peak	98.57	5.08	103.65	-	-
5728.46	Peak	57.29	5.23	62.52	68.20	-5.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5442.95	Peak	49.07	4.21	53.28	74.00	-20.72
5454.62	Average	39.11	4.35	43.46	54.00	-10.54
5468.17	Peak	47.45	4.48	51.93	68.20	-16.27
5720.00	Average	89.32	5.18	94.50	-	-
5720.00	Peak	96.60	5.18	101.78	-	-
5930.40	Peak	50.02	6.20	56.22	68.20	-11.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5396.68	Peak	48.50	3.71	52.21	74.00	-21.79
5454.62	Average	38.67	4.35	43.02	54.00	-10.98
5461.91	Peak	47.25	4.42	51.67	68.20	-16.53
5720.00	Average	91.56	5.18	96.74	-	-
5720.00	Peak	98.04	5.18	103.22	-	-
5917.48	Peak	49.08	6.23	55.31	68.20	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5568.82	Peak	50.38	4.35	54.73	68.20	-13.47
5656.56	Peak	50.47	4.64	55.11	73.05	-17.94
5717.62	Peak	50.63	5.17	55.80	110.13	-54.33
5724.92	Peak	56.85	5.20	62.05	122.01	-59.96
5745.00	Peak	96.79	5.31	102.10	-	-
5850.58	Peak	48.10	5.78	53.88	120.87	-66.99
5873.93	Peak	49.97	6.01	55.98	105.50	-49.52
5918.73	Peak	49.67	6.23	55.90	72.84	-16.94
5945.20	Peak	49.76	6.17	55.93	68.20	-12.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5550.48	Peak	49.62	4.43	54.05	68.20	-14.15
5687.82	Peak	51.46	4.96	56.42	96.19	-39.77
5713.25	Peak	52.12	5.15	57.27	108.91	-51.64
5724.92	Peak	58.20	5.20	63.40	122.01	-58.61
5745.00	Peak	97.70	5.31	103.01	-	-
5852.88	Peak	48.95	5.81	54.76	115.64	-60.88
5867.05	Peak	49.20	5.94	55.14	107.43	-52.29
5902.06	Peak	50.71	6.26	56.97	85.18	-28.21
5974.38	Peak	49.06	6.11	55.17	68.20	-13.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5583.20	Peak	50.96	4.26	55.22	68.20	-12.98
5657.39	Peak	49.96	4.65	54.61	73.67	-19.06
5719.92	Peak	49.66	5.18	54.84	110.78	-55.94
5719.92	Peak	49.66	5.18	54.84	110.78	-55.94
5825.00	Peak	96.23	5.58	101.81	-	-
5850.00	Peak	53.52	5.78	59.30	122.20	-62.90
5855.79	Peak	52.33	5.84	58.17	110.58	-52.41
5907.06	Peak	49.46	6.24	55.70	81.48	-25.78
5929.78	Peak	49.74	6.20	55.94	68.20	-12.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5554.86	Peak	49.42	4.41	53.83	68.20	-14.37
5693.03	Peak	50.57	5.01	55.58	100.04	-44.46
5712.83	Peak	48.84	5.15	53.99	108.79	-54.80
5723.46	Peak	48.13	5.19	53.32	118.68	-65.36
5825.00	Peak	98.29	5.58	103.87	-	-
5850.17	Peak	58.74	5.78	64.52	121.82	-57.30
5855.38	Peak	52.64	5.83	58.47	110.69	-52.22
5901.02	Peak	49.89	6.26	56.15	85.95	-29.80
5946.87	Peak	50.24	6.17	56.41	68.20	-11.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5485.46	Peak	49.79	4.65	54.44	68.20	-13.76
5664.69	Peak	49.53	4.73	54.26	79.07	-24.81
5703.03	Peak	48.88	5.10	53.98	106.05	-52.07
5720.96	Peak	49.40	5.19	54.59	113.56	-58.97
5885.00	Average	49.80	6.11	55.91	-	-
5885.00	Peak	93.26	6.11	99.37	-	-
5895.00	Average	58.25	6.21	64.46	90.20	-25.74
5895.00	Peak	68.65	6.21	74.86	110.20	-35.34
5938.74	Peak	49.02	6.19	55.21	88.20	-32.99
5943.11	Average	40.54	6.18	46.72	68.20	-21.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5568.41	Peak	49.79	4.34	54.13	68.20	-14.07
5656.98	Peak	49.06	4.64	53.70	73.36	-19.66
5709.91	Peak	49.73	5.13	54.86	107.98	-53.12
5721.79	Peak	49.54	5.19	54.73	115.96	-61.23
5885.00	Average	49.79	6.11	55.90	-	-
5885.00	Peak	97.27	6.11	103.38	-	-
5895.00	Average	62.97	6.21	69.18	90.20	-21.02
5895.00	Peak	72.61	6.21	78.82	110.20	-31.38
5942.07	Peak	49.60	6.18	55.78	88.20	-32.42
5963.96	Average	40.72	6.14	46.86	68.20	-21.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5101.35	Average	41.41	4.25	45.66	54.00	-8.34
5114.31	Peak	51.15	4.18	55.33	74.00	-18.67
5180.00	Average	88.43	3.86	92.29	-	-
5180.00	Peak	94.90	3.86	98.76	-	-
5368.54	Peak	48.74	3.72	52.46	74.00	-21.54
5455.20	Average	39.02	4.35	43.37	54.00	-10.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5148.40	Average	43.97	4.01	47.98	54.00	-6.02
5150.00	Peak	53.98	4.01	57.99	74.00	-16.01
5180.00	Average	92.28	3.86	96.14	-	-
5180.00	Peak	99.48	3.86	103.34	-	-
5451.12	Average	38.79	4.31	43.10	54.00	-10.90
5457.36	Peak	48.95	4.38	53.33	74.00	-20.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5062.94	Peak	50.73	4.12	54.85	74.00	-19.15
5097.51	Average	41.08	4.24	45.32	54.00	-8.68
5320.00	Average	87.36	3.73	91.09	-	-
5320.00	Peak	94.78	3.73	98.51	-	-
5350.29	Average	40.17	3.72	43.89	54.00	-10.11
5395.90	Peak	49.56	3.71	53.27	74.00	-20.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11n20
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5085.99	Peak	50.82	4.20	55.02	74.00	-18.98
5103.99	Average	40.89	4.22	45.11	54.00	-8.89
5320.00	Average	93.57	3.73	97.30	-	-
5320.00	Peak	99.62	3.73	103.35	-	-
5350.77	Average	44.94	3.72	48.66	54.00	-5.34
5351.01	Peak	53.72	3.72	57.44	74.00	-16.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5443.16	Peak	49.17	4.22	53.39	74.00	-20.61
5457.74	Average	39.27	4.38	43.65	54.00	-10.35
5467.75	Peak	48.81	4.47	53.28	68.20	-14.92
5500.00	Average	83.62	4.79	88.41	-	-
5500.00	Peak	90.41	4.79	95.20	-	-
5973.13	Peak	50.60	6.11	56.71	68.20	-11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5428.36	Average	41.10	4.04	45.14	54.00	-8.86
5436.90	Peak	49.41	4.15	53.56	74.00	-20.44
5468.37	Peak	54.08	4.48	58.56	68.20	-9.64
5500.00	Average	90.75	4.79	95.54	-	-
5500.00	Peak	97.18	4.79	101.97	-	-
5840.58	Peak	49.81	5.71	55.52	68.20	-12.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5370.42	Peak	48.30	3.71	52.01	74.00	-21.99
5443.57	Average	38.73	4.22	42.95	54.00	-11.05
5464.62	Peak	46.92	4.44	51.36	68.20	-16.84
5700.00	Average	82.01	5.08	87.09	-	-
5700.00	Peak	89.42	5.08	94.50	-	-
5728.67	Peak	50.10	5.23	55.33	68.20	-12.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5389.18	Peak	48.22	3.72	51.94	74.00	-22.06
5458.58	Average	39.03	4.37	43.40	54.00	-10.60
5464.21	Peak	47.84	4.44	52.28	68.20	-15.92
5700.00	Average	91.63	5.08	96.71	-	-
5700.00	Peak	99.59	5.08	104.67	-	-
5725.00	Peak	61.27	5.21	66.48	68.20	-1.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5405.85	Peak	48.68	3.79	52.47	74.00	-21.53
5456.49	Average	39.23	4.37	43.60	54.00	-10.40
5463.16	Peak	48.42	4.42	52.84	68.20	-15.36
5720.00	Average	89.91	5.18	95.09	-	-
5720.00	Peak	96.40	5.18	101.58	-	-
5853.92	Peak	49.92	5.82	55.74	68.20	-12.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5368.13	Peak	48.49	3.72	52.21	74.00	-21.79
5451.70	Average	38.48	4.32	42.80	54.00	-11.20
5462.54	Peak	46.94	4.42	51.36	68.20	-16.84
5720.00	Average	91.85	5.18	97.03	-	-
5720.00	Peak	98.34	5.18	103.52	-	-
5884.35	Peak	50.25	6.11	56.36	68.20	-11.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5645.52	Peak	50.34	4.55	54.89	68.20	-13.31
5665.73	Peak	50.06	4.73	54.79	79.84	-25.05
5706.99	Peak	50.49	5.11	55.60	107.16	-51.56
5721.58	Peak	56.62	5.19	61.81	114.41	-52.60
5745.00	Peak	96.31	5.31	101.62	-	-
5850.17	Peak	49.59	5.78	55.37	121.82	-66.45
5867.26	Peak	49.34	5.95	55.29	107.37	-52.08
5904.14	Peak	49.46	6.25	55.71	83.63	-27.92
5931.03	Peak	49.53	6.20	55.73	68.20	-12.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5626.13	Peak	49.59	4.39	53.98	68.20	-14.22
5668.86	Peak	51.27	4.76	56.03	82.15	-26.12
5716.79	Peak	53.81	5.16	58.97	109.90	-50.93
5724.71	Peak	62.37	5.20	67.57	121.53	-53.96
5745.00	Peak	97.96	5.31	103.27	-	-
5852.25	Peak	48.45	5.80	54.25	117.07	-62.82
5863.50	Peak	49.72	5.91	55.63	108.42	-52.79
5907.90	Peak	49.59	6.24	55.83	80.86	-25.03
5944.37	Peak	49.19	6.17	55.36	68.20	-12.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5640.72	Peak	50.51	4.51	55.02	68.20	-13.18
5664.06	Peak	49.68	4.71	54.39	78.61	-24.22
5713.25	Peak	49.93	5.15	55.08	108.91	-53.83
5721.79	Peak	49.54	5.19	54.73	114.88	-60.15
5825.00	Peak	94.38	5.58	99.96	-	-
5850.38	Peak	53.20	5.78	58.98	121.35	-62.37
5856.42	Peak	51.37	5.83	57.20	110.40	-53.20
5924.36	Peak	50.15	6.21	56.36	68.68	-12.32
5946.66	Peak	50.34	6.17	56.51	68.20	-11.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5637.60	Peak	49.80	4.48	54.28	68.20	-13.92
5698.03	Peak	49.19	5.06	54.25	103.74	-49.49
5709.08	Peak	49.18	5.12	54.30	107.74	-53.44
5721.79	Peak	48.24	5.19	53.43	114.88	-61.45
5825.00	Peak	97.31	5.58	102.89	-	-
5850.38	Peak	58.75	5.78	64.53	121.35	-56.82
5856.63	Peak	52.04	5.83	57.87	110.34	-52.47
5902.68	Peak	49.98	6.25	56.23	84.71	-28.48
5951.24	Peak	48.97	6.16	55.13	68.20	-13.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2409002669ER
 Operation Mode : 802.11n20
 Test Frequency : 5885 MHz
 Test Mode : Bandedge
 EUT Pol : Ant 180

Test Site : SAC G Chamber
 Test Date : 2025-01-15
 Temp./Humi. : 20.5°C/51%
 Antenna Pol. : Vertical
 Engineer : Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.01	Peak	49.51	4.49	54.00	68.20	-14.20
5679.49	Peak	50.02	4.88	54.90	90.02	-35.12
5714.08	Peak	48.75	5.14	53.89	109.14	-55.25
5720.33	Peak	48.34	5.18	53.52	111.75	-58.23
5885.00	Average	49.52	6.11	55.63	-	-
5885.00	Peak	95.79	6.11	101.90	-	-
5895.00	Average	64.64	6.21	70.85	90.20	-19.35
5895.00	Peak	75.20	6.21	81.41	110.20	-28.79
5927.48	Average	40.73	6.20	46.93	68.20	-21.27
5968.96	Peak	49.52	6.12	55.64	88.20	-32.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5634.26	Peak	49.72	4.46	54.18	68.20	-14.02
5651.56	Peak	50.29	4.59	54.88	69.35	-14.47
5708.87	Peak	48.73	5.12	53.85	107.68	-53.83
5723.25	Peak	48.32	5.19	53.51	120.16	-66.65
5885.00	Average	49.73	6.11	55.84	-	-
5885.00	Peak	97.44	6.11	103.55	-	-
5895.00	Average	66.34	6.21	72.55	90.20	-17.65
5895.00	Peak	76.77	6.21	82.98	110.20	-27.22
5961.45	Peak	49.69	6.13	55.82	88.20	-32.38
5963.54	Average	41.35	6.14	47.49	68.20	-20.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5149.36	Peak	53.79	4.01	57.80	74.00	-16.20
5149.84	Average	44.51	4.01	48.52	54.00	-5.48
5180.00	Average	88.30	3.86	92.16	-	-
5180.00	Peak	95.77	3.86	99.63	-	-
5456.88	Average	39.03	4.37	43.40	54.00	-10.60
5459.76	Peak	48.78	4.39	53.17	74.00	-20.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5149.84	Average	47.16	4.01	51.17	54.00	-2.83
5150.00	Peak	58.34	4.01	62.35	74.00	-11.65
5180.00	Average	92.35	3.86	96.21	-	-
5180.00	Peak	101.39	3.86	105.25	-	-
5400.47	Peak	49.88	3.71	53.59	74.00	-20.41
5422.31	Average	39.37	3.97	43.34	54.00	-10.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5148.88	Peak	56.58	4.01	60.59	74.00	-13.41
5149.84	Average	43.42	4.01	47.43	54.00	-6.57
5180.00	Average	94.74	3.86	98.60	-	-
5180.00	Peak	104.28	3.86	108.14	-	-
5393.26	Peak	48.53	3.71	52.24	74.00	-21.76
5454.24	Average	39.14	4.35	43.49	54.00	-10.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5148.40	Peak	59.07	4.01	63.08	74.00	-10.92
5150.00	Average	47.83	4.01	51.84	54.00	-2.16
5180.00	Average	100.20	3.86	104.06	-	-
5180.00	Peak	107.20	3.86	111.06	-	-
5411.75	Average	38.93	3.85	42.78	54.00	-11.22
5435.75	Peak	47.25	4.13	51.38	74.00	-22.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.84	Average	41.67	4.01	45.68	54.00	-8.32
5150.00	Peak	57.56	4.01	61.57	74.00	-12.43
5180.00	Average	90.87	3.86	94.73	-	-
5180.00	Peak	97.03	3.86	100.89	-	-
5413.67	Peak	49.55	3.87	53.42	74.00	-20.58
5458.80	Average	38.85	4.39	43.24	54.00	-10.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5141.20	Peak	57.47	4.05	61.52	74.00	-12.48
5149.12	Average	44.34	4.01	48.35	54.00	-5.65
5180.00	Average	97.64	3.86	101.50	-	-
5180.00	Peak	105.02	3.86	108.88	-	-
5369.50	Peak	48.11	3.72	51.83	74.00	-22.17
5411.27	Average	39.26	3.84	43.10	54.00	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5147.68	Peak	51.82	4.01	55.83	74.00	-18.17
5149.84	Average	43.92	4.01	47.93	54.00	-6.07
5180.00	Average	91.08	3.86	94.94	-	-
5180.00	Peak	98.85	3.86	102.71	-	-
5448.24	Average	39.11	4.28	43.39	54.00	-10.61
5457.60	Peak	50.29	4.38	54.67	74.00	-19.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5149.60	Average	45.74	4.01	49.75	54.00	-4.25
5150.00	Peak	51.55	4.01	55.56	74.00	-18.44
5180.00	Average	95.32	3.86	99.18	-	-
5180.00	Peak	102.78	3.86	106.64	-	-
5417.75	Average	39.78	3.92	43.70	54.00	-10.30
5442.24	Peak	48.59	4.20	52.79	74.00	-21.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4892.98	Peak	51.31	3.93	55.24	74.00	-18.76
5090.07	Average	41.25	4.21	45.46	54.00	-8.54
5320.00	Average	87.86	3.73	91.59	-	-
5320.00	Peak	96.91	3.73	100.64	-	-
5350.05	Average	43.13	3.72	46.85	54.00	-7.15
5356.53	Peak	52.79	3.72	56.51	74.00	-17.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5026.69	Peak	51.12	4.05	55.17	74.00	-18.83
5083.35	Average	40.90	4.19	45.09	54.00	-8.91
5320.00	Average	94.20	3.73	97.93	-	-
5320.00	Peak	102.78	3.73	106.51	-	-
5350.05	Average	49.45	3.72	53.17	54.00	-0.83
5350.05	Peak	63.24	3.72	66.96	74.00	-7.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5071.82	Peak	51.58	4.15	55.73	74.00	-18.27
5102.31	Average	41.33	4.25	45.58	54.00	-8.42
5320.00	Average	94.73	3.73	98.46	-	-
5320.00	Peak	102.21	3.73	105.94	-	-
5408.15	Average	40.92	3.81	44.73	54.00	-9.27
5408.39	Peak	49.90	3.80	53.70	74.00	-20.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4960.68	Peak	50.72	3.99	54.71	74.00	-19.29
5087.91	Average	41.08	4.21	45.29	54.00	-8.71
5320.00	Average	101.95	3.73	105.68	-	-
5320.00	Peak	108.86	3.73	112.59	-	-
5350.05	Average	49.05	3.72	52.77	54.00	-1.23
5358.46	Peak	62.46	3.72	66.18	74.00	-7.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5089.11	Average	41.13	4.22	45.35	54.00	-8.65
5126.80	Peak	50.43	4.13	54.56	74.00	-19.44
5320.00	Average	96.05	3.73	99.78	-	-
5320.00	Peak	103.14	3.73	106.87	-	-
5350.05	Peak	59.09	3.72	62.81	74.00	-11.19
5350.29	Average	44.17	3.72	47.89	54.00	-6.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5078.06	Peak	50.38	4.17	54.55	74.00	-19.45
5107.59	Average	41.00	4.21	45.21	54.00	-8.79
5320.00	Average	100.29	3.73	104.02	-	-
5320.00	Peak	107.21	3.73	110.94	-	-
5350.77	Average	48.08	3.72	51.80	54.00	-2.20
5350.77	Peak	62.07	3.72	65.79	74.00	-8.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-01-15
Temp./Humi. :20.5°C/51%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5095.11	Average	41.17	4.23	45.40	54.00	-8.60
5120.08	Peak	50.68	4.15	54.83	74.00	-19.17
5320.00	Average	90.78	3.73	94.51	-	-
5320.00	Peak	97.59	3.73	101.32	-	-
5350.29	Average	40.59	3.72	44.31	54.00	-9.69
5442.72	Peak	48.78	4.21	52.99	74.00	-21.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4937.63	Peak	51.68	3.99	55.67	74.00	-18.33
5086.95	Average	40.96	4.21	45.17	54.00	-8.83
5320.00	Average	96.48	3.73	100.21	-	-
5320.00	Peak	103.85	3.73	107.58	-	-
5350.05	Average	43.66	3.72	47.38	54.00	-6.62
5351.01	Peak	56.93	3.72	60.65	74.00	-13.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5457.95	Average	39.00	4.38	43.38	54.00	-10.62
5460.00	Peak	49.53	4.39	53.92	68.20	-14.28
5460.25	Peak	49.54	4.40	53.94	68.20	-14.26
5500.00	Average	82.86	4.79	87.65	-	-
5500.00	Peak	90.91	4.79	95.70	-	-
5962.08	Peak	49.71	6.13	55.84	68.20	-12.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5423.57	Peak	50.36	3.99	54.35	74.00	-19.65
5428.99	Average	42.16	4.05	46.21	54.00	-7.79
5467.54	Peak	53.54	4.47	58.01	68.20	-10.19
5500.00	Average	90.29	4.79	95.08	-	-
5500.00	Peak	99.08	4.79	103.87	-	-
5964.16	Peak	49.69	6.14	55.83	68.20	-12.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5411.90	Average	39.51	3.85	43.36	54.00	-10.64
5434.40	Peak	48.54	4.12	52.66	74.00	-21.34
5469.83	Peak	56.48	4.50	60.98	68.20	-7.22
5500.00	Average	93.44	4.79	98.23	-	-
5500.00	Peak	102.03	4.79	106.82	-	-
5862.05	Peak	49.73	5.89	55.62	68.20	-12.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5411.48	Average	44.08	3.84	47.92	54.00	-6.08
5441.91	Peak	51.61	4.20	55.81	74.00	-18.19
5469.83	Peak	62.35	4.50	66.85	68.20	-1.35
5500.00	Average	98.54	4.79	103.33	-	-
5500.00	Peak	106.22	4.79	111.01	-	-
5973.33	Peak	49.43	6.11	55.54	68.20	-12.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5352.92	Peak	49.36	3.72	53.08	74.00	-20.92
5459.41	Average	39.68	4.39	44.07	54.00	-9.93
5470.00	Peak	50.29	4.50	54.79	68.20	-13.41
5500.00	Average	91.60	4.79	96.39	-	-
5500.00	Peak	99.03	4.79	103.82	-	-
5912.06	Peak	49.81	6.23	56.04	68.20	-12.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5413.35	Average	42.33	3.87	46.20	54.00	-7.80
5455.66	Peak	52.98	4.36	57.34	74.00	-16.66
5466.29	Peak	55.80	4.46	60.26	68.20	-7.94
5500.00	Average	96.77	4.79	101.56	-	-
5500.00	Peak	104.23	4.79	109.02	-	-
5844.12	Peak	49.78	5.72	55.50	68.20	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5423.98	Peak	48.29	3.99	52.28	74.00	-21.72
5454.62	Average	39.22	4.35	43.57	54.00	-10.43
5470.00	Peak	47.92	4.50	52.42	68.20	-15.78
5500.00	Average	88.17	4.79	92.96	-	-
5500.00	Peak	95.28	4.79	100.07	-	-
5819.95	Peak	49.54	5.54	55.08	68.20	-13.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5415.65	Average	41.27	3.89	45.16	54.00	-8.84
5416.06	Peak	49.89	3.90	53.79	74.00	-20.21
5469.00	Peak	50.76	4.49	55.25	68.20	-12.95
5500.00	Average	93.38	4.79	98.17	-	-
5500.00	Peak	101.25	4.79	106.04	-	-
5847.67	Peak	51.27	5.75	57.02	68.20	-11.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5445.66	Average	38.62	4.24	42.86	54.00	-11.14
5452.12	Peak	47.44	4.32	51.76	74.00	-22.24
5465.66	Peak	46.75	4.45	51.20	68.20	-17.00
5700.00	Average	81.24	5.08	86.32	-	-
5700.00	Peak	89.12	5.08	94.20	-	-
5729.71	Peak	53.08	5.24	58.32	68.20	-9.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5437.95	Peak	48.17	4.16	52.33	74.00	-21.67
5457.95	Average	38.90	4.38	43.28	54.00	-10.72
5468.17	Peak	46.70	4.48	51.18	68.20	-17.02
5700.00	Average	90.69	5.08	95.77	-	-
5700.00	Peak	98.10	5.08	103.18	-	-
5730.54	Peak	61.72	5.24	66.96	68.20	-1.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5380.01	Peak	49.52	3.72	53.24	74.00	-20.76
5457.12	Average	39.20	4.38	43.58	54.00	-10.42
5464.00	Peak	49.00	4.44	53.44	68.20	-14.76
5700.00	Average	91.23	5.08	96.31	-	-
5700.00	Peak	97.71	5.08	102.79	-	-
5729.50	Peak	52.62	5.24	57.86	68.20	-10.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5453.79	Average	38.72	4.34	43.06	54.00	-10.94
5454.20	Peak	47.76	4.35	52.11	74.00	-21.89
5460.66	Peak	48.73	4.40	53.13	68.20	-15.07
5700.00	Average	98.11	5.08	103.19	-	-
5700.00	Peak	105.35	5.08	110.43	-	-
5726.17	Peak	61.22	5.22	66.44	68.20	-1.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5443.16	Peak	48.69	4.22	52.91	74.00	-21.09
5447.74	Average	39.71	4.28	43.99	54.00	-10.01
5465.46	Peak	48.08	4.45	52.53	68.20	-15.67
5700.00	Average	93.30	5.08	98.38	-	-
5700.00	Peak	101.51	5.08	106.59	-	-
5726.58	Peak	53.60	5.22	58.82	68.20	-9.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5380.64	Peak	48.95	3.72	52.67	74.00	-21.33
5449.41	Average	38.83	4.30	43.13	54.00	-10.87
5465.46	Peak	48.36	4.45	52.81	68.20	-15.39
5700.00	Average	95.85	5.08	100.93	-	-
5700.00	Peak	103.84	5.08	108.92	-	-
5725.96	Peak	61.18	5.22	66.40	68.20	-1.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5362.09	Peak	49.64	3.73	53.37	74.00	-20.63
5451.49	Average	39.02	4.32	43.34	54.00	-10.66
5466.91	Peak	47.94	4.47	52.41	68.20	-15.79
5700.00	Average	88.89	5.08	93.97	-	-
5700.00	Peak	97.40	5.08	102.48	-	-
5856.00	Peak	50.31	5.84	56.15	68.20	-12.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5449.20	Peak	47.89	4.29	52.18	74.00	-21.82
5453.16	Average	38.78	4.33	43.11	54.00	-10.89
5464.62	Peak	47.43	4.44	51.87	68.20	-16.33
5700.00	Average	93.31	5.08	98.39	-	-
5700.00	Peak	101.68	5.08	106.76	-	-
5731.17	Peak	57.58	5.25	62.83	68.20	-5.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.70	Peak	48.63	4.37	53.00	74.00	-21.00
5459.20	Average	39.15	4.39	43.54	54.00	-10.46
5463.58	Peak	48.29	4.43	52.72	68.20	-15.48
5720.00	Average	87.57	5.18	92.75	-	-
5720.00	Peak	98.01	5.18	103.19	-	-
5926.86	Peak	49.64	6.21	55.85	68.20	-12.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.03	Peak	48.03	4.30	52.33	74.00	-21.67
5451.70	Average	38.51	4.32	42.83	54.00	-11.17
5465.87	Peak	47.36	4.45	51.81	68.20	-16.39
5720.00	Average	90.72	5.18	95.90	-	-
5720.00	Peak	99.07	5.18	104.25	-	-
5943.53	Peak	49.52	6.18	55.70	68.20	-12.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5552.36	Peak	50.18	4.42	54.60	68.20	-13.60
5672.82	Peak	50.66	4.81	55.47	85.08	-29.61
5719.71	Peak	52.03	5.18	57.21	110.72	-53.51
5723.88	Peak	59.70	5.19	64.89	119.64	-54.75
5745.00	Peak	95.94	5.31	101.25	-	-
5854.96	Peak	48.50	5.83	54.33	110.89	-56.56
5857.67	Peak	50.33	5.85	56.18	110.05	-53.87
5896.02	Peak	50.07	6.22	56.29	89.65	-33.36
5943.53	Peak	50.28	6.18	56.46	68.20	-11.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5630.93	Peak	50.41	4.43	54.84	68.20	-13.36
5671.15	Peak	51.01	4.79	55.80	83.85	-28.05
5719.92	Peak	59.74	5.18	64.92	110.78	-45.86
5723.25	Peak	64.30	5.19	69.49	118.21	-48.72
5745.00	Peak	100.57	5.31	105.88	-	-
5852.25	Peak	49.92	5.80	55.72	117.07	-61.35
5857.67	Peak	49.70	5.85	55.55	110.05	-54.50
5904.14	Peak	48.99	6.25	55.24	83.63	-28.39
5942.70	Peak	49.67	6.18	55.85	68.20	-12.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5540.90	Peak	50.93	4.50	55.43	68.20	-12.77
5669.06	Peak	49.73	4.76	54.49	82.31	-27.82
5718.87	Peak	58.26	5.17	63.43	110.48	-47.05
5724.29	Peak	58.82	5.20	64.02	120.59	-56.57
5745.00	Peak	97.80	5.31	103.11	-	-
5851.21	Peak	49.45	5.79	55.24	119.45	-64.21
5871.22	Peak	49.40	5.98	55.38	106.26	-50.88
5896.43	Peak	48.77	6.22	54.99	89.34	-34.35
5956.87	Peak	48.29	6.14	54.43	68.20	-13.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5576.95	Peak	51.04	4.30	55.34	68.20	-12.86
5656.77	Peak	52.74	4.64	57.38	73.21	-15.83
5718.04	Peak	62.99	5.17	68.16	110.25	-42.09
5724.71	Peak	67.02	5.20	72.22	121.53	-49.31
5745.00	Peak	105.96	5.31	111.27	-	-
5850.58	Peak	48.27	5.78	54.05	120.87	-66.82
5867.26	Peak	49.12	5.95	55.07	107.37	-52.30
5908.52	Peak	49.65	6.24	55.89	80.40	-24.51
5926.23	Peak	49.06	6.21	55.27	68.20	-12.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5635.10	Peak	49.94	4.46	54.40	68.20	-13.80
5698.45	Peak	50.38	5.06	55.44	104.05	-48.61
5719.08	Peak	65.97	5.17	71.14	110.54	-39.40
5721.79	Peak	66.26	5.19	71.45	114.88	-43.43
5745.00	Peak	102.75	5.31	108.06	-	-
5854.34	Peak	48.89	5.82	54.71	112.32	-57.61
5856.00	Peak	49.49	5.84	55.33	110.52	-55.19
5899.56	Peak	50.30	6.26	56.56	87.03	-30.47
5948.53	Peak	49.46	6.16	55.62	68.20	-12.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5648.43	Peak	50.25	4.57	54.82	68.20	-13.38
5697.62	Peak	50.14	5.06	55.20	103.44	-48.24
5718.46	Peak	63.07	5.17	68.24	110.37	-42.13
5720.33	Peak	68.39	5.18	73.57	111.56	-37.99
5745.00	Peak	104.81	5.31	110.12	-	-
5851.21	Peak	49.10	5.79	54.89	119.45	-64.56
5860.59	Peak	48.83	5.88	54.71	109.24	-54.53
5899.14	Peak	51.05	6.25	57.30	87.34	-30.04
5970.21	Peak	49.44	6.12	55.56	68.20	-12.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5578.83	Peak	51.18	4.29	55.47	68.20	-12.73
5659.69	Peak	50.68	4.67	55.35	75.37	-20.02
5709.70	Peak	50.44	5.13	55.57	107.92	-52.35
5724.50	Peak	50.20	5.20	55.40	121.06	-65.66
5745.00	Peak	97.42	5.31	102.73	-	-
5854.96	Peak	50.07	5.83	55.90	110.89	-54.99
5855.00	Peak	50.07	5.83	55.90	110.80	-54.90
5901.23	Peak	50.13	6.26	56.39	85.79	-29.40
5960.83	Peak	49.51	6.13	55.64	68.20	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5640.93	Peak	50.05	4.51	54.56	68.20	-13.64
5655.94	Peak	51.36	4.64	56.00	72.59	-16.59
5715.12	Peak	55.71	5.15	60.86	109.43	-48.57
5724.08	Peak	61.97	5.19	67.16	120.11	-52.95
5745.00	Peak	102.57	5.31	107.88	-	-
5854.54	Peak	47.72	5.82	53.54	111.84	-58.30
5866.84	Peak	49.71	5.94	55.65	107.49	-51.84
5903.31	Peak	50.26	6.25	56.51	84.25	-27.74
5949.99	Peak	49.24	6.16	55.40	68.20	-12.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5497.13	Peak	50.87	4.76	55.63	68.20	-12.57
5661.77	Peak	50.66	4.69	55.35	76.91	-21.56
5719.71	Peak	50.25	5.18	55.43	110.72	-55.29
5719.92	Peak	49.73	5.18	54.91	110.78	-55.87
5825.00	Peak	97.14	5.58	102.72	-	-
5851.63	Peak	59.79	5.79	65.58	118.50	-52.92
5855.59	Peak	55.63	5.83	61.46	110.64	-49.18
5879.55	Peak	50.39	6.07	56.46	101.83	-45.37
5971.25	Peak	49.71	6.12	55.83	68.20	-12.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5640.10	Peak	49.67	4.50	54.17	68.20	-14.03
5668.02	Peak	49.09	4.76	53.85	81.54	-27.69
5701.99	Peak	49.55	5.09	54.64	105.76	-51.12
5719.92	Peak	48.42	5.18	53.60	110.78	-57.18
5825.00	Peak	98.91	5.58	104.49	-	-
5852.04	Peak	60.28	5.80	66.08	117.54	-51.46
5855.38	Peak	61.14	5.83	66.97	110.69	-43.72
5897.06	Peak	50.61	6.23	56.84	88.88	-32.04
5926.23	Peak	49.21	6.21	55.42	68.20	-12.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5520.68	Peak	49.50	4.64	54.14	68.20	-14.06
5660.94	Peak	51.52	4.69	56.21	76.29	-20.08
5706.37	Peak	48.77	5.11	53.88	106.98	-53.10
5720.96	Peak	48.47	5.19	53.66	112.98	-59.32
5825.00	Peak	105.59	5.58	111.17	-	-
5851.21	Peak	65.20	5.79	70.99	119.45	-48.46
5855.00	Peak	59.91	5.83	65.74	110.80	-45.06
5876.43	Peak	52.09	6.03	58.12	104.15	-46.03
5944.78	Peak	49.92	6.17	56.09	68.20	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5581.33	Peak	50.56	4.28	54.84	68.20	-13.36
5673.23	Peak	50.23	4.81	55.04	85.39	-30.35
5702.20	Peak	48.57	5.09	53.66	105.82	-52.16
5724.50	Peak	48.07	5.20	53.27	121.06	-67.79
5825.00	Peak	106.39	5.58	111.97	-	-
5851.00	Peak	67.62	5.79	73.41	119.92	-46.51
5855.17	Peak	61.03	5.83	66.86	110.75	-43.89
5913.73	Peak	54.46	6.24	60.70	76.54	-15.84
5925.61	Peak	49.29	6.21	55.50	68.20	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5639.68	Peak	50.40	4.50	54.90	68.20	-13.30
5672.19	Peak	51.90	4.80	56.70	84.62	-27.92
5714.50	Peak	50.40	5.15	55.55	109.26	-53.71
5721.17	Peak	49.55	5.19	54.74	113.46	-58.72
5825.00	Peak	106.69	5.58	112.27	-	-
5850.00	Peak	61.86	5.78	67.64	122.20	-54.56
5859.96	Peak	61.27	5.87	67.14	109.41	-42.27
5876.43	Peak	53.31	6.03	59.34	104.15	-44.81
5951.45	Peak	49.31	6.16	55.47	68.20	-12.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5566.53	Peak	52.57	4.35	56.92	68.20	-11.28
5672.40	Peak	49.44	4.80	54.24	84.78	-30.54
5708.45	Peak	49.59	5.12	54.71	107.57	-52.86
5719.92	Peak	48.88	5.18	54.06	110.78	-56.72
5825.00	Peak	105.58	5.58	111.16	-	-
5852.04	Peak	69.26	5.80	75.06	117.54	-42.48
5862.46	Peak	63.36	5.90	69.26	108.71	-39.45
5911.65	Peak	50.86	6.23	57.09	78.08	-20.99
5929.78	Peak	49.46	6.20	55.66	68.20	-12.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5624.88	Peak	49.98	4.38	54.36	68.20	-13.84
5668.86	Peak	49.95	4.76	54.71	82.15	-27.44
5713.66	Peak	50.17	5.14	55.31	109.03	-53.72
5724.08	Peak	48.42	5.19	53.61	120.11	-66.50
5825.00	Peak	103.44	5.58	109.02	-	-
5850.79	Peak	54.52	5.78	60.30	120.39	-60.09
5859.13	Peak	51.33	5.86	57.19	109.64	-52.45
5903.10	Peak	49.65	6.25	55.90	84.41	-28.51
5949.37	Peak	49.07	6.16	55.23	68.20	-12.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5591.75	Peak	49.95	4.22	54.17	68.20	-14.03
5679.07	Peak	50.96	4.86	55.82	89.71	-33.89
5717.41	Peak	49.55	5.16	54.71	110.08	-55.37
5721.17	Peak	48.06	5.19	53.25	113.46	-60.21
5825.00	Peak	102.61	5.58	108.19	-	-
5850.58	Peak	54.62	5.78	60.40	120.87	-60.47
5859.55	Peak	54.59	5.87	60.46	109.53	-49.07
5911.65	Peak	48.52	6.23	54.75	78.08	-23.33
5949.78	Peak	48.75	6.16	54.91	68.20	-13.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.27	Peak	50.50	4.54	55.04	68.20	-13.16
5699.91	Peak	49.36	5.08	54.44	105.13	-50.69
5702.62	Peak	49.59	5.10	54.69	105.93	-51.24
5724.71	Peak	49.43	5.20	54.63	124.36	-69.73
5885.00	Average	50.51	6.11	56.62	-	-
5885.00	Peak	93.78	6.11	99.89	-	-
5895.00	Average	73.11	6.21	79.32	90.20	-10.88
5895.00	Peak	79.27	6.21	85.48	110.20	-24.72
5925.61	Peak	50.09	6.21	56.30	88.20	-31.90
5968.33	Average	40.58	6.13	46.71	68.20	-21.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-15
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5641.14	Peak	49.68	4.51	54.19	68.20	-14.01
5660.52	Peak	50.33	4.68	55.01	75.98	-20.97
5717.41	Peak	49.51	5.16	54.67	110.08	-55.41
5722.00	Peak	49.23	5.19	54.42	116.56	-62.14
5885.00	Average	49.69	6.11	55.80	-	-
5885.00	Peak	99.16	6.11	105.27	-	-
5895.00	Average	78.98	6.21	85.19	90.20	-5.01
5895.00	Peak	84.96	6.21	91.17	110.20	-19.03
5925.19	Average	41.81	6.21	48.02	68.20	-20.18
5925.19	Peak	49.92	6.21	56.13	88.20	-32.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5574.03	Peak	50.09	4.32	54.41	68.20	-13.79
5654.48	Peak	50.58	4.62	55.20	71.51	-16.31
5712.20	Peak	49.58	5.14	54.72	108.62	-53.90
5722.62	Peak	49.10	5.20	54.30	118.36	-64.06
5885.00	Average	50.10	6.11	56.21	-	-
5885.00	Peak	107.25	6.11	113.36	-	-
5895.00	Average	82.24	6.21	88.45	90.20	-1.75
5895.00	Peak	97.40	6.21	103.61	110.20	-6.59
5931.86	Peak	55.30	6.19	61.49	88.20	-26.71
5973.54	Average	41.76	6.11	47.87	68.20	-20.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5617.59	Peak	48.90	4.32	53.22	68.20	-14.98
5653.85	Peak	49.46	4.61	54.07	71.05	-16.98
5712.83	Peak	49.16	5.15	54.31	108.79	-54.48
5722.42	Peak	48.05	5.19	53.24	117.76	-64.52
5885.00	Average	48.90	6.11	55.01	-	-
5885.00	Peak	106.36	6.11	112.47	-	-
5895.00	Average	82.57	6.21	88.78	90.20	-1.42
5895.00	Peak	95.72	6.21	101.93	110.20	-8.27
5930.82	Peak	57.30	6.20	63.50	88.20	-24.70
5973.33	Average	42.24	6.11	48.35	68.20	-19.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5625.09	Peak	50.44	4.38	54.82	68.20	-13.38
5651.98	Peak	50.83	4.59	55.42	69.66	-14.24
5708.66	Peak	49.48	5.12	54.60	107.63	-53.03
5722.83	Peak	48.93	5.19	54.12	118.96	-64.84
5885.00	Average	50.44	6.11	56.55	-	-
5885.00	Peak	105.58	6.11	111.69	-	-
5895.00	Average	81.76	6.21	87.97	90.20	-2.23
5895.00	Peak	94.77	6.21	100.98	110.20	-9.22
5925.19	Average	41.15	6.21	47.36	68.20	-20.84
5930.61	Peak	51.55	6.20	57.75	88.20	-30.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5572.37	Peak	49.35	4.32	53.67	68.20	-14.53
5652.60	Peak	48.91	4.61	53.52	70.12	-16.60
5711.58	Peak	48.93	5.14	54.07	108.44	-54.37
5720.54	Peak	47.71	5.18	52.89	112.36	-59.47
5885.00	Average	49.35	6.11	55.46	-	-
5885.00	Peak	104.82	6.11	110.93	-	-
5895.00	Average	82.46	6.21	88.67	90.20	-1.53
5895.00	Peak	92.98	6.21	99.19	110.20	-11.01
5972.71	Average	41.50	6.12	47.62	68.20	-20.58
5973.33	Peak	50.49	6.11	56.60	88.20	-31.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5557.36	Peak	51.84	4.40	56.24	68.20	-11.96
5664.90	Peak	49.47	4.73	54.20	79.22	-25.02
5702.83	Peak	50.15	5.10	55.25	105.99	-50.74
5724.08	Peak	49.61	5.19	54.80	122.56	-67.76
5885.00	Average	51.85	6.11	57.96	-	-
5885.00	Peak	102.05	6.11	108.16	-	-
5895.00	Average	81.81	6.21	88.02	90.20	-2.18
5895.00	Peak	90.05	6.21	96.26	110.20	-13.94
5966.87	Peak	49.77	6.13	55.90	88.20	-32.30
5967.08	Average	40.49	6.13	46.62	68.20	-21.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-01-16
 Temp./Humi. :20.5°C/51%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5646.97	Peak	49.50	4.56	54.06	68.20	-14.14
5655.94	Peak	49.43	4.64	54.07	72.59	-18.52
5707.20	Peak	48.71	5.11	53.82	107.22	-53.40
5724.92	Peak	48.00	5.20	53.20	124.96	-71.76
5885.00	Average	49.51	6.11	55.62	-	-
5885.00	Peak	101.60	6.11	107.71	-	-
5895.00	Average	81.91	6.21	88.12	90.20	-2.08
5895.00	Peak	89.06	6.21	95.27	110.20	-14.93
5967.50	Average	40.94	6.13	47.07	68.20	-21.13
5973.75	Peak	49.33	6.11	55.44	88.20	-32.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

External Antenna_Monopole
2344655-1

Report Number :TERF2409002669ER
Operation Mode :802.11a
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5094.15	Average	42.24	4.23	46.47	54.00	-7.53
5148.64	Peak	54.36	4.01	58.37	74.00	-15.63
5180.00	Average	90.65	3.86	94.51	-	-
5180.00	Peak	98.02	3.86	101.88	-	-
5390.14	Peak	48.90	3.71	52.61	74.00	-21.39
5455.44	Average	39.43	4.35	43.78	54.00	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5095.59	Peak	52.18	4.23	56.41	74.00	-17.59
5095.83	Average	41.59	4.23	45.82	54.00	-8.18
5180.00	Average	87.75	3.86	91.61	-	-
5180.00	Peak	95.16	3.86	99.02	-	-
5446.80	Peak	48.72	4.26	52.98	74.00	-21.02
5452.08	Average	38.71	4.32	43.03	54.00	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4965.96	Peak	51.94	3.99	55.93	74.00	-18.07
5076.38	Average	41.37	4.17	45.54	54.00	-8.46
5320.00	Average	90.23	3.73	93.96	-	-
5320.00	Peak	97.52	3.73	101.25	-	-
5350.29	Average	46.90	3.72	50.62	54.00	-3.38
5350.53	Peak	58.20	3.72	61.92	74.00	-12.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5090.31	Average	40.55	4.21	44.76	54.00	-9.24
5134.00	Peak	50.30	4.09	54.39	74.00	-19.61
5320.00	Average	87.31	3.73	91.04	-	-
5320.00	Peak	93.71	3.73	97.44	-	-
5350.29	Average	43.99	3.72	47.71	54.00	-6.29
5350.29	Peak	58.76	3.72	62.48	74.00	-11.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5414.40	Average	40.71	3.88	44.59	54.00	-9.41
5416.27	Peak	49.44	3.90	53.34	74.00	-20.66
5464.21	Peak	50.05	4.44	54.49	68.20	-13.71
5500.00	Average	89.49	4.79	94.28	-	-
5500.00	Peak	96.02	4.79	100.81	-	-
5958.54	Peak	50.28	6.14	56.42	68.20	-11.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5457.33	Average	39.31	4.38	43.69	54.00	-10.31
5457.33	Peak	48.22	4.38	52.60	74.00	-21.40
5467.96	Peak	49.16	4.47	53.63	68.20	-14.57
5500.00	Average	88.19	4.79	92.98	-	-
5500.00	Peak	94.72	4.79	99.51	-	-
5947.07	Peak	49.77	6.17	55.94	68.20	-12.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5447.12	Peak	48.40	4.26	52.66	74.00	-21.34
5453.16	Average	38.94	4.33	43.27	54.00	-10.73
5462.33	Peak	47.91	4.42	52.33	68.20	-15.87
5700.00	Average	87.50	5.08	92.58	-	-
5700.00	Peak	94.21	5.08	99.29	-	-
5725.33	Peak	53.22	5.21	58.43	68.20	-9.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5373.97	Peak	48.57	3.71	52.28	74.00	-21.72
5455.04	Average	38.92	4.35	43.27	54.00	-10.73
5469.00	Peak	47.98	4.49	52.47	68.20	-15.73
5700.00	Average	87.58	5.08	92.66	-	-
5700.00	Peak	94.63	5.08	99.71	-	-
5725.00	Peak	53.80	5.21	59.01	68.20	-9.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5448.78	Peak	47.70	4.28	51.98	74.00	-22.02
5459.62	Average	38.40	4.39	42.79	54.00	-11.21
5463.37	Peak	46.72	4.43	51.15	68.20	-17.05
5720.00	Average	85.04	5.18	90.22	-	-
5720.00	Peak	92.33	5.18	97.51	-	-
5925.61	Peak	49.42	6.21	55.63	68.20	-12.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5366.05	Peak	49.06	3.73	52.79	74.00	-21.21
5446.07	Average	39.52	4.25	43.77	54.00	-10.23
5467.33	Peak	48.03	4.47	52.50	68.20	-15.70
5720.00	Average	91.74	5.18	96.92	-	-
5720.00	Peak	98.96	5.18	104.14	-	-
5878.30	Peak	50.45	6.05	56.50	68.20	-11.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5499.22	Peak	49.53	4.78	54.31	68.20	-13.89
5656.14	Peak	50.56	4.64	55.20	72.75	-17.55
5719.71	Peak	51.92	5.18	57.10	110.72	-53.62
5724.71	Peak	54.61	5.20	59.81	121.53	-61.72
5745.00	Peak	94.35	5.31	99.66	-	-
5854.34	Peak	48.99	5.82	54.81	112.32	-57.51
5869.55	Peak	49.43	5.96	55.39	106.73	-51.34
5884.55	Peak	49.64	6.11	55.75	98.13	-42.38
5942.07	Peak	49.75	6.18	55.93	68.20	-12.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5589.04	Peak	50.95	4.24	55.19	68.20	-13.01
5657.60	Peak	50.99	4.66	55.65	73.83	-18.18
5719.50	Peak	54.40	5.18	59.58	110.66	-51.08
5723.67	Peak	59.75	5.19	64.94	119.16	-54.22
5745.00	Peak	98.73	5.31	104.04	-	-
5850.58	Peak	48.56	5.78	54.34	120.87	-66.53
5874.97	Peak	50.04	6.02	56.06	105.21	-49.15
5882.47	Peak	50.39	6.09	56.48	99.67	-43.19
5946.66	Peak	49.37	6.17	55.54	68.20	-12.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5641.56	Peak	49.00	4.52	53.52	68.20	-14.68
5670.94	Peak	50.15	4.79	54.94	83.70	-28.76
5699.91	Peak	49.09	5.08	54.17	105.13	-50.96
5722.42	Peak	49.12	5.19	54.31	116.31	-62.00
5825.00	Peak	92.71	5.58	98.29	-	-
5850.00	Peak	50.69	5.78	56.47	122.20	-65.73
5855.59	Peak	50.28	5.83	56.11	110.64	-54.53
5899.56	Peak	49.35	6.26	55.61	87.03	-31.42
5941.03	Peak	49.27	6.18	55.45	68.20	-12.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5583.62	Peak	51.06	4.26	55.32	68.20	-12.88
5653.44	Peak	50.95	4.61	55.56	70.74	-15.18
5713.46	Peak	52.21	5.15	57.36	108.97	-51.61
5723.67	Peak	48.75	5.19	53.94	119.16	-65.22
5825.00	Peak	99.26	5.58	104.84	-	-
5850.00	Peak	57.87	5.78	63.65	122.20	-58.55
5856.63	Peak	53.44	5.83	59.27	110.34	-51.07
5907.90	Peak	50.69	6.24	56.93	80.86	-23.93
5945.20	Peak	49.41	6.17	55.58	68.20	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5569.45	Peak	49.56	4.34	53.90	68.20	-14.30
5685.11	Peak	48.98	4.93	53.91	94.18	-40.27
5710.75	Peak	49.43	5.13	54.56	108.21	-53.65
5723.25	Peak	48.94	5.19	54.13	120.16	-66.03
5885.00	Average	49.57	6.11	55.68	-	-
5885.00	Peak	91.58	6.11	97.69	-	-
5895.00	Average	57.30	6.21	63.51	90.20	-26.69
5895.00	Peak	68.92	6.21	75.13	110.20	-35.07
5927.69	Peak	49.09	6.20	55.29	88.20	-32.91
5957.70	Average	40.01	6.14	46.15	68.20	-22.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5637.18	Peak	49.84	4.48	54.32	68.20	-13.88
5650.31	Peak	49.96	4.58	54.54	68.43	-13.89
5700.95	Peak	48.71	5.09	53.80	105.47	-51.67
5724.29	Peak	49.37	5.20	54.57	123.16	-68.59
5885.00	Average	49.85	6.11	55.96	-	-
5885.00	Peak	95.05	6.11	101.16	-	-
5895.00	Average	61.75	6.21	67.96	90.20	-22.24
5895.00	Peak	73.13	6.21	79.34	110.20	-30.86
5929.36	Peak	50.36	6.20	56.56	88.20	-31.64
5958.33	Average	40.91	6.14	47.05	68.20	-21.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11n20
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5091.51	Average	42.04	4.22	46.26	54.00	-7.74
5096.55	Peak	52.42	4.24	56.66	74.00	-17.34
5180.00	Average	90.28	3.86	94.14	-	-
5180.00	Peak	97.78	3.86	101.64	-	-
5452.32	Peak	48.59	4.32	52.91	74.00	-21.09
5454.72	Average	39.48	4.35	43.83	54.00	-10.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5148.16	Peak	52.03	4.01	56.04	74.00	-17.96
5150.00	Average	42.01	4.01	46.02	54.00	-7.98
5180.00	Average	88.28	3.86	92.14	-	-
5180.00	Peak	96.82	3.86	100.68	-	-
5447.28	Peak	47.64	4.26	51.90	74.00	-22.10
5458.80	Average	38.47	4.39	42.86	54.00	-11.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11n20
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5112.15	Average	41.36	4.19	45.55	54.00	-8.45
5116.71	Peak	50.91	4.17	55.08	74.00	-18.92
5320.00	Average	89.75	3.73	93.48	-	-
5320.00	Peak	97.23	3.73	100.96	-	-
5350.29	Average	46.77	3.72	50.49	54.00	-3.51
5353.89	Peak	57.66	3.72	61.38	74.00	-12.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5095.35	Peak	50.58	4.23	54.81	74.00	-19.19
5099.67	Average	40.47	4.25	44.72	54.00	-9.28
5320.00	Average	87.50	3.73	91.23	-	-
5320.00	Peak	93.93	3.73	97.66	-	-
5350.53	Peak	58.13	3.72	61.85	74.00	-12.15
5350.77	Average	44.56	3.72	48.28	54.00	-5.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11n20
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5432.53	Peak	48.74	4.10	52.84	74.00	-21.16
5460.00	Average	38.90	4.39	43.29	54.00	-10.71
5468.58	Peak	49.45	4.48	53.93	68.20	-14.27
5500.00	Average	85.75	4.79	90.54	-	-
5500.00	Peak	91.52	4.79	96.31	-	-
5901.64	Peak	49.25	6.26	55.51	68.20	-12.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5419.82	Peak	49.59	3.95	53.54	74.00	-20.46
5460.00	Average	39.36	4.39	43.75	54.00	-10.25
5469.42	Peak	48.68	4.49	53.17	68.20	-15.03
5500.00	Average	88.14	4.79	92.93	-	-
5500.00	Peak	95.26	4.79	100.05	-	-
5907.06	Peak	48.82	6.24	55.06	68.20	-13.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5455.66	Peak	48.79	4.36	53.15	74.00	-20.85
5459.62	Average	39.54	4.39	43.93	54.00	-10.07
5461.08	Peak	47.74	4.40	52.14	68.20	-16.06
5700.00	Average	90.01	5.08	95.09	-	-
5700.00	Peak	98.10	5.08	103.18	-	-
5725.13	Peak	57.47	5.21	62.68	68.20	-5.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5452.74	Peak	48.60	4.33	52.93	74.00	-21.07
5455.45	Average	38.59	4.35	42.94	54.00	-11.06
5468.79	Peak	47.10	4.49	51.59	68.20	-16.61
5700.00	Average	88.55	5.08	93.63	-	-
5700.00	Peak	96.17	5.08	101.25	-	-
5725.13	Peak	55.46	5.21	60.67	68.20	-7.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5438.99	Peak	47.75	4.17	51.92	74.00	-22.08
5453.58	Average	38.25	4.33	42.58	54.00	-11.42
5466.08	Peak	47.03	4.45	51.48	68.20	-16.72
5720.00	Average	84.74	5.18	89.92	-	-
5720.00	Peak	91.56	5.18	96.74	-	-
5867.46	Peak	49.63	5.95	55.58	68.20	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5355.00	Peak	48.88	3.72	52.60	74.00	-21.40
5460.00	Average	39.29	4.39	43.68	54.00	-10.32
5461.29	Peak	48.29	4.41	52.70	68.20	-15.50
5720.00	Average	91.73	5.18	96.91	-	-
5720.00	Peak	99.09	5.18	104.27	-	-
5881.22	Peak	50.86	6.08	56.94	68.20	-11.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5578.41	Peak	49.30	4.28	53.58	68.20	-14.62
5660.73	Peak	51.02	4.68	55.70	76.14	-20.44
5719.71	Peak	50.90	5.18	56.08	110.72	-54.64
5724.50	Peak	54.71	5.20	59.91	121.06	-61.15
5745.00	Peak	93.13	5.31	98.44	-	-
5854.54	Peak	48.33	5.82	54.15	111.84	-57.69
5873.09	Peak	48.44	6.00	54.44	105.73	-51.29
5919.36	Peak	49.80	6.22	56.02	72.38	-16.36
5956.87	Peak	48.60	6.14	54.74	68.20	-13.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.18	Peak	50.26	4.52	54.78	68.20	-13.42
5662.60	Peak	50.76	4.71	55.47	77.53	-22.06
5718.25	Peak	54.54	5.17	59.71	110.31	-50.60
5724.92	Peak	64.03	5.20	69.23	122.01	-52.78
5745.00	Peak	98.90	5.31	104.21	-	-
5850.17	Peak	48.95	5.78	54.73	121.82	-67.09
5872.26	Peak	49.45	5.99	55.44	105.97	-50.53
5900.60	Peak	50.50	6.26	56.76	86.26	-29.50
5926.03	Peak	49.06	6.21	55.27	68.20	-12.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5581.74	Peak	49.73	4.28	54.01	68.20	-14.19
5660.52	Peak	49.30	4.68	53.98	75.98	-22.00
5706.79	Peak	49.36	5.11	54.47	107.10	-52.63
5722.00	Peak	48.12	5.19	53.31	115.36	-62.05
5825.00	Peak	92.40	5.58	97.98	-	-
5853.08	Peak	51.18	5.81	56.99	115.17	-58.18
5856.00	Peak	50.06	5.84	55.90	110.52	-54.62
5899.56	Peak	49.20	6.26	55.46	87.03	-31.57
5965.41	Peak	48.44	6.13	54.57	68.20	-13.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5584.25	Peak	50.36	4.26	54.62	68.20	-13.58
5659.06	Peak	50.79	4.66	55.45	74.91	-19.46
5714.50	Peak	49.95	5.15	55.10	109.26	-54.16
5721.37	Peak	49.25	5.19	54.44	113.93	-59.49
5825.00	Peak	98.45	5.58	104.03	-	-
5850.00	Peak	58.16	5.78	63.94	122.20	-58.26
5855.17	Peak	52.31	5.83	58.14	110.75	-52.61
5910.81	Peak	50.18	6.23	56.41	78.70	-22.29
5931.44	Peak	49.95	6.19	56.14	68.20	-12.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5607.59	Peak	49.94	4.24	54.18	68.20	-14.02
5688.66	Peak	49.29	4.96	54.25	96.80	-42.55
5709.08	Peak	48.83	5.12	53.95	107.74	-53.79
5724.29	Peak	48.88	5.20	54.08	123.16	-69.08
5885.00	Average	49.94	6.11	56.05	-	-
5885.00	Peak	91.51	6.11	97.62	-	-
5895.00	Average	60.40	6.21	66.61	90.20	-23.59
5895.00	Peak	72.22	6.21	78.43	110.20	-31.77
5939.99	Peak	48.49	6.18	54.67	88.20	-33.53
5956.45	Average	39.75	6.14	45.89	68.20	-22.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.01	Peak	49.56	4.49	54.05	68.20	-14.15
5695.74	Peak	49.36	5.03	54.39	102.05	-47.66
5700.33	Peak	50.05	5.08	55.13	105.29	-50.16
5723.04	Peak	49.30	5.19	54.49	119.56	-65.07
5885.00	Average	49.57	6.11	55.68	-	-
5885.00	Peak	94.37	6.11	100.48	-	-
5895.00	Average	64.29	6.21	70.50	90.20	-19.70
5895.00	Peak	75.81	6.21	82.02	110.20	-28.18
5956.87	Average	40.83	6.14	46.97	68.20	-21.23
5959.37	Peak	49.35	6.14	55.49	88.20	-32.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5150.00	Average	43.90	4.01	47.91	54.00	-6.09
5150.00	Peak	53.37	4.01	57.38	74.00	-16.62
5180.00	Average	91.11	3.86	94.97	-	-
5180.00	Peak	101.07	3.86	104.93	-	-
5448.48	Average	39.44	4.28	43.72	54.00	-10.28
5456.16	Peak	48.60	4.36	52.96	74.00	-21.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5149.12	Peak	54.42	4.01	58.43	74.00	-15.57
5149.60	Average	41.61	4.01	45.62	54.00	-8.38
5180.00	Average	87.53	3.86	91.39	-	-
5180.00	Peak	95.64	3.86	99.50	-	-
5365.42	Peak	48.29	3.72	52.01	74.00	-21.99
5454.24	Average	38.30	4.35	42.65	54.00	-11.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5146.48	Peak	59.40	4.03	63.43	74.00	-10.57
5149.36	Average	44.82	4.01	48.83	54.00	-5.17
5180.00	Average	98.12	3.86	101.98	-	-
5180.00	Peak	105.96	3.86	109.82	-	-
5372.14	Peak	49.26	3.72	52.98	74.00	-21.02
5411.75	Average	40.64	3.85	44.49	54.00	-9.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5091.99	Average	43.91	4.22	48.13	54.00	-5.87
5145.04	Peak	54.82	4.03	58.85	74.00	-15.15
5180.00	Average	95.94	3.86	99.80	-	-
5180.00	Peak	102.91	3.86	106.77	-	-
5410.79	Peak	49.02	3.83	52.85	74.00	-21.15
5411.51	Average	39.39	3.84	43.23	54.00	-10.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5092.23	Average	43.45	4.22	47.67	54.00	-6.33
5142.88	Peak	53.35	4.03	57.38	74.00	-16.62
5180.00	Average	94.94	3.86	98.80	-	-
5180.00	Peak	103.35	3.86	107.21	-	-
5407.67	Peak	49.05	3.81	52.86	74.00	-21.14
5458.80	Average	39.36	4.39	43.75	54.00	-10.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5093.67	Average	42.56	4.22	46.78	54.00	-7.22
5150.00	Peak	53.82	4.01	57.83	74.00	-16.17
5180.00	Average	93.15	3.86	97.01	-	-
5180.00	Peak	101.93	3.86	105.79	-	-
5408.63	Peak	48.41	3.81	52.22	74.00	-21.78
5413.43	Average	38.96	3.87	42.83	54.00	-11.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5091.75	Average	41.07	4.22	45.29	54.00	-8.71
5108.07	Peak	51.35	4.21	55.56	74.00	-18.44
5180.00	Average	87.57	3.86	91.43	-	-
5180.00	Peak	96.36	3.86	100.22	-	-
5354.13	Peak	48.03	3.72	51.75	74.00	-22.25
5459.04	Average	38.40	4.39	42.79	54.00	-11.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5094.39	Peak	52.26	4.23	56.49	74.00	-17.51
5096.55	Average	41.79	4.24	46.03	54.00	-7.97
5180.00	Average	89.05	3.86	92.91	-	-
5180.00	Peak	98.22	3.86	102.08	-	-
5362.06	Peak	48.26	3.73	51.99	74.00	-22.01
5456.88	Average	38.37	4.37	42.74	54.00	-11.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5096.55	Average	40.99	4.24	45.23	54.00	-8.77
5136.16	Peak	50.93	4.07	55.00	74.00	-19.00
5320.00	Average	88.27	3.73	92.00	-	-
5320.00	Peak	97.47	3.73	101.20	-	-
5350.05	Average	46.95	3.72	50.67	54.00	-3.33
5350.05	Peak	57.69	3.72	61.41	74.00	-12.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5035.09	Peak	50.70	4.05	54.75	74.00	-19.25
5096.07	Average	40.64	4.23	44.87	54.00	-9.13
5320.00	Average	86.77	3.73	90.50	-	-
5320.00	Peak	97.34	3.73	101.07	-	-
5350.29	Average	45.65	3.72	49.37	54.00	-4.63
5353.41	Peak	57.63	3.72	61.35	74.00	-12.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5074.22	Peak	51.32	4.16	55.48	74.00	-18.52
5089.11	Average	41.64	4.22	45.86	54.00	-8.14
5320.00	Average	97.25	3.73	100.98	-	-
5320.00	Peak	104.47	3.73	108.20	-	-
5350.05	Average	48.91	3.72	52.63	54.00	-1.37
5352.21	Peak	61.06	3.72	64.78	74.00	-9.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5009.65	Peak	50.74	4.02	54.76	74.00	-19.24
5088.87	Average	40.78	4.22	45.00	54.00	-9.00
5320.00	Average	95.96	3.73	99.69	-	-
5320.00	Peak	103.03	3.73	106.76	-	-
5350.05	Average	47.52	3.72	51.24	54.00	-2.76
5350.05	Peak	61.59	3.72	65.31	74.00	-8.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5057.90	Average	41.46	4.10	45.56	54.00	-8.44
5066.30	Peak	51.73	4.14	55.87	74.00	-18.13
5320.00	Average	94.83	3.73	98.56	-	-
5320.00	Peak	102.79	3.73	106.52	-	-
5350.29	Average	44.46	3.72	48.18	54.00	-5.82
5350.53	Peak	60.83	3.72	64.55	74.00	-9.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5088.15	Average	40.79	4.21	45.00	54.00	-9.00
5149.84	Peak	50.93	4.01	54.94	74.00	-19.06
5320.00	Average	93.62	3.73	97.35	-	-
5320.00	Peak	100.90	3.73	104.63	-	-
5350.29	Average	44.68	3.72	48.40	54.00	-5.60
5350.53	Peak	59.40	3.72	63.12	74.00	-10.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5124.64	Average	41.08	4.13	45.21	54.00	-8.79
5133.76	Peak	51.41	4.09	55.50	74.00	-18.50
5320.00	Average	91.16	3.73	94.89	-	-
5320.00	Peak	100.01	3.73	103.74	-	-
5351.01	Average	41.57	3.72	45.29	54.00	-8.71
5358.70	Peak	52.26	3.72	55.98	74.00	-18.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5075.90	Peak	51.11	4.16	55.27	74.00	-18.73
5089.35	Average	40.76	4.22	44.98	54.00	-9.02
5320.00	Average	90.23	3.73	93.96	-	-
5320.00	Peak	98.16	3.73	101.89	-	-
5350.53	Average	41.13	3.72	44.85	54.00	-9.15
5350.53	Peak	55.87	3.72	59.59	74.00	-14.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.16	Peak	49.17	4.33	53.50	74.00	-20.50
5459.62	Average	40.11	4.39	44.50	54.00	-9.50
5469.42	Peak	52.49	4.49	56.98	68.20	-11.22
5500.00	Average	90.59	4.79	95.38	-	-
5500.00	Peak	98.35	4.79	103.14	-	-
5945.20	Peak	50.26	6.17	56.43	68.20	-11.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.58	Peak	48.99	4.37	53.36	74.00	-20.64
5458.79	Average	39.60	4.39	43.99	54.00	-10.01
5470.00	Peak	53.63	4.50	58.13	68.20	-10.07
5500.00	Average	86.91	4.79	91.70	-	-
5500.00	Peak	96.72	4.79	101.51	-	-
5930.61	Peak	48.99	6.20	55.19	68.20	-13.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5411.48	Average	43.58	3.84	47.42	54.00	-6.58
5411.90	Peak	51.13	3.85	54.98	74.00	-19.02
5470.00	Peak	55.23	4.50	59.73	68.20	-8.47
5500.00	Average	97.67	4.79	102.46	-	-
5500.00	Peak	103.88	4.79	108.67	-	-
5748.88	Peak	50.84	5.33	56.17	68.20	-12.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5411.48	Average	42.82	3.84	46.66	54.00	-7.34
5459.00	Peak	51.56	4.39	55.95	74.00	-18.05
5469.83	Peak	61.49	4.50	65.99	68.20	-2.21
5500.00	Average	95.85	4.79	100.64	-	-
5500.00	Peak	102.26	4.79	107.05	-	-
5849.33	Peak	49.45	5.77	55.22	68.20	-12.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5410.85	Peak	49.67	3.84	53.51	74.00	-20.49
5459.00	Average	41.36	4.39	45.75	54.00	-8.25
5463.37	Peak	59.64	4.43	64.07	68.20	-4.13
5500.00	Average	96.37	4.79	101.16	-	-
5500.00	Peak	103.93	4.79	108.72	-	-
5937.49	Peak	50.46	6.18	56.64	68.20	-11.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5413.56	Average	41.65	3.87	45.52	54.00	-8.48
5456.29	Peak	50.80	4.37	55.17	74.00	-18.83
5464.62	Peak	59.36	4.44	63.80	68.20	-4.40
5500.00	Average	93.73	4.79	98.52	-	-
5500.00	Peak	101.03	4.79	105.82	-	-
5943.32	Peak	49.76	6.18	55.94	68.20	-12.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5413.98	Average	40.66	3.87	44.53	54.00	-9.47
5444.62	Peak	49.27	4.24	53.51	74.00	-20.49
5462.54	Peak	49.20	4.42	53.62	68.20	-14.58
5500.00	Average	91.85	4.79	96.64	-	-
5500.00	Peak	99.34	4.79	104.13	-	-
5921.44	Peak	49.77	6.22	55.99	68.20	-12.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5415.44	Average	39.94	3.89	43.83	54.00	-10.17
5454.62	Peak	47.66	4.35	52.01	74.00	-21.99
5467.54	Peak	48.66	4.47	53.13	68.20	-15.07
5500.00	Average	90.39	4.79	95.18	-	-
5500.00	Peak	99.21	4.79	104.00	-	-
5775.35	Peak	50.16	5.37	55.53	68.20	-12.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5378.55	Peak	48.76	3.71	52.47	74.00	-21.53
5455.87	Average	39.51	4.36	43.87	54.00	-10.13
5462.12	Peak	47.82	4.42	52.24	68.20	-15.96
5700.00	Average	90.63	5.08	95.71	-	-
5700.00	Peak	102.10	5.08	107.18	-	-
5725.54	Peak	60.21	5.21	65.42	68.20	-2.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5427.94	Peak	47.83	4.04	51.87	74.00	-22.13
5459.00	Average	38.65	4.39	43.04	54.00	-10.96
5465.25	Peak	47.97	4.45	52.42	68.20	-15.78
5700.00	Average	87.21	5.08	92.29	-	-
5700.00	Peak	96.82	5.08	101.90	-	-
5726.17	Peak	58.39	5.22	63.61	68.20	-4.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5370.01	Peak	48.79	3.71	52.50	74.00	-21.50
5459.62	Average	38.60	4.39	42.99	54.00	-11.01
5461.91	Peak	46.69	4.42	51.11	68.20	-17.09
5700.00	Average	87.86	5.08	92.94	-	-
5700.00	Peak	96.90	5.08	101.98	-	-
5727.00	Peak	56.08	5.22	61.30	68.20	-6.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5383.97	Peak	47.99	3.71	51.70	74.00	-22.30
5451.08	Average	38.43	4.31	42.74	54.00	-11.26
5462.75	Peak	46.88	4.42	51.30	68.20	-16.90
5700.00	Average	92.54	5.08	97.62	-	-
5700.00	Peak	101.42	5.08	106.50	-	-
5753.47	Peak	51.20	5.34	56.54	68.20	-11.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5427.11	Peak	47.89	4.02	51.91	74.00	-22.09
5457.95	Average	38.36	4.38	42.74	54.00	-11.26
5465.87	Peak	47.33	4.45	51.78	68.20	-16.42
5700.00	Average	89.82	5.08	94.90	-	-
5700.00	Peak	98.62	5.08	103.70	-	-
5726.79	Peak	55.46	5.22	60.68	68.20	-7.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5373.55	Peak	48.01	3.71	51.72	74.00	-22.28
5455.66	Average	38.42	4.36	42.78	54.00	-11.22
5465.66	Peak	47.90	4.45	52.35	68.20	-15.85
5700.00	Average	93.87	5.08	98.95	-	-
5700.00	Peak	101.20	5.08	106.28	-	-
5725.54	Peak	59.82	5.21	65.03	68.20	-3.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5363.96	Peak	48.50	3.72	52.22	74.00	-21.78
5450.03	Average	38.37	4.30	42.67	54.00	-11.33
5462.95	Peak	47.62	4.42	52.04	68.20	-16.16
5700.00	Average	85.46	5.08	90.54	-	-
5700.00	Peak	93.35	5.08	98.43	-	-
5955.62	Peak	50.05	6.15	56.20	68.20	-12.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5380.64	Peak	48.51	3.72	52.23	74.00	-21.77
5446.91	Average	38.41	4.26	42.67	54.00	-11.33
5461.29	Peak	47.32	4.41	51.73	68.20	-16.47
5700.00	Average	90.13	5.08	95.21	-	-
5700.00	Peak	99.01	5.08	104.09	-	-
5727.42	Peak	58.59	5.22	63.81	68.20	-4.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5397.93	Peak	49.60	3.71	53.31	74.00	-20.69
5458.37	Average	39.41	4.37	43.78	54.00	-10.22
5463.37	Peak	48.48	4.43	52.91	68.20	-15.29
5720.00	Average	89.74	5.18	94.92	-	-
5720.00	Peak	99.42	5.18	104.60	-	-
5872.26	Peak	51.13	5.99	57.12	68.20	-11.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5431.90	Peak	47.69	4.08	51.77	74.00	-22.23
5457.12	Average	38.51	4.38	42.89	54.00	-11.11
5461.50	Peak	48.46	4.41	52.87	68.20	-15.33
5720.00	Average	87.56	5.18	92.74	-	-
5720.00	Peak	95.42	5.18	100.60	-	-
5882.68	Peak	50.22	6.09	56.31	68.20	-11.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5643.22	Peak	49.35	4.53	53.88	68.20	-14.32
5699.08	Peak	49.21	5.07	54.28	104.52	-50.24
5719.08	Peak	52.47	5.17	57.64	110.54	-52.90
5724.71	Peak	60.47	5.20	65.67	121.53	-55.86
5745.00	Peak	93.05	5.31	98.36	-	-
5852.46	Peak	48.79	5.80	54.59	116.59	-62.00
5868.92	Peak	49.20	5.95	55.15	106.90	-51.75
5885.60	Peak	49.64	6.12	55.76	97.36	-41.60
5936.24	Peak	49.03	6.18	55.21	68.20	-12.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5565.28	Peak	50.63	4.36	54.99	68.20	-13.21
5670.73	Peak	51.51	4.78	56.29	83.54	-27.25
5719.50	Peak	58.08	5.18	63.26	110.66	-47.40
5723.04	Peak	61.67	5.19	66.86	117.73	-50.87
5745.00	Peak	98.88	5.31	104.19	-	-
5853.71	Peak	50.80	5.81	56.61	113.74	-57.13
5860.38	Peak	49.54	5.87	55.41	109.29	-53.88
5906.64	Peak	50.34	6.24	56.58	81.78	-25.20
5959.79	Peak	49.50	6.14	55.64	68.20	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5576.33	Peak	51.61	4.30	55.91	68.20	-12.29
5656.35	Peak	52.24	4.64	56.88	72.90	-16.02
5718.46	Peak	67.70	5.17	72.87	110.37	-37.50
5723.46	Peak	67.10	5.19	72.29	118.68	-46.39
5745.00	Peak	106.10	5.31	111.41	-	-
5852.04	Peak	49.83	5.80	55.63	117.54	-61.91
5859.96	Peak	50.01	5.87	55.88	109.41	-53.53
5896.85	Peak	50.44	6.23	56.67	89.03	-32.36
5946.24	Peak	50.43	6.17	56.60	68.20	-11.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5575.70	Peak	49.45	4.30	53.75	68.20	-14.45
5656.14	Peak	52.54	4.64	57.18	72.75	-15.57
5713.25	Peak	62.55	5.15	67.70	108.91	-41.21
5723.25	Peak	58.76	5.19	63.95	118.21	-54.26
5745.00	Peak	104.80	5.31	110.11	-	-
5853.92	Peak	49.27	5.82	55.09	113.27	-58.18
5868.30	Peak	49.04	5.96	55.00	107.08	-52.08
5896.02	Peak	49.79	6.22	56.01	89.65	-33.64
5961.04	Peak	49.09	6.13	55.22	68.20	-12.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5631.34	Peak	49.44	4.44	53.88	68.20	-14.32
5658.23	Peak	49.56	4.66	54.22	74.29	-20.07
5717.00	Peak	62.65	5.16	67.81	109.96	-42.15
5723.46	Peak	62.06	5.19	67.25	118.68	-51.43
5745.00	Peak	98.34	5.31	103.65	-	-
5852.46	Peak	48.34	5.80	54.14	116.59	-62.45
5856.42	Peak	49.62	5.83	55.45	110.40	-54.95
5895.60	Peak	48.80	6.21	55.01	89.96	-34.95
5954.58	Peak	48.87	6.15	55.02	68.20	-13.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5498.80	Peak	49.76	4.78	54.54	68.20	-13.66
5659.27	Peak	50.23	4.67	54.90	75.06	-20.16
5718.04	Peak	63.34	5.17	68.51	110.25	-41.74
5724.50	Peak	60.79	5.20	65.99	121.06	-55.07
5745.00	Peak	102.90	5.31	108.21	-	-
5853.08	Peak	49.02	5.81	54.83	115.17	-60.34
5870.59	Peak	50.00	5.97	55.97	106.43	-50.46
5898.10	Peak	49.46	6.24	55.70	88.11	-32.41
5941.03	Peak	48.84	6.18	55.02	68.20	-13.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5519.22	Peak	49.07	4.66	53.73	68.20	-14.47
5691.57	Peak	49.47	5.00	54.47	98.96	-44.49
5718.46	Peak	50.27	5.17	55.44	110.37	-54.93
5722.00	Peak	50.82	5.19	56.01	115.36	-59.35
5745.00	Peak	96.88	5.31	102.19	-	-
5852.67	Peak	48.38	5.80	54.18	116.12	-61.94
5861.84	Peak	48.31	5.89	54.20	108.89	-54.69
5879.55	Peak	48.70	6.07	54.77	101.83	-47.06
5966.87	Peak	49.09	6.13	55.22	68.20	-12.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5640.72	Peak	50.89	4.51	55.40	68.20	-12.80
5660.52	Peak	51.43	4.68	56.11	75.98	-19.87
5719.92	Peak	58.00	5.18	63.18	110.78	-47.60
5723.25	Peak	62.22	5.19	67.41	118.21	-50.80
5745.00	Peak	102.47	5.31	107.78	-	-
5854.75	Peak	48.89	5.82	54.71	111.37	-56.66
5859.96	Peak	49.42	5.87	55.29	109.41	-54.12
5901.02	Peak	51.28	6.26	57.54	85.95	-28.41
5960.20	Peak	50.34	6.14	56.48	68.20	-11.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5624.05	Peak	49.70	4.38	54.08	68.20	-14.12
5651.56	Peak	49.56	4.59	54.15	69.35	-15.20
5717.62	Peak	48.33	5.17	53.50	110.13	-56.63
5720.96	Peak	48.13	5.19	53.32	112.98	-59.66
5825.00	Peak	94.56	5.58	100.14	-	-
5850.17	Peak	56.43	5.78	62.21	121.82	-59.61
5855.00	Peak	54.91	5.83	60.74	110.80	-50.06
5887.05	Peak	49.63	6.13	55.76	96.28	-40.52
5945.41	Peak	49.16	6.17	55.33	68.20	-12.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.64	Peak	49.97	4.49	54.46	68.20	-13.74
5663.85	Peak	50.51	4.71	55.22	78.45	-23.23
5708.87	Peak	48.74	5.12	53.86	107.68	-53.82
5721.17	Peak	48.66	5.19	53.85	113.46	-59.61
5825.00	Peak	96.80	5.58	102.38	-	-
5850.00	Peak	59.00	5.78	64.78	122.20	-57.42
5858.09	Peak	55.59	5.85	61.44	109.94	-48.50
5897.06	Peak	49.44	6.23	55.67	88.88	-33.21
5960.00	Peak	49.58	6.14	55.72	68.20	-12.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5594.25	Peak	51.05	4.21	55.26	68.20	-12.94
5674.69	Peak	49.43	4.83	54.26	86.47	-32.21
5707.83	Peak	48.72	5.12	53.84	107.39	-53.55
5722.00	Peak	47.80	5.19	52.99	115.36	-62.37
5825.00	Peak	101.34	5.58	106.92	-	-
5851.63	Peak	62.95	5.79	68.74	118.50	-49.76
5855.00	Peak	57.43	5.83	63.26	110.80	-47.54
5883.72	Peak	49.07	6.10	55.17	98.75	-43.58
5967.29	Peak	49.57	6.13	55.70	68.20	-12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5636.35	Peak	50.46	4.48	54.94	68.20	-13.26
5672.40	Peak	51.16	4.80	55.96	84.78	-28.82
5703.45	Peak	50.13	5.10	55.23	106.17	-50.94
5721.58	Peak	49.40	5.19	54.59	114.41	-59.82
5825.00	Peak	107.94	5.58	113.52	-	-
5852.04	Peak	70.18	5.80	75.98	117.54	-41.56
5855.00	Peak	67.40	5.83	73.23	110.80	-37.57
5876.43	Peak	56.63	6.03	62.66	104.15	-41.49
5954.37	Peak	49.54	6.15	55.69	68.20	-12.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5634.68	Peak	49.49	4.46	53.95	68.20	-14.25
5676.98	Peak	49.31	4.85	54.16	88.17	-34.01
5709.91	Peak	50.13	5.13	55.26	107.98	-52.72
5722.21	Peak	47.95	5.19	53.14	115.83	-62.69
5825.00	Peak	101.07	5.58	106.65	-	-
5850.38	Peak	58.37	5.78	64.15	121.35	-57.20
5866.42	Peak	51.69	5.94	57.63	107.60	-49.97
5912.69	Peak	50.17	6.24	56.41	77.31	-20.90
5952.91	Peak	48.98	6.15	55.13	68.20	-13.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.89	Peak	49.09	4.54	53.63	68.20	-14.57
5672.19	Peak	50.64	4.80	55.44	84.62	-29.18
5714.29	Peak	50.13	5.15	55.28	109.20	-53.92
5721.58	Peak	48.94	5.19	54.13	114.41	-60.28
5825.00	Peak	102.77	5.58	108.35	-	-
5852.04	Peak	63.28	5.80	69.08	117.54	-48.46
5855.00	Peak	54.28	5.83	60.11	110.80	-50.69
5888.30	Peak	49.62	6.15	55.77	95.35	-39.58
5951.24	Peak	50.06	6.16	56.22	68.20	-11.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-13
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5649.06	Peak	49.52	4.58	54.10	68.20	-14.10
5662.60	Peak	49.82	4.71	54.53	77.53	-23.00
5717.00	Peak	48.52	5.16	53.68	109.96	-56.28
5724.08	Peak	47.76	5.19	52.95	120.11	-67.16
5825.00	Peak	96.61	5.58	102.19	-	-
5854.75	Peak	55.67	5.82	61.49	111.37	-49.88
5855.00	Peak	55.05	5.83	60.88	110.80	-49.92
5896.64	Peak	49.23	6.22	55.45	89.19	-33.74
5933.53	Peak	50.49	6.19	56.68	68.20	-11.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5524.02	Peak	51.19	4.63	55.82	68.20	-12.38
5695.95	Peak	50.52	5.04	55.56	102.20	-46.64
5719.92	Peak	49.66	5.18	54.84	110.78	-55.94
5719.92	Peak	49.66	5.18	54.84	110.78	-55.94
5825.00	Peak	102.04	5.58	107.62	-	-
5851.83	Peak	53.99	5.79	59.78	118.02	-58.24
5856.00	Peak	55.05	5.84	60.89	110.52	-49.63
5905.81	Peak	49.59	6.25	55.84	82.40	-26.56
5946.45	Peak	49.40	6.17	55.57	68.20	-12.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5609.46	Peak	49.69	4.26	53.95	68.20	-14.25
5672.19	Peak	50.00	4.80	54.80	84.62	-29.82
5707.20	Peak	49.56	5.11	54.67	107.22	-52.55
5724.29	Peak	49.87	5.20	55.07	123.16	-68.09
5885.00	Average	49.70	6.11	55.81	-	-
5885.00	Peak	93.77	6.11	99.88	-	-
5895.00	Average	72.18	6.21	78.39	90.20	-11.81
5895.00	Peak	79.45	6.21	85.66	110.20	-24.54
5925.40	Average	39.90	6.21	46.11	68.20	-22.09
5927.90	Peak	49.68	6.20	55.88	88.20	-32.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5634.89	Peak	49.96	4.46	54.42	68.20	-13.78
5675.11	Peak	49.34	4.83	54.17	86.78	-32.61
5706.58	Peak	49.36	5.11	54.47	107.04	-52.57
5720.33	Peak	49.20	5.18	54.38	111.75	-57.37
5885.00	Average	49.97	6.11	56.08	-	-
5885.00	Peak	96.45	6.11	102.56	-	-
5895.00	Average	75.67	6.21	81.88	90.20	-8.32
5895.00	Peak	82.46	6.21	88.67	110.20	-21.53
5956.45	Average	41.10	6.14	47.24	68.20	-20.96
5957.91	Peak	49.76	6.14	55.90	88.20	-32.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-13
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5591.96	Peak	50.48	4.22	54.70	68.20	-13.50
5697.20	Peak	49.22	5.05	54.27	103.13	-48.86
5715.54	Peak	50.08	5.15	55.23	109.55	-54.32
5723.04	Peak	50.18	5.19	55.37	119.56	-64.19
5885.00	Average	50.49	6.11	56.60	-	-
5885.00	Peak	100.64	6.11	106.75	-	-
5895.00	Average	82.26	6.21	88.47	90.20	-1.73
5895.00	Peak	89.54	6.21	95.75	110.20	-14.45
5931.44	Peak	51.55	6.19	57.74	88.20	-30.46
5973.54	Average	40.09	6.11	46.20	68.20	-22.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5594.67	Peak	49.17	4.21	53.38	68.20	-14.82
5694.49	Peak	50.17	5.03	55.20	101.12	-45.92
5714.91	Peak	49.55	5.15	54.70	109.38	-54.68
5722.62	Peak	47.34	5.20	52.54	118.36	-65.82
5885.00	Average	49.18	6.11	55.29	-	-
5885.00	Peak	102.85	6.11	108.96	-	-
5895.00	Average	82.68	6.21	88.89	90.20	-1.31
5895.00	Peak	93.61	6.21	99.82	110.20	-10.38
5926.23	Peak	54.39	6.21	60.60	88.20	-27.60
5929.57	Average	40.62	6.20	46.82	68.20	-21.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5523.18	Peak	48.86	4.63	53.49	68.20	-14.71
5658.44	Peak	49.66	4.66	54.32	74.44	-20.12
5716.37	Peak	48.72	5.16	53.88	109.78	-55.90
5719.92	Peak	47.91	5.18	53.09	110.78	-57.69
5885.00	Average	48.87	6.11	54.98	-	-
5885.00	Peak	97.83	6.11	103.94	-	-
5895.00	Average	78.89	6.21	85.10	90.20	-5.10
5895.00	Peak	85.19	6.21	91.40	110.20	-18.80
5927.07	Average	39.72	6.21	45.93	68.20	-22.27
5967.08	Peak	49.26	6.13	55.39	88.20	-32.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5643.22	Peak	50.82	4.53	55.35	68.20	-12.85
5696.78	Peak	49.22	5.05	54.27	102.82	-48.55
5710.75	Peak	48.42	5.13	53.55	108.21	-54.66
5720.96	Peak	49.09	5.19	54.28	113.56	-59.28
5885.00	Average	50.83	6.11	56.94	-	-
5885.00	Peak	102.79	6.11	108.90	-	-
5895.00	Average	81.87	6.21	88.08	90.20	-2.12
5895.00	Peak	89.26	6.21	95.47	110.20	-14.73
5940.82	Peak	49.50	6.18	55.68	88.20	-32.52
5971.04	Average	40.27	6.12	46.39	68.20	-21.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002669ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :Ant 180

Test Site :SAC G Chamber
Test Date :2025-02-14
Temp./Humi. :22.9°C/53%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5563.20	Peak	50.70	4.36	55.06	68.20	-13.14
5671.57	Peak	48.98	4.79	53.77	84.16	-30.39
5706.79	Peak	49.00	5.11	54.11	107.10	-52.99
5724.50	Peak	48.51	5.20	53.71	123.76	-70.05
5885.00	Average	50.70	6.11	56.81	-	-
5885.00	Peak	95.10	6.11	101.21	-	-
5895.00	Average	75.34	6.21	81.55	90.20	-8.65
5895.00	Peak	81.99	6.21	88.20	110.20	-22.00
5927.07	Average	39.64	6.21	45.85	68.20	-22.35
5965.41	Peak	48.87	6.13	55.00	88.20	-33.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002669ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :Ant 180

Test Site :SAC G Chamber
 Test Date :2025-02-14
 Temp./Humi. :22.9°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5469.00	Peak	49.27	4.49	53.76	68.20	-14.44
5697.41	Peak	49.36	5.05	54.41	103.28	-48.87
5717.41	Peak	48.98	5.16	54.14	110.08	-55.94
5722.21	Peak	47.30	5.19	52.49	117.16	-64.67
5885.00	Average	49.28	6.11	55.39	-	-
5885.00	Peak	98.13	6.11	104.24	-	-
5895.00	Average	79.33	6.21	85.54	90.20	-4.66
5895.00	Peak	87.95	6.21	94.16	110.20	-16.04
5969.17	Peak	48.87	6.12	54.99	88.20	-33.21
5973.13	Average	40.19	6.11	46.30	68.20	-21.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c) & RSS-247 §6.4

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

13.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

14 PHOTOGRAPHS OF SET UP

Please refer to the attached file (Setup Photo)

15 PHOTOGRAPHS OF EUT

Please refer to the attached file (EUT Photo)

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group