



Test Mode	UNII-2C_TX AC (VHT80) MODE 5530 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5458.570	17.21	37.65	54.86	74.00	-19.14	peak	
2		5458.570	6.16	37.65	43.81	54.00	-10.19	AVG	
3		5461.450	18.69	37.65	56.34	68.20	-11.86	peak	
4	X	5530.000	63.04	37.75	100.79	74.00	26.79	peak	No Limit
5	*	5530.000	54.15	37.75	91.90	54.00	37.90	AVG	No Limit

Test Mode	UNII-2C_TX AC (VHT80) MODE 5530 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11060.00	50.53	2.54	53.07	74.00	-20.93	peak	
2	*	11060.00	40.52	2.54	43.06	54.00	-10.94	AVG	

Test Mode	UNII-2C_TX AC (VHT80) MODE 5530 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5453.950	25.28	37.64	62.92	74.00	-11.08	peak	
2		5453.950	14.47	37.64	52.11	54.00	-1.89	AVG	
3		5469.460	29.53	37.65	67.18	68.20	-1.02	peak	
4	X	5530.000	70.10	37.75	107.85	74.00	33.85	peak	No Limit
5	*	5530.000	61.27	37.75	99.02	54.00	45.02	AVG	No Limit

Test Mode	UNII-2C_TX AC (VHT80) MODE 5530 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11060.00	51.54	2.54	54.08	74.00	-19.92	peak	
2	*	11060.00	40.73	2.54	43.27	54.00	-10.73	AVG	

Test Mode	UNII-2C_TX AC (VHT80) MODE 5610 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5457.910	16.78	37.64	54.42	74.00	-19.58	peak	
2		5457.910	6.19	37.64	43.83	54.00	-10.17	AVG	
3		5463.170	18.12	37.65	55.77	68.20	-12.43	peak	
4	X	5610.000	66.81	37.92	104.73	74.00	30.73	peak	No Limit
5	*	5610.000	57.72	37.92	95.64	54.00	41.64	AVG	No Limit
6		5728.050	21.23	38.15	59.38	68.20	-8.82	peak	

Test Mode	UNII-2C_TX AC (VHT80) MODE 5610 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11220.00	52.31	2.67	54.98	74.00	-19.02	peak	
2	*	11220.00	40.85	2.67	43.52	54.00	-10.48	AVG	

Test Mode	UNII-2C_TX AC (VHT80) MODE 5610 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5457.360	22.20	37.64	59.84	74.00	-14.16	peak	
2		5457.360	11.55	37.64	49.19	54.00	-4.81	AVG	
3		5460.910	25.41	37.65	63.06	68.20	-5.14	peak	
4	X	5610.000	74.33	37.92	112.25	74.00	38.25	peak	No Limit
5	*	5610.000	64.59	37.92	102.51	54.00	48.51	AVG	No Limit
6		5725.935	28.93	38.15	67.08	68.20	-1.12	peak	

Test Mode	UNII-2C_TX AC (VHT80) MODE 5610 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11220.00	51.14	2.67	53.81	74.00	-20.19	peak	
2	*	11220.00	41.00	2.67	43.67	54.00	-10.33	AVG	

Test Mode	UNII-3_TX A MODE 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5645.845	18.18	37.99	56.17	68.20	-12.03	peak	
2		5667.100	16.85	38.04	54.89	80.89	-26.00	peak	
3		5717.200	26.13	38.14	64.27	110.02	-45.75	peak	
4		5722.825	30.88	38.15	69.03	117.24	-48.21	peak	
5		5745.000	72.95	38.19	111.14	122.20	-11.06	peak	No Limit
6	*	5745.000	64.01	38.19	102.20	54.00	48.20	AVG	No Limit

Test Mode UNII-3_TX A MODE 5745 MHz


Polarization

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	53.13	2.89	56.02	74.00	-17.98	peak	
2	*	11490.00	40.42	2.89	43.31	54.00	-10.69	AVG	

Test Mode	UNII-3_TX A MODE 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5646.390	27.80	37.99	65.79	68.20	-2.41	peak	
2		5655.650	28.23	38.01	66.24	72.40	-6.16	peak	
3		5715.080	34.99	38.13	73.12	109.42	-36.30	peak	
4		5724.605	42.99	38.15	81.14	121.30	-40.16	peak	
5		5745.000	77.71	38.19	115.90	122.20	-6.30	peak	No Limit
6	*	5745.000	67.72	38.19	105.91	54.00	51.91	AVG	No Limit

Test Mode UNII-3_TX A MODE 5745 MHz


Polarization

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11490.00	56.32	2.89	59.21	74.00	-14.79	peak	
2	*	11490.00	44.02	2.89	46.91	54.00	-7.09	AVG	

Test Mode	UNII-3_TX A MODE 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5688.420	16.83	38.08	54.91	96.66	-41.75	peak	
2		5708.520	16.74	38.12	54.86	107.59	-52.73	peak	
3		5724.285	14.44	38.15	52.59	120.57	-67.98	peak	
4		5785.000	72.65	38.28	110.93	122.20	-11.27	peak	No Limit
5	*	5785.000	63.33	38.28	101.61	54.00	47.61	AVG	No Limit
6		5854.095	13.95	38.42	52.37	112.86	-60.49	peak	
7		5870.260	14.64	38.45	53.09	106.53	-53.44	peak	
8		5879.340	15.21	38.47	53.68	101.98	-48.30	peak	

Test Mode	UNII-3_TX A MODE 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	54.34	2.72	57.06	74.00	-16.94	peak	
2	*	11570.00	42.91	2.72	45.63	54.00	-8.37	AVG	

Test Mode	UNII-3_TX A MODE 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5698.545	23.58	38.10	61.68	104.13	-42.45	peak	
2		5707.460	24.27	38.12	62.39	107.29	-44.90	peak	
3		5722.405	24.14	38.15	62.29	116.28	-53.99	peak	
4		5785.000	77.13	38.28	115.41	122.20	-6.79	peak	No Limit
5	*	5785.000	67.67	38.28	105.95	54.00	51.95	AVG	No Limit
6		5850.320	23.58	38.41	61.99	121.47	-59.48	peak	
7		5862.740	22.35	38.44	60.79	108.63	-47.84	peak	
8		5879.540	22.35	38.47	60.82	101.83	-41.01	peak	

Test Mode	UNII-3_TX A MODE 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	56.98	2.72	59.70	74.00	-14.30	peak	
2	*	11570.00	44.42	2.72	47.14	54.00	-6.86	AVG	

Test Mode	UNII-3_TX A MODE 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5825.000	73.17	38.36	111.53	122.20	-10.67	peak	No Limit
2	*	5825.000	63.99	38.36	102.35	54.00	48.35	AVG	No Limit
3		5850.045	30.05	38.41	68.46	122.10	-53.64	peak	
4		5857.240	24.60	38.42	63.02	110.17	-47.15	peak	
5		5917.700	22.70	38.55	61.25	73.58	-12.33	peak	

Test Mode	UNII-3_TX A MODE 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	55.77	2.50	58.27	74.00	-15.73	peak	
2	*	11650.00	44.38	2.50	46.88	54.00	-7.12	AVG	

Test Mode	UNII-3_TX A MODE 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5825.000	76.43	38.36	114.79	122.20	-7.41	peak	No Limit
2	*	5825.000	67.47	38.36	105.83	54.00	51.83	AVG	No Limit
3		5850.535	32.24	38.41	70.65	120.98	-50.33	peak	
4		5855.240	27.53	38.42	65.95	110.73	-44.78	peak	
5		5884.450	22.08	38.49	60.57	98.18	-37.61	peak	

Test Mode UNII-3_TX A MODE 5825 MHz


Polarization

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	57.97	2.50	60.47	74.00	-13.53	peak	
2	*	11650.00	45.42	2.50	47.92	54.00	-6.08	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5645.825	15.90	37.99	53.89	68.20	-14.31	peak	
2		5697.600	14.86	38.10	52.96	103.43	-50.47	peak	
3		5718.900	16.22	38.14	54.36	110.49	-56.13	peak	
4		5722.925	20.62	38.15	58.77	117.47	-58.70	peak	
5		5745.000	68.60	38.19	106.79	122.20	-15.41	peak	No Limit
6	*	5745.000	57.51	38.19	95.70	54.00	41.70	AVG	No Limit

Test Mode UNII-3_TX N (HT20) MODE 5745 MHz


Polarization

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	51.16	2.89	54.05	74.00	-19.95	peak	
2	*	11490.00	41.37	2.89	44.26	54.00	-9.74	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5649.940	22.62	38.00	60.62	68.20	-7.58	peak	
2		5679.450	21.28	38.06	59.34	90.03	-30.69	peak	
3		5713.200	26.34	38.13	64.47	108.90	-44.43	peak	
4		5723.200	35.39	38.15	73.54	118.10	-44.56	peak	
5		5745.000	74.69	38.19	112.88	122.20	-9.32	peak	No Limit
6	*	5745.000	65.23	38.19	103.42	54.00	49.42	AVG	No Limit

Test Mode UNII-3_TX N (HT20) MODE 5745 MHz


Polarization

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	51.41	2.89	54.30	74.00	-19.70	peak	
2	*	11490.00	41.43	2.89	44.32	54.00	-9.68	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5699.280	14.72	38.10	52.82	104.67	-51.85	peak	
2		5703.920	13.55	38.11	51.66	106.30	-54.64	peak	
3		5722.835	13.68	38.15	51.83	117.27	-65.44	peak	
4		5785.000	67.36	38.28	105.64	122.20	-16.56	peak	No Limit
5	*	5785.000	57.56	38.28	95.84	54.00	41.84	AVG	No Limit
6		5851.545	14.32	38.41	52.73	118.68	-65.95	peak	
7		5873.975	13.30	38.46	51.76	105.49	-53.73	peak	
8		5881.440	13.71	38.48	52.19	100.42	-48.23	peak	

Test Mode	UNII-3_TX N (HT20) MODE 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	50.63	2.72	53.35	74.00	-20.65	peak	
2	*	11570.00	41.50	2.72	44.22	54.00	-9.78	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5688.450	21.49	38.08	59.57	96.68	-37.11	peak	
2		5701.960	21.37	38.10	59.47	105.75	-46.28	peak	
3		5722.600	28.72	38.15	66.87	116.73	-49.86	peak	
4		5785.000	74.68	38.28	112.96	122.20	-9.24	peak	No Limit
5	*	5785.000	65.08	38.28	103.36	54.00	49.36	AVG	No Limit
6		5854.190	20.71	38.42	59.13	112.65	-53.52	peak	
7		5872.100	20.29	38.46	58.75	106.01	-47.26	peak	
8		5876.200	18.81	38.46	57.27	104.31	-47.04	peak	

Test Mode	UNII-3_TX N (HT20) MODE 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	50.84	2.72	53.56	74.00	-20.44	peak	
2	*	11570.00	41.74	2.72	44.46	54.00	-9.54	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5825.000	67.69	38.36	106.05	122.20	-16.15	peak	No Limit
2	*	5825.000	57.76	38.36	96.12	54.00	42.12	AVG	No Limit
3		5853.550	18.20	38.42	56.62	114.10	-57.48	peak	
4		5868.620	13.75	38.45	52.20	106.98	-54.78	peak	
5		5876.000	15.02	38.46	53.48	104.46	-50.98	peak	

Test Mode	UNII-3_TX N (HT20) MODE 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	51.22	2.50	53.72	74.00	-20.28	peak	
2	*	11650.00	41.89	2.50	44.39	54.00	-9.61	AVG	

Test Mode	UNII-3_TX N (HT20) MODE 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5825.000	74.88	38.36	113.24	122.20	-8.96	peak	No Limit
2	*	5825.000	65.21	38.36	103.57	54.00	49.57	AVG	No Limit
3		5850.255	25.96	38.41	64.37	121.62	-57.25	peak	
4		5855.620	21.61	38.42	60.03	110.63	-50.60	peak	
5		5903.150	20.42	38.53	58.95	84.33	-25.38	peak	

Test Mode	UNII-3_TX N (HT20) MODE 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	52.00	2.50	54.50	74.00	-19.50	peak	
2	*	11650.00	41.92	2.50	44.42	54.00	-9.58	AVG	

Test Mode UNII-3_TX N (HT40) MODE 5755 MHz


Polarization

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5641.450	15.22	37.99	53.21	68.20	-14.99	peak	
2		5683.750	15.21	38.06	53.27	93.21	-39.94	peak	
3		5718.200	23.92	38.14	62.06	110.30	-48.24	peak	
4		5722.175	27.61	38.15	65.76	115.76	-50.00	peak	
5		5755.000	67.00	38.22	105.22	122.20	-16.98	peak	No Limit
6	*	5755.000	60.36	38.22	98.58	54.00	44.58	AVG	No Limit
7		5851.395	15.73	38.41	54.14	119.02	-64.88	peak	
8		5855.580	15.06	38.42	53.48	110.64	-57.16	peak	
9		5875.650	14.46	38.46	52.92	104.72	-51.80	peak	
10		5947.290	13.04	38.62	51.66	68.20	-16.54	peak	

Test Mode	UNII-3_TX N (HT40) MODE 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	50.90	2.88	53.78	74.00	-20.22	peak	
2	*	11510.00	41.43	2.88	44.31	54.00	-9.69	AVG	

Test Mode	UNII-3_TX N (HT40) MODE 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5646.010	20.93	37.99	58.92	68.20	-9.28	peak	
2		5699.950	25.06	38.10	63.16	105.16	-42.00	peak	
3		5719.780	36.90	38.14	75.04	110.74	-35.70	peak	
4		5721.600	38.40	38.14	76.54	114.45	-37.91	peak	
5		5755.000	74.77	38.22	112.99	122.20	-9.21	peak	No Limit
6	*	5755.000	65.57	38.22	103.79	54.00	49.79	AVG	No Limit
7		5850.355	19.74	38.41	58.15	121.39	-63.24	peak	
8		5869.560	19.36	38.45	57.81	106.72	-48.91	peak	
9		5878.350	18.03	38.47	56.50	102.71	-46.21	peak	
10		5928.090	15.36	38.57	53.93	68.20	-14.27	peak	

Test Mode	UNII-3_TX N (HT40) MODE 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	52.05	2.88	54.93	74.00	-19.07	peak	
2	*	11510.00	41.65	2.88	44.53	54.00	-9.47	AVG	

Test Mode	UNII-3_TX N (HT40) MODE 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5608.255	14.20	37.91	52.11	68.20	-16.09	peak	
2		5667.000	14.52	38.04	52.56	80.82	-28.26	peak	
3		5711.660	14.27	38.13	52.40	108.47	-56.07	peak	
4		5720.600	14.19	38.14	52.33	112.17	-59.84	peak	
5		5795.000	63.32	38.30	101.62	122.20	-20.58	peak	No Limit
6	*	5795.000	57.53	38.30	95.83	54.00	41.83	AVG	No Limit
7		5853.570	14.35	38.42	52.77	114.06	-61.29	peak	
8		5864.400	13.06	38.44	51.50	108.17	-56.67	peak	
9		5908.500	13.72	38.53	52.25	80.38	-28.13	peak	
10		5959.230	13.79	38.63	52.42	68.20	-15.78	peak	

Test Mode UNII-3_TX N (HT40) MODE 5795 MHz


Polarization

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11590.00	51.51	2.67	54.18	74.00	-19.82	peak	
2	*	11590.00	41.56	2.67	44.23	54.00	-9.77	AVG	

Test Mode	UNII-3_TX N (HT40) MODE 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5649.175	20.22	38.00	58.22	68.20	-9.98	peak	
2		5699.350	21.97	38.10	60.07	104.72	-44.65	peak	
3		5702.100	21.81	38.10	59.91	105.79	-45.88	peak	
4		5722.860	21.94	38.15	60.09	117.32	-57.23	peak	
5		5795.000	74.94	38.30	113.24	122.20	-8.96	peak	No Limit
6	*	5795.000	65.55	38.30	103.85	54.00	49.85	AVG	No Limit
7		5851.020	21.03	38.41	59.44	119.87	-60.43	peak	
8		5870.960	19.60	38.45	58.05	106.33	-48.28	peak	
9		5880.250	17.86	38.47	56.33	101.30	-44.97	peak	
10		5928.290	17.18	38.58	55.76	68.20	-12.44	peak	

Test Mode	UNII-3_TX N (HT40) MODE 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	51.81	2.67	54.48	74.00	-19.52	peak	
2	*	11590.00	41.89	2.67	44.56	54.00	-9.44	AVG	

Test Mode	UNII-3_TX AC (VHT80) MODE 5775 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5647.500	13.50	38.00	51.50	68.20	-16.70	peak	
2		5682.900	17.27	38.06	55.33	92.58	-37.25	peak	
3		5711.660	18.44	38.13	56.57	108.47	-51.90	peak	
4		5721.760	20.44	38.14	58.58	114.81	-56.23	peak	
5		5775.000	61.37	38.26	99.63	122.20	-22.57	peak	No Limit
6	*	5775.000	51.44	38.26	89.70	54.00	35.70	AVG	No Limit
7		5852.785	15.57	38.41	53.98	115.85	-61.87	peak	
8		5863.660	15.62	38.44	54.06	108.37	-54.31	peak	
9		5914.550	12.86	38.54	51.40	75.91	-24.51	peak	
10		5949.800	13.53	38.62	52.15	68.20	-16.05	peak	

Test Mode	UNII-3_TX AC (VHT80) MODE 5775 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11551.35	40.71	2.77	43.48	54.00	-10.52	AVG	
2		11551.50	53.12	2.77	55.89	74.00	-18.11	peak	

Test Mode	UNII-3_TX AC (VHT80) MODE 5775 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5636.125	19.61	37.97	57.58	68.20	-10.62	peak	
2		5696.950	25.63	38.10	63.73	102.95	-39.22	peak	
3		5719.540	31.10	38.14	69.24	110.67	-41.43	peak	
4		5722.260	38.01	38.15	76.16	115.95	-39.79	peak	
5		5775.000	68.40	38.26	106.66	122.20	-15.54	peak	No Limit
6	*	5775.000	58.09	38.26	96.35	54.00	42.35	AVG	No Limit
7		5851.665	27.11	38.41	65.52	118.40	-52.88	peak	
8		5860.700	23.71	38.44	62.15	109.20	-47.05	peak	
9		5883.450	18.55	38.48	57.03	98.92	-41.89	peak	
10		5935.700	14.91	38.59	53.50	68.20	-14.70	peak	

Test Mode	UNII-3_TX AC (VHT80) MODE 5775 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11550.00	50.77	2.77	53.54	74.00	-20.46	peak	
2	*	11550.00	40.03	2.77	42.80	54.00	-11.20	AVG	