

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.3528G	53.84	54.00	-0.16	3.11	3	V	353	3.61	-
802.11ac VHT80_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	5.458G	53.84	54.00	-0.16	3.22	3	V	6	2.71	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11a_(6Mbps)_3TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1298G	46.13	54.00	-7.87	2.88	3	H	187	3.69	-
5260MHz	Pass	AV	5.2588G	95.95	Inf	-Inf	3.01	3	H	187	3.69	-
5260MHz	Pass	AV	5.3506G	45.52	54.00	-8.48	3.11	3	H	187	3.69	-
5260MHz	Pass	PK	5.1112G	57.54	74.00	-16.46	2.86	3	H	187	3.69	-
5260MHz	Pass	PK	5.2588G	104.81	Inf	-Inf	3.01	3	H	187	3.69	-
5260MHz	Pass	PK	5.3758G	57.41	74.00	-16.59	3.14	3	H	187	3.69	-
5260MHz	Pass	AV	5.1262G	46.34	54.00	-7.66	2.88	3	V	272	1.03	-
5260MHz	Pass	AV	5.2624G	100.19	Inf	-Inf	3.02	3	V	272	1.03	-
5260MHz	Pass	AV	5.3614G	45.89	54.00	-8.11	3.12	3	V	272	1.03	-
5260MHz	Pass	PK	5.1112G	58.04	74.00	-15.96	2.86	3	V	272	1.03	-
5260MHz	Pass	PK	5.2618G	108.36	Inf	-Inf	3.02	3	V	272	1.03	-
5260MHz	Pass	PK	5.4058G	57.49	74.00	-16.51	3.17	3	V	272	1.03	-
5260MHz	Pass	AV	15.78G	45.90	54.00	-8.10	13.76	3	H	0	1.50	-
5260MHz	Pass	PK	15.78G	58.09	74.00	-15.91	13.76	3	H	0	1.50	-
5260MHz	Pass	AV	15.78G	45.84	54.00	-8.16	13.76	3	V	360	1.50	-
5260MHz	Pass	PK	15.78G	56.38	74.00	-17.62	13.76	3	V	360	1.50	-
5300MHz	Pass	AV	5.2968G	94.63	Inf	-Inf	3.06	3	H	22	2.19	-
5300MHz	Pass	AV	5.3576G	46.31	54.00	-7.69	3.12	3	H	22	2.19	-
5300MHz	Pass	PK	5.2972G	102.91	Inf	-Inf	3.06	3	H	22	2.19	-
5300MHz	Pass	PK	5.358G	60.53	74.00	-13.47	3.12	3	H	22	2.19	-
5300MHz	Pass	AV	5.2964G	101.84	Inf	-Inf	3.06	3	V	256	2.40	-
5300MHz	Pass	AV	5.350005G	50.99	54.00	-3.01	3.11	3	V	256	2.40	-
5300MHz	Pass	PK	5.296G	110.12	Inf	-Inf	3.06	3	V	256	2.40	-
5300MHz	Pass	PK	5.3576G	67.67	74.00	-6.33	3.12	3	V	256	2.40	-
5300MHz	Pass	AV	10.6G	45.24	54.00	-8.76	13.41	3	H	0	1.50	-
5300MHz	Pass	PK	10.6G	55.74	74.00	-18.26	13.41	3	H	0	1.50	-
5300MHz	Pass	AV	10.6G	44.31	54.00	-9.69	13.41	3	V	360	1.50	-
5300MHz	Pass	PK	10.6G	55.70	74.00	-18.30	13.41	3	V	360	1.50	-
5320MHz	Pass	AV	5.3172G	95.46	Inf	-Inf	3.08	3	H	45	1.05	-
5320MHz	Pass	AV	5.350005G	50.65	54.00	-3.35	3.11	3	H	45	1.05	-
5320MHz	Pass	PK	5.3172G	103.82	Inf	-Inf	3.08	3	H	45	1.05	-
5320MHz	Pass	PK	5.350005G	66.75	74.00	-7.25	3.11	3	H	45	1.05	-
5320MHz	Pass	AV	5.3166G	101.07	Inf	-Inf	3.08	3	V	254	2.46	-
5320MHz	Pass	AV	5.350005G	53.76	54.00	-0.24	3.11	3	V	254	2.46	-
5320MHz	Pass	PK	5.3172G	109.14	Inf	-Inf	3.08	3	V	254	2.46	-
5320MHz	Pass	PK	5.350005G	69.86	74.00	-4.14	3.11	3	V	254	2.46	-
5320MHz	Pass	AV	10.64G	44.35	54.00	-9.65	13.52	3	H	360	1.50	-
5320MHz	Pass	PK	10.64G	55.62	74.00	-18.38	13.52	3	H	360	1.50	-
5320MHz	Pass	AV	10.64G	44.36	54.00	-9.64	13.52	3	V	0	1.50	-
5320MHz	Pass	PK	10.64G	55.73	74.00	-18.27	13.52	3	V	0	1.50	-
5500MHz	Pass	AV	5.4564G	46.61	54.00	-7.39	3.22	3	H	179	2.47	-
5500MHz	Pass	AV	5.502G	94.10	Inf	-Inf	3.27	3	H	179	2.47	-
5500MHz	Pass	PK	5.4582G	58.46	74.00	-15.54	3.22	3	H	179	2.47	-
5500MHz	Pass	PK	5.4698G	64.87	68.20	-3.33	3.24	3	H	179	2.47	-
5500MHz	Pass	PK	5.5018G	101.86	Inf	-Inf	3.27	3	H	179	2.47	-
5500MHz	Pass	AV	5.4538G	48.03	54.00	-5.97	3.22	3	V	235	2.42	-
5500MHz	Pass	AV	5.4944G	99.00	Inf	-Inf	3.26	3	V	235	2.42	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.46G	62.61	74.00	-11.39	3.23	3	V	235	2.42	-
5500MHz	Pass	PK	5.464G	67.61	68.20	-0.59	3.23	3	V	235	2.42	-
5500MHz	Pass	PK	5.4944G	106.81	Inf	-Inf	3.26	3	V	235	2.42	-
5500MHz	Pass	AV	11G	45.77	54.00	-8.23	14.46	3	H	0	1.50	-
5500MHz	Pass	PK	11G	56.92	74.00	-17.08	14.46	3	H	0	1.50	-
5500MHz	Pass	AV	11G	45.80	54.00	-8.20	14.46	3	V	0	1.50	-
5500MHz	Pass	PK	11G	57.21	74.00	-16.79	14.46	3	V	0	1.50	-
5580MHz	Pass	AV	5.4582G	45.66	54.00	-8.34	3.22	3	H	182	3.37	-
5580MHz	Pass	AV	5.5812G	93.56	Inf	-Inf	3.33	3	H	182	3.37	-
5580MHz	Pass	PK	5.448G	56.78	74.00	-17.22	3.21	3	H	182	3.37	-
5580MHz	Pass	PK	5.4624G	56.56	68.20	-11.64	3.23	3	H	182	3.37	-
5580MHz	Pass	PK	5.5812G	102.18	Inf	-Inf	3.33	3	H	182	3.37	-
5580MHz	Pass	PK	5.73G	57.04	68.20	-11.16	3.46	3	H	182	3.37	-
5580MHz	Pass	AV	5.4534G	46.10	54.00	-7.90	3.22	3	V	257	2.35	-
5580MHz	Pass	AV	5.5728G	99.62	Inf	-Inf	3.33	3	V	257	2.35	-
5580MHz	Pass	PK	5.4516G	57.35	74.00	-16.65	3.22	3	V	257	2.35	-
5580MHz	Pass	PK	5.4666G	56.72	68.20	-11.48	3.23	3	V	257	2.35	-
5580MHz	Pass	PK	5.5728G	108.92	Inf	-Inf	3.33	3	V	257	2.35	-
5580MHz	Pass	PK	5.7264G	56.73	68.20	-11.47	3.46	3	V	257	2.35	-
5580MHz	Pass	AV	11.16G	45.71	54.00	-8.29	14.19	3	H	360	1.50	-
5580MHz	Pass	PK	11.16G	56.44	74.00	-17.56	14.19	3	H	360	1.50	-
5580MHz	Pass	AV	11.16G	45.73	54.00	-8.27	14.19	3	V	0	1.50	-
5580MHz	Pass	PK	11.16G	56.83	74.00	-17.17	14.19	3	V	0	1.50	-
5700MHz	Pass	AV	5.6952G	88.00	Inf	-Inf	3.44	3	H	164	1.02	-
5700MHz	Pass	PK	5.6944G	95.16	Inf	-Inf	3.43	3	H	164	1.02	-
5700MHz	Pass	PK	5.7264G	64.59	68.20	-3.61	3.46	3	H	164	1.02	-
5700MHz	Pass	AV	5.7032G	94.37	Inf	-Inf	3.44	3	V	259	2.37	-
5700MHz	Pass	PK	5.7032G	102.56	Inf	-Inf	3.44	3	V	259	2.37	-
5700MHz	Pass	PK	5.7256G	67.64	68.20	-0.56	3.46	3	V	259	2.37	-
5700MHz	Pass	AV	11.4G	44.37	54.00	-9.63	13.78	3	H	0	1.50	-
5700MHz	Pass	PK	11.4G	55.68	74.00	-18.32	13.78	3	H	0	1.50	-
5700MHz	Pass	AV	11.4G	44.38	54.00	-9.62	13.78	3	V	360	1.50	-
5700MHz	Pass	PK	11.4G	55.89	74.00	-18.11	13.78	3	V	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.57	54.00	-8.43	3.22	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	88.78	Inf	-Inf	3.45	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	56.66	74.00	-17.34	3.20	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.26	68.20	-11.94	3.23	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	97.57	Inf	-Inf	3.45	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9648G	57.96	68.20	-10.24	3.65	3	H	164	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	45.64	54.00	-8.36	3.21	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	95.32	Inf	-Inf	3.45	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	56.75	74.00	-17.25	3.19	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.08	68.20	-12.12	3.23	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	104.64	Inf	-Inf	3.45	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9636G	57.22	68.20	-10.98	3.65	3	V	258	2.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	44.89	54.00	-9.11	13.71	3	H	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.90	74.00	-18.10	13.71	3	H	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	44.86	54.00	-9.14	13.71	3	V	0	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.95	74.00	-18.05	13.71	3	V	0	1.50	-



RSE TX above 1GHz Result_ BCM43525

Appendix E

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1394G	46.17	54.00	-7.83	2.89	3	H	62	1.06	-
5260MHz	Pass	AV	5.257G	94.56	Inf	-Inf	3.01	3	H	62	1.06	-
5260MHz	Pass	AV	5.4082G	45.58	54.00	-8.42	3.17	3	H	62	1.06	-
5260MHz	Pass	PK	5.1442G	57.30	74.00	-16.70	2.89	3	H	62	1.06	-
5260MHz	Pass	PK	5.2564G	103.18	Inf	-Inf	3.01	3	H	62	1.06	-
5260MHz	Pass	PK	5.3662G	56.33	74.00	-17.67	3.13	3	H	62	1.06	-
5260MHz	Pass	AV	5.1406G	46.35	54.00	-7.65	2.89	3	V	252	2.38	-
5260MHz	Pass	AV	5.2564G	100.45	Inf	-Inf	3.01	3	V	252	2.38	-
5260MHz	Pass	AV	5.3518G	45.96	54.00	-8.04	3.11	3	V	252	2.38	-
5260MHz	Pass	PK	5.1238G	56.91	74.00	-17.09	2.87	3	V	252	2.38	-
5260MHz	Pass	PK	5.2564G	108.85	Inf	-Inf	3.01	3	V	252	2.38	-
5260MHz	Pass	PK	5.3536G	57.94	74.00	-16.06	3.11	3	V	252	2.38	-
5260MHz	Pass	AV	10.52G	44.06	54.00	-9.94	13.20	3	H	360	1.50	-
5260MHz	Pass	PK	10.52G	55.63	74.00	-18.37	13.20	3	H	360	1.50	-
5260MHz	Pass	AV	10.52G	44.14	54.00	-9.86	13.20	3	V	0	1.50	-
5260MHz	Pass	PK	10.52G	55.69	74.00	-18.31	13.20	3	V	0	1.50	-
5300MHz	Pass	AV	5.2968G	96.21	Inf	-Inf	3.06	3	H	31	2.70	-
5300MHz	Pass	AV	5.352G	49.20	54.00	-4.80	3.11	3	H	31	2.70	-
5300MHz	Pass	PK	5.302G	105.63	Inf	-Inf	3.06	3	H	31	2.70	-
5300MHz	Pass	PK	5.3548G	66.47	74.00	-7.53	3.11	3	H	31	2.70	-
5300MHz	Pass	AV	5.298G	103.33	Inf	-Inf	3.06	3	V	358	2.59	-
5300MHz	Pass	AV	5.3524G	53.61	54.00	-0.39	3.11	3	V	358	2.59	-
5300MHz	Pass	PK	5.2976G	112.83	Inf	-Inf	3.06	3	V	358	2.59	-
5300MHz	Pass	PK	5.3544G	73.81	74.00	-0.19	3.11	3	V	358	2.59	-
5300MHz	Pass	AV	10.6G	44.14	54.00	-9.86	13.41	3	H	0	1.50	-
5300MHz	Pass	PK	10.6G	56.32	74.00	-17.68	13.41	3	H	0	1.50	-
5300MHz	Pass	AV	10.6G	44.10	54.00	-9.90	13.41	3	V	360	1.50	-
5300MHz	Pass	PK	10.6G	55.66	74.00	-18.34	13.41	3	V	360	1.50	-
5320MHz	Pass	AV	5.3168G	93.30	Inf	-Inf	3.08	3	H	31	2.53	-
5320MHz	Pass	AV	5.3514G	47.64	54.00	-6.36	3.11	3	H	31	2.53	-
5320MHz	Pass	PK	5.3166G	101.65	Inf	-Inf	3.08	3	H	31	2.53	-
5320MHz	Pass	PK	5.3512G	64.59	74.00	-9.41	3.11	3	H	31	2.53	-
5320MHz	Pass	AV	5.3158G	99.91	Inf	-Inf	3.08	3	V	269	2.47	-
5320MHz	Pass	AV	5.3504G	53.14	54.00	-0.86	3.11	3	V	269	2.47	-
5320MHz	Pass	PK	5.3262G	107.90	Inf	-Inf	3.09	3	V	269	2.47	-
5320MHz	Pass	PK	5.351G	71.46	74.00	-2.54	3.11	3	V	269	2.47	-
5320MHz	Pass	AV	10.64G	43.96	54.00	-10.04	13.52	3	H	360	1.50	-
5320MHz	Pass	PK	10.64G	55.80	74.00	-18.20	13.52	3	H	360	1.50	-
5320MHz	Pass	AV	10.64G	44.01	54.00	-9.99	13.52	3	V	0	1.50	-
5320MHz	Pass	PK	10.64G	55.79	74.00	-18.21	13.52	3	V	0	1.50	-
5500MHz	Pass	AV	5.4596G	47.37	54.00	-6.63	3.23	3	V	260	2.41	-
5500MHz	Pass	AV	5.4596G	47.21	54.00	-6.79	3.23	3	V	14	3.69	-
5500MHz	Pass	AV	5.4942G	97.18	Inf	-Inf	3.26	3	V	260	2.41	-
5500MHz	Pass	AV	5.4952G	97.34	Inf	-Inf	3.26	3	V	14	3.69	-
5500MHz	Pass	PK	5.4592G	59.75	74.00	-14.25	3.23	3	V	260	2.41	-
5500MHz	Pass	PK	5.4596G	58.75	74.00	-15.25	3.23	3	V	14	3.69	-
5500MHz	Pass	PK	5.4696G	67.88	68.20	-0.32	3.24	3	V	260	2.41	-
5500MHz	Pass	PK	5.4696G	67.02	68.20	-1.18	3.24	3	V	14	3.69	-



RSE TX above 1GHz Result_ BCM43525

Appendix E

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.4952G	104.51	Inf	-Inf	3.26	3	V	14	3.69	-
5500MHz	Pass	PK	5.5036G	105.94	Inf	-Inf	3.27	3	V	260	2.41	-
5500MHz	Pass	AV	11G	44.97	54.00	-9.03	14.46	3	H	0	1.50	-
5500MHz	Pass	PK	11G	56.93	74.00	-17.07	14.46	3	H	0	1.50	-
5500MHz	Pass	AV	11G	44.94	54.00	-9.06	14.46	3	V	360	1.50	-
5500MHz	Pass	PK	11G	56.93	74.00	-17.07	14.46	3	V	360	1.50	-
5580MHz	Pass	AV	5.4594G	45.77	54.00	-8.23	3.23	3	H	186	3.57	-
5580MHz	Pass	AV	5.5752G	94.13	Inf	-Inf	3.33	3	H	186	3.57	-
5580MHz	Pass	PK	5.4582G	56.72	74.00	-17.28	3.22	3	H	186	3.57	-
5580MHz	Pass	PK	5.463G	56.35	68.20	-11.85	3.23	3	H	186	3.57	-
5580MHz	Pass	PK	5.5854G	103.16	Inf	-Inf	3.34	3	H	186	3.57	-
5580MHz	Pass	PK	5.7282G	56.34	68.20	-11.86	3.46	3	H	186	3.57	-
5580MHz	Pass	AV	5.4576G	46.34	54.00	-7.66	3.22	3	V	262	2.36	-
5580MHz	Pass	AV	5.5836G	99.69	Inf	-Inf	3.34	3	V	262	2.36	-
5580MHz	Pass	PK	5.4582G	58.77	74.00	-15.23	3.22	3	V	262	2.36	-
5580MHz	Pass	PK	5.4684G	57.14	68.20	-11.06	3.24	3	V	262	2.36	-
5580MHz	Pass	PK	5.5782G	108.63	Inf	-Inf	3.33	3	V	262	2.36	-
5580MHz	Pass	PK	5.7294G	56.96	68.20	-11.24	3.46	3	V	262	2.36	-
5580MHz	Pass	AV	11.16G	44.86	54.00	-9.14	14.19	3	H	360	1.50	-
5580MHz	Pass	PK	11.16G	56.53	74.00	-17.47	14.19	3	H	360	1.50	-
5580MHz	Pass	AV	11.16G	44.90	54.00	-9.10	14.19	3	V	0	1.50	-
5580MHz	Pass	PK	11.16G	56.86	74.00	-17.14	14.19	3	V	0	1.50	-
5700MHz	Pass	AV	5.696G	86.69	Inf	-Inf	3.44	3	H	186	3.57	-
5700MHz	Pass	PK	5.7064G	94.33	Inf	-Inf	3.44	3	H	186	3.57	-
5700MHz	Pass	PK	5.7264G	63.35	68.20	-4.85	3.46	3	H	186	3.57	-
5700MHz	Pass	AV	5.6936G	93.98	Inf	-Inf	3.43	3	V	261	2.45	-
5700MHz	Pass	PK	5.6936G	103.05	Inf	-Inf	3.43	3	V	261	2.45	-
5700MHz	Pass	PK	5.728G	67.69	68.20	-0.51	3.46	3	V	261	2.45	-
5700MHz	Pass	AV	11.4G	43.89	54.00	-10.11	13.78	3	H	0	1.50	-
5700MHz	Pass	PK	11.4G	56.22	74.00	-17.78	13.78	3	H	0	1.50	-
5700MHz	Pass	AV	11.4G	43.91	54.00	-10.09	13.78	3	V	360	1.50	-
5700MHz	Pass	PK	11.4G	55.76	74.00	-18.24	13.78	3	V	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	45.59	54.00	-8.41	3.22	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	87.62	Inf	-Inf	3.45	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.59	74.00	-17.41	3.23	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.460005G	56.59	68.20	-11.61	3.23	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	97.53	Inf	-Inf	3.45	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.954G	58.31	68.20	-9.89	3.64	3	H	186	3.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.82	54.00	-8.18	3.22	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	96.53	Inf	-Inf	3.45	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.406G	56.93	74.00	-17.07	3.17	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.460005G	56.90	68.20	-11.30	3.23	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	105.45	Inf	-Inf	3.45	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.96G	58.39	68.20	-9.81	3.65	3	V	260	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	43.96	54.00	-10.04	13.71	3	H	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.94	74.00	-18.06	13.71	3	H	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	44.00	54.00	-10.00	13.71	3	V	0	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	55.76	74.00	-18.24	13.71	3	V	0	1.50	-
802.11ac VHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	AV	5.2768G	91.47	Inf	-Inf	3.03	3	H	29	2.75	-
5270MHz	Pass	AV	5.3516G	49.82	54.00	-4.18	3.11	3	H	29	2.75	-
5270MHz	Pass	PK	5.2768G	100.02	Inf	-Inf	3.03	3	H	29	2.75	-
5270MHz	Pass	PK	5.3528G	62.97	74.00	-11.03	3.11	3	H	29	2.75	-
5270MHz	Pass	AV	5.2636G	99.49	Inf	-Inf	3.02	3	V	353	3.67	-
5270MHz	Pass	AV	5.3536G	53.70	54.00	-0.30	3.11	3	V	353	3.67	-
5270MHz	Pass	PK	5.2632G	108.06	Inf	-Inf	3.02	3	V	353	3.67	-
5270MHz	Pass	PK	5.354G	69.23	74.00	-4.77	3.11	3	V	353	3.67	-
5270MHz	Pass	AV	10.54G	43.82	54.00	-10.18	13.25	3	H	0	1.50	-
5270MHz	Pass	PK	10.54G	55.43	74.00	-18.57	13.25	3	H	0	1.50	-
5270MHz	Pass	AV	10.54G	43.86	54.00	-10.14	13.25	3	V	360	1.50	-
5270MHz	Pass	PK	10.54G	55.10	74.00	-18.90	13.25	3	V	360	1.50	-
5310MHz	Pass	AV	5.3168G	88.09	Inf	-Inf	3.08	3	H	51	1.06	-
5310MHz	Pass	AV	5.3512G	50.26	54.00	-3.74	3.11	3	H	51	1.06	-
5310MHz	Pass	PK	5.3164G	96.24	Inf	-Inf	3.08	3	H	51	1.06	-
5310MHz	Pass	PK	5.3516G	65.20	74.00	-8.80	3.11	3	H	51	1.06	-
5310MHz	Pass	AV	5.3036G	94.85	Inf	-Inf	3.06	3	V	353	3.61	-
5310MHz	Pass	AV	5.3528G	53.84	54.00	-0.16	3.11	3	V	353	3.61	-
5310MHz	Pass	PK	5.318G	103.70	Inf	-Inf	3.08	3	V	353	3.61	-
5310MHz	Pass	PK	5.3532G	69.96	74.00	-4.04	3.11	3	V	353	3.61	-
5310MHz	Pass	AV	10.62G	43.71	54.00	-10.29	13.46	3	H	360	1.50	-
5310MHz	Pass	PK	10.62G	55.04	74.00	-18.96	13.46	3	H	360	1.50	-
5310MHz	Pass	AV	10.62G	43.80	54.00	-10.20	13.46	3	V	0	1.50	-
5310MHz	Pass	PK	10.62G	55.15	74.00	-18.85	13.46	3	V	0	1.50	-
5510MHz	Pass	AV	5.4572G	46.17	54.00	-7.83	3.22	3	H	50	1.03	-
5510MHz	Pass	AV	5.5012G	85.99	Inf	-Inf	3.27	3	H	50	1.03	-
5510MHz	Pass	PK	5.46G	57.56	74.00	-16.44	3.23	3	H	50	1.03	-
5510MHz	Pass	PK	5.4688G	62.23	68.20	-5.97	3.24	3	H	50	1.03	-
5510MHz	Pass	PK	5.5164G	94.54	Inf	-Inf	3.28	3	H	50	1.03	-
5510MHz	Pass	AV	5.4564G	47.25	54.00	-6.75	3.22	3	V	259	2.43	-
5510MHz	Pass	AV	5.5192G	91.62	Inf	-Inf	3.29	3	V	259	2.43	-
5510MHz	Pass	PK	5.4588G	61.54	74.00	-12.46	3.22	3	V	259	2.43	-
5510MHz	Pass	PK	5.4692G	68.00	68.20	-0.20	3.24	3	V	259	2.43	-
5510MHz	Pass	PK	5.514G	100.13	Inf	-Inf	3.28	3	V	259	2.43	-
5510MHz	Pass	AV	11.02G	44.90	54.00	-9.10	14.43	3	H	0	1.50	-
5510MHz	Pass	PK	11.02G	56.71	74.00	-17.29	14.43	3	H	0	1.50	-
5510MHz	Pass	AV	11.02G	44.91	54.00	-9.09	14.43	3	V	360	1.50	-
5510MHz	Pass	PK	11.02G	56.17	74.00	-17.83	14.43	3	V	360	1.50	-
5550MHz	Pass	AV	5.4576G	47.05	54.00	-6.95	3.22	3	H	187	3.45	-
5550MHz	Pass	AV	5.5404G	91.11	Inf	-Inf	3.30	3	H	187	3.45	-
5550MHz	Pass	PK	5.4576G	57.15	74.00	-16.85	3.22	3	H	187	3.45	-
5550MHz	Pass	PK	5.4676G	61.79	68.20	-6.41	3.23	3	H	187	3.45	-
5550MHz	Pass	PK	5.5456G	98.95	Inf	-Inf	3.31	3	H	187	3.45	-
5550MHz	Pass	AV	5.4592G	49.54	54.00	-4.46	3.23	3	V	257	2.52	-
5550MHz	Pass	AV	5.544G	96.04	Inf	-Inf	3.31	3	V	257	2.52	-
5550MHz	Pass	PK	5.4584G	63.05	74.00	-10.95	3.22	3	V	257	2.52	-
5550MHz	Pass	PK	5.4696G	67.39	68.20	-0.81	3.24	3	V	257	2.52	-
5550MHz	Pass	PK	5.5392G	105.13	Inf	-Inf	3.30	3	V	257	2.52	-
5550MHz	Pass	AV	11.1G	44.87	54.00	-9.13	14.29	3	H	360	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	PK	11.1G	56.66	74.00	-17.34	14.29	3	H	360	1.50	-
5550MHz	Pass	AV	11.1G	44.90	54.00	-9.10	14.29	3	V	0	1.50	-
5550MHz	Pass	PK	11.1G	56.58	74.00	-17.42	14.29	3	V	0	1.50	-
5670MHz	Pass	AV	5.6616G	86.64	Inf	-Inf	3.41	3	H	176	3.69	-
5670MHz	Pass	PK	5.6664G	94.39	Inf	-Inf	3.41	3	H	176	3.69	-
5670MHz	Pass	PK	5.7256G	61.44	68.20	-6.76	3.46	3	H	176	3.69	-
5670MHz	Pass	AV	5.6636G	93.26	Inf	-Inf	3.41	3	V	259	2.43	-
5670MHz	Pass	PK	5.6736G	101.49	Inf	-Inf	3.42	3	V	259	2.43	-
5670MHz	Pass	PK	5.7284G	67.71	68.20	-0.49	3.46	3	V	259	2.43	-
5670MHz	Pass	AV	11.34G	43.87	54.00	-10.13	13.88	3	H	0	1.50	-
5670MHz	Pass	PK	11.34G	56.01	74.00	-17.99	13.88	3	H	0	1.50	-
5670MHz	Pass	AV	11.34G	43.86	54.00	-10.14	13.88	3	V	360	1.50	-
5670MHz	Pass	PK	11.34G	55.74	74.00	-18.26	13.88	3	V	360	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.18	54.00	-7.82	3.23	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	85.68	Inf	-Inf	3.44	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.442G	57.64	74.00	-16.36	3.21	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	56.87	68.20	-11.33	3.23	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.706G	94.59	Inf	-Inf	3.44	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.978G	57.89	68.20	-10.31	3.66	3	H	190	3.48	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.71	54.00	-7.29	3.23	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.694G	93.72	Inf	-Inf	3.43	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.458G	60.27	74.00	-13.73	3.22	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.460005G	59.22	68.20	-8.98	3.23	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.694G	104.08	Inf	-Inf	3.43	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.964G	57.57	68.20	-10.63	3.65	3	V	8	2.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	43.87	54.00	-10.13	13.75	3	H	360	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	55.46	74.00	-18.54	13.75	3	H	360	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	43.85	54.00	-10.15	13.75	3	V	0	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	55.32	74.00	-18.68	13.75	3	V	0	1.50	-
802.11ac VHT80_Nss1(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.094G	46.31	54.00	-7.69	2.84	3	H	49	1.05	-
5290MHz	Pass	AV	5.277G	83.13	Inf	-Inf	3.03	3	H	49	1.05	-
5290MHz	Pass	AV	5.352G	48.67	54.00	-5.33	3.11	3	H	49	1.05	-
5290MHz	Pass	PK	5.102G	57.89	74.00	-16.11	2.85	3	H	49	1.05	-
5290MHz	Pass	PK	5.277G	91.35	Inf	-Inf	3.03	3	H	49	1.05	-
5290MHz	Pass	PK	5.352G	62.60	74.00	-11.40	3.11	3	H	49	1.05	-
5290MHz	Pass	PK	5.526G	58.18	68.20	-10.02	3.29	3	H	49	1.05	-
5290MHz	Pass	AV	5.05G	46.31	54.00	-7.69	2.79	3	V	352	3.34	-
5290MHz	Pass	AV	5.273G	89.49	Inf	-Inf	3.03	3	V	352	3.34	-
5290MHz	Pass	AV	5.353G	53.11	54.00	-0.89	3.11	3	V	352	3.34	-
5290MHz	Pass	PK	5.084G	57.42	74.00	-16.58	2.83	3	V	352	3.34	-
5290MHz	Pass	PK	5.274G	97.98	Inf	-Inf	3.03	3	V	352	3.34	-
5290MHz	Pass	PK	5.353G	65.97	74.00	-8.03	3.11	3	V	352	3.34	-
5290MHz	Pass	PK	5.527G	57.19	68.20	-11.01	3.29	3	V	352	3.34	-
5290MHz	Pass	AV	10.58G	43.66	54.00	-10.34	13.36	3	H	0	1.50	-
5290MHz	Pass	PK	10.58G	55.87	74.00	-18.13	13.36	3	H	0	1.50	-
5290MHz	Pass	AV	10.58G	43.69	54.00	-10.31	13.36	3	V	360	1.50	-
5290MHz	Pass	PK	10.58G	55.24	74.00	-18.76	13.36	3	V	360	1.50	-
5530MHz	Pass	AV	5.459G	49.06	54.00	-4.94	3.22	3	H	168	3.65	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.514G	83.70	Inf	-Inf	3.28	3	H	168	3.65	-
5530MHz	Pass	PK	5.459G	62.36	74.00	-11.64	3.22	3	H	168	3.65	-
5530MHz	Pass	PK	5.464G	63.70	68.20	-4.50	3.23	3	H	168	3.65	-
5530MHz	Pass	PK	5.514G	91.54	Inf	-Inf	3.28	3	H	168	3.65	-
5530MHz	Pass	PK	5.779G	57.58	68.20	-10.62	3.50	3	H	168	3.65	-
5530MHz	Pass	AV	5.459G	52.63	54.00	-1.37	3.22	3	V	256	2.46	-
5530MHz	Pass	AV	5.519G	87.46	Inf	-Inf	3.29	3	V	256	2.46	-
5530MHz	Pass	PK	5.459G	65.30	74.00	-8.70	3.22	3	V	256	2.46	-
5530MHz	Pass	PK	5.465G	67.72	68.20	-0.48	3.23	3	V	256	2.46	-
5530MHz	Pass	PK	5.514G	95.67	Inf	-Inf	3.28	3	V	256	2.46	-
5530MHz	Pass	PK	5.771G	57.30	68.20	-10.90	3.49	3	V	256	2.46	-
5530MHz	Pass	AV	11.06G	44.80	54.00	-9.20	14.36	3	H	360	1.50	-
5530MHz	Pass	PK	11.06G	56.28	74.00	-17.72	14.36	3	H	360	1.50	-
5530MHz	Pass	AV	11.06G	44.77	54.00	-9.23	14.36	3	V	0	1.50	-
5530MHz	Pass	PK	11.06G	56.68	74.00	-17.32	14.36	3	V	0	1.50	-
5610MHz	Pass	AV	5.46G	50.37	54.00	-3.63	3.23	3	H	184	3.35	-
5610MHz	Pass	AV	5.581G	87.26	Inf	-Inf	3.33	3	H	184	3.35	-
5610MHz	Pass	PK	5.368G	61.24	74.00	-12.76	3.13	3	H	184	3.35	-
5610MHz	Pass	PK	5.468G	63.44	68.20	-4.76	3.23	3	H	184	3.35	-
5610MHz	Pass	PK	5.581G	96.70	Inf	-Inf	3.33	3	H	184	3.35	-
5610MHz	Pass	PK	5.729G	64.15	68.20	-4.05	3.46	3	H	184	3.35	-
5610MHz	Pass	AV	5.457G	53.57	54.00	-0.43	3.22	3	V	255	2.33	-
5610MHz	Pass	AV	5.599G	92.19	Inf	-Inf	3.35	3	V	255	2.33	-
5610MHz	Pass	PK	5.386G	63.82	74.00	-10.18	3.15	3	V	255	2.33	-
5610MHz	Pass	PK	5.466G	67.94	68.20	-0.26	3.23	3	V	255	2.33	-
5610MHz	Pass	PK	5.599G	102.52	Inf	-Inf	3.35	3	V	255	2.33	-
5610MHz	Pass	PK	5.727G	67.93	68.20	-0.27	3.46	3	V	255	2.33	-
5610MHz	Pass	AV	11.22G	44.38	54.00	-9.62	14.09	3	H	0	1.50	-
5610MHz	Pass	PK	11.22G	56.27	74.00	-17.73	14.09	3	H	0	1.50	-
5610MHz	Pass	AV	11.22G	44.42	54.00	-9.58	14.09	3	V	360	1.50	-
5610MHz	Pass	PK	11.22G	56.11	74.00	-17.89	14.09	3	V	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	48.94	54.00	-5.06	3.21	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.654G	84.40	Inf	-Inf	3.40	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.42G	59.40	74.00	-14.60	3.18	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.460005G	59.10	68.20	-9.10	3.23	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.658G	92.85	Inf	-Inf	3.40	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	59.92	68.20	-8.28	3.63	3	H	183	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	53.84	54.00	-0.16	3.22	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.664G	90.82	Inf	-Inf	3.41	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.452G	66.20	74.00	-7.80	3.22	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	66.77	68.20	-1.43	3.23	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.694G	100.78	Inf	-Inf	3.43	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	62.24	68.94	-6.70	3.62	3	V	6	2.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	43.70	54.00	-10.30	13.81	3	H	0	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	56.05	74.00	-17.95	13.81	3	H	0	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	43.62	54.00	-10.38	13.81	3	V	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	55.47	74.00	-18.53	13.81	3	V	360	1.50	-

802.11a_(6Mbps)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1262G	46.34	54.00	-7.66	2.88	3	V	272	1.03	-
AV	5.2624G	100.19	Inf	-Inf	3.02	3	V	272	1.03	-
AV	5.3614G	45.89	54.00	-8.11	3.12	3	V	272	1.03	-
PK	5.1112G	58.04	74.00	-15.96	2.86	3	V	272	1.03	-
PK	5.2618G	108.36	Inf	-Inf	3.02	3	V	272	1.03	-
PK	5.4058G	57.49	74.00	-16.51	3.17	3	V	272	1.03	-

802.11a_(6Mbps)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1298G	46.13	54.00	-7.87	2.88	3	H	187	3.69	-
AV	5.2588G	95.95	Inf	-Inf	3.01	3	H	187	3.69	-
AV	5.3506G	45.52	54.00	-8.48	3.11	3	H	187	3.69	-
PK	5.1112G	57.54	74.00	-16.46	2.86	3	H	187	3.69	-
PK	5.2588G	104.81	Inf	-Inf	3.01	3	H	187	3.69	-
PK	5.3758G	57.41	74.00	-16.59	3.14	3	H	187	3.69	-

802.11a_(6Mbps)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78G	45.84	54.00	-8.16	13.76	3	V	360	1.50	-
PK	15.78G	56.38	74.00	-17.62	13.76	3	V	360	1.50	-

802.11a_(6Mbps)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78G	45.90	54.00	-8.10	13.76	3	H	0	1.50	-
PK	15.78G	58.09	74.00	-15.91	13.76	3	H	0	1.50	-

802.11a_(6Mbps)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2964G	101.84	Inf	-Inf	3.06	3	V	256	2.40	-
AV	5.350005G	50.99	54.00	-3.01	3.11	3	V	256	2.40	-
PK	5.296G	110.12	Inf	-Inf	3.06	3	V	256	2.40	-
PK	5.3576G	67.67	74.00	-6.33	3.12	3	V	256	2.40	-

802.11a_(6Mbps)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2968G	94.63	Inf	-Inf	3.06	3	H	22	2.19	-
AV	5.3576G	46.31	54.00	-7.69	3.12	3	H	22	2.19	-
PK	5.2972G	102.91	Inf	-Inf	3.06	3	H	22	2.19	-
PK	5.358G	60.53	74.00	-13.47	3.12	3	H	22	2.19	-

802.11a_(6Mbps)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	44.31	54.00	-9.69	13.41	3	V	360	1.50	-
PK	10.6G	55.70	74.00	-18.30	13.41	3	V	360	1.50	-

802.11a_(6Mbps)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	45.24	54.00	-8.76	13.41	3	H	0	1.50	-
PK	10.6G	55.74	74.00	-18.26	13.41	3	H	0	1.50	-

802.11a_(6Mbps)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3166G	101.07	Inf	-Inf	3.08	3	V	254	2.46	-
AV	5.350005G	53.76	54.00	-0.24	3.11	3	V	254	2.46	-
PK	5.3172G	109.14	Inf	-Inf	3.08	3	V	254	2.46	-
PK	5.350005G	69.86	74.00	-4.14	3.11	3	V	254	2.46	-

802.11a_(6Mbps)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3172G	95.46	Inf	-Inf	3.08	3	H	45	1.05	-
AV	5.350005G	50.65	54.00	-3.35	3.11	3	H	45	1.05	-
PK	5.3172G	103.82	Inf	-Inf	3.08	3	H	45	1.05	-
PK	5.350005G	66.75	74.00	-7.25	3.11	3	H	45	1.05	-

802.11a_(6Mbps)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	44.36	54.00	-9.64	13.52	3	V	0	1.50	-
PK	10.64G	55.73	74.00	-18.27	13.52	3	V	0	1.50	-

802.11a_(6Mbps)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	44.35	54.00	-9.65	13.52	3	H	360	1.50	-
PK	10.64G	55.62	74.00	-18.38	13.52	3	H	360	1.50	-

802.11a_(6Mbps)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4538G	48.03	54.00	-5.97	3.22	3	V	235	2.42	-
AV	5.4944G	99.00	Inf	-Inf	3.26	3	V	235	2.42	-
PK	5.46G	62.61	74.00	-11.39	3.23	3	V	235	2.42	-
PK	5.464G	67.61	68.20	-0.59	3.23	3	V	235	2.42	-
PK	5.4944G	106.81	Inf	-Inf	3.26	3	V	235	2.42	-

802.11a_(6Mbps)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	46.61	54.00	-7.39	3.22	3	H	179	2.47	-
AV	5.502G	94.10	Inf	-Inf	3.27	3	H	179	2.47	-
PK	5.4582G	58.46	74.00	-15.54	3.22	3	H	179	2.47	-
PK	5.4698G	64.87	68.20	-3.33	3.24	3	H	179	2.47	-
PK	5.5018G	101.86	Inf	-Inf	3.27	3	H	179	2.47	-

802.11a_(6Mbps)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	45.80	54.00	-8.20	14.46	3	V	0	1.50	-
PK	11G	57.21	74.00	-16.79	14.46	3	V	0	1.50	-

802.11a_(6Mbps)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	45.77	54.00	-8.23	14.46	3	H	360	1.50	-
PK	11G	56.92	74.00	-17.08	14.46	3	H	360	1.50	-

802.11a_(6Mbps)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4534G	46.10	54.00	-7.90	3.22	3	V	257	2.35	-
AV	5.5728G	99.62	Inf	-Inf	3.33	3	V	257	2.35	-
PK	5.4516G	57.35	74.00	-16.65	3.22	3	V	257	2.35	-
PK	5.4666G	56.72	68.20	-11.48	3.23	3	V	257	2.35	-
PK	5.5728G	108.92	Inf	-Inf	3.33	3	V	257	2.35	-
PK	5.7264G	56.73	68.20	-11.47	3.46	3	V	257	2.35	-

802.11a_(6Mbps)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	45.66	54.00	-8.34	3.22	3	H	182	3.37	-
AV	5.5812G	93.56	Inf	-Inf	3.33	3	H	182	3.37	-
PK	5.448G	56.78	74.00	-17.22	3.21	3	H	182	3.37	-
PK	5.4624G	56.56	68.20	-11.64	3.23	3	H	182	3.37	-
PK	5.5812G	102.18	Inf	-Inf	3.33	3	H	182	3.37	-
PK	5.73G	57.04	68.20	-11.16	3.46	3	H	182	3.37	-

802.11a_(6Mbps)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	45.73	54.00	-8.27	14.19	3	V	0	1.50	-
PK	11.16G	56.83	74.00	-17.17	14.19	3	V	0	1.50	-

802.11a_(6Mbps)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	45.71	54.00	-8.29	14.19	3	H	360	1.50	-
PK	11.16G	56.44	74.00	-17.56	14.19	3	H	360	1.50	-

802.11a_(6Mbps)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7032G	94.37	Inf	-Inf	3.44	3	V	259	2.37	-
PK	5.7032G	102.56	Inf	-Inf	3.44	3	V	259	2.37	-
PK	5.7256G	67.64	68.20	-0.56	3.46	3	V	259	2.37	-

802.11a_(6Mbps)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6952G	88.00	Inf	-Inf	3.44	3	H	164	1.02	-
PK	5.6944G	95.16	Inf	-Inf	3.43	3	H	164	1.02	-
PK	5.7264G	64.59	68.20	-3.61	3.46	3	H	164	1.02	-

802.11a_(6Mbps)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	44.38	54.00	-9.62	13.78	3	V	360	1.50	-
PK	11.4G	55.89	74.00	-18.11	13.78	3	V	360	1.50	-

802.11a_(6Mbps)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	44.37	54.00	-9.63	13.78	3	H	0	1.50	-
PK	11.4G	55.68	74.00	-18.32	13.78	3	H	0	1.50	-

802.11a_(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4428G	45.64	54.00	-8.36	3.21	3	V	258	2.38	-
AV	5.7128G	95.32	Inf	-Inf	3.45	3	V	258	2.38	-
PK	5.4296G	56.75	74.00	-17.25	3.19	3	V	258	2.38	-
PK	5.4656G	56.08	68.20	-12.12	3.23	3	V	258	2.38	-
PK	5.7128G	104.64	Inf	-Inf	3.45	3	V	258	2.38	-
PK	5.9636G	57.22	68.20	-10.98	3.65	3	V	258	2.38	-

802.11a_(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	45.57	54.00	-8.43	3.22	3	H	164	1.08	-
AV	5.7152G	88.78	Inf	-Inf	3.45	3	H	164	1.08	-
PK	5.4344G	56.66	74.00	-17.34	3.20	3	H	164	1.08	-
PK	5.4632G	56.26	68.20	-11.94	3.23	3	H	164	1.08	-
PK	5.7164G	97.57	Inf	-Inf	3.45	3	H	164	1.08	-
PK	5.9648G	57.96	68.20	-10.24	3.65	3	H	164	1.08	-

802.11a_(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	44.86	54.00	-9.14	13.71	3	V	0	1.50	-
PK	11.44G	55.95	74.00	-18.05	13.71	3	V	0	1.50	-

802.11a_(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	44.89	54.00	-9.11	13.71	3	H	360	1.50	-
PK	11.44G	55.90	74.00	-18.10	13.71	3	H	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1406G	46.35	54.00	-7.65	2.89	3	V	252	2.38	-
AV	5.2564G	100.45	Inf	-Inf	3.01	3	V	252	2.38	-
AV	5.3518G	45.96	54.00	-8.04	3.11	3	V	252	2.38	-
PK	5.1238G	56.91	74.00	-17.09	2.87	3	V	252	2.38	-
PK	5.2564G	108.85	Inf	-Inf	3.01	3	V	252	2.38	-
PK	5.3536G	57.94	74.00	-16.06	3.11	3	V	252	2.38	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1394G	46.17	54.00	-7.83	2.89	3	H	62	1.06	-
AV	5.257G	94.56	Inf	-Inf	3.01	3	H	62	1.06	-
AV	5.4082G	45.58	54.00	-8.42	3.17	3	H	62	1.06	-
PK	5.1442G	57.30	74.00	-16.70	2.89	3	H	62	1.06	-
PK	5.2564G	103.18	Inf	-Inf	3.01	3	H	62	1.06	-
PK	5.3662G	56.33	74.00	-17.67	3.13	3	H	62	1.06	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	44.14	54.00	-9.86	13.20	3	V	0	1.50	-
PK	10.52G	55.69	74.00	-18.31	13.20	3	V	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5260MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	44.06	54.00	-9.94	13.20	3	H	360	1.50	-
PK	10.52G	55.63	74.00	-18.37	13.20	3	H	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.298G	103.33	Inf	-Inf	3.06	3	V	358	2.59	-
AV	5.3524G	53.61	54.00	-0.39	3.11	3	V	358	2.59	-
PK	5.2976G	112.83	Inf	-Inf	3.06	3	V	358	2.59	-
PK	5.3544G	73.81	74.00	-0.19	3.11	3	V	358	2.59	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2968G	96.21	Inf	-Inf	3.06	3	H	31	2.70	-
AV	5.352G	49.20	54.00	-4.80	3.11	3	H	31	2.70	-
PK	5.302G	105.63	Inf	-Inf	3.06	3	H	31	2.70	-
PK	5.3548G	66.47	74.00	-7.53	3.11	3	H	31	2.70	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	44.10	54.00	-9.90	13.41	3	V	360	1.50	-
PK	10.6G	55.66	74.00	-18.34	13.41	3	V	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5300MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	44.14	54.00	-9.86	13.41	3	H	0	1.50	-
PK	10.6G	56.32	74.00	-17.68	13.41	3	H	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3158G	99.91	Inf	-Inf	3.08	3	V	269	2.47	-
AV	5.3504G	53.14	54.00	-0.86	3.11	3	V	269	2.47	-
PK	5.3262G	107.90	Inf	-Inf	3.09	3	V	269	2.47	-
PK	5.351G	71.46	74.00	-2.54	3.11	3	V	269	2.47	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3168G	93.30	Inf	-Inf	3.08	3	H	31	2.53	-
AV	5.3514G	47.64	54.00	-6.36	3.11	3	H	31	2.53	-
PK	5.3166G	101.65	Inf	-Inf	3.08	3	H	31	2.53	-
PK	5.3512G	64.59	74.00	-9.41	3.11	3	H	31	2.53	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	44.01	54.00	-9.99	13.52	3	V	0	1.50	-
PK	10.64G	55.79	74.00	-18.21	13.52	3	V	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5320MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	43.96	54.00	-10.04	13.52	3	H	360	1.50	-
PK	10.64G	55.80	74.00	-18.20	13.52	3	H	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	47.37	54.00	-6.63	3.23	3	V	260	2.41	-
AV	5.4942G	97.18	Inf	-Inf	3.26	3	V	260	2.41	-
PK	5.4592G	59.75	74.00	-14.25	3.23	3	V	260	2.41	-
PK	5.4696G	67.88	68.20	-0.32	3.24	3	V	260	2.41	-
PK	5.5036G	105.94	Inf	-Inf	3.27	3	V	260	2.41	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	47.21	54.00	-6.79	3.23	3	V	14	3.69	-
AV	5.4952G	97.34	Inf	-Inf	3.26	3	V	14	3.69	-
PK	5.4596G	58.75	74.00	-15.25	3.23	3	V	14	3.69	-
PK	5.4696G	67.02	68.20	-1.18	3.24	3	V	14	3.69	-
PK	5.4952G	104.51	Inf	-Inf	3.26	3	V	14	3.69	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	44.94	54.00	-9.06	14.46	3	V	360	1.50	-
PK	11G	56.93	74.00	-17.07	14.46	3	V	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5500MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	44.97	54.00	-9.03	14.46	3	H	0	1.50	-
PK	11G	56.93	74.00	-17.07	14.46	3	H	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	46.34	54.00	-7.66	3.22	3	V	262	2.36	-
AV	5.5836G	99.69	Inf	-Inf	3.34	3	V	262	2.36	-
PK	5.4582G	58.77	74.00	-15.23	3.22	3	V	262	2.36	-
PK	5.4684G	57.14	68.20	-11.06	3.24	3	V	262	2.36	-
PK	5.5782G	108.63	Inf	-Inf	3.33	3	V	262	2.36	-
PK	5.7294G	56.96	68.20	-11.24	3.46	3	V	262	2.36	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4594G	45.77	54.00	-8.23	3.23	3	H	186	3.57	-
AV	5.5752G	94.13	Inf	-Inf	3.33	3	H	186	3.57	-
PK	5.4582G	56.72	74.00	-17.28	3.22	3	H	186	3.57	-
PK	5.463G	56.35	68.20	-11.85	3.23	3	H	186	3.57	-
PK	5.5854G	103.16	Inf	-Inf	3.34	3	H	186	3.57	-
PK	5.7282G	56.34	68.20	-11.86	3.46	3	H	186	3.57	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	44.90	54.00	-9.10	14.19	3	V	0	1.50	-
PK	11.16G	56.86	74.00	-17.14	14.19	3	V	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5580MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	44.86	54.00	-9.14	14.19	3	H	360	1.50	-
PK	11.16G	56.53	74.00	-17.47	14.19	3	H	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6936G	93.98	Inf	-Inf	3.43	3	V	261	2.45	-
PK	5.6936G	103.05	Inf	-Inf	3.43	3	V	261	2.45	-
PK	5.728G	67.69	68.20	-0.51	3.46	3	V	261	2.45	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.696G	86.69	Inf	-Inf	3.44	3	H	186	3.57	-
PK	5.7064G	94.33	Inf	-Inf	3.44	3	H	186	3.57	-
PK	5.7264G	63.35	68.20	-4.85	3.46	3	H	186	3.57	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	43.91	54.00	-10.09	13.78	3	V	360	1.50	-
PK	11.4G	55.76	74.00	-18.24	13.78	3	V	360	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	43.89	54.00	-10.11	13.78	3	H	0	1.50	-
PK	11.4G	56.22	74.00	-17.78	13.78	3	H	0	1.50	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	45.82	54.00	-8.18	3.22	3	V	260	2.43	-
AV	5.714G	96.53	Inf	-Inf	3.45	3	V	260	2.43	-
PK	5.406G	56.93	74.00	-17.07	3.17	3	V	260	2.43	-
PK	5.460005G	56.90	68.20	-11.30	3.23	3	V	260	2.43	-
PK	5.714G	105.45	Inf	-Inf	3.45	3	V	260	2.43	-
PK	5.96G	58.39	68.20	-9.81	3.65	3	V	260	2.43	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	45.59	54.00	-8.41	3.22	3	H	186	3.57	-
AV	5.716G	87.62	Inf	-Inf	3.45	3	H	186	3.57	-
PK	5.46G	56.59	74.00	-17.41	3.23	3	H	186	3.57	-
PK	5.460005G	56.59	68.20	-11.61	3.23	3	H	186	3.57	-
PK	5.716G	97.53	Inf	-Inf	3.45	3	H	186	3.57	-
PK	5.954G	58.31	68.20	-9.89	3.64	3	H	186	3.57	-

802.11ac VHT20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	44.00	54.00	-10.00	13.71	3	V	0	1.50	-
PK	11.44G	55.76	74.00	-18.24	13.71	3	V	0	1.50	-


802.11ac VHT20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2636G	99.49	Inf	-Inf	3.02	3	V	353	3.67	-
AV	5.3536G	53.70	54.00	-0.30	3.11	3	V	353	3.67	-
PK	5.2632G	108.06	Inf	-Inf	3.02	3	V	353	3.67	-
PK	5.354G	69.23	74.00	-4.77	3.11	3	V	353	3.67	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2768G	91.47	Inf	-Inf	3.03	3	H	29	2.75	-
AV	5.3516G	49.82	54.00	-4.18	3.11	3	H	29	2.75	-
PK	5.2768G	100.02	Inf	-Inf	3.03	3	H	29	2.75	-
PK	5.3528G	62.97	74.00	-11.03	3.11	3	H	29	2.75	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	43.86	54.00	-10.14	13.25	3	V	360	1.50	-
PK	10.54G	55.10	74.00	-18.90	13.25	3	V	360	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	43.82	54.00	-10.18	13.25	3	H	0	1.50	-
PK	10.54G	55.43	74.00	-18.57	13.25	3	H	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3036G	94.85	Inf	-Inf	3.06	3	V	353	3.61	-
AV	5.3528G	53.84	54.00	-0.16	3.11	3	V	353	3.61	-
PK	5.318G	103.70	Inf	-Inf	3.08	3	V	353	3.61	-
PK	5.3532G	69.96	74.00	-4.04	3.11	3	V	353	3.61	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3168G	88.09	Inf	-Inf	3.08	3	H	51	1.06	-
AV	5.3512G	50.26	54.00	-3.74	3.11	3	H	51	1.06	-
PK	5.3164G	96.24	Inf	-Inf	3.08	3	H	51	1.06	-
PK	5.3516G	65.20	74.00	-8.80	3.11	3	H	51	1.06	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	43.80	54.00	-10.20	13.46	3	V	0	1.50	-
PK	10.62G	55.15	74.00	-18.85	13.46	3	V	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	43.71	54.00	-10.29	13.46	3	H	360	1.50	-
PK	10.62G	55.04	74.00	-18.96	13.46	3	H	360	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	47.25	54.00	-6.75	3.22	3	V	259	2.43	-
AV	5.5192G	91.62	Inf	-Inf	3.29	3	V	259	2.43	-
PK	5.4588G	61.54	74.00	-12.46	3.22	3	V	259	2.43	-
PK	5.4692G	68.00	68.20	-0.20	3.24	3	V	259	2.43	-
PK	5.514G	100.13	Inf	-Inf	3.28	3	V	259	2.43	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	46.17	54.00	-7.83	3.22	3	H	50	1.03	-
AV	5.5012G	85.99	Inf	-Inf	3.27	3	H	50	1.03	-
PK	5.46G	57.56	74.00	-16.44	3.23	3	H	50	1.03	-
PK	5.4688G	62.23	68.20	-5.97	3.24	3	H	50	1.03	-
PK	5.5164G	94.54	Inf	-Inf	3.28	3	H	50	1.03	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	44.91	54.00	-9.09	14.43	3	V	360	1.50	-
PK	11.02G	56.17	74.00	-17.83	14.43	3	V	360	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	44.90	54.00	-9.10	14.43	3	H	0	1.50	-
PK	11.02G	56.71	74.00	-17.29	14.43	3	H	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	49.54	54.00	-4.46	3.23	3	V	257	2.52	-
AV	5.544G	96.04	Inf	-Inf	3.31	3	V	257	2.52	-
PK	5.4584G	63.05	74.00	-10.95	3.22	3	V	257	2.52	-
PK	5.4696G	67.39	68.20	-0.81	3.24	3	V	257	2.52	-
PK	5.5392G	105.13	Inf	-Inf	3.30	3	V	257	2.52	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	47.05	54.00	-6.95	3.22	3	H	187	3.45	-
AV	5.5404G	91.11	Inf	-Inf	3.30	3	H	187	3.45	-
PK	5.4576G	57.15	74.00	-16.85	3.22	3	H	187	3.45	-
PK	5.4676G	61.79	68.20	-6.41	3.23	3	H	187	3.45	-
PK	5.5456G	98.95	Inf	-Inf	3.31	3	H	187	3.45	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	44.90	54.00	-9.10	14.29	3	V	0	1.50	-
PK	11.1G	56.58	74.00	-17.42	14.29	3	V	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	44.87	54.00	-9.13	14.29	3	H	360	1.50	-
PK	11.1G	56.66	74.00	-17.34	14.29	3	H	360	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6636G	93.26	Inf	-Inf	3.41	3	V	259	2.43	-
PK	5.6736G	101.49	Inf	-Inf	3.42	3	V	259	2.43	-
PK	5.7284G	67.71	68.20	-0.49	3.46	3	V	259	2.43	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6616G	86.64	Inf	-Inf	3.41	3	H	176	3.69	-
PK	5.6664G	94.39	Inf	-Inf	3.41	3	H	176	3.69	-
PK	5.7256G	61.44	68.20	-6.76	3.46	3	H	176	3.69	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	43.86	54.00	-10.14	13.88	3	V	360	1.50	-
PK	11.34G	55.74	74.00	-18.26	13.88	3	V	360	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	43.87	54.00	-10.13	13.88	3	H	0	1.50	-
PK	11.34G	56.01	74.00	-17.99	13.88	3	H	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.71	54.00	-7.29	3.23	3	V	8	2.61	-
AV	5.694G	93.72	Inf	-Inf	3.43	3	V	8	2.61	-
PK	5.458G	60.27	74.00	-13.73	3.22	3	V	8	2.61	-
PK	5.460005G	59.22	68.20	-8.98	3.23	3	V	8	2.61	-
PK	5.694G	104.08	Inf	-Inf	3.43	3	V	8	2.61	-
PK	5.964G	57.57	68.20	-10.63	3.65	3	V	8	2.61	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.18	54.00	-7.82	3.23	3	H	190	3.48	-
AV	5.702G	85.68	Inf	-Inf	3.44	3	H	190	3.48	-
PK	5.442G	57.64	74.00	-16.36	3.21	3	H	190	3.48	-
PK	5.466G	56.87	68.20	-11.33	3.23	3	H	190	3.48	-
PK	5.706G	94.59	Inf	-Inf	3.44	3	H	190	3.48	-
PK	5.978G	57.89	68.20	-10.31	3.66	3	H	190	3.48	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	43.85	54.00	-10.15	13.75	3	V	0	1.50	-
PK	11.42G	55.32	74.00	-18.68	13.75	3	V	0	1.50	-

802.11ac VHT40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	43.87	54.00	-10.13	13.75	3	H	360	1.50	-
PK	11.42G	55.46	74.00	-18.54	13.75	3	H	360	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.05G	46.31	54.00	-7.69	2.79	3	V	352	3.34	-
AV	5.273G	89.49	Inf	-Inf	3.03	3	V	352	3.34	-
AV	5.353G	53.11	54.00	-0.89	3.11	3	V	352	3.34	-
PK	5.084G	57.42	74.00	-16.58	2.83	3	V	352	3.34	-
PK	5.274G	97.98	Inf	-Inf	3.03	3	V	352	3.34	-
PK	5.353G	65.97	74.00	-8.03	3.11	3	V	352	3.34	-
PK	5.527G	57.19	68.20	-11.01	3.29	3	V	352	3.34	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.094G	46.31	54.00	-7.69	2.84	3	H	49	1.05	-
AV	5.277G	83.13	Inf	-Inf	3.03	3	H	49	1.05	-
AV	5.352G	48.67	54.00	-5.33	3.11	3	H	49	1.05	-
PK	5.102G	57.89	74.00	-16.11	2.85	3	H	49	1.05	-
PK	5.277G	91.35	Inf	-Inf	3.03	3	H	49	1.05	-
PK	5.352G	62.60	74.00	-11.40	3.11	3	H	49	1.05	-
PK	5.526G	58.18	68.20	-10.02	3.29	3	H	49	1.05	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	43.69	54.00	-10.31	13.36	3	V	360	1.50	-
PK	10.58G	55.24	74.00	-18.76	13.36	3	V	360	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	43.66	54.00	-10.34	13.36	3	H	0	1.50	-
PK	10.58G	55.87	74.00	-18.13	13.36	3	H	0	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	52.63	54.00	-1.37	3.22	3	V	256	2.46	-
AV	5.519G	87.46	Inf	-Inf	3.29	3	V	256	2.46	-
PK	5.459G	65.30	74.00	-8.70	3.22	3	V	256	2.46	-
PK	5.465G	67.72	68.20	-0.48	3.23	3	V	256	2.46	-
PK	5.514G	95.67	Inf	-Inf	3.28	3	V	256	2.46	-
PK	5.771G	57.30	68.20	-10.90	3.49	3	V	256	2.46	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	49.06	54.00	-4.94	3.22	3	H	168	3.65	-
AV	5.514G	83.70	Inf	-Inf	3.28	3	H	168	3.65	-
PK	5.464G	63.70	68.20	-4.50	3.23	3	H	168	3.65	-
PK	5.514G	91.54	Inf	-Inf	3.28	3	H	168	3.65	-
PK	5.779G	57.58	68.20	-10.62	3.50	3	H	168	3.65	-
PK	5.459G	62.36	74.00	-11.64	3.22	3	H	168	3.65	-

802.11ac VHT80_Nss1,(MCS0)_3TX


5530MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	44.77	54.00	-9.23	14.36	3	V	0	1.50	-
PK	11.06G	56.68	74.00	-17.32	14.36	3	V	0	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	44.80	54.00	-9.20	14.36	3	H	360	1.50	-
PK	11.06G	56.28	74.00	-17.72	14.36	3	H	360	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	53.57	54.00	-0.43	3.22	3	V	255	2.33	-
AV	5.599G	92.19	Inf	-Inf	3.35	3	V	255	2.33	-
PK	5.386G	63.82	74.00	-10.18	3.15	3	V	255	2.33	-
PK	5.466G	67.94	68.20	-0.26	3.23	3	V	255	2.33	-
PK	5.599G	102.52	Inf	-Inf	3.35	3	V	255	2.33	-
PK	5.727G	67.93	68.20	-0.27	3.46	3	V	255	2.33	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.37	54.00	-3.63	3.23	3	H	184	3.35	-
AV	5.581G	87.26	Inf	-Inf	3.33	3	H	184	3.35	-
PK	5.368G	61.24	74.00	-12.76	3.13	3	H	184	3.35	-
PK	5.468G	63.44	68.20	-4.76	3.23	3	H	184	3.35	-
PK	5.581G	96.70	Inf	-Inf	3.33	3	H	184	3.35	-
PK	5.729G	64.15	68.20	-4.05	3.46	3	H	184	3.35	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	44.42	54.00	-9.58	14.09	3	V	360	1.50	-
PK	11.22G	56.11	74.00	-17.89	14.09	3	V	360	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	44.38	54.00	-9.62	14.09	3	H	0	1.50	-
PK	11.22G	56.27	74.00	-17.73	14.09	3	H	0	1.50	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.84	54.00	-0.16	3.22	3	V	6	2.71	-
AV	5.664G	90.82	Inf	-Inf	3.41	3	V	6	2.71	-
PK	5.452G	66.20	74.00	-7.80	3.22	3	V	6	2.71	-
PK	5.464G	66.77	68.20	-1.43	3.23	3	V	6	2.71	-
PK	5.694G	100.78	Inf	-Inf	3.43	3	V	6	2.71	-
PK	5.924G	62.24	68.94	-6.70	3.62	3	V	6	2.71	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT = Z axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.654G	84.40	Inf	-Inf	3.40	3	H	183	2.22	-
AV	5.444G	48.94	54.00	-5.06	3.21	3	H	183	2.22	-
PK	5.658G	92.85	Inf	-Inf	3.40	3	H	183	2.22	-
PK	5.42G	59.40	74.00	-14.60	3.18	3	H	183	2.22	-
PK	5.460005G	59.10	68.20	-9.10	3.23	3	H	183	2.22	-
PK	5.942G	59.92	68.20	-8.28	3.63	3	H	183	2.22	-

802.11ac VHT80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX

