


Test Report No:  
2470408R-RFUSV19S-A

## TEST REPORT (Dynamic Frequency Selection) FCC Rules & Regulations

|                                 |                                                                                      |
|---------------------------------|--------------------------------------------------------------------------------------|
| Product Name                    | Wireless AP/bridge/client                                                            |
| Brand Name                      | MOXA                                                                                 |
| Model No.                       | AWK-3262A-US / AWK-3262A-UN / AWK-3262A-US-T /<br>AWK-3262A-UN-T                     |
| FCC ID                          | SLE-AWK3262A                                                                         |
| Applicant's Name / Address      | Moxa Inc.<br>No. 1111, Heping Rd., Bade Dist., Taoyuan City 334004,<br>Taiwan        |
| Manufacturer's Name             | Moxa Inc.                                                                            |
| Test Method Requested, Standard | FCC CFR Title 47 Part 15 Subpart E Section 15.407<br>ANSI C63.10-2013                |
| Verdict Summary                 | IN COMPLIANCE                                                                        |
| Documented By Genie Chang       |  |
| Tested by Benjamin Pan          |   |
| Approved By Steven Tsai         |   |
| Date of Receipt                 | 2024/07/11                                                                           |
| Date of Issue                   | 2024/09/06                                                                           |
| Report Version                  | V1.0                                                                                 |

## INDEX

|                                                                                              | page |
|----------------------------------------------------------------------------------------------|------|
| Competences and Guarantees.....                                                              | 4    |
| General Conditions.....                                                                      | 4    |
| Revision History.....                                                                        | 5    |
| Summary of Test Result.....                                                                  | 6    |
| 1. General Information.....                                                                  | 7    |
| 1.1. EUT Description.....                                                                    | 7    |
| 1.2. EUT Information.....                                                                    | 10   |
| 1.3. Testing Location Information.....                                                       | 11   |
| 1.4. Measurement Uncertainty.....                                                            | 11   |
| 1.5. List of Test Equipment.....                                                             | 12   |
| 2. Test Configuration of EUT.....                                                            | 13   |
| 2.1. Test Condition.....                                                                     | 13   |
| 2.2. Measurement Configuration.....                                                          | 13   |
| 2.3. Standard Requirement.....                                                               | 13   |
| 2.4. UNII Device Description.....                                                            | 13   |
| 2.5. User Access Restrictions.....                                                           | 14   |
| 3. General DFS Information.....                                                              | 15   |
| 3.1. Test Setup.....                                                                         | 15   |
| 3.2. DFS Detection Thresholds.....                                                           | 15   |
| 3.3. User Access Restrictions.....                                                           | 16   |
| 4. Radar Test Waveforms.....                                                                 | 17   |
| 4.1. Radar Waveform Calibration.....                                                         | 20   |
| 4.2. Radar Waveform Calibration Result.....                                                  | 21   |
| 4.3. Master Data Traffic Plot Result.....                                                    | 33   |
| 5. UNII Detection Bandwidth.....                                                             | 37   |
| 5.1. Test Procedure.....                                                                     | 37   |
| 5.2. Test Requirement.....                                                                   | 37   |
| 5.3. Test Result of UNII Detection Bandwidth.....                                            | 38   |
| 6. Initial Channel Availability Check Time.....                                              | 44   |
| 6.1. Test Procedure.....                                                                     | 44   |
| 6.2. Test Requirement.....                                                                   | 44   |
| 6.3. Test Result of Initial Channel Availability Check Time.....                             | 45   |
| 7. Radar Burst at the Beginning of the Channel Availability Check Time.....                  | 46   |
| 7.1. Test Procedure.....                                                                     | 46   |
| 7.2. Test Requirement.....                                                                   | 46   |
| 7.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time..... | 47   |

|                             |                                                                                                               |    |
|-----------------------------|---------------------------------------------------------------------------------------------------------------|----|
| 8.                          | Radar Burst at the End of the Channel Availability Check Time .....                                           | 48 |
| 8.1.                        | Test Procedure .....                                                                                          | 48 |
| 8.2.                        | Test Requirement .....                                                                                        | 48 |
| 8.3.                        | Test Result of Radar Burst at the End of the Channel Availability Check Time .....                            | 49 |
| 9.                          | In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period ..... | 50 |
| 9.1.                        | Test Procedure .....                                                                                          | 50 |
| 9.2.                        | Test Requirement .....                                                                                        | 50 |
| 9.3.                        | Test Result of Channel Move Time and Channel Closing Transmission Time .....                                  | 51 |
| 9.4.                        | Test Result of Non-Occupancy Period .....                                                                     | 53 |
| 10.                         | Statistical Performance Check.....                                                                            | 55 |
| 10.1.                       | Test Procedure .....                                                                                          | 55 |
| 10.2.                       | Test Requirement .....                                                                                        | 55 |
| 10.3.                       | Test Result of Statistical Performance Check .....                                                            | 57 |
| Appendix A .....            |                                                                                                               | 78 |
| Test Setup Photograph ..... |                                                                                                               | 78 |

---

## Competences and Guarantees

---

DEKRA is a testing laboratory competent to carry out the tests described in this report.

In order to assure the traceability to other national and international laboratories, DEKRA has a calibration and maintenance program for its measurement equipment.

DEKRA guarantees the reliability of the data presented in this report, which is the result of the measurements and the tests performed to the item under test on the date and under the conditions stated in the report and it is based on the knowledge and technical facilities available at DEKRA at the time of performance of the test.

DEKRA is liable to the client for the maintenance of the confidentiality of all information related to the item under test and the results of the test.

The results presented in this Test Report apply only to the particular item under test established in this document.

**IMPORTANT:** No parts of this report may be reproduced or quoted out of context, in any form or by any means, except in full, without the previous written permission of DEKRA.

---

## General Conditions

---

1. The test results relate only to the samples tested.
2. The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.
3. This report must not be used to claim product endorsement by TAF or any agency of the government.
4. The test report shall not be reproduced without the written approval of DEKRA Testing and Certification Co., Ltd.
5. Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.

Revision History

| Version | Description             | Issued Date |
|---------|-------------------------|-------------|
| V1.0    | Initial issue of report | 2024/09/06  |

## Summary of Test Result

| Report Clause | Test Items                                                          | Result (PASS/FAIL) | Remark                                          |
|---------------|---------------------------------------------------------------------|--------------------|-------------------------------------------------|
| 5             | UNII Detection Bandwidth Measurement                                | PASS               | -                                               |
| 6             | Initial Channel Availability Check Time                             | PASS               | -                                               |
| 7             | Radar Burst at the Beginning of the Channel Availability Check Time | PASS               | -                                               |
| 8             | Radar Burst at the End of the Channel Availability Check Time       | PASS               | -                                               |
| 9             | In-Service Monitoring for Channel Move Time (CMT)                   | PASS               | -                                               |
| 9             | In-Service Monitoring for Channel Closing Transmission Time (CCTT)  | PASS               | -                                               |
| 9             | In-Service Monitoring for Non-Occupancy Period (NOP)                | PASS               | -                                               |
| 10            | DFS: Statistical Performance Check                                  | PASS               | -                                               |
| 2.5           | User Access Restrictions                                            | N/A                | Manufacturer attestation NOT accessible to user |

### Comments and Explanations

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

## 1. General Information

### 1.1. EUT Description

|                                                     |                                    |                                                               |
|-----------------------------------------------------|------------------------------------|---------------------------------------------------------------|
| DFS Frequency Range                                 | 5250 ~ 5350 MHz<br>5470 ~ 5725 MHz |                                                               |
| DFS Operating Frequency /<br>Number of DFS Channels | IEEE 802.11a/n/ac/ax<br>(20 MHz)   | 5260 ~ 5320 MHz / 4 Channels<br>5500 ~ 5720 MHz / 12 Channels |
|                                                     | IEEE 802.11n/ac/ax<br>(40 MHz)     | 5270 ~ 5310 MHz / 2 Channels<br>5510 ~ 5710 MHz / 6 Channels  |
|                                                     | IEEE 802.11ac/ax<br>(80 MHz)       | 5290 MHz / 1 Channel<br>5530 ~ 5690 MHz / 3 Channels          |
| Type of Modulation                                  | IEEE 802.11a/n                     | OFDM-BPSK, QPSK, 16QAM, 64QAM                                 |
|                                                     | IEEE 802.11ac                      | OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM                         |
|                                                     | IEEE 802.11ax                      | OFDMA-BPSK, QPSK, 16QAM, 64QAM,<br>256QAM, 1024QAM            |

The difference for each model is shown as below:

| Model          | Function different                                                                                                                                    |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| AWK-3262A-US   | Industrial 802.11ax wireless AP with 1 10/100/1000/2500BaseT(X) port and 1 10/100/1000BaseT(X) port, IP30, US band, -25 to 60°C operating temperature |
| AWK-3262A-UN   | Industrial 802.11ax wireless AP with 1 10/100/1000/2500BaseT(X) port and 1 10/100/1000BaseT(X) port, IP30, UN band, -25 to 60°C operating temperature |
| AWK-3262A-US-T | Industrial 802.11ax wireless AP with 1 10/100/1000/2500BaseT(X) port and 1 10/100/1000BaseT(X) port, IP30, US band, -40 to 75°C operating temperature |
| AWK-3262A-UN-T | Industrial 802.11ax wireless AP with 1 10/100/1000/2500BaseT(X) port and 1 10/100/1000BaseT(X) port, IP30, UN band, -40 to 75°C operating temperature |

From the above models, model: AWK-3262A-US-T was selected as representative model for the test and its data was recorded in this report.

| Antenna Information |            |                         |        |                    |       |
|---------------------|------------|-------------------------|--------|--------------------|-------|
| Item                | Brand Name | Model No.               | Type   | Antenna Gain (dBi) |       |
| 1                   | MOXA       | ANT-WDB-ANM-0306        | Dipole | U-NII 1            | 5.70  |
|                     |            |                         |        | U-NII 2A           | 5.70  |
|                     |            |                         |        | U-NII 2C           | 6.30  |
|                     |            |                         |        | U-NII 3            | 6.30  |
| 2                   | MOXA       | ANT-WDB-ANM-0502        | Dipole | U-NII 1            | 1.41  |
|                     |            |                         |        | U-NII 2A           | 1.41  |
|                     |            |                         |        | U-NII 2C           | 1.41  |
|                     |            |                         |        | U-NII 3            | 1.41  |
| 3                   | MOXA       | ANT-WDB-ARM-02          | Dipole | U-NII 1            | 0.38  |
|                     |            |                         |        | U-NII 2A           | 0.38  |
|                     |            |                         |        | U-NII 2C           | -1.39 |
|                     |            |                         |        | U-NII 3            | -0.39 |
| 4                   | MOXA       | ANT-WDB-ARM-0202        | Dipole | U-NII 1            | 1.80  |
|                     |            |                         |        | U-NII 2A           | 1.80  |
|                     |            |                         |        | U-NII 2C           | 1.80  |
|                     |            |                         |        | U-NII 3            | 1.80  |
| 5                   | MOXA       | MAT-WDB-CA-RM-2-0205    | Dipole | U-NII 1            | 4.40  |
|                     |            |                         |        | U-NII 2A           | 5.70  |
|                     |            |                         |        | U-NII 2C           | 4.90  |
|                     |            |                         |        | U-NII 3            | 4.90  |
| 6                   | MOXA       | MAT-WDB-DA-RM-2-0203-1m | Dipole | U-NII 1            | 2.24  |
|                     |            |                         |        | U-NII 2A           | 2.72  |
|                     |            |                         |        | U-NII 2C           | 2.26  |
|                     |            |                         |        | U-NII 3            | 2.34  |
| 7                   | MOXA       | MAT-WDB-PA-NF-2-0708    | Panel  | U-NII 1            | 8.66  |
|                     |            |                         |        | U-NII 2A           | 8.77  |
|                     |            |                         |        | U-NII 2C           | 8.61  |
|                     |            |                         |        | U-NII 3            | 8.18  |
| 8                   | MOXA       | ANT-WDB-PNF-1011        | Panel  | U-NII 1            | 12.04 |
|                     |            |                         |        | U-NII 2A           | 12.04 |
|                     |            |                         |        | U-NII 2C           | 11.06 |
|                     |            |                         |        | U-NII 3            | 10.82 |
| 9                   | MOXA       | ANT-WDB-ONM-0707        | Dipole | U-NII 1            | 7.30  |
|                     |            |                         |        | U-NII 2A           | 7.30  |
|                     |            |                         |        | U-NII 2C           | 7.50  |
|                     |            |                         |        | U-NII 3            | 7.60  |
| 10                  | MOXA       | ANT-WDB-ONF-0709        | Dipole | U-NII 1            | 8.61  |
|                     |            |                         |        | U-NII 2A           | 8.15  |
|                     |            |                         |        | U-NII 2C           | 8.87  |
|                     |            |                         |        | U-NII 3            | 8.57  |
| 11                  | MOXA       | ANT-WSB5-PNF-16         | Panel  | U-NII 1            | 16.38 |
|                     |            |                         |        | U-NII 2A           | 16.38 |
|                     |            |                         |        | U-NII 2C           | 16.94 |
|                     |            |                         |        | U-NII 3            | 16.94 |

Note:

1. Only the higher gain antenna was tested and recorded in this report.

**For IEEE 802.11a/n/ac/ax Mode: (2TX, 2RX)**

All of the antenna No. can be used as transmitting/receiving antennas.

**Antenna Type: Panel**

| <b>For power CDD Directional gain = <math>G_{ANT\ MAX} + \text{Array Gain}</math>, Array Gain = 0 dB for <math>N_{ANT} \leq 4</math></b>        |          |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| For power CDD Directional gain (dBi)                                                                                                            | U-NII 1  | 16.38 |
|                                                                                                                                                 | U-NII 2A | 16.38 |
|                                                                                                                                                 | U-NII 2C | 16.94 |
|                                                                                                                                                 | U-NII 3  | 16.94 |
| <b>For power Beamforming Directional gain = <math>G_{ANT\ MAX} + \text{Array Gain}</math>, Array Gain = <math>10 \cdot \log(N_{ANT})</math></b> |          |       |
| For power Beamforming Directional gain (dBi)                                                                                                    | U-NII 1  | 19.39 |
|                                                                                                                                                 | U-NII 2A | 19.39 |
|                                                                                                                                                 | U-NII 2C | 19.95 |
|                                                                                                                                                 | U-NII 3  | 19.95 |
| <b>For PSD Directional gain = <math>10 \log[(10^{G1/20} + 10^{G2/20} + 10^{G3/20} + 10^{G4/20})^2 / N_{ANT}]</math> dBi</b>                     |          |       |
| For PSD Directional gain (dBi)                                                                                                                  | U-NII 1  | 19.39 |
|                                                                                                                                                 | U-NII 2A | 19.39 |
|                                                                                                                                                 | U-NII 2C | 19.95 |
|                                                                                                                                                 | U-NII 3  | 19.95 |

**Antenna Type: Dipole**

| <b>For power CDD Directional gain = <math>G_{ANT\ MAX} + \text{Array Gain}</math>, Array Gain = 0 dB for <math>N_{ANT} \leq 4</math></b>        |          |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| For power CDD Directional gain (dBi)                                                                                                            | U-NII 1  | 8.61  |
|                                                                                                                                                 | U-NII 2A | 8.15  |
|                                                                                                                                                 | U-NII 2C | 8.87  |
|                                                                                                                                                 | U-NII 3  | 8.57  |
| <b>For power Beamforming Directional gain = <math>G_{ANT\ MAX} + \text{Array Gain}</math>, Array Gain = <math>10 \cdot \log(N_{ANT})</math></b> |          |       |
| For power Beamforming Directional gain (dBi)                                                                                                    | U-NII 1  | 11.62 |
|                                                                                                                                                 | U-NII 2A | 11.16 |
|                                                                                                                                                 | U-NII 2C | 11.88 |
|                                                                                                                                                 | U-NII 3  | 11.58 |
| <b>For PSD Directional gain = <math>10 \log[(10^{G1/20} + 10^{G2/20} + 10^{G3/20} + 10^{G4/20})^2 / N_{ANT}]</math> dBi</b>                     |          |       |
| For PSD Directional gain (dBi)                                                                                                                  | U-NII 1  | 11.62 |
|                                                                                                                                                 | U-NII 2A | 11.16 |
|                                                                                                                                                 | U-NII 2C | 11.88 |
|                                                                                                                                                 | U-NII 3  | 11.58 |

## 1.2. EUT Information

|                                   |                                     |                                |                                                  |
|-----------------------------------|-------------------------------------|--------------------------------|--------------------------------------------------|
| EUT Power Type                    | DC 12~48V by DC Power Supply / PoE  |                                |                                                  |
| Operating Mode                    | <input checked="" type="checkbox"/> | Master                         |                                                  |
|                                   | <input type="checkbox"/>            | Client with radar detection    |                                                  |
|                                   | <input checked="" type="checkbox"/> | Client without radar detection |                                                  |
| Communication Mode                | <input checked="" type="checkbox"/> | IP Based (Load Based)          | <input type="checkbox"/> Frame Based             |
|                                   | <input checked="" type="checkbox"/> | Point-to-multipoint            | <input type="checkbox"/> Point-to-point          |
| TPC Function                      | <input checked="" type="checkbox"/> | With TPC Function              | <input type="checkbox"/> Without TPC Function    |
| Weather Band<br>(5600 ~ 5650 MHz) | <input checked="" type="checkbox"/> | With 5600 ~ 5650 MHz           | <input type="checkbox"/> Without 5600 ~ 5650 MHz |
| Beamforming Function              | <input checked="" type="checkbox"/> | With beamforming               | <input type="checkbox"/> Without beamforming     |
| Resource Unit of<br>802.11ax      | <input checked="" type="checkbox"/> | Full RU                        | <input type="checkbox"/> Partial RU              |

### 1.3. Testing Location Information

|        |                                                       |
|--------|-------------------------------------------------------|
| USA    | FCC Designation Number: TW0033                        |
| Canada | CAB Identifier Number: TW3023 / Company Number: 26930 |

|                  |                         |
|------------------|-------------------------|
| Site Description | Accredited by TAF       |
|                  | Accredited Number: 3023 |

|                    |                                                                             |
|--------------------|-----------------------------------------------------------------------------|
| Test Laboratory    | DEKRA Testing and Certification Co., Ltd.                                   |
|                    | Linkou Laboratory                                                           |
| Address            | No.5-22, Ruishukeng Linkou District, New Taipei City, 24451, Taiwan, R.O.C. |
| Performed Location | No. 26, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan, R.O.C.   |
| Phone Number       | +886-3-275-7255                                                             |
| Fax Number         | +886-3-327-8031                                                             |

Ambient conditions in the laboratory:

| Performed Item        | Items            | Required | Actual  | Test Date             |
|-----------------------|------------------|----------|---------|-----------------------|
| RF Conducted Emission | Temperature (°C) | 10~40 °C | 25.7 °C | 2024/07/22~2024/08/16 |
|                       | Humidity (%RH)   | 10~90 %  | 59.1 %  |                       |

### 1.4. Measurement Uncertainty

Uncertainties have been calculated according to the DEKRA internal document.

The reported expanded uncertainties are based on a standard uncertainty multiplied by a coverage factor of  $k=2$ , providing a level of confidence of approximately 95%.

Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.

| Test item | Uncertainty |
|-----------|-------------|
| Timing    | ±0.51 %     |

## 1.5. List of Test Equipment

### Dynamic Frequency Selection (DFS) / HY-SR05

| Equipment               | Manufacturer | Model No. | Serial No. | Cal. Date  | Due Date   |
|-------------------------|--------------|-----------|------------|------------|------------|
| Spectrum Analyzer       | R&S          | FSV40     | 101894     | 2024/06/03 | 2025/06/02 |
| Vector Signal Generator | R&S          | SMBV100A  | 261871     | 2024/06/07 | 2025/06/06 |

Note: All equipments are calibrated every one year.

| Instrument                 | Manufacturer  | Type No.       | Serial No    |
|----------------------------|---------------|----------------|--------------|
| Splitter/Combiner (Qty: 2) | Mini-Circuits | ZFRSC-123-S+   | SN331000910  |
| Notebook PC                | Dell          | N/A            | N/A          |
| ATT                        | Mini-Circuits | 15542          | 30912        |
| ATT                        | Mini-Circuits | 15542          | 30909        |
| 4 WAY Divider              | WOKEN         | 0120A04056002D | 151101       |
| Rotary ATT (Qty: 2)        | WOKEN         | 00801A1GGAM02Y | SMA 0-121dB  |
| Access Point               | ASUS          | RT-AX88U       | JCITHP000040 |

| Software                                                           | Manufacturer | Function                         |
|--------------------------------------------------------------------|--------------|----------------------------------|
| R&S Pulse Sequencer DFS<br>V 2.7, 21.12.2023 Build: 8755 Rev: 5021 | R&S          | Radar Signal Generation Software |

## 2. Test Configuration of EUT

### 2.1. Test Condition

| EUT Operational Condition |                           |
|---------------------------|---------------------------|
| Testing Voltage           | DC 12V by DC Power Supply |

### 2.2. Measurement Configuration

|           |                   |                   |
|-----------|-------------------|-------------------|
| Test Mode | Mode 1 (Transmit) | 802.11ax (20 MHz) |
|           |                   | 802.11ax (40 MHz) |
|           |                   | 802.11ax (80 MHz) |

Note:

1. Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.
2. Each mode is evaluated, and only the worst case is shown in the report.

### 2.3. Standard Requirement

#### FCC Part 15.407:

U-NII devices operating in the 5.25 ~ 5.35 GHz band and the 5.47 ~ 5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30 dBm. A TPC mechanism is not required for systems with an E.I.R.P. of less than 500mW.

U-NII devices operating in the 5.25 ~ 5.35 GHz and 5.47 ~ 5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems.

### 2.4. UNII Device Description

- (1) The EUT operates in the following DFS band:
  1. 5250 ~ 5350 MHz
  2. 5470 ~ 5725 MHz
- (2) Below are the available 50 ohm antenna assemblies and their corresponding gains. 0dBi gain was used to set the -64 dBm threshold level during calibration of the test setup.
- (3) WLAN traffic is in the transfer data rate >17%.
- (4) For the 5250 ~ 5350 MHz and 5470 ~ 5725 MHz bands, the Master device provides, on aggregate, uniform loading of the spectrum across all devices by selecting an operating channel among the available channels using a random algorithm.


---

## **2.5. User Access Restrictions**

DFS controls (hardware or software) related to radar detection are NOT accessible to the user. Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

### 3. General DFS Information

#### 3.1. Test Setup



#### 3.2. DFS Detection Thresholds

##### (1) Interference Threshold value, Master or Client incorporating In-Service Monitoring

| Maximum Transmit Power                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Value (see note) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| $\geq 200$ milliwatt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | -64dBm           |
| EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz                                                                                                                                                                                                                                                                                                                                                                                                                                           | -62dBm           |
| EIRP < 200 milliwatt that do not meet the power spectral density requirement                                                                                                                                                                                                                                                                                                                                                                                                                           | -64dBm           |
| Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna<br>Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.<br>Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01. |                  |

**(2) DFS Response requirement values**

| Parameter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Value                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Non-Occupancy Period                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Minimum 30 Minutes                                                                                     |
| Channel Availability Check Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 60 Seconds                                                                                             |
| Channel Move Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 10 Seconds<br>(See Note 1)                                                                             |
| Channel Closing Transmission Time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period<br>(See Note 1 and Note 2) |
| U-NII Detection Bandwidth                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Minimum 100% of the 99% power bandwidth<br>(See Note 3)                                                |
| <p>Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.</p> <p>Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.</p> <p>Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.</p> |                                                                                                        |

**3.3. User Access Restrictions**

DFS controls (hardware or software) related to radar detection are NOT accessible to the user. Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

#### 4. Radar Test Waveforms

This section provides the parameters for required test waveforms, minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

##### (1) Short Pulse Radar Test Waveforms

| Radar Type                                                                                                                           | Pulse Width (μsec) | PRI (μsec)                                                                                                                                                                                                                                                 | Number of Pulses                                                                                                           | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------|
| 0                                                                                                                                    | 1                  | 1428                                                                                                                                                                                                                                                       | 18                                                                                                                         | See Note 1                                 | See Note 1               |
| 1                                                                                                                                    | 1                  | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a<br>Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A | $Roundup = \left\lceil \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{PRI_{\mu sec}} \right) \right\rceil$ | 60%                                        | 30                       |
| 2                                                                                                                                    | 1-5                | 150-230                                                                                                                                                                                                                                                    | 23-29                                                                                                                      | 60%                                        | 30                       |
| 3                                                                                                                                    | 6-10               | 200-500                                                                                                                                                                                                                                                    | 16-18                                                                                                                      | 60%                                        | 30                       |
| 4                                                                                                                                    | 11-20              | 200-500                                                                                                                                                                                                                                                    | 12-16                                                                                                                      | 60%                                        | 30                       |
| Aggregate(Radar Types 1-4)                                                                                                           |                    |                                                                                                                                                                                                                                                            |                                                                                                                            | 80%                                        | 120                      |
| Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests. |                    |                                                                                                                                                                                                                                                            |                                                                                                                            |                                            |                          |

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

**(2) Long Pulse Radar Test Signal**

| Radar Waveform | Bursts | Number of Pulses Per Burst | Pulse Width (usec) | Chirp Width (MHz) | PRI (usec) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|--------|----------------------------|--------------------|-------------------|------------|--------------------------------------------|----------------|
| 5              | 8-20   | 1-3                        | 50-100             | 5-20              | 1000-2000  | 80%                                        | 30             |

The parameters for this waveform are randomly chosen. Thirty unique waveforms are required for the long pulse radar test signal. If more than 30 waveforms are used for the long pulse radar test signal, then each additional waveform must also be unique and not repeated from the previous waveforms.


**Each waveform is defined as follows:**

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst\_Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the time between the first and second pulses is chosen independently of the time between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst\_Count. Each interval is of length  $(12,000,000 / \text{Burst\_Count})$  microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and  $[(12,000,000 / \text{Burst\_Count}) - (\text{Total Burst Length}) + (\text{One Random PRI Interval})]$  microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen independently.

**A representative example of a Long Pulse radar test waveform:**

- 1) The total test signal length is 12 seconds.
- 2) 8 Bursts are randomly generated for the Burst\_Count.
- 3) Burst 1 has 2 randomly generated pulses.
- 4) The pulse width (for both pulses) is randomly selected to be 75 microseconds.
- 5) The PRI is randomly selected to be at 1213 microseconds.
- 6) Bursts 2 through 8 are generated using steps 3 – 5.
- 7) Each Burst is contained in even intervals of 1,500,000 microseconds. The starting location for Pulse 1, Burst 1 is randomly generated (1 to 1,500,000 minus the total Burst 1 length + 1 random PRI interval) at the 325,001 microsecond step. Bursts 2 through 8 randomly fall in successive 1,500,000 microsecond intervals (i.e. Burst 2 falls in the 1,500,001 – 3,000,000 microsecond range).

### Graphical Representation of a Long Pulse radar Test Waveform



### (3) Frequency Hopping Radar Test Signal

| Radar Waveform | Pulse Width ( $\mu\text{sec}$ ) | PRI ( $\mu\text{sec}$ ) | Hopping Sequence Length (msec) | Pulses Per Hop | Hopping Rate (kHz) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|---------------------------------|-------------------------|--------------------------------|----------------|--------------------|--------------------------------------------|----------------|
| 6              | 1                               | 333                     | 300                            | 9              | 0.333              | 70%                                        | 30             |

For the Frequency Hopping Radar Type, the same *Burst* parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm:


The first frequency in a hopping sequence is selected randomly from the group of 475 integer frequencies from 5250 – 5724 MHz. Next, the frequency that was just chosen is removed from the group and a frequency is randomly selected from the remaining 474 frequencies in the group. This process continues until all 475 frequencies are chosen for the set. For selection of a random frequency, the frequencies remaining within the group are always treated as equally likely.

#### 4.1. Radar Waveform Calibration



The following equipment setup was used to calibrate the conducted radar waveform. A spectrum analyzer was used to establish the test signal level for each radar type. During this process there were replace 50ohm terminal from master and client device and no transmissions by either the master or client device. The spectrum analyzer was switched to the zero span (time domain) at the frequency of the radar waveform generator. Peak detection was utilized. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (VBW) were set to 3MHz and 50MHz.



The signal generator amplitude was set so that the power level measured at the spectrum analyzer was -64dBm due to the interference threshold level is not required.



##### Radiated Calibration Setup







4.2. Radar Waveform Calibration Result








































**4.3. Master Data Traffic Plot Result**


| Modulation        | Frequency (MHz) | Channel loading (%) | Requirement loading (%) | Result |
|-------------------|-----------------|---------------------|-------------------------|--------|
| 802.11ax (20 MHz) | 5500            | 18.0102             | > 17                    | Pass   |
| 802.11ax (40 MHz) | 5510            | 17.9227             | > 17                    | Pass   |
| 802.11ax (80 MHz) | 5530            | 18.2852             | > 17                    | Pass   |

Plot of WLAN Traffic - 802.11ax (20 MHz), 5500 MHz




Date: 10.AUG.2024 12:12:12


Plot of WLAN Traffic - 802.11ax (20 MHz), 5500 MHz




Plot of WLAN Traffic - 802.11ax (40 MHz), 5510 MHz



Plot of WLAN Traffic - 802.11ax (40 MHz), 5510 MHz




Plot of WLAN Traffic - 802.11ax (80 MHz), 5530 MHz



Date: 10.AUG.2024 12:00:30

Plot of WLAN Traffic - 802.11ax (80 MHz), 5530 MHz



## **5. UNII Detection Bandwidth**

### **5.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The generating equipment is configured as shown in the radiated Test Setup above.

During the U-NII Detection Bandwidth detection test, radar type 0 is used and for each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic. The EUT is set up as a standalone device (no associated Client and no traffic). The radar frequency is increased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The highest frequency at which detection is greater than or equal to 90% is denoted as  $F_H$ . The radar frequency is decreased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The lowest frequency at which detection is greater than or equal to 90% is denoted as  $F_L$ . UNII Detection Bandwidth =  $F_H - F_L$ .

### **5.2. Test Requirement**

UNII Detection Bandwidth is minimum 100% of the 99% power bandwidth. A single radar Burst is generated for a minimum of 10 trials, and the response of the UUT is noted. The UUT must detect the Radar Waveform 90% or more of the time.

### 5.3. Test Result of UNII Detection Bandwidth

| 802.11ax (20 MHz), 5500 MHz                                    |      |   |   |   |   |   |   |   |   |   |    |
|----------------------------------------------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)                                                |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| F <sub>L</sub>                                                 | 5490 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 1  |
|                                                                | 5491 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5492 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5493 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5494 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5495 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5496 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5497 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5498 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5499 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
| F <sub>H</sub>                                                 | 5500 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5501 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5502 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5503 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5504 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5505 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5506 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5507 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5508 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5509 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5510 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1  |
| Detection Bandwidth = F <sub>H</sub> - F <sub>L</sub> = 19 MHz |      |   |   |   |   |   |   |   |   |   |    |
| UNII Detection Bandwidth Min. Limit = 18.9789 MHz              |      |   |   |   |   |   |   |   |   |   |    |

| 802.11ax (40 MHz), 5510 MHz |      |   |   |   |   |   |   |   |   |   |    |
|-----------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)             |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|                             | 5490 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1  |
| F <sub>L</sub>              | 5491 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1  |
|                             | 5492 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5493 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5494 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5495 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5496 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5497 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5498 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5499 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5500 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5501 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5502 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5503 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5504 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5505 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5506 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5507 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5508 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5509 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5510 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5511 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5512 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5513 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5514 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5515 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5516 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5519 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |

| 802.11ax (40 MHz), 5510 MHz                                    |      |   |   |   |   |   |   |   |   |   |    |
|----------------------------------------------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)                                                |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|                                                                | 5521 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5522 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5523 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5524 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5526 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5527 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5528 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1  |
|                                                                | 5529 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 1  |
| F <sub>H</sub>                                                 | 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1  |
| Detection Bandwidth = F <sub>H</sub> - F <sub>L</sub> = 39 MHz |      |   |   |   |   |   |   |   |   |   |    |
| UNII Detection Bandwidth Min. Limit = 37.8828 MHz              |      |   |   |   |   |   |   |   |   |   |    |

| 802.11ax (80 MHz), 5530 MHz |      |   |   |   |   |   |   |   |   |   |    |
|-----------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)             |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|                             | 5490 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |
|                             | 5491 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1  |
| F <sub>L</sub>              | 5492 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5493 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5494 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5495 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5496 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5497 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5498 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5499 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5500 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5501 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5502 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5503 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5504 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5505 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5506 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5507 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5508 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5509 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5510 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5511 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5512 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5513 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5514 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5515 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5516 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5519 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |

| 802.11ax (80 MHz), 5530 MHz |      |   |   |   |   |   |   |   |   |   |    |
|-----------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)             |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|                             | 5521 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5522 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5523 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5524 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5526 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5527 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5528 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5529 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5532 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5533 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5534 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5536 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5537 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5538 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5539 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5541 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5542 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5543 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5544 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5546 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5547 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5548 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5549 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                             | 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |

| 802.11ax (80 MHz), 5530 MHz                                    |      |   |   |   |   |   |   |   |   |   |    |
|----------------------------------------------------------------|------|---|---|---|---|---|---|---|---|---|----|
| Frequency (MHz)                                                |      | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|                                                                | 5551 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5552 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5553 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5554 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5555 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5556 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5557 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5558 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5559 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5560 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5561 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5562 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5563 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5564 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5565 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5566 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5567 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5568 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
| F <sub>H</sub>                                                 | 5569 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  |
|                                                                | 5570 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0  |
| Detection Bandwidth = F <sub>H</sub> - F <sub>L</sub> = 78 MHz |      |   |   |   |   |   |   |   |   |   |    |
| UNII Detection Bandwidth Min. Limit = 77.2903 MHz              |      |   |   |   |   |   |   |   |   |   |    |

## **6. Initial Channel Availability Check Time**

### **6.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The U-NII device is powered on and instructed to operate at test channel frequency. At the same time the UUT is powered on, the spectrum analyzer is set to zero span mode with a 3 MHz resolution bandwidth at test channel frequency with a 2.5 minute sweep time. The analyzer's sweep will be started the same time power is applied to the U-NII device.


The EUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

The initial power up time of the EUT is indicated by marker1 in the plot, Initial beacons/data transmissions are indicated by marker 1R.

### **6.2. Test Requirement**

The EUT shall perform a channel availability check to ensure that there is no radar operation on the channel, after power-up sequence, receiver at least 1 minute on the intended operation frequency.

6.3. Test Result of Initial Channel Availability Check Time



## **7. Radar Burst at the Beginning of the Channel Availability Check Time**

### **7.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-63dBm) occurs at the beginning of the Channel Availability Check Time.

The EUT is powered on at T0. T1 denotes the instant when the EUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds.

A single Burst of short pulse of radar type 1 at -63dBm will commence within a 6 second window starting at T1.


Visual indication on the EUT of successful detection of the radar Burst will be recorded and reported.

Observation of emissions at test channel frequency will continue for 2.5 minutes after the radar Burst, Verify that during the 2.5 minute measurement window no EUT transmissions occurred at test channel frequency.

### **7.2. Test Requirement**

In beginning of the Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

7.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time



## **8. Radar Burst at the End of the Channel Availability Check Time**

### **8.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-63dBm) occurs at the end of the Channel Availability Check Time.

The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds. A single Burst of short pulse of radar type 1 at -63 dBm will commence within a 6 second window starting at T1+ 54 seconds.

Visual indication on the UUT of successful detection of the radar Burst will be recorded and reported.


Observation of emissions at test channel frequency will continue for 2.5 minutes after the radar Burst has been generated.

Verify that during the 2.5 minute measurement window no UUT transmissions occurred at test channel frequency.

### **8.2. Test Requirement**

In the end of Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

8.3. Test Result of Radar Burst at the End of the Channel Availability Check Time



## 9. In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period

### 9.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

These tests define how the following DFS parameters are verified during In-Service Monitoring; Channel Closing Transmission Time, Channel Move Time, and Non-Occupancy Period. The steps below define the procedure to determine the above mentioned parameters when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-63 dBm) is generated on the Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at test channel frequency. Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

At time T0 the Radar Waveform generator sends a Burst of pulses for each of the radar types at -63 dBm. Observe the transmissions of the UUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). Compare the Channel Move Time and Channel Closing Transmission Time results to the limit defined in the DFS Response requirement values table.

Measure the UUT for more than 30 minutes following the channel close/move time to verify that the UUT does not resume any transmissions on this Channel.


### 9.2. Test Requirement

| Parameter                         | Value                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------|
| Channel Move Time                 | 10 Seconds                                                                  |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period |
| Non-Occupancy Period              | Minimum 30 minutes                                                          |

**9.3. Test Result of Channel Move Time and Channel Closing Transmission Time**


| Modulation                                                                                                                                                                                                            | Frequency (MHz) | Channel Closing Transmission (Sec.) | Channel Move Time (Sec.) | Limit (sec.)                                                                |                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------|--------------------------|-----------------------------------------------------------------------------|-------------------|
|                                                                                                                                                                                                                       |                 |                                     |                          | Channel Closing Transmission                                                | Channel Move Time |
| 802.11ax (80 MHz)                                                                                                                                                                                                     | 5530            | 0.004                               | 0.4                      | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period | 10                |
| The results showed that after radar signal injected the channel move time was less than 10 seconds and channel transmission closing time less than 200 milliseconds and an aggregate of no more than 60 milliseconds. |                 |                                     |                          |                                                                             |                   |

Channel Move Time and Channel Closing Transmission Time - 802.11ax (80 MHz), 5530 MHz



9.4. Test Result of Non-Occupancy Period

| Non-Occupancy Period                                                                       |                 |                       |                 |        |
|--------------------------------------------------------------------------------------------|-----------------|-----------------------|-----------------|--------|
| Modulation                                                                                 | Frequency (MHz) | Test Result (Minutes) | Limit (Minutes) | Result |
| 802.11ax (80 MHz)                                                                          | 5530            | > 30                  | > 30            | Pass   |
| No EUT transmissions were observed on the test channel during 30 minutes observation time. |                 |                       |                 |        |



## 10. Statistical Performance Check

### 10.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to determine the minimum percentage of detection when a radar burst with a level equal to the DFS Detection Threshold + 1dB (-63dBm) is generated on the Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at test channel frequency. Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

The Radar Waveform generator sends the individual waveform for each of the radar types 1-6 at -63 dBm. Statistical data will be gathered to determine the ability of the device to detect the radar test waveforms. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs.

### 10.2. Test Requirement

The minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

#### Minimum percentage of successful detections

| Radar Type                  | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|-----------------------------|--------------------------------------------|--------------------------|
| 1                           | 60%                                        | 30                       |
| 2                           | 60%                                        | 30                       |
| 3                           | 60%                                        | 30                       |
| 4                           | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4) | 80%                                        | 120                      |
| 5                           | 80%                                        | 30                       |
| 6                           | 70%                                        | 30                       |

The percentage of successful detection is calculated by:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100 = \text{Probability of Detection Radar Waveform}$$

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$\frac{P_d 1 + P_d 2 + P_d 3 + P_d 4}{4}$$

### 10.3. Test Result of Statistical Performance Check

#### Radar Statistical Performance

| 802.11ax (20 MHz), 5500 MHz                                                                                                          |           |               |           |        |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|-----------|--------|
| Radar Test Summary:                                                                                                                  |           |               |           |        |
| Signal Type                                                                                                                          | Trial No. | Detection (%) | Limit (%) | Result |
| 1                                                                                                                                    | 30        | 90.00         | 60        | Pass   |
| 2                                                                                                                                    | 30        | 93.33         | 60        | Pass   |
| 3                                                                                                                                    | 30        | 86.67         | 60        | Pass   |
| 4                                                                                                                                    | 30        | 90.00         | 60        | Pass   |
| Total Type 1~4                                                                                                                       | 30        | 90.00         | 80        | Pass   |
| 5                                                                                                                                    | 30        | 83.33         | 80        | Pass   |
| 6                                                                                                                                    | 30        | 93.33         | 70        | Pass   |
| Note: The aggregate should be 80 percent that the average of the percentage of successful detections of Short Pulse Radar Types 1-4. |           |               |           |        |

802.11ax (20 MHz), 5500 MHz

Type 1

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5500                   | 57                 | 1                       | 938             | 1                                       |
| 2                               | 5500                   | 70                 | 1                       | 758             | 1                                       |
| 3                               | 5500                   | 63                 | 1                       | 838             | 1                                       |
| 4                               | 5500                   | 76                 | 1                       | 698             | 1                                       |
| 5                               | 5500                   | 98                 | 1                       | 538             | 1                                       |
| 6                               | 5500                   | 86                 | 1                       | 618             | 1                                       |
| 7                               | 5500                   | 92                 | 1                       | 578             | 1                                       |
| 8                               | 5500                   | 102                | 1                       | 518             | 1                                       |
| 9                               | 5500                   | 68                 | 1                       | 778             | 1                                       |
| 10                              | 5500                   | 74                 | 1                       | 718             | 0                                       |
| 11                              | 5500                   | 72                 | 1                       | 738             | 1                                       |
| 12                              | 5500                   | 65                 | 1                       | 818             | 1                                       |
| 13                              | 5500                   | 89                 | 1                       | 598             | 1                                       |
| 14                              | 5500                   | 81                 | 1                       | 658             | 1                                       |
| 15                              | 5500                   | 58                 | 1                       | 918             | 0                                       |
| 16                              | 5500                   | 29                 | 1                       | 1879            | 1                                       |
| 17                              | 5500                   | 24                 | 1                       | 2257            | 1                                       |
| 18                              | 5500                   | 64                 | 1                       | 824             | 1                                       |
| 19                              | 5500                   | 21                 | 1                       | 2606            | 1                                       |
| 20                              | 5500                   | 29                 | 1                       | 1875            | 1                                       |
| 21                              | 5500                   | 18                 | 1                       | 2933            | 1                                       |
| 22                              | 5500                   | 34                 | 1                       | 1557            | 1                                       |
| 23                              | 5500                   | 26                 | 1                       | 2060            | 1                                       |
| 24                              | 5500                   | 25                 | 1                       | 2165            | 1                                       |
| 25                              | 5500                   | 59                 | 1                       | 904             | 1                                       |
| 26                              | 5500                   | 27                 | 1                       | 1992            | 1                                       |
| 27                              | 5500                   | 51                 | 1                       | 1047            | 1                                       |
| 28                              | 5500                   | 57                 | 1                       | 926             | 1                                       |
| 29                              | 5500                   | 20                 | 1                       | 2731            | 0                                       |
| 30                              | 5500                   | 38                 | 1                       | 1422            | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | 90.00 %         |                                         |

802.11ax (20 MHz), 5500 MHz

Type 2

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5500                   | 29                 | 3.40                    | 192             | 1                                       |
| 2                               | 5500                   | 28                 | 2.90                    | 215             | 1                                       |
| 3                               | 5500                   | 25                 | 1.90                    | 154             | 1                                       |
| 4                               | 5500                   | 25                 | 2.30                    | 194             | 1                                       |
| 5                               | 5500                   | 27                 | 4.10                    | 164             | 0                                       |
| 6                               | 5500                   | 28                 | 4.60                    | 162             | 1                                       |
| 7                               | 5500                   | 28                 | 3.60                    | 219             | 1                                       |
| 8                               | 5500                   | 28                 | 3.40                    | 178             | 1                                       |
| 9                               | 5500                   | 29                 | 1.40                    | 176             | 1                                       |
| 10                              | 5500                   | 25                 | 4.10                    | 204             | 1                                       |
| 11                              | 5500                   | 26                 | 1.10                    | 189             | 1                                       |
| 12                              | 5500                   | 26                 | 4.10                    | 191             | 1                                       |
| 13                              | 5500                   | 29                 | 2.50                    | 205             | 1                                       |
| 14                              | 5500                   | 28                 | 4.80                    | 186             | 1                                       |
| 15                              | 5500                   | 25                 | 2.20                    | 167             | 1                                       |
| 16                              | 5500                   | 27                 | 3.80                    | 200             | 1                                       |
| 17                              | 5500                   | 26                 | 4.40                    | 223             | 1                                       |
| 18                              | 5500                   | 27                 | 2.10                    | 156             | 1                                       |
| 19                              | 5500                   | 24                 | 3.10                    | 202             | 1                                       |
| 20                              | 5500                   | 27                 | 4.90                    | 189             | 1                                       |
| 21                              | 5500                   | 25                 | 1.60                    | 228             | 1                                       |
| 22                              | 5500                   | 29                 | 3.80                    | 161             | 1                                       |
| 23                              | 5500                   | 28                 | 3.40                    | 174             | 1                                       |
| 24                              | 5500                   | 25                 | 1.30                    | 216             | 1                                       |
| 25                              | 5500                   | 28                 | 2.70                    | 173             | 1                                       |
| 26                              | 5500                   | 24                 | 2.00                    | 215             | 1                                       |
| 27                              | 5500                   | 28                 | 1.40                    | 223             | 1                                       |
| 28                              | 5500                   | 26                 | 4.80                    | 227             | 0                                       |
| 29                              | 5500                   | 24                 | 1.00                    | 207             | 1                                       |
| 30                              | 5500                   | 27                 | 3.10                    | 153             | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | 93.33 %         |                                         |

802.11ax (20 MHz), 5500 MHz

Type 3

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 16          | 6.00             | 265      | 1                               |
| 2                        | 5500            | 18          | 6.90             | 424      | 1                               |
| 3                        | 5500            | 17          | 7.30             | 212      | 1                               |
| 4                        | 5500            | 16          | 7.60             | 322      | 1                               |
| 5                        | 5500            | 16          | 8.10             | 426      | 1                               |
| 6                        | 5500            | 17          | 6.10             | 201      | 1                               |
| 7                        | 5500            | 18          | 9.70             | 367      | 1                               |
| 8                        | 5500            | 16          | 7.50             | 446      | 1                               |
| 9                        | 5500            | 16          | 6.80             | 421      | 1                               |
| 10                       | 5500            | 16          | 8.80             | 474      | 0                               |
| 11                       | 5500            | 18          | 8.80             | 383      | 1                               |
| 12                       | 5500            | 17          | 9.20             | 405      | 1                               |
| 13                       | 5500            | 17          | 7.80             | 255      | 1                               |
| 14                       | 5500            | 17          | 9.30             | 266      | 1                               |
| 15                       | 5500            | 18          | 6.90             | 234      | 0                               |
| 16                       | 5500            | 17          | 8.20             | 229      | 1                               |
| 17                       | 5500            | 17          | 9.10             | 297      | 1                               |
| 18                       | 5500            | 18          | 7.00             | 338      | 1                               |
| 19                       | 5500            | 17          | 8.40             | 397      | 1                               |
| 20                       | 5500            | 18          | 6.60             | 390      | 1                               |
| 21                       | 5500            | 18          | 7.50             | 294      | 1                               |
| 22                       | 5500            | 17          | 9.60             | 421      | 1                               |
| 23                       | 5500            | 17          | 8.60             | 420      | 0                               |
| 24                       | 5500            | 17          | 6.80             | 204      | 1                               |
| 25                       | 5500            | 17          | 9.20             | 430      | 1                               |
| 26                       | 5500            | 18          | 9.90             | 469      | 1                               |
| 27                       | 5500            | 18          | 7.70             | 426      | 0                               |
| 28                       | 5500            | 18          | 9.50             | 262      | 1                               |
| 29                       | 5500            | 18          | 7.00             | 245      | 1                               |
| 30                       | 5500            | 17          | 8.70             | 274      | 1                               |
| Detection Percentage (%) |                 |             |                  | 86.67 %  |                                 |

802.11ax (20 MHz), 5500 MHz

Type 4

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5500                   | 13                 | 12.10                   | 353             | 1                                       |
| 2                               | 5500                   | 15                 | 19.30                   | 260             | 1                                       |
| 3                               | 5500                   | 12                 | 15.00                   | 388             | 1                                       |
| 4                               | 5500                   | 15                 | 14.00                   | 254             | 1                                       |
| 5                               | 5500                   | 12                 | 19.30                   | 238             | 1                                       |
| 6                               | 5500                   | 14                 | 13.70                   | 291             | 1                                       |
| 7                               | 5500                   | 12                 | 12.10                   | 343             | 1                                       |
| 8                               | 5500                   | 12                 | 17.50                   | 469             | 1                                       |
| 9                               | 5500                   | 14                 | 11.10                   | 486             | 0                                       |
| 10                              | 5500                   | 13                 | 18.20                   | 311             | 1                                       |
| 11                              | 5500                   | 13                 | 16.00                   | 487             | 1                                       |
| 12                              | 5500                   | 15                 | 14.60                   | 465             | 1                                       |
| 13                              | 5500                   | 14                 | 12.30                   | 487             | 1                                       |
| 14                              | 5500                   | 15                 | 11.80                   | 382             | 1                                       |
| 15                              | 5500                   | 13                 | 12.80                   | 210             | 0                                       |
| 16                              | 5500                   | 16                 | 19.40                   | 313             | 1                                       |
| 17                              | 5500                   | 14                 | 11.60                   | 304             | 1                                       |
| 18                              | 5500                   | 15                 | 13.50                   | 389             | 1                                       |
| 19                              | 5500                   | 14                 | 17.70                   | 275             | 1                                       |
| 20                              | 5500                   | 16                 | 11.10                   | 415             | 1                                       |
| 21                              | 5500                   | 14                 | 12.40                   | 289             | 1                                       |
| 22                              | 5500                   | 13                 | 15.50                   | 210             | 0                                       |
| 23                              | 5500                   | 14                 | 19.20                   | 262             | 1                                       |
| 24                              | 5500                   | 14                 | 16.40                   | 364             | 1                                       |
| 25                              | 5500                   | 16                 | 19.40                   | 236             | 1                                       |
| 26                              | 5500                   | 15                 | 11.70                   | 472             | 1                                       |
| 27                              | 5500                   | 13                 | 12.50                   | 264             | 1                                       |
| 28                              | 5500                   | 15                 | 16.60                   | 454             | 1                                       |
| 29                              | 5500                   | 14                 | 16.80                   | 279             | 1                                       |
| 30                              | 5500                   | 14                 | 19.00                   | 267             | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | <b>90.00 %</b>  |                                         |

802.11ax (20 MHz), 5500 MHz

Type 5

| Center Freq: 5500MHz     |       |        |                     | Low Edge: 5491MHz                                    | High Edge: 5510MHz              |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                        | 11    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                        | 18    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                        | 13    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                        | 8     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                        | 15    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                        | 7     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                        | 6     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                        | 17    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                        | 18    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                       | 18    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 0                               |
| 11                       | 8     | 3.2    | 5494.2              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 1                               |
| 12                       | 10    | 4      | 5495                | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 1                               |
| 13                       | 17    | 6.8    | 5497.8              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 0                               |
| 14                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 0                               |
| 15                       | 9     | 3.6    | 5494.6              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 1                               |
| 16                       | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 1                               |
| 17                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |
| 18                       | 18    | 7.2    | 5498.2              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 0                               |
| 19                       | 9     | 3.6    | 5494.6              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                       | 5     | 2      | 5493                | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |
| 21                       | 14    | 5.6    | 5504.4              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                       | 5     | 2      | 5508                | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                       | 9     | 3.6    | 5506.4              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                       | 9     | 3.6    | 5506.4              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                       | 11    | 4.4    | 5505.6              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                       | 12    | 4.8    | 5505.2              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                       | 15    | 6      | 5504                | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                       | 19    | 7.6    | 5502.4              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |
| 29                       | 10    | 4      | 5506                | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |
| 30                       | 10    | 4      | 5506                | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%) |       |        |                     |                                                      | 83.33                           |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 89.9               | 11                |                         |                         | 332.441                               |
| 2     | 1                | 56.7               | 11                |                         |                         | 431.377                               |
| 3     | 1                | 69.3               | 11                |                         |                         | 2.504                                 |
| 4     | 2                | 53.9               | 11                | 1596                    |                         | 787.001                               |
| 5     | 1                | 68.2               | 11                |                         |                         | 230.439                               |
| 6     | 2                | 55.1               | 11                | 1738                    |                         | 496.196                               |
| 7     | 3                | 89.8               | 11                | 1057                    | 1070                    | 353.323                               |
| 8     | 2                | 56.7               | 11                | 1383                    |                         | 501.8                                 |
| 9     | 1                | 91.9               | 11                |                         |                         | 765.667                               |
| 10    | 2                | 98.2               | 11                | 1917                    |                         | 194.194                               |
| 11    | 3                | 96                 | 11                | 1894                    | 1838                    | 144.721                               |
| 12    | 1                | 87.1               | 11                |                         |                         | 362.859                               |
| 13    | 2                | 85.9               | 11                | 1376                    |                         | 243.986                               |
| 14    | 1                | 58                 | 11                |                         |                         | 767.443                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 65.3               | 18                | 1993                    | 1326                    | 695.785                               |
| 2     | 3                | 72.7               | 18                | 1197                    | 1853                    | 1281.937                              |
| 3     | 2                | 55.5               | 18                | 1161                    |                         | 544.633                               |
| 4     | 3                | 94.8               | 18                | 1996                    | 1227                    | 141.84                                |
| 5     | 3                | 56.6               | 18                | 1512                    | 1671                    | 1196.017                              |
| 6     | 3                | 82.5               | 18                | 1683                    | 1069                    | 1209.643                              |
| 7     | 2                | 80.6               | 18                | 1113                    |                         | 316.14                                |
| 8     | 3                | 93.1               | 18                | 1807                    | 1670                    | 657.317                               |
| 9     | 3                | 51.9               | 18                | 1462                    | 1657                    | 441.433                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 3</b> |
|-------------------------|

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 81.5               | 8                 | 1741                    |                         | 434.382                               |
| 2     | 2                | 73.3               | 8                 | 1477                    |                         | 470.028                               |
| 3     | 2                | 88.9               | 8                 | 1163                    |                         | 552.765                               |
| 4     | 2                | 66.4               | 8                 | 1519                    |                         | 81.213                                |
| 5     | 3                | 84.4               | 8                 | 1298                    | 1386                    | 104.251                               |
| 6     | 1                | 80.6               | 8                 |                         |                         | 127.908                               |
| 7     | 3                | 80.9               | 8                 | 1503                    | 1945                    | 696.556                               |
| 8     | 1                | 99.4               | 8                 |                         |                         | 33.154                                |
| 9     | 3                | 56.6               | 8                 | 1238                    | 1353                    | 583.471                               |
| 10    | 1                | 92.3               | 8                 |                         |                         | 275.179                               |
| 11    | 2                | 75.5               | 8                 | 1217                    |                         | 296.326                               |
| 12    | 3                | 61.8               | 8                 | 1748                    | 1002                    | 655.264                               |
| 13    | 3                | 63.5               | 8                 | 1276                    | 1540                    | 453.882                               |
| 14    | 2                | 81.4               | 8                 | 1809                    |                         | 359.619                               |
| 15    | 2                | 82.2               | 8                 | 1619                    |                         | 270.347                               |
| 16    | 1                | 94.7               | 8                 |                         |                         | 357.765                               |
| 17    | 1                | 90.8               | 8                 |                         |                         | 453.482                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 65.7               | 15                | 1413                    |                         | 798.656                               |
| 2     | 2                | 79.6               | 15                | 1805                    |                         | 315.323                               |
| 3     | 2                | 88.6               | 15                | 1953                    |                         | 369.256                               |
| 4     | 3                | 93.4               | 15                | 1573                    | 1711                    | 877.049                               |
| 5     | 3                | 70.3               | 15                | 1991                    | 1812                    | 127.852                               |
| 6     | 2                | 85.5               | 15                | 1289                    |                         | 45.485                                |
| 7     | 3                | 92.1               | 15                | 1292                    | 1910                    | 214.738                               |
| 8     | 3                | 92.6               | 15                | 1374                    | 1851                    | 880.892                               |
| 9     | 2                | 93.4               | 15                | 1701                    |                         | 675.925                               |
| 10    | 2                | 70.7               | 15                | 1584                    |                         | 538.598                               |
| 11    | 2                | 65.3               | 15                | 1777                    |                         | 160.541                               |
| 12    | 2                | 76                 | 15                | 1701                    |                         | 799.154                               |
| 13    | 1                | 75.3               | 15                |                         |                         | 215.577                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 62.1               | 7                 |                         |                         | 264.202                               |
| 2     | 3                | 98.3               | 7                 | 1870                    | 1552                    | 409.821                               |
| 3     | 2                | 74.5               | 7                 | 1111                    |                         | 591.172                               |
| 4     | 2                | 50.1               | 7                 | 1173                    |                         | 385.663                               |
| 5     | 1                | 68.7               | 7                 |                         |                         | 405.044                               |
| 6     | 1                | 80.8               | 7                 |                         |                         | 516.575                               |
| 7     | 2                | 67.4               | 7                 | 1745                    |                         | 51.246                                |
| 8     | 2                | 91.3               | 7                 | 1439                    |                         | 398.727                               |
| 9     | 1                | 69.1               | 7                 |                         |                         | 378.708                               |
| 10    | 1                | 97.7               | 7                 |                         |                         | 585.809                               |
| 11    | 2                | 84.1               | 7                 | 1727                    |                         | 363.361                               |
| 12    | 2                | 64.9               | 7                 | 1279                    |                         | 60.242                                |
| 13    | 2                | 96.5               | 7                 | 1020                    |                         | 583.213                               |
| 14    | 1                | 57.5               | 7                 |                         |                         | 158.564                               |
| 15    | 3                | 77.2               | 7                 | 1324                    | 1773                    | 216.115                               |
| 16    | 2                | 53.8               | 7                 | 1724                    |                         | 439.586                               |
| 17    | 3                | 82.9               | 7                 | 1226                    | 1087                    | 158.737                               |
| 18    | 1                | 80.5               | 7                 |                         |                         | 419.758                               |
| 19    | 2                | 72.4               | 7                 | 1769                    |                         | 533.879                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 71.9               | 6                 | 1952                    |                         | 491.605                               |
| 2     | 2                | 76.2               | 6                 | 1977                    |                         | 110.552                               |
| 3     | 2                | 59.4               | 6                 | 1659                    |                         | 360.077                               |
| 4     | 2                | 85.5               | 6                 | 1317                    |                         | 193.01                                |
| 5     | 2                | 65.4               | 6                 | 1579                    |                         | 442.363                               |
| 6     | 1                | 52.7               | 6                 |                         |                         | 298.677                               |
| 7     | 3                | 70.7               | 6                 | 1874                    | 1878                    | 164.74                                |
| 8     | 1                | 72.1               | 6                 |                         |                         | 365.003                               |
| 9     | 2                | 95.7               | 6                 | 1210                    |                         | 51.807                                |
| 10    | 1                | 89.3               | 6                 |                         |                         | 526.33                                |
| 11    | 1                | 64.3               | 6                 |                         |                         | 581.363                               |
| 12    | 1                | 53.5               | 6                 |                         |                         | 409.357                               |
| 13    | 3                | 68                 | 6                 | 1540                    | 1543                    | 469.67                                |
| 14    | 1                | 85                 | 6                 |                         |                         | 448.813                               |
| 15    | 2                | 57                 | 6                 | 1762                    |                         | 31.887                                |
| 16    | 2                | 82.3               | 6                 | 1852                    |                         | 235.6                                 |
| 17    | 1                | 92.2               | 6                 |                         |                         | 341.333                               |
| 18    | 1                | 78.1               | 6                 |                         |                         | 466.467                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 82.9               | 17                |                             |                         | 231.237                               |
| 2     | 1                | 74.1               | 17                |                             |                         | 338.98                                |
| 3     | 1                | 83.1               | 17                |                             |                         | 487.85                                |
| 4     | 1                | 87.9               | 17                |                             |                         | 86.73                                 |
| 5     | 3                | 89.1               | 17                | 1414                        | 1820                    | 62.66                                 |
| 6     | 3                | 80                 | 17                | 1756                        | 1612                    | 32.6                                  |
| 7     | 3                | 93.2               | 17                | 1352                        | 1839                    | 643.84                                |
| 8     | 1                | 96.4               | 17                |                             |                         | 780.56                                |
| 9     | 3                | 65.9               | 17                | 1789                        | 1187                    | 86.19                                 |
| 10    | 2                | 90.5               | 17                | 1262                        |                         | 695.29                                |
| 11    | 3                | 52.1               | 17                | 1883                        | 1673                    | 478.01                                |
| 12    | 3                | 68                 | 17                | 1467                        | 1669                    | 225.56                                |
| 13    | 3                | 82.2               | 17                | 1251                        | 1530                    | 37.74                                 |
| 14    | 2                | 64.7               | 17                | 1009                        |                         | 147.8                                 |
| 15    | 1                | 84                 | 17                |                             |                         | 316.1                                 |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 77.8               | 18                | 1553                    | 1247                    | 103.338                               |
| 2     | 2                | 86.8               | 18                | 1041                    |                         | 651.77                                |
| 3     | 3                | 51.7               | 18                | 1533                    | 1106                    | 749.36                                |
| 4     | 3                | 73.2               | 18                | 1969                    | 1705                    | 87.98                                 |
| 5     | 3                | 99.7               | 18                | 1296                    | 1570                    | 263.76                                |
| 6     | 1                | 98.1               | 18                |                         |                         | 531.79                                |
| 7     | 2                | 59.5               | 18                | 1342                    |                         | 752.9                                 |
| 8     | 2                | 72                 | 18                | 1437                    |                         | 732.32                                |
| 9     | 3                | 73.7               | 18                | 1686                    | 1493                    | 768.06                                |
| 10    | 1                | 54.1               | 18                |                         |                         | 483.52                                |
| 11    | 2                | 84.6               | 18                | 1082                    |                         | 542.3                                 |
| 12    | 1                | 93                 | 18                |                         |                         | 221.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 64.6               | 18                | 1444                    |                         | 644.572                               |
| 2     | 3                | 72.8               | 18                | 1859                    | 1955                    | 482.173                               |
| 3     | 1                | 50.9               | 18                |                         |                         | 386.796                               |
| 4     | 2                | 96.4               | 18                | 1375                    |                         | 433.789                               |
| 5     | 1                | 79.7               | 18                |                         |                         | 202.872                               |
| 6     | 1                | 98.5               | 18                |                         |                         | 707.175                               |
| 7     | 1                | 91                 | 18                |                         |                         | 865.958                               |
| 8     | 3                | 78.8               | 18                | 1038                    | 1097                    | 449.522                               |
| 9     | 2                | 85                 | 18                | 1866                    |                         | 145.175                               |
| 10    | 3                | 60.3               | 18                | 1534                    | 1362                    | 768.358                               |
| 11    | 2                | 98.5               | 18                | 1941                    |                         | 261.331                               |
| 12    | 3                | 78.9               | 18                | 1084                    | 1022                    | 237.354                               |
| 13    | 1                | 83.8               | 18                |                         |                         | 65.577                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 71.7               | 8                 |                         |                         | 639.248                               |
| 2     | 1                | 80.2               | 8                 |                         |                         | 114.178                               |
| 3     | 3                | 63                 | 8                 | 1238                    | 1822                    | 125.234                               |
| 4     | 1                | 65.2               | 8                 |                         |                         | 484.181                               |
| 5     | 2                | 78.3               | 8                 | 1216                    |                         | 221.229                               |
| 6     | 2                | 79.1               | 8                 | 1646                    |                         | 216.426                               |
| 7     | 3                | 85.7               | 8                 | 1562                    | 1887                    | 422.873                               |
| 8     | 2                | 85.7               | 8                 | 1316                    |                         | 158.21                                |
| 9     | 2                | 69.6               | 8                 | 1167                    |                         | 434.967                               |
| 10    | 2                | 94.7               | 8                 | 1780                    |                         | 627.024                               |
| 11    | 3                | 86.5               | 8                 | 1481                    | 1271                    | 190.911                               |
| 12    | 2                | 88.8               | 8                 | 1245                    |                         | 186.009                               |
| 13    | 1                | 52.1               | 8                 |                         |                         | 448.986                               |
| 14    | 2                | 98                 | 8                 | 1801                    |                         | 410.543                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 77.4               | 10                | 1878                    |                         | 386.678                               |
| 2     | 2                | 54.1               | 10                | 1575                    |                         | 237.49                                |
| 3     | 2                | 71                 | 10                | 1377                    |                         | 397.36                                |
| 4     | 2                | 83.3               | 10                | 1355                    |                         | 544.24                                |
| 5     | 2                | 82.1               | 10                | 1354                    |                         | 492.15                                |
| 6     | 2                | 87.7               | 10                | 1044                    |                         | 608.56                                |
| 7     | 2                | 81.3               | 10                | 1036                    |                         | 617.51                                |
| 8     | 2                | 81.4               | 10                | 1543                    |                         | 458.2                                 |
| 9     | 1                | 75.7               | 10                |                         |                         | 677.94                                |
| 10    | 2                | 55.3               | 10                | 1628                    |                         | 429.55                                |
| 11    | 1                | 53.4               | 10                |                         |                         | 325.22                                |
| 12    | 2                | 69.8               | 10                | 1907                    |                         | 384.52                                |
| 13    | 2                | 64.3               | 10                | 1306                    |                         | 632.6                                 |
| 14    | 3                | 56.1               | 10                | 1286                    | 1544                    | 136.6                                 |
| 15    | 1                | 76.6               | 10                |                         |                         | 514.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 13**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 76.2               | 19                |                         |                         | 630.321                               |
| 2     | 2                | 88.3               | 19                | 1805                    |                         | 346.12                                |
| 3     | 2                | 53.4               | 19                | 1012                    |                         | 79.06                                 |
| 4     | 3                | 67.6               | 19                | 1231                    | 1684                    | 714.09                                |
| 5     | 1                | 73                 | 19                |                         |                         | 522.86                                |
| 6     | 2                | 66.8               | 19                | 1867                    |                         | 322.92                                |
| 7     | 2                | 63.7               | 19                | 1409                    |                         | 312.88                                |
| 8     | 1                | 93.3               | 19                |                         |                         | 275.23                                |
| 9     | 2                | 57                 | 19                | 1542                    |                         | 787.49                                |
| 10    | 2                | 78.8               | 19                | 1635                    |                         | 557.65                                |
| 11    | 2                | 78.9               | 19                | 1165                    |                         | 396.66                                |
| 12    | 1                | 55.1               | 19                |                         |                         | 343.34                                |
| 13    | 3                | 83.2               | 19                | 1725                    | 1397                    | 248.44                                |
| 14    | 1                | 61.7               | 19                |                         |                         | 595.6                                 |
| 15    | 1                | 74.2               | 19                |                         |                         | 478.2                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 91.2               | 9                 |                         |                         | 57.69                                 |
| 2     | 1                | 74.9               | 9                 |                         |                         | 671.258                               |
| 3     | 1                | 73.6               | 9                 |                         |                         | 503.775                               |
| 4     | 1                | 77                 | 9                 |                         |                         | 25.163                                |
| 5     | 1                | 90                 | 9                 |                         |                         | 674.521                               |
| 6     | 3                | 78.7               | 9                 | 1389                    | 1476                    | 594.918                               |
| 7     | 3                | 90                 | 9                 | 1393                    | 1480                    | 279.906                               |
| 8     | 1                | 53                 | 9                 |                         |                         | 537.274                               |
| 9     | 1                | 71                 | 9                 |                         |                         | 120.461                               |
| 10    | 1                | 54.8               | 9                 |                         |                         | 276.599                               |
| 11    | 2                | 85.4               | 9                 | 1788                    |                         | 389.436                               |
| 12    | 2                | 95.2               | 9                 | 1330                    |                         | 555.274                               |
| 13    | 1                | 91.8               | 9                 |                         |                         | 334.932                               |
| 14    | 1                | 61.7               | 9                 |                         |                         | 183.389                               |
| 15    | 3                | 91.3               | 9                 | 1779                    | 1873                    | 349.847                               |
| 16    | 3                | 97.7               | 9                 | 1659                    | 1925                    | 8.265                                 |
| 17    | 3                | 57.2               | 9                 | 1246                    | 1200                    | 83.282                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 68.9               | 6                 | 1759                    |                         | 868.179                               |
| 2     | 2                | 53.9               | 6                 | 1016                    |                         | 372.041                               |
| 3     | 1                | 57.6               | 6                 |                         |                         | 1031.872                              |
| 4     | 2                | 68.5               | 6                 | 1200                    |                         | 298.653                               |
| 5     | 2                | 88.6               | 6                 | 1081                    |                         | 335.124                               |
| 6     | 2                | 70.8               | 6                 | 1623                    |                         | 960.845                               |
| 7     | 2                | 83.5               | 6                 | 1220                    |                         | 617.915                               |
| 8     | 1                | 94.7               | 6                 |                         |                         | 185.876                               |
| 9     | 1                | 65.8               | 6                 |                         |                         | 964.457                               |
| 10    | 1                | 81.8               | 6                 |                         |                         | 61.778                                |
| 11    | 3                | 69.3               | 6                 | 1156                    | 1183                    | 914.409                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 56.2               | 19                | 1383                    |                         | 236.013                               |
| 2     | 2                | 55.2               | 19                | 1429                    |                         | 128.021                               |
| 3     | 1                | 99.6               | 19                |                         |                         | 206.87                                |
| 4     | 2                | 57.8               | 19                | 1462                    |                         | 309.73                                |
| 5     | 2                | 68.6               | 19                | 1881                    |                         | 531.56                                |
| 6     | 2                | 78.9               | 19                | 1638                    |                         | 570.46                                |
| 7     | 1                | 66.9               | 19                |                         |                         | 108.23                                |
| 8     | 1                | 70.6               | 19                |                         |                         | 403.4                                 |
| 9     | 3                | 61.9               | 19                | 1215                    | 1116                    | 204.66                                |
| 10    | 1                | 77                 | 19                |                         |                         | 350.8                                 |
| 11    | 1                | 52.3               | 19                |                         |                         | 668.44                                |
| 12    | 1                | 53.2               | 19                |                         |                         | 51.47                                 |
| 13    | 2                | 98.5               | 19                | 1863                    |                         | 441.82                                |
| 14    | 1                | 76.4               | 19                |                         |                         | 377.1                                 |
| 15    | 3                | 58.3               | 19                | 1999                    | 1854                    | 507.7                                 |
| 16    | 2                | 90.9               | 19                | 1769                    |                         | 413.1                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 84.9               | 18                | 1676                    |                         | 211.924                               |
| 2     | 1                | 52.1               | 18                |                         |                         | 580.26                                |
| 3     | 2                | 89.9               | 18                | 1993                    |                         | 176.62                                |
| 4     | 2                | 84.6               | 18                | 1445                    |                         | 269.41                                |
| 5     | 3                | 86.8               | 18                | 1155                    | 1813                    | 136.38                                |
| 6     | 2                | 53.2               | 18                | 1135                    |                         | 778.62                                |
| 7     | 2                | 56                 | 18                | 1866                    |                         | 136.09                                |
| 8     | 2                | 87.6               | 18                | 1597                    |                         | 469.33                                |
| 9     | 2                | 60.7               | 18                | 1683                    |                         | 294.36                                |
| 10    | 2                | 97.2               | 18                | 1580                    |                         | 443.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 84.6               | 9                 | 1368                    |                         | 308.415                               |
| 2     | 1                | 59.1               | 9                 |                         |                         | 198.515                               |
| 3     | 3                | 50                 | 9                 | 1702                    | 1917                    | 90.47                                 |
| 4     | 1                | 95.6               | 9                 |                         |                         | 128.28                                |
| 5     | 1                | 62.5               | 9                 |                         |                         | 111.26                                |
| 6     | 1                | 81.2               | 9                 |                         |                         | 305.75                                |
| 7     | 2                | 67.8               | 9                 | 1149                    |                         | 175.52                                |
| 8     | 2                | 88.2               | 9                 | 1758                    |                         | 687.22                                |
| 9     | 2                | 70                 | 9                 | 1229                    |                         | 229.25                                |
| 10    | 1                | 63.5               | 9                 |                         |                         | 719.75                                |
| 11    | 3                | 68.5               | 9                 | 1639                    | 1647                    | 343.9                                 |
| 12    | 2                | 78.5               | 9                 | 1240                    |                         | 214.27                                |
| 13    | 2                | 81                 | 9                 | 1732                    |                         | 535.96                                |
| 14    | 2                | 82.5               | 9                 | 1462                    |                         | 577.8                                 |
| 15    | 3                | 73.8               | 9                 | 1982                    | 1738                    | 443.5                                 |
| 16    | 3                | 58                 | 9                 | 1254                    | 1968                    | 664.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 53.4               | 5                 | 1150                    |                         | 693.655                               |
| 2     | 2                | 86.5               | 5                 | 1825                    |                         | 351.43                                |
| 3     | 2                | 51.9               | 5                 | 1084                    |                         | 106.89                                |
| 4     | 2                | 73.9               | 5                 | 1790                    |                         | 720.52                                |
| 5     | 2                | 97                 | 5                 | 1912                    |                         | 228.87                                |
| 6     | 1                | 58.9               | 5                 |                         |                         | 374.66                                |
| 7     | 3                | 54.8               | 5                 | 1951                    | 1109                    | 656.58                                |
| 8     | 2                | 59.8               | 5                 | 1111                    |                         | 473.99                                |
| 9     | 2                | 55.7               | 5                 | 1323                    |                         | 758.36                                |
| 10    | 3                | 97.7               | 5                 | 1963                    | 1229                    | 23.01                                 |
| 11    | 3                | 74.7               | 5                 | 1750                    | 1452                    | 312.02                                |
| 12    | 2                | 74.2               | 5                 | 1715                    |                         | 382.22                                |
| 13    | 2                | 68.2               | 5                 | 1053                    |                         | 216.63                                |
| 14    | 2                | 51.6               | 5                 | 1026                    |                         | 662.8                                 |
| 15    | 2                | 79.3               | 5                 | 1386                    |                         | 255.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 21**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 59.8               | 5                 | 1715                    |                         | 822.066                               |
| 2     | 2                | 53.8               | 5                 | 1248                    |                         | 1162.52                               |
| 3     | 2                | 52.1               | 5                 | 1705                    |                         | 840.67                                |
| 4     | 1                | 85.9               | 5                 |                         |                         | 345                                   |
| 5     | 1                | 74.7               | 5                 |                         |                         | 362.78                                |
| 6     | 2                | 82.5               | 5                 | 1894                    |                         | 452.6                                 |
| 7     | 2                | 72.3               | 5                 | 1926                    |                         | 768.97                                |
| 8     | 2                | 97.8               | 5                 | 1612                    |                         | 419.57                                |
| 9     | 2                | 89.3               | 5                 | 1507                    |                         | 962.6                                 |
| 10    | 1                | 57.3               | 5                 |                         |                         | 719.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 23**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 90.2               | 9                 | 1433                    | 1783                    | 475.186                               |
| 2     | 2                | 84.1               | 9                 | 1497                    |                         | 450.801                               |
| 3     | 3                | 87.2               | 9                 | 1190                    | 1302                    | 772.552                               |
| 4     | 3                | 66.6               | 9                 | 1954                    | 1821                    | 816.203                               |
| 5     | 1                | 85.2               | 9                 |                         |                         | 810.344                               |
| 6     | 2                | 60.6               | 9                 | 1005                    |                         | 377.695                               |
| 7     | 3                | 57.9               | 9                 | 1954                    | 1386                    | 596.975                               |
| 8     | 2                | 55.3               | 9                 | 1662                    |                         | 65.166                                |
| 9     | 3                | 98.4               | 9                 | 1994                    | 1335                    | 998.787                               |
| 10    | 2                | 71.6               | 9                 | 1247                    |                         | 449.818                               |
| 11    | 2                | 52.3               | 9                 | 1154                    |                         | 968.309                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 51.8               | 11                | 1396                    | 1546                    | 267.424                               |
| 2     | 2                | 77.9               | 11                | 1078                    |                         | 568.823                               |
| 3     | 2                | 76.6               | 11                | 1251                    |                         | 577.047                               |
| 4     | 1                | 71.9               | 11                |                         |                         | 555.91                                |
| 5     | 3                | 79.9               | 11                | 1050                    | 1134                    | 622.323                               |
| 6     | 3                | 95.5               | 11                | 1540                    | 1152                    | 348.787                               |
| 7     | 2                | 57.5               | 11                | 1292                    |                         | 304.96                                |
| 8     | 1                | 72.7               | 11                |                         |                         | 642.423                               |
| 9     | 2                | 77                 | 11                | 1192                    |                         | 582.157                               |
| 10    | 2                | 53.5               | 11                | 1105                    |                         | 76.31                                 |
| 11    | 3                | 79                 | 11                | 1393                    | 1572                    | 248.093                               |
| 12    | 1                | 79.5               | 11                |                         |                         | 217.187                               |
| 13    | 2                | 74.7               | 11                | 1833                    |                         | 426.24                                |
| 14    | 2                | 54.5               | 11                | 1433                    |                         | 36.823                                |
| 15    | 2                | 98.7               | 11                | 1254                    |                         | 382.697                               |
| 16    | 2                | 85.8               | 11                | 1042                    |                         | 22.6                                  |
| 17    | 2                | 55.4               | 11                | 1219                    |                         | 632.033                               |
| 18    | 3                | 80.2               | 11                | 1294                    | 1162                    | 500.767                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 90.1               | 12                | 1027                    | 1596                    | 653.671                               |
| 2     | 3                | 69.5               | 12                | 1691                    | 1065                    | 242.567                               |
| 3     | 2                | 98.3               | 12                | 1822                    |                         | 489.69                                |
| 4     | 1                | 78                 | 12                |                         |                         | 195.91                                |
| 5     | 2                | 82.5               | 12                | 1840                    |                         | 527.03                                |
| 6     | 3                | 71                 | 12                | 1024                    | 1293                    | 430                                   |
| 7     | 3                | 58.6               | 12                | 1966                    | 1185                    | 255.51                                |
| 8     | 3                | 55.2               | 12                | 1124                    | 1682                    | 192.16                                |
| 9     | 3                | 88.6               | 12                | 1677                    | 1278                    | 269.67                                |
| 10    | 2                | 93.4               | 12                | 1518                    |                         | 741.28                                |
| 11    | 1                | 87.3               | 12                |                         |                         | 531.12                                |
| 12    | 3                | 90.8               | 12                | 1939                    | 1678                    | 378.37                                |
| 13    | 3                | 95.4               | 12                | 1549                    | 1365                    | 56.14                                 |
| 14    | 2                | 55                 | 12                | 1340                    |                         | 379.9                                 |
| 15    | 1                | 62.6               | 12                |                         |                         | 32.3                                  |
| 16    | 2                | 92.2               | 12                | 1724                    |                         | 63                                    |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 59.7               | 15                | 1581                    | 1732                    | 1023.2                                |
| 2     | 1                | 90.6               | 15                |                         |                         | 425.421                               |
| 3     | 2                | 61.3               | 15                | 1335                    |                         | 886.552                               |
| 4     | 3                | 68.5               | 15                | 1945                    | 1228                    | 223.183                               |
| 5     | 3                | 52.9               | 15                | 1793                    | 1093                    | 988.674                               |
| 6     | 2                | 89.8               | 15                | 1335                    |                         | 895.075                               |
| 7     | 2                | 99.9               | 15                | 1300                    |                         | 634.185                               |
| 8     | 2                | 79                 | 15                | 1702                    |                         | 253.696                               |
| 9     | 2                | 70.8               | 15                | 1139                    |                         | 651.747                               |
| 10    | 2                | 58.5               | 15                | 1571                    |                         | 350.618                               |
| 11    | 2                | 61.5               | 15                | 1264                    |                         | 459.509                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.7               | 19                | 1475                    |                         | 363.345                               |
| 2     | 2                | 97.9               | 19                | 1129                    |                         | 672.151                               |
| 3     | 3                | 96.1               | 19                | 1304                    | 1797                    | 287.442                               |
| 4     | 2                | 91                 | 19                | 1900                    |                         | 247.953                               |
| 5     | 2                | 84.8               | 19                | 1496                    |                         | 870.714                               |
| 6     | 2                | 88                 | 19                | 1920                    |                         | 188.645                               |
| 7     | 2                | 99.2               | 19                | 1186                    |                         | 152.455                               |
| 8     | 1                | 88.7               | 19                |                         |                         | 51.686                                |
| 9     | 2                | 54.2               | 19                | 1165                    |                         | 970.507                               |
| 10    | 3                | 55.2               | 19                | 1776                    | 1732                    | 413.718                               |
| 11    | 2                | 86.6               | 19                | 1657                    |                         | 904.109                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 70.3               | 10                |                         |                         | 477.314                               |
| 2     | 1                | 72.1               | 10                |                         |                         | 141.242                               |
| 3     | 1                | 65.8               | 10                |                         |                         | 390.282                               |
| 4     | 3                | 73.5               | 10                | 1705                    | 1505                    | 516.843                               |
| 5     | 2                | 55.1               | 10                | 1832                    |                         | 270.544                               |
| 6     | 2                | 75.7               | 10                | 1390                    |                         | 133.815                               |
| 7     | 3                | 88.6               | 10                | 1386                    | 1002                    | 508.696                               |
| 8     | 2                | 57.8               | 10                | 1355                    |                         | 357.197                               |
| 9     | 2                | 55.3               | 10                | 1441                    |                         | 525.898                               |
| 10    | 2                | 68.1               | 10                | 1013                    |                         | 103.699                               |
| 11    | 2                | 74.5               | 10                | 1167                    |                         | 2.441                                 |
| 12    | 2                | 97.8               | 10                | 1579                    |                         | 124.242                               |
| 13    | 1                | 67.4               | 10                |                         |                         | 520.803                               |
| 14    | 1                | 96.2               | 10                |                         |                         | 482.994                               |
| 15    | 1                | 86                 | 10                |                         |                         | 62.845                                |
| 16    | 3                | 56                 | 10                | 1149                    | 1384                    | 459.236                               |
| 17    | 1                | 89.8               | 10                |                         |                         | 122.637                               |
| 18    | 2                | 79.2               | 10                | 1523                    |                         | 612.258                               |
| 19    | 2                | 62.1               | 10                | 1884                    |                         | 218.979                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 94.3               | 10                | 1775                    | 1557                    | 657.132                               |
| 2     | 1                | 94                 | 10                |                         |                         | 137.29                                |
| 3     | 2                | 67.7               | 10                | 1504                    |                         | 272.9                                 |
| 4     | 1                | 70.2               | 10                |                         |                         | 273.97                                |
| 5     | 2                | 98.2               | 10                | 1062                    |                         | 181.97                                |
| 6     | 2                | 56.7               | 10                | 1821                    |                         | 746.96                                |
| 7     | 2                | 67.4               | 10                | 1255                    |                         | 74.22                                 |
| 8     | 1                | 81.5               | 10                |                         |                         | 78.7                                  |
| 9     | 3                | 58                 | 10                | 1908                    | 1634                    | 702.43                                |
| 10    | 2                | 62.8               | 10                | 1589                    |                         | 480.57                                |
| 11    | 3                | 82.6               | 10                | 1081                    | 1460                    | 619.77                                |
| 12    | 1                | 52.6               | 10                |                         |                         | 538.47                                |
| 13    | 1                | 55.7               | 10                |                         |                         | 534.8                                 |
| 14    | 2                | 55                 | 10                | 1286                    |                         | 189.9                                 |
| 15    | 3                | 91                 | 10                | 1685                    | 1586                    | 538.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

802.11ax (20 MHz), 5500 MHz

Type 6

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>*Filename</b>                                                   | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------------------------------------------------------|-----------------------------------------|
| 1                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                                       |
| 2                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 0                                       |
| 3                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                                       |
| 4                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                                       |
| 5                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                                       |
| 6                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                                       |
| 7                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                                       |
| 8                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                                       |
| 9                               | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                                       |
| 10                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                                       |
| 11                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                                       |
| 12                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                                       |
| 13                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                                       |
| 14                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                                       |
| 15                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                                       |
| 16                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                                       |
| 17                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                                       |
| 18                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                                       |
| 19                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                                       |
| 20                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                                       |
| 21                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 0                                       |
| 22                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                                       |
| 23                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                                       |
| 24                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                                       |
| 25                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                                       |
| 26                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                                       |
| 27                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                                       |
| 28                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                                       |
| 29                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                                       |
| 30                              | 5500                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                                                                    | 93.33                                   |
| <b>Limit</b>                    |                        |                                                                    | >70                                     |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.5              | 5.467        | 20              |              |
| 2     | 5.5              | 5.636        | 20              |              |
| 3     | 5.5              | 5.288        | 20              |              |
| 4     | 5.5              | 5.57         | 20              |              |
| 5     | 5.5              | 5.271        | 20              |              |
| 6     | 5.5              | 5.311        | 20              |              |
| 7     | 5.5              | 5.408        | 20              |              |
| 8     | 5.5              | 5.251        | 20              |              |
| 9     | 5.5              | 5.431        | 20              |              |
| 10    | 5.5              | 5.652        | 20              |              |
| 11    | 5.5              | 5.447        | 20              |              |
| 12    | 5.5              | 5.721        | 20              |              |
| 13    | 5.5              | 5.389        | 20              |              |
| 14    | 5.5              | 5.361        | 20              |              |
| 15    | 5.5              | 5.685        | 20              |              |
| 16    | 5.5              | 5.568        | 20              |              |
| 17    | 5.5              | 5.633        | 20              |              |
| 18    | 5.5              | 5.5          | 20              | *            |
| 19    | 5.5              | 5.254        | 20              |              |
| 20    | 5.5              | 5.623        | 20              |              |
| 21    | 5.5              | 5.324        | 20              |              |
| 22    | 5.5              | 5.579        | 20              |              |
| 23    | 5.5              | 5.269        | 20              |              |
| 24    | 5.5              | 5.362        | 20              |              |
| 25    | 5.5              | 5.627        | 20              |              |
| 26    | 5.5              | 5.576        | 20              |              |
| 27    | 5.5              | 5.631        | 20              |              |
| 28    | 5.5              | 5.281        | 20              |              |
| 29    | 5.5              | 5.317        | 20              |              |
| 30    | 5.5              | 5.606        | 20              |              |
| 31    | 5.5              | 5.338        | 20              |              |
| 32    | 5.5              | 5.619        | 20              |              |
| 33    | 5.5              | 5.401        | 20              |              |
| 34    | 5.5              | 5.315        | 20              |              |
| 35    | 5.5              | 5.552        | 20              |              |
| 36    | 5.5              | 5.369        | 20              |              |
| 37    | 5.5              | 5.621        | 20              |              |
| 38    | 5.5              | 5.699        | 20              |              |
| 39    | 5.5              | 5.484        | 20              |              |
| 40    | 5.5              | 5.478        | 20              |              |
| 41    | 5.5              | 5.612        | 20              |              |
| 42    | 5.5              | 5.304        | 20              |              |
| 43    | 5.5              | 5.438        | 20              |              |
| 44    | 5.5              | 5.435        | 20              |              |
| 45    | 5.5              | 5.291        | 20              |              |
| 46    | 5.5              | 5.323        | 20              |              |
| 47    | 5.5              | 5.415        | 20              |              |
| 48    | 5.5              | 5.47         | 20              |              |
| 49    | 5.5              | 5.543        | 20              |              |

|     |     |       |    |   |
|-----|-----|-------|----|---|
| 50  | 5.5 | 5.65  | 20 |   |
| 51  | 5.5 | 5.403 | 20 |   |
| 52  | 5.5 | 5.334 | 20 |   |
| 53  | 5.5 | 5.344 | 20 |   |
| 54  | 5.5 | 5.436 | 20 |   |
| 55  | 5.5 | 5.72  | 20 |   |
| 56  | 5.5 | 5.326 | 20 |   |
| 57  | 5.5 | 5.518 | 20 |   |
| 58  | 5.5 | 5.367 | 20 |   |
| 59  | 5.5 | 5.364 | 20 |   |
| 60  | 5.5 | 5.368 | 20 |   |
| 61  | 5.5 | 5.333 | 20 |   |
| 62  | 5.5 | 5.352 | 20 |   |
| 63  | 5.5 | 5.289 | 20 |   |
| 64  | 5.5 | 5.39  | 20 |   |
| 65  | 5.5 | 5.391 | 20 |   |
| 66  | 5.5 | 5.327 | 20 |   |
| 67  | 5.5 | 5.638 | 20 |   |
| 68  | 5.5 | 5.416 | 20 |   |
| 69  | 5.5 | 5.542 | 20 |   |
| 70  | 5.5 | 5.491 | 20 | * |
| 71  | 5.5 | 5.654 | 20 |   |
| 72  | 5.5 | 5.313 | 20 |   |
| 73  | 5.5 | 5.397 | 20 |   |
| 74  | 5.5 | 5.302 | 20 |   |
| 75  | 5.5 | 5.321 | 20 |   |
| 76  | 5.5 | 5.593 | 20 |   |
| 77  | 5.5 | 5.527 | 20 |   |
| 78  | 5.5 | 5.545 | 20 |   |
| 79  | 5.5 | 5.325 | 20 |   |
| 80  | 5.5 | 5.687 | 20 |   |
| 81  | 5.5 | 5.462 | 20 |   |
| 82  | 5.5 | 5.564 | 20 |   |
| 83  | 5.5 | 5.696 | 20 |   |
| 84  | 5.5 | 5.538 | 20 |   |
| 85  | 5.5 | 5.67  | 20 |   |
| 86  | 5.5 | 5.451 | 20 |   |
| 87  | 5.5 | 5.708 | 20 |   |
| 88  | 5.5 | 5.476 | 20 |   |
| 89  | 5.5 | 5.495 | 20 | * |
| 90  | 5.5 | 5.642 | 20 |   |
| 91  | 5.5 | 5.417 | 20 |   |
| 92  | 5.5 | 5.33  | 20 |   |
| 93  | 5.5 | 5.473 | 20 |   |
| 94  | 5.5 | 5.349 | 20 |   |
| 95  | 5.5 | 5.634 | 20 |   |
| 96  | 5.5 | 5.384 | 20 |   |
| 97  | 5.5 | 5.393 | 20 |   |
| 98  | 5.5 | 5.422 | 20 |   |
| 99  | 5.5 | 5.585 | 20 |   |
| 100 | 5.5 | 5.485 | 20 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.361        | 20              |              |
| 2                      | 5.5              | 5.295        | 20              |              |
| 3                      | 5.5              | 5.409        | 20              |              |
| 4                      | 5.5              | 5.642        | 20              |              |
| 5                      | 5.5              | 5.551        | 20              |              |
| 6                      | 5.5              | 5.561        | 20              |              |
| 7                      | 5.5              | 5.709        | 20              |              |
| 8                      | 5.5              | 5.681        | 20              |              |
| 9                      | 5.5              | 5.629        | 20              |              |
| 10                     | 5.5              | 5.536        | 20              |              |
| 11                     | 5.5              | 5.471        | 20              |              |
| 12                     | 5.5              | 5.284        | 20              |              |
| 13                     | 5.5              | 5.608        | 20              |              |
| 14                     | 5.5              | 5.267        | 20              |              |
| 15                     | 5.5              | 5.365        | 20              |              |
| 16                     | 5.5              | 5.287        | 20              |              |
| 17                     | 5.5              | 5.636        | 20              |              |
| 18                     | 5.5              | 5.387        | 20              |              |
| 19                     | 5.5              | 5.42         | 20              |              |
| 20                     | 5.5              | 5.51         | 20              | *            |
| 21                     | 5.5              | 5.407        | 20              |              |
| 22                     | 5.5              | 5.668        | 20              |              |
| 23                     | 5.5              | 5.431        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.443        | 20              |              |
| 2                      | 5.5              | 5.268        | 20              |              |
| 3                      | 5.5              | 5.643        | 20              |              |
| 4                      | 5.5              | 5.448        | 20              |              |
| 5                      | 5.5              | 5.64         | 20              |              |
| 6                      | 5.5              | 5.348        | 20              |              |
| 7                      | 5.5              | 5.677        | 20              |              |
| 8                      | 5.5              | 5.665        | 20              |              |
| 9                      | 5.5              | 5.701        | 20              |              |
| 10                     | 5.5              | 5.619        | 20              |              |
| 11                     | 5.5              | 5.524        | 20              |              |
| 12                     | 5.5              | 5.482        | 20              |              |
| 13                     | 5.5              | 5.52         | 20              |              |
| 14                     | 5.5              | 5.516        | 20              |              |
| 15                     | 5.5              | 5.491        | 20              | *            |
| 16                     | 5.5              | 5.377        | 20              |              |
| 17                     | 5.5              | 5.31         | 20              |              |
| 18                     | 5.5              | 5.317        | 20              |              |
| 19                     | 5.5              | 5.567        | 20              |              |
| 20                     | 5.5              | 5.648        | 20              |              |
| 21                     | 5.5              | 5.462        | 20              |              |
| 22                     | 5.5              | 5.58         | 20              |              |
| 23                     | 5.5              | 5.373        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.346        | 20              |              |
| 2                      | 5.5              | 5.345        | 20              |              |
| 3                      | 5.5              | 5.593        | 20              |              |
| 4                      | 5.5              | 5.465        | 20              |              |
| 5                      | 5.5              | 5.629        | 20              |              |
| 6                      | 5.5              | 5.367        | 20              |              |
| 7                      | 5.5              | 5.394        | 20              |              |
| 8                      | 5.5              | 5.517        | 20              |              |
| 9                      | 5.5              | 5.478        | 20              |              |
| 10                     | 5.5              | 5.306        | 20              |              |
| 11                     | 5.5              | 5.41         | 20              |              |
| 12                     | 5.5              | 5.281        | 20              |              |
| 13                     | 5.5              | 5.385        | 20              |              |
| 14                     | 5.5              | 5.635        | 20              |              |
| 15                     | 5.5              | 5.501        | 20              | *            |
| 16                     | 5.5              | 5.312        | 20              |              |
| 17                     | 5.5              | 5.663        | 20              |              |
| 18                     | 5.5              | 5.305        | 20              |              |
| 19                     | 5.5              | 5.451        | 20              |              |
| 20                     | 5.5              | 5.597        | 20              |              |
| 21                     | 5.5              | 5.539        | 20              |              |
| 22                     | 5.5              | 5.469        | 20              |              |
| 23                     | 5.5              | 5.359        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.587        | 20              |              |
| 2                      | 5.5              | 5.698        | 20              |              |
| 3                      | 5.5              | 5.315        | 20              |              |
| 4                      | 5.5              | 5.308        | 20              |              |
| 5                      | 5.5              | 5.477        | 20              |              |
| 6                      | 5.5              | 5.462        | 20              |              |
| 7                      | 5.5              | 5.382        | 20              |              |
| 8                      | 5.5              | 5.301        | 20              |              |
| 9                      | 5.5              | 5.484        | 20              |              |
| 10                     | 5.5              | 5.554        | 20              |              |
| 11                     | 5.5              | 5.342        | 20              |              |
| 12                     | 5.5              | 5.393        | 20              |              |
| 13                     | 5.5              | 5.394        | 20              |              |
| 14                     | 5.5              | 5.511        | 20              |              |
| 15                     | 5.5              | 5.286        | 20              |              |
| 16                     | 5.5              | 5.307        | 20              |              |
| 17                     | 5.5              | 5.715        | 20              |              |
| 18                     | 5.5              | 5.623        | 20              |              |
| 19                     | 5.5              | 5.664        | 20              |              |
| 20                     | 5.5              | 5.268        | 20              |              |
| 21                     | 5.5              | 5.719        | 20              |              |
| 22                     | 5.5              | 5.485        | 20              |              |
| 23                     | 5.5              | 5.626        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.366        | 20              |              |
| 2                      | 5.5              | 5.346        | 20              |              |
| 3                      | 5.5              | 5.529        | 20              |              |
| 4                      | 5.5              | 5.527        | 20              |              |
| 5                      | 5.5              | 5.434        | 20              |              |
| 6                      | 5.5              | 5.464        | 20              |              |
| 7                      | 5.5              | 5.371        | 20              |              |
| 8                      | 5.5              | 5.421        | 20              |              |
| 9                      | 5.5              | 5.598        | 20              |              |
| 10                     | 5.5              | 5.409        | 20              |              |
| 11                     | 5.5              | 5.66         | 20              |              |
| 12                     | 5.5              | 5.661        | 20              |              |
| 13                     | 5.5              | 5.517        | 20              |              |
| 14                     | 5.5              | 5.361        | 20              |              |
| 15                     | 5.5              | 5.407        | 20              |              |
| 16                     | 5.5              | 5.549        | 20              |              |
| 17                     | 5.5              | 5.433        | 20              |              |
| 18                     | 5.5              | 5.697        | 20              |              |
| 19                     | 5.5              | 5.304        | 20              |              |
| 20                     | 5.5              | 5.348        | 20              |              |
| 21                     | 5.5              | 5.497        | 20              | *            |
| 22                     | 5.5              | 5.676        | 20              |              |
| 23                     | 5.5              | 5.633        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.328        | 20              |              |
| 2                      | 5.5              | 5.724        | 20              |              |
| 3                      | 5.5              | 5.315        | 20              |              |
| 4                      | 5.5              | 5.287        | 20              |              |
| 5                      | 5.5              | 5.711        | 20              |              |
| 6                      | 5.5              | 5.337        | 20              |              |
| 7                      | 5.5              | 5.42         | 20              |              |
| 8                      | 5.5              | 5.484        | 20              |              |
| 9                      | 5.5              | 5.253        | 20              |              |
| 10                     | 5.5              | 5.398        | 20              |              |
| 11                     | 5.5              | 5.701        | 20              |              |
| 12                     | 5.5              | 5.316        | 20              |              |
| 13                     | 5.5              | 5.635        | 20              |              |
| 14                     | 5.5              | 5.282        | 20              |              |
| 15                     | 5.5              | 5.312        | 20              |              |
| 16                     | 5.5              | 5.49         | 20              | *            |
| 17                     | 5.5              | 5.688        | 20              |              |
| 18                     | 5.5              | 5.55         | 20              |              |
| 19                     | 5.5              | 5.546        | 20              |              |
| 20                     | 5.5              | 5.718        | 20              |              |
| 21                     | 5.5              | 5.323        | 20              |              |
| 22                     | 5.5              | 5.716        | 20              |              |
| 23                     | 5.5              | 5.554        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.58         | 20              |              |
| 2                      | 5.5              | 5.383        | 20              |              |
| 3                      | 5.5              | 5.596        | 20              |              |
| 4                      | 5.5              | 5.49         | 20              | *            |
| 5                      | 5.5              | 5.4          | 20              |              |
| 6                      | 5.5              | 5.555        | 20              |              |
| 7                      | 5.5              | 5.712        | 20              |              |
| 8                      | 5.5              | 5.407        | 20              |              |
| 9                      | 5.5              | 5.556        | 20              |              |
| 10                     | 5.5              | 5.602        | 20              |              |
| 11                     | 5.5              | 5.434        | 20              |              |
| 12                     | 5.5              | 5.439        | 20              |              |
| 13                     | 5.5              | 5.325        | 20              |              |
| 14                     | 5.5              | 5.657        | 20              |              |
| 15                     | 5.5              | 5.715        | 20              |              |
| 16                     | 5.5              | 5.681        | 20              |              |
| 17                     | 5.5              | 5.567        | 20              |              |
| 18                     | 5.5              | 5.707        | 20              |              |
| 19                     | 5.5              | 5.382        | 20              |              |
| 20                     | 5.5              | 5.361        | 20              |              |
| 21                     | 5.5              | 5.403        | 20              |              |
| 22                     | 5.5              | 5.319        | 20              |              |
| 23                     | 5.5              | 5.65         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.271        | 20              |              |
| 2                      | 5.5              | 5.474        | 20              |              |
| 3                      | 5.5              | 5.681        | 20              |              |
| 4                      | 5.5              | 5.473        | 20              |              |
| 5                      | 5.5              | 5.657        | 20              |              |
| 6                      | 5.5              | 5.479        | 20              |              |
| 7                      | 5.5              | 5.536        | 20              |              |
| 8                      | 5.5              | 5.311        | 20              |              |
| 9                      | 5.5              | 5.452        | 20              |              |
| 10                     | 5.5              | 5.385        | 20              |              |
| 11                     | 5.5              | 5.614        | 20              |              |
| 12                     | 5.5              | 5.343        | 20              |              |
| 13                     | 5.5              | 5.359        | 20              |              |
| 14                     | 5.5              | 5.678        | 20              |              |
| 15                     | 5.5              | 5.435        | 20              |              |
| 16                     | 5.5              | 5.68         | 20              |              |
| 17                     | 5.5              | 5.648        | 20              |              |
| 18                     | 5.5              | 5.644        | 20              |              |
| 19                     | 5.5              | 5.676        | 20              |              |
| 20                     | 5.5              | 5.66         | 20              |              |
| 21                     | 5.5              | 5.518        | 20              |              |
| 22                     | 5.5              | 5.724        | 20              |              |
| 23                     | 5.5              | 5.328        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.687        | 20              |              |
| 2                      | 5.5              | 5.681        | 20              |              |
| 3                      | 5.5              | 5.37         | 20              |              |
| 4                      | 5.5              | 5.648        | 20              |              |
| 5                      | 5.5              | 5.59         | 20              |              |
| 6                      | 5.5              | 5.692        | 20              |              |
| 7                      | 5.5              | 5.294        | 20              |              |
| 8                      | 5.5              | 5.304        | 20              |              |
| 9                      | 5.5              | 5.335        | 20              |              |
| 10                     | 5.5              | 5.715        | 20              |              |
| 11                     | 5.5              | 5.356        | 20              |              |
| 12                     | 5.5              | 5.518        | 20              |              |
| 13                     | 5.5              | 5.398        | 20              |              |
| 14                     | 5.5              | 5.7          | 20              |              |
| 15                     | 5.5              | 5.395        | 20              |              |
| 16                     | 5.5              | 5.717        | 20              |              |
| 17                     | 5.5              | 5.329        | 20              |              |
| 18                     | 5.5              | 5.368        | 20              |              |
| 19                     | 5.5              | 5.658        | 20              |              |
| 20                     | 5.5              | 5.306        | 20              |              |
| 21                     | 5.5              | 5.328        | 20              |              |
| 22                     | 5.5              | 5.468        | 20              |              |
| 23                     | 5.5              | 5.256        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.645        | 20              |              |
| 2                      | 5.5              | 5.581        | 20              |              |
| 3                      | 5.5              | 5.376        | 20              |              |
| 4                      | 5.5              | 5.652        | 20              |              |
| 5                      | 5.5              | 5.271        | 20              |              |
| 6                      | 5.5              | 5.56         | 20              |              |
| 7                      | 5.5              | 5.455        | 20              |              |
| 8                      | 5.5              | 5.711        | 20              |              |
| 9                      | 5.5              | 5.65         | 20              |              |
| 10                     | 5.5              | 5.462        | 20              |              |
| 11                     | 5.5              | 5.469        | 20              |              |
| 12                     | 5.5              | 5.277        | 20              |              |
| 13                     | 5.5              | 5.386        | 20              |              |
| 14                     | 5.5              | 5.442        | 20              |              |
| 15                     | 5.5              | 5.553        | 20              |              |
| 16                     | 5.5              | 5.613        | 20              |              |
| 17                     | 5.5              | 5.551        | 20              |              |
| 18                     | 5.5              | 5.264        | 20              |              |
| 19                     | 5.5              | 5.328        | 20              |              |
| 20                     | 5.5              | 5.566        | 20              |              |
| 21                     | 5.5              | 5.379        | 20              |              |
| 22                     | 5.5              | 5.348        | 20              |              |
| 23                     | 5.5              | 5.595        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.63         | 20              |              |
| 2                      | 5.5              | 5.317        | 20              |              |
| 3                      | 5.5              | 5.664        | 20              |              |
| 4                      | 5.5              | 5.325        | 20              |              |
| 5                      | 5.5              | 5.384        | 20              |              |
| 6                      | 5.5              | 5.58         | 20              |              |
| 7                      | 5.5              | 5.486        | 20              |              |
| 8                      | 5.5              | 5.611        | 20              |              |
| 9                      | 5.5              | 5.488        | 20              |              |
| 10                     | 5.5              | 5.439        | 20              |              |
| 11                     | 5.5              | 5.48         | 20              |              |
| 12                     | 5.5              | 5.667        | 20              |              |
| 13                     | 5.5              | 5.276        | 20              |              |
| 14                     | 5.5              | 5.378        | 20              |              |
| 15                     | 5.5              | 5.415        | 20              |              |
| 16                     | 5.5              | 5.716        | 20              |              |
| 17                     | 5.5              | 5.268        | 20              |              |
| 18                     | 5.5              | 5.35         | 20              |              |
| 19                     | 5.5              | 5.493        | 20              | *            |
| 20                     | 5.5              | 5.252        | 20              |              |
| 21                     | 5.5              | 5.722        | 20              |              |
| 22                     | 5.5              | 5.373        | 20              |              |
| 23                     | 5.5              | 5.712        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.278        | 20              |              |
| 2                      | 5.5              | 5.699        | 20              |              |
| 3                      | 5.5              | 5.382        | 20              |              |
| 4                      | 5.5              | 5.543        | 20              |              |
| 5                      | 5.5              | 5.459        | 20              |              |
| 6                      | 5.5              | 5.424        | 20              |              |
| 7                      | 5.5              | 5.527        | 20              |              |
| 8                      | 5.5              | 5.515        | 20              |              |
| 9                      | 5.5              | 5.478        | 20              |              |
| 10                     | 5.5              | 5.715        | 20              |              |
| 11                     | 5.5              | 5.538        | 20              |              |
| 12                     | 5.5              | 5.63         | 20              |              |
| 13                     | 5.5              | 5.276        | 20              |              |
| 14                     | 5.5              | 5.486        | 20              |              |
| 15                     | 5.5              | 5.523        | 20              |              |
| 16                     | 5.5              | 5.445        | 20              |              |
| 17                     | 5.5              | 5.608        | 20              |              |
| 18                     | 5.5              | 5.308        | 20              |              |
| 19                     | 5.5              | 5.373        | 20              |              |
| 20                     | 5.5              | 5.533        | 20              |              |
| 21                     | 5.5              | 5.56         | 20              |              |
| 22                     | 5.5              | 5.25         | 20              |              |
| 23                     | 5.5              | 5.535        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.711        | 20              |              |
| 2                      | 5.5              | 5.336        | 20              |              |
| 3                      | 5.5              | 5.613        | 20              |              |
| 4                      | 5.5              | 5.596        | 20              |              |
| 5                      | 5.5              | 5.652        | 20              |              |
| 6                      | 5.5              | 5.716        | 20              |              |
| 7                      | 5.5              | 5.599        | 20              |              |
| 8                      | 5.5              | 5.383        | 20              |              |
| 9                      | 5.5              | 5.28         | 20              |              |
| 10                     | 5.5              | 5.602        | 20              |              |
| 11                     | 5.5              | 5.473        | 20              |              |
| 12                     | 5.5              | 5.362        | 20              |              |
| 13                     | 5.5              | 5.515        | 20              |              |
| 14                     | 5.5              | 5.407        | 20              |              |
| 15                     | 5.5              | 5.44         | 20              |              |
| 16                     | 5.5              | 5.538        | 20              |              |
| 17                     | 5.5              | 5.541        | 20              |              |
| 18                     | 5.5              | 5.679        | 20              |              |
| 19                     | 5.5              | 5.335        | 20              |              |
| 20                     | 5.5              | 5.459        | 20              |              |
| 21                     | 5.5              | 5.622        | 20              |              |
| 22                     | 5.5              | 5.533        | 20              |              |
| 23                     | 5.5              | 5.447        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.404        | 20              |              |
| 2                      | 5.5              | 5.715        | 20              |              |
| 3                      | 5.5              | 5.311        | 20              |              |
| 4                      | 5.5              | 5.553        | 20              |              |
| 5                      | 5.5              | 5.438        | 20              |              |
| 6                      | 5.5              | 5.537        | 20              |              |
| 7                      | 5.5              | 5.346        | 20              |              |
| 8                      | 5.5              | 5.362        | 20              |              |
| 9                      | 5.5              | 5.568        | 20              |              |
| 10                     | 5.5              | 5.358        | 20              |              |
| 11                     | 5.5              | 5.511        | 20              |              |
| 12                     | 5.5              | 5.471        | 20              |              |
| 13                     | 5.5              | 5.31         | 20              |              |
| 14                     | 5.5              | 5.419        | 20              |              |
| 15                     | 5.5              | 5.373        | 20              |              |
| 16                     | 5.5              | 5.401        | 20              |              |
| 17                     | 5.5              | 5.347        | 20              |              |
| 18                     | 5.5              | 5.332        | 20              |              |
| 19                     | 5.5              | 5.647        | 20              |              |
| 20                     | 5.5              | 5.627        | 20              |              |
| 21                     | 5.5              | 5.439        | 20              |              |
| 22                     | 5.5              | 5.299        | 20              |              |
| 23                     | 5.5              | 5.56         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.587        | 20              |              |
| 2                      | 5.5              | 5.721        | 20              |              |
| 3                      | 5.5              | 5.265        | 20              |              |
| 4                      | 5.5              | 5.504        | 20              | *            |
| 5                      | 5.5              | 5.476        | 20              |              |
| 6                      | 5.5              | 5.34         | 20              |              |
| 7                      | 5.5              | 5.292        | 20              |              |
| 8                      | 5.5              | 5.293        | 20              |              |
| 9                      | 5.5              | 5.642        | 20              |              |
| 10                     | 5.5              | 5.518        | 20              |              |
| 11                     | 5.5              | 5.685        | 20              |              |
| 12                     | 5.5              | 5.512        | 20              |              |
| 13                     | 5.5              | 5.442        | 20              |              |
| 14                     | 5.5              | 5.389        | 20              |              |
| 15                     | 5.5              | 5.467        | 20              |              |
| 16                     | 5.5              | 5.724        | 20              |              |
| 17                     | 5.5              | 5.699        | 20              |              |
| 18                     | 5.5              | 5.564        | 20              |              |
| 19                     | 5.5              | 5.592        | 20              |              |
| 20                     | 5.5              | 5.494        | 20              | *            |
| 21                     | 5.5              | 5.472        | 20              |              |
| 22                     | 5.5              | 5.56         | 20              |              |
| 23                     | 5.5              | 5.664        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.674        | 20              |              |
| 2                      | 5.5              | 5.36         | 20              |              |
| 3                      | 5.5              | 5.306        | 20              |              |
| 4                      | 5.5              | 5.619        | 20              |              |
| 5                      | 5.5              | 5.596        | 20              |              |
| 6                      | 5.5              | 5.688        | 20              |              |
| 7                      | 5.5              | 5.522        | 20              |              |
| 8                      | 5.5              | 5.474        | 20              |              |
| 9                      | 5.5              | 5.68         | 20              |              |
| 10                     | 5.5              | 5.684        | 20              |              |
| 11                     | 5.5              | 5.476        | 20              |              |
| 12                     | 5.5              | 5.363        | 20              |              |
| 13                     | 5.5              | 5.647        | 20              |              |
| 14                     | 5.5              | 5.519        | 20              |              |
| 15                     | 5.5              | 5.331        | 20              |              |
| 16                     | 5.5              | 5.527        | 20              |              |
| 17                     | 5.5              | 5.52         | 20              |              |
| 18                     | 5.5              | 5.345        | 20              |              |
| 19                     | 5.5              | 5.668        | 20              |              |
| 20                     | 5.5              | 5.617        | 20              |              |
| 21                     | 5.5              | 5.435        | 20              |              |
| 22                     | 5.5              | 5.349        | 20              |              |
| 23                     | 5.5              | 5.41         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.273        | 20              |              |
| 2                      | 5.5              | 5.536        | 20              |              |
| 3                      | 5.5              | 5.629        | 20              |              |
| 4                      | 5.5              | 5.424        | 20              |              |
| 5                      | 5.5              | 5.302        | 20              |              |
| 6                      | 5.5              | 5.473        | 20              |              |
| 7                      | 5.5              | 5.288        | 20              |              |
| 8                      | 5.5              | 5.337        | 20              |              |
| 9                      | 5.5              | 5.428        | 20              |              |
| 10                     | 5.5              | 5.63         | 20              |              |
| 11                     | 5.5              | 5.595        | 20              |              |
| 12                     | 5.5              | 5.306        | 20              |              |
| 13                     | 5.5              | 5.456        | 20              |              |
| 14                     | 5.5              | 5.518        | 20              |              |
| 15                     | 5.5              | 5.714        | 20              |              |
| 16                     | 5.5              | 5.617        | 20              |              |
| 17                     | 5.5              | 5.325        | 20              |              |
| 18                     | 5.5              | 5.706        | 20              |              |
| 19                     | 5.5              | 5.332        | 20              |              |
| 20                     | 5.5              | 5.254        | 20              |              |
| 21                     | 5.5              | 5.469        | 20              |              |
| 22                     | 5.5              | 5.502        | 20              | *            |
| 23                     | 5.5              | 5.68         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.482        | 20              |              |
| 2                      | 5.5              | 5.468        | 20              |              |
| 3                      | 5.5              | 5.612        | 20              |              |
| 4                      | 5.5              | 5.634        | 20              |              |
| 5                      | 5.5              | 5.28         | 20              |              |
| 6                      | 5.5              | 5.31         | 20              |              |
| 7                      | 5.5              | 5.474        | 20              |              |
| 8                      | 5.5              | 5.323        | 20              |              |
| 9                      | 5.5              | 5.673        | 20              |              |
| 10                     | 5.5              | 5.637        | 20              |              |
| 11                     | 5.5              | 5.347        | 20              |              |
| 12                     | 5.5              | 5.697        | 20              |              |
| 13                     | 5.5              | 5.485        | 20              |              |
| 14                     | 5.5              | 5.619        | 20              |              |
| 15                     | 5.5              | 5.476        | 20              |              |
| 16                     | 5.5              | 5.459        | 20              |              |
| 17                     | 5.5              | 5.635        | 20              |              |
| 18                     | 5.5              | 5.484        | 20              |              |
| 19                     | 5.5              | 5.34         | 20              |              |
| 20                     | 5.5              | 5.62         | 20              |              |
| 21                     | 5.5              | 5.472        | 20              |              |
| 22                     | 5.5              | 5.506        | 20              | *            |
| 23                     | 5.5              | 5.523        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.694        | 20              |              |
| 2                      | 5.5              | 5.716        | 20              |              |
| 3                      | 5.5              | 5.421        | 20              |              |
| 4                      | 5.5              | 5.433        | 20              |              |
| 5                      | 5.5              | 5.529        | 20              |              |
| 6                      | 5.5              | 5.681        | 20              |              |
| 7                      | 5.5              | 5.501        | 20              | *            |
| 8                      | 5.5              | 5.665        | 20              |              |
| 9                      | 5.5              | 5.389        | 20              |              |
| 10                     | 5.5              | 5.598        | 20              |              |
| 11                     | 5.5              | 5.376        | 20              |              |
| 12                     | 5.5              | 5.648        | 20              |              |
| 13                     | 5.5              | 5.436        | 20              |              |
| 14                     | 5.5              | 5.55         | 20              |              |
| 15                     | 5.5              | 5.365        | 20              |              |
| 16                     | 5.5              | 5.31         | 20              |              |
| 17                     | 5.5              | 5.265        | 20              |              |
| 18                     | 5.5              | 5.57         | 20              |              |
| 19                     | 5.5              | 5.672        | 20              |              |
| 20                     | 5.5              | 5.611        | 20              |              |
| 21                     | 5.5              | 5.542        | 20              |              |
| 22                     | 5.5              | 5.552        | 20              |              |
| 23                     | 5.5              | 5.642        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.375        | 20              |              |
| 2                      | 5.5              | 5.267        | 20              |              |
| 3                      | 5.5              | 5.68         | 20              |              |
| 4                      | 5.5              | 5.497        | 20              | *            |
| 5                      | 5.5              | 5.257        | 20              |              |
| 6                      | 5.5              | 5.5          | 20              | *            |
| 7                      | 5.5              | 5.409        | 20              |              |
| 8                      | 5.5              | 5.689        | 20              |              |
| 9                      | 5.5              | 5.639        | 20              |              |
| 10                     | 5.5              | 5.353        | 20              |              |
| 11                     | 5.5              | 5.332        | 20              |              |
| 12                     | 5.5              | 5.692        | 20              |              |
| 13                     | 5.5              | 5.634        | 20              |              |
| 14                     | 5.5              | 5.475        | 20              |              |
| 15                     | 5.5              | 5.705        | 20              |              |
| 16                     | 5.5              | 5.281        | 20              |              |
| 17                     | 5.5              | 5.327        | 20              |              |
| 18                     | 5.5              | 5.3          | 20              |              |
| 19                     | 5.5              | 5.688        | 20              |              |
| 20                     | 5.5              | 5.32         | 20              |              |
| 21                     | 5.5              | 5.452        | 20              |              |
| 22                     | 5.5              | 5.668        | 20              |              |
| 23                     | 5.5              | 5.568        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.344        | 20              |              |
| 2                      | 5.5              | 5.61         | 20              |              |
| 3                      | 5.5              | 5.365        | 20              |              |
| 4                      | 5.5              | 5.584        | 20              |              |
| 5                      | 5.5              | 5.469        | 20              |              |
| 6                      | 5.5              | 5.489        | 20              |              |
| 7                      | 5.5              | 5.632        | 20              |              |
| 8                      | 5.5              | 5.719        | 20              |              |
| 9                      | 5.5              | 5.692        | 20              |              |
| 10                     | 5.5              | 5.329        | 20              |              |
| 11                     | 5.5              | 5.264        | 20              |              |
| 12                     | 5.5              | 5.549        | 20              |              |
| 13                     | 5.5              | 5.33         | 20              |              |
| 14                     | 5.5              | 5.724        | 20              |              |
| 15                     | 5.5              | 5.326        | 20              |              |
| 16                     | 5.5              | 5.699        | 20              |              |
| 17                     | 5.5              | 5.372        | 20              |              |
| 18                     | 5.5              | 5.34         | 20              |              |
| 19                     | 5.5              | 5.443        | 20              |              |
| 20                     | 5.5              | 5.71         | 20              |              |
| 21                     | 5.5              | 5.487        | 20              |              |
| 22                     | 5.5              | 5.423        | 20              |              |
| 23                     | 5.5              | 5.502        | 20              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.645        | 20              |              |
| 2                      | 5.5              | 5.404        | 20              |              |
| 3                      | 5.5              | 5.416        | 20              |              |
| 4                      | 5.5              | 5.406        | 20              |              |
| 5                      | 5.5              | 5.595        | 20              |              |
| 6                      | 5.5              | 5.507        | 20              | *            |
| 7                      | 5.5              | 5.534        | 20              |              |
| 8                      | 5.5              | 5.538        | 20              |              |
| 9                      | 5.5              | 5.462        | 20              |              |
| 10                     | 5.5              | 5.33         | 20              |              |
| 11                     | 5.5              | 5.308        | 20              |              |
| 12                     | 5.5              | 5.438        | 20              |              |
| 13                     | 5.5              | 5.492        | 20              | *            |
| 14                     | 5.5              | 5.475        | 20              |              |
| 15                     | 5.5              | 5.262        | 20              |              |
| 16                     | 5.5              | 5.715        | 20              |              |
| 17                     | 5.5              | 5.673        | 20              |              |
| 18                     | 5.5              | 5.505        | 20              | *            |
| 19                     | 5.5              | 5.522        | 20              |              |
| 20                     | 5.5              | 5.292        | 20              |              |
| 21                     | 5.5              | 5.387        | 20              |              |
| 22                     | 5.5              | 5.616        | 20              |              |
| 23                     | 5.5              | 5.43         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.48         | 20              |              |
| 2                      | 5.5              | 5.605        | 20              |              |
| 3                      | 5.5              | 5.497        | 20              | *            |
| 4                      | 5.5              | 5.585        | 20              |              |
| 5                      | 5.5              | 5.443        | 20              |              |
| 6                      | 5.5              | 5.418        | 20              |              |
| 7                      | 5.5              | 5.668        | 20              |              |
| 8                      | 5.5              | 5.463        | 20              |              |
| 9                      | 5.5              | 5.255        | 20              |              |
| 10                     | 5.5              | 5.338        | 20              |              |
| 11                     | 5.5              | 5.485        | 20              |              |
| 12                     | 5.5              | 5.498        | 20              | *            |
| 13                     | 5.5              | 5.31         | 20              |              |
| 14                     | 5.5              | 5.291        | 20              |              |
| 15                     | 5.5              | 5.631        | 20              |              |
| 16                     | 5.5              | 5.325        | 20              |              |
| 17                     | 5.5              | 5.344        | 20              |              |
| 18                     | 5.5              | 5.297        | 20              |              |
| 19                     | 5.5              | 5.385        | 20              |              |
| 20                     | 5.5              | 5.386        | 20              |              |
| 21                     | 5.5              | 5.33         | 20              |              |
| 22                     | 5.5              | 5.693        | 20              |              |
| 23                     | 5.5              | 5.593        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.688        | 20              |              |
| 2                      | 5.5              | 5.384        | 20              |              |
| 3                      | 5.5              | 5.583        | 20              |              |
| 4                      | 5.5              | 5.3          | 20              |              |
| 5                      | 5.5              | 5.552        | 20              |              |
| 6                      | 5.5              | 5.454        | 20              |              |
| 7                      | 5.5              | 5.634        | 20              |              |
| 8                      | 5.5              | 5.329        | 20              |              |
| 9                      | 5.5              | 5.611        | 20              |              |
| 10                     | 5.5              | 5.261        | 20              |              |
| 11                     | 5.5              | 5.667        | 20              |              |
| 12                     | 5.5              | 5.39         | 20              |              |
| 13                     | 5.5              | 5.535        | 20              |              |
| 14                     | 5.5              | 5.393        | 20              |              |
| 15                     | 5.5              | 5.661        | 20              |              |
| 16                     | 5.5              | 5.553        | 20              |              |
| 17                     | 5.5              | 5.356        | 20              |              |
| 18                     | 5.5              | 5.713        | 20              |              |
| 19                     | 5.5              | 5.622        | 20              |              |
| 20                     | 5.5              | 5.635        | 20              |              |
| 21                     | 5.5              | 5.612        | 20              |              |
| 22                     | 5.5              | 5.414        | 20              |              |
| 23                     | 5.5              | 5.542        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.426        | 20              |              |
| 2                      | 5.5              | 5.571        | 20              |              |
| 3                      | 5.5              | 5.332        | 20              |              |
| 4                      | 5.5              | 5.698        | 20              |              |
| 5                      | 5.5              | 5.682        | 20              |              |
| 6                      | 5.5              | 5.316        | 20              |              |
| 7                      | 5.5              | 5.541        | 20              |              |
| 8                      | 5.5              | 5.632        | 20              |              |
| 9                      | 5.5              | 5.384        | 20              |              |
| 10                     | 5.5              | 5.407        | 20              |              |
| 11                     | 5.5              | 5.344        | 20              |              |
| 12                     | 5.5              | 5.439        | 20              |              |
| 13                     | 5.5              | 5.658        | 20              |              |
| 14                     | 5.5              | 5.512        | 20              |              |
| 15                     | 5.5              | 5.641        | 20              |              |
| 16                     | 5.5              | 5.685        | 20              |              |
| 17                     | 5.5              | 5.359        | 20              |              |
| 18                     | 5.5              | 5.68         | 20              |              |
| 19                     | 5.5              | 5.608        | 20              |              |
| 20                     | 5.5              | 5.636        | 20              |              |
| 21                     | 5.5              | 5.303        | 20              |              |
| 22                     | 5.5              | 5.499        | 20              | *            |
| 23                     | 5.5              | 5.423        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.269        | 20              |              |
| 2                      | 5.5              | 5.716        | 20              |              |
| 3                      | 5.5              | 5.451        | 20              |              |
| 4                      | 5.5              | 5.64         | 20              |              |
| 5                      | 5.5              | 5.406        | 20              |              |
| 6                      | 5.5              | 5.362        | 20              |              |
| 7                      | 5.5              | 5.51         | 20              | *            |
| 8                      | 5.5              | 5.58         | 20              |              |
| 9                      | 5.5              | 5.562        | 20              |              |
| 10                     | 5.5              | 5.701        | 20              |              |
| 11                     | 5.5              | 5.272        | 20              |              |
| 12                     | 5.5              | 5.338        | 20              |              |
| 13                     | 5.5              | 5.293        | 20              |              |
| 14                     | 5.5              | 5.354        | 20              |              |
| 15                     | 5.5              | 5.25         | 20              |              |
| 16                     | 5.5              | 5.554        | 20              |              |
| 17                     | 5.5              | 5.603        | 20              |              |
| 18                     | 5.5              | 5.547        | 20              |              |
| 19                     | 5.5              | 5.365        | 20              |              |
| 20                     | 5.5              | 5.42         | 20              |              |
| 21                     | 5.5              | 5.292        | 20              |              |
| 22                     | 5.5              | 5.526        | 20              |              |
| 23                     | 5.5              | 5.622        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.63         | 20              |              |
| 2                      | 5.5              | 5.62         | 20              |              |
| 3                      | 5.5              | 5.251        | 20              |              |
| 4                      | 5.5              | 5.364        | 20              |              |
| 5                      | 5.5              | 5.289        | 20              |              |
| 6                      | 5.5              | 5.428        | 20              |              |
| 7                      | 5.5              | 5.374        | 20              |              |
| 8                      | 5.5              | 5.695        | 20              |              |
| 9                      | 5.5              | 5.558        | 20              |              |
| 10                     | 5.5              | 5.711        | 20              |              |
| 11                     | 5.5              | 5.311        | 20              |              |
| 12                     | 5.5              | 5.577        | 20              |              |
| 13                     | 5.5              | 5.389        | 20              |              |
| 14                     | 5.5              | 5.327        | 20              |              |
| 15                     | 5.5              | 5.688        | 20              |              |
| 16                     | 5.5              | 5.601        | 20              |              |
| 17                     | 5.5              | 5.621        | 20              |              |
| 18                     | 5.5              | 5.34         | 20              |              |
| 19                     | 5.5              | 5.663        | 20              |              |
| 20                     | 5.5              | 5.497        | 20              | *            |
| 21                     | 5.5              | 5.692        | 20              |              |
| 22                     | 5.5              | 5.592        | 20              |              |
| 23                     | 5.5              | 5.419        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.691        | 20              |              |
| 2                      | 5.5              | 5.683        | 20              |              |
| 3                      | 5.5              | 5.477        | 20              |              |
| 4                      | 5.5              | 5.672        | 20              |              |
| 5                      | 5.5              | 5.685        | 20              |              |
| 6                      | 5.5              | 5.403        | 20              |              |
| 7                      | 5.5              | 5.589        | 20              |              |
| 8                      | 5.5              | 5.472        | 20              |              |
| 9                      | 5.5              | 5.619        | 20              |              |
| 10                     | 5.5              | 5.481        | 20              |              |
| 11                     | 5.5              | 5.283        | 20              |              |
| 12                     | 5.5              | 5.454        | 20              |              |
| 13                     | 5.5              | 5.533        | 20              |              |
| 14                     | 5.5              | 5.437        | 20              |              |
| 15                     | 5.5              | 5.661        | 20              |              |
| 16                     | 5.5              | 5.645        | 20              |              |
| 17                     | 5.5              | 5.385        | 20              |              |
| 18                     | 5.5              | 5.53         | 20              |              |
| 19                     | 5.5              | 5.578        | 20              |              |
| 20                     | 5.5              | 5.473        | 20              |              |
| 21                     | 5.5              | 5.541        | 20              |              |
| 22                     | 5.5              | 5.297        | 20              |              |
| 23                     | 5.5              | 5.367        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.531        | 20              |              |
| 2                      | 5.5              | 5.722        | 20              |              |
| 3                      | 5.5              | 5.315        | 20              |              |
| 4                      | 5.5              | 5.631        | 20              |              |
| 5                      | 5.5              | 5.718        | 20              |              |
| 6                      | 5.5              | 5.269        | 20              |              |
| 7                      | 5.5              | 5.653        | 20              |              |
| 8                      | 5.5              | 5.577        | 20              |              |
| 9                      | 5.5              | 5.596        | 20              |              |
| 10                     | 5.5              | 5.698        | 20              |              |
| 11                     | 5.5              | 5.38         | 20              |              |
| 12                     | 5.5              | 5.556        | 20              |              |
| 13                     | 5.5              | 5.389        | 20              |              |
| 14                     | 5.5              | 5.297        | 20              |              |
| 15                     | 5.5              | 5.342        | 20              |              |
| 16                     | 5.5              | 5.258        | 20              |              |
| 17                     | 5.5              | 5.709        | 20              |              |
| 18                     | 5.5              | 5.256        | 20              |              |
| 19                     | 5.5              | 5.405        | 20              |              |
| 20                     | 5.5              | 5.574        | 20              |              |
| 21                     | 5.5              | 5.534        | 20              |              |
| 22                     | 5.5              | 5.43         | 20              |              |
| 23                     | 5.5              | 5.397        | 20              |              |

| 802.11ax (40 MHz), 5510 MHz                                                                                                          |           |               |           |        |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|-----------|--------|
| Radar Test Summary:                                                                                                                  |           |               |           |        |
| Signal Type                                                                                                                          | Trial No. | Detection (%) | Limit (%) | Result |
| 1                                                                                                                                    | 30        | 93.33         | 60        | Pass   |
| 2                                                                                                                                    | 30        | 90.00         | 60        | Pass   |
| 3                                                                                                                                    | 30        | 73.33         | 60        | Pass   |
| 4                                                                                                                                    | 30        | 73.33         | 60        | Pass   |
| Total Type 1~4                                                                                                                       | 30        | 82.50         | 80        | Pass   |
| 5                                                                                                                                    | 30        | 83.33         | 80        | Pass   |
| 6                                                                                                                                    | 30        | 93.33         | 70        | Pass   |
| Note: The aggregate should be 80 percent that the average of the percentage of successful detections of Short Pulse Radar Types 1-4. |           |               |           |        |

802.11ax (40 MHz), 5510 MHz

Type 1

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5510                   | 83                 | 1                       | 638             | 1                                       |
| 2                               | 5510                   | 58                 | 1                       | 918             | 1                                       |
| 3                               | 5510                   | 59                 | 1                       | 898             | 1                                       |
| 4                               | 5510                   | 92                 | 1                       | 578             | 1                                       |
| 5                               | 5510                   | 68                 | 1                       | 778             | 0                                       |
| 6                               | 5510                   | 61                 | 1                       | 878             | 1                                       |
| 7                               | 5510                   | 95                 | 1                       | 558             | 1                                       |
| 8                               | 5510                   | 67                 | 1                       | 798             | 1                                       |
| 9                               | 5510                   | 78                 | 1                       | 678             | 1                                       |
| 10                              | 5510                   | 86                 | 1                       | 618             | 1                                       |
| 11                              | 5510                   | 102                | 1                       | 518             | 1                                       |
| 12                              | 5510                   | 65                 | 1                       | 818             | 1                                       |
| 13                              | 5510                   | 63                 | 1                       | 838             | 1                                       |
| 14                              | 5510                   | 72                 | 1                       | 738             | 1                                       |
| 15                              | 5510                   | 70                 | 1                       | 758             | 1                                       |
| 16                              | 5510                   | 29                 | 1                       | 1831            | 0                                       |
| 17                              | 5510                   | 32                 | 1                       | 1658            | 1                                       |
| 18                              | 5510                   | 20                 | 1                       | 2645            | 1                                       |
| 19                              | 5510                   | 39                 | 1                       | 1374            | 1                                       |
| 20                              | 5510                   | 75                 | 1                       | 704             | 1                                       |
| 21                              | 5510                   | 85                 | 1                       | 627             | 1                                       |
| 22                              | 5510                   | 18                 | 1                       | 3036            | 1                                       |
| 23                              | 5510                   | 23                 | 1                       | 2359            | 1                                       |
| 24                              | 5510                   | 27                 | 1                       | 1983            | 1                                       |
| 25                              | 5510                   | 28                 | 1                       | 1937            | 1                                       |
| 26                              | 5510                   | 22                 | 1                       | 2462            | 1                                       |
| 27                              | 5510                   | 57                 | 1                       | 937             | 1                                       |
| 28                              | 5510                   | 37                 | 1                       | 1426            | 1                                       |
| 29                              | 5510                   | 97                 | 1                       | 548             | 1                                       |
| 30                              | 5510                   | 47                 | 1                       | 1139            | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | 93.33 %         |                                         |

802.11ax (40 MHz), 5510 MHz

Type 2

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5510                   | 23                 | 4.7                     | 185             | 1                                       |
| 2                               | 5510                   | 25                 | 3.4                     | 224             | 1                                       |
| 3                               | 5510                   | 29                 | 1.9                     | 183             | 1                                       |
| 4                               | 5510                   | 29                 | 2                       | 211             | 1                                       |
| 5                               | 5510                   | 26                 | 2.1                     | 217             | 1                                       |
| 6                               | 5510                   | 28                 | 1.1                     | 225             | 0                                       |
| 7                               | 5510                   | 27                 | 3.3                     | 220             | 1                                       |
| 8                               | 5510                   | 28                 | 3.4                     | 205             | 1                                       |
| 9                               | 5510                   | 26                 | 4.4                     | 182             | 1                                       |
| 10                              | 5510                   | 23                 | 1.4                     | 186             | 1                                       |
| 11                              | 5510                   | 25                 | 2.3                     | 180             | 1                                       |
| 12                              | 5510                   | 25                 | 3.4                     | 177             | 1                                       |
| 13                              | 5510                   | 23                 | 3.9                     | 164             | 1                                       |
| 14                              | 5510                   | 27                 | 2.3                     | 204             | 0                                       |
| 15                              | 5510                   | 26                 | 2.9                     | 161             | 1                                       |
| 16                              | 5510                   | 23                 | 1                       | 190             | 1                                       |
| 17                              | 5510                   | 26                 | 2.4                     | 178             | 1                                       |
| 18                              | 5510                   | 25                 | 1.5                     | 201             | 1                                       |
| 19                              | 5510                   | 28                 | 1.8                     | 154             | 1                                       |
| 20                              | 5510                   | 28                 | 4.9                     | 210             | 1                                       |
| 21                              | 5510                   | 27                 | 3.2                     | 227             | 1                                       |
| 22                              | 5510                   | 29                 | 1.4                     | 178             | 1                                       |
| 23                              | 5510                   | 24                 | 1.4                     | 199             | 1                                       |
| 24                              | 5510                   | 29                 | 3.7                     | 157             | 1                                       |
| 25                              | 5510                   | 28                 | 4.5                     | 154             | 1                                       |
| 26                              | 5510                   | 28                 | 3.7                     | 220             | 1                                       |
| 27                              | 5510                   | 26                 | 4.4                     | 212             | 1                                       |
| 28                              | 5510                   | 24                 | 3.3                     | 166             | 0                                       |
| 29                              | 5510                   | 26                 | 1.8                     | 226             | 1                                       |
| 30                              | 5510                   | 24                 | 3.8                     | 169             | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | 90.00 %         |                                         |

802.11ax (40 MHz), 5510 MHz

Type 3

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 17          | 9.4              | 357      | 1                               |
| 2                        | 5510            | 17          | 8.1              | 465      | 1                               |
| 3                        | 5510            | 17          | 7.5              | 318      | 1                               |
| 4                        | 5510            | 18          | 7                | 304      | 1                               |
| 5                        | 5510            | 16          | 9.4              | 321      | 1                               |
| 6                        | 5510            | 16          | 9.5              | 328      | 0                               |
| 7                        | 5510            | 18          | 7.3              | 378      | 0                               |
| 8                        | 5510            | 16          | 7.1              | 210      | 1                               |
| 9                        | 5510            | 16          | 7.3              | 382      | 1                               |
| 10                       | 5510            | 16          | 9.3              | 280      | 0                               |
| 11                       | 5510            | 17          | 9.6              | 256      | 1                               |
| 12                       | 5510            | 17          | 7.7              | 401      | 1                               |
| 13                       | 5510            | 18          | 7.1              | 310      | 1                               |
| 14                       | 5510            | 17          | 7.1              | 457      | 0                               |
| 15                       | 5510            | 18          | 7.2              | 368      | 1                               |
| 16                       | 5510            | 17          | 9.1              | 354      | 0                               |
| 17                       | 5510            | 17          | 7.1              | 432      | 1                               |
| 18                       | 5510            | 18          | 6.9              | 448      | 1                               |
| 19                       | 5510            | 16          | 8.1              | 298      | 1                               |
| 20                       | 5510            | 18          | 6.4              | 408      | 1                               |
| 21                       | 5510            | 18          | 6.7              | 326      | 1                               |
| 22                       | 5510            | 17          | 8.4              | 211      | 1                               |
| 23                       | 5510            | 18          | 9.2              | 460      | 1                               |
| 24                       | 5510            | 18          | 9.4              | 285      | 1                               |
| 25                       | 5510            | 17          | 8.2              | 234      | 1                               |
| 26                       | 5510            | 17          | 7.1              | 277      | 0                               |
| 27                       | 5510            | 17          | 9.9              | 204      | 1                               |
| 28                       | 5510            | 18          | 6.1              | 330      | 0                               |
| 29                       | 5510            | 17          | 8.3              | 342      | 0                               |
| 30                       | 5510            | 17          | 8.3              | 484      | 1                               |
| Detection Percentage (%) |                 |             |                  | 73.33 %  |                                 |

802.11ax (40 MHz), 5510 MHz

Type 4

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>Pulses/Burs</b> | <b>Pulse Width (us)</b> | <b>PRI (us)</b> | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------|-------------------------|-----------------|-----------------------------------------|
| 1                               | 5510                   | 13                 | 15.9                    | 434             | 0                                       |
| 2                               | 5510                   | 14                 | 17.9                    | 256             | 1                                       |
| 3                               | 5510                   | 14                 | 12.2                    | 257             | 1                                       |
| 4                               | 5510                   | 15                 | 13.4                    | 498             | 1                                       |
| 5                               | 5510                   | 13                 | 11.6                    | 443             | 1                                       |
| 6                               | 5510                   | 14                 | 11                      | 333             | 0                                       |
| 7                               | 5510                   | 12                 | 16.3                    | 393             | 1                                       |
| 8                               | 5510                   | 16                 | 19.7                    | 294             | 1                                       |
| 9                               | 5510                   | 14                 | 15.4                    | 293             | 1                                       |
| 10                              | 5510                   | 12                 | 11.1                    | 382             | 1                                       |
| 11                              | 5510                   | 14                 | 14.4                    | 350             | 1                                       |
| 12                              | 5510                   | 14                 | 11.3                    | 250             | 1                                       |
| 13                              | 5510                   | 13                 | 17.4                    | 307             | 0                                       |
| 14                              | 5510                   | 15                 | 14.7                    | 444             | 1                                       |
| 15                              | 5510                   | 13                 | 16.2                    | 376             | 0                                       |
| 16                              | 5510                   | 14                 | 15.2                    | 360             | 1                                       |
| 17                              | 5510                   | 15                 | 11.4                    | 469             | 1                                       |
| 18                              | 5510                   | 15                 | 18.4                    | 209             | 1                                       |
| 19                              | 5510                   | 13                 | 19.2                    | 362             | 0                                       |
| 20                              | 5510                   | 13                 | 11.3                    | 248             | 1                                       |
| 21                              | 5510                   | 13                 | 11.9                    | 494             | 0                                       |
| 22                              | 5510                   | 15                 | 19.5                    | 332             | 1                                       |
| 23                              | 5510                   | 13                 | 14.5                    | 351             | 1                                       |
| 24                              | 5510                   | 13                 | 18.1                    | 462             | 1                                       |
| 25                              | 5510                   | 14                 | 13.7                    | 361             | 1                                       |
| 26                              | 5510                   | 16                 | 13.1                    | 295             | 1                                       |
| 27                              | 5510                   | 16                 | 15.7                    | 223             | 1                                       |
| 28                              | 5510                   | 15                 | 12                      | 359             | 0                                       |
| 29                              | 5510                   | 13                 | 12.2                    | 346             | 1                                       |
| 30                              | 5510                   | 14                 | 18.7                    | 263             | 0                                       |
| <b>Detection Percentage (%)</b> |                        |                    |                         | <b>73.33 %</b>  |                                         |

| 802.11ax (40 MHz), 5510 MHz |       |        |                     |                                                      |                                 |
|-----------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Type 5                      |       |        |                     |                                                      |                                 |
| Center Freq: 5510MHz        |       |        | Low Edge: 5491MHz   |                                                      | High Edge: 5530MHz              |
| Trial #                     | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                           | 14    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                           | 17    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                           | 8     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                           | 17    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                           | 9     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                           | 12    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                           | 8     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                           | 12    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                           | 12    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                          | 12    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |
| 11                          | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 1                               |
| 12                          | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 1                               |
| 13                          | 14    | 5.6    | 5496.6              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 0                               |
| 14                          | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |
| 15                          | 7     | 2.8    | 5493.8              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 0                               |
| 16                          | 11    | 4.4    | 5495.4              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 0                               |
| 17                          | 11    | 4.4    | 5495.4              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 1                               |
| 18                          | 14    | 5.6    | 5496.6              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 0                               |
| 19                          | 13    | 5.2    | 5496.2              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                          | 18    | 7.2    | 5498.2              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |
| 21                          | 16    | 6.4    | 5523.6              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                          | 6     | 2.4    | 5527.6              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                          | 16    | 6.4    | 5523.6              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                          | 12    | 4.8    | 5525.2              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                          | 19    | 7.6    | 5522.4              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                          | 17    | 6.8    | 5523.2              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                          | 11    | 4.4    | 5525.6              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                          | 6     | 2.4    | 5527.6              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |
| 29                          | 5     | 2      | 5528                | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 0                               |
| 30                          | 18    | 7.2    | 5522.8              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%)    |       |        |                     |                                                      | 83.33                           |
| Limit                       |       |        |                     |                                                      | ≥ 80                            |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 70.6               | 14                | 1489                    |                         | 616.938                               |
| 2     | 3                | 89.2               | 14                | 1076                    | 1556                    | 487.16                                |
| 3     | 2                | 92.2               | 14                | 1383                    |                         | 1012.28                               |
| 4     | 1                | 75.7               | 14                |                         |                         | 737.1                                 |
| 5     | 2                | 75.5               | 14                | 1819                    |                         | 250.75                                |
| 6     | 3                | 98.4               | 14                | 1078                    | 1266                    | 854.51                                |
| 7     | 2                | 52.9               | 14                | 1182                    |                         | 45.16                                 |
| 8     | 2                | 99.2               | 14                | 1914                    |                         | 1.22                                  |
| 9     | 2                | 54.4               | 14                | 1257                    |                         | 842.4                                 |
| 10    | 3                | 91.5               | 14                | 1098                    | 1324                    | 448.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 75.6               | 17                | 1335                    | 1964                    | 193.887                               |
| 2     | 2                | 63.9               | 17                | 1081                    |                         | 119.361                               |
| 3     | 2                | 60.1               | 17                | 1399                    |                         | 636.062                               |
| 4     | 2                | 71.2               | 17                | 1794                    |                         | 796.683                               |
| 5     | 2                | 92.1               | 17                | 1548                    |                         | 227.564                               |
| 6     | 1                | 88.7               | 17                |                         |                         | 648.945                               |
| 7     | 3                | 68.9               | 17                | 1522                    | 1832                    | 715.355                               |
| 8     | 2                | 51.6               | 17                | 1271                    |                         | 957.586                               |
| 9     | 2                | 74.1               | 17                | 1319                    |                         | 771.117                               |
| 10    | 1                | 53.8               | 17                |                         |                         | 73.828                                |
| 11    | 2                | 82.8               | 17                | 1357                    |                         | 581.409                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 71.6               | 8                 | 1352                    | 1748                    | 371.967                               |
| 2     | 3                | 69.9               | 8                 | 1495                    | 1905                    | 29.173                                |
| 3     | 3                | 94.1               | 8                 | 1432                    | 1965                    | 105.827                               |
| 4     | 1                | 93.6               | 8                 |                         |                         | 531.68                                |
| 5     | 2                | 50.9               | 8                 | 1497                    |                         | 455.073                               |
| 6     | 1                | 94.3               | 8                 |                         |                         | 1.757                                 |
| 7     | 1                | 91.8               | 8                 |                         |                         | 646.87                                |
| 8     | 2                | 72.1               | 8                 | 1327                    |                         | 49.373                                |
| 9     | 1                | 62.9               | 8                 |                         |                         | 99.737                                |
| 10    | 3                | 70.8               | 8                 | 1966                    | 1663                    | 615.95                                |
| 11    | 2                | 54.6               | 8                 | 1062                    |                         | 517.923                               |
| 12    | 2                | 65                 | 8                 | 1433                    |                         | 168.437                               |
| 13    | 2                | 59.3               | 8                 | 1619                    |                         | 353.66                                |
| 14    | 3                | 79.7               | 8                 | 1957                    | 1979                    | 46.913                                |
| 15    | 2                | 59.8               | 8                 | 1507                    |                         | 353.867                               |
| 16    | 2                | 61.7               | 8                 | 1605                    |                         | 379.8                                 |
| 17    | 2                | 90                 | 8                 | 1727                    |                         | 230.633                               |
| 18    | 2                | 53.3               | 8                 | 1770                    |                         | 423.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 63.2               | 17                | 1288                    | 1599                    | 858.841                               |
| 2     | 3                | 67.9               | 17                | 1187                    | 1090                    | 567.691                               |
| 3     | 2                | 50.8               | 17                | 1229                    |                         | 838.582                               |
| 4     | 3                | 95.8               | 17                | 1011                    | 1438                    | 797.973                               |
| 5     | 2                | 55.2               | 17                | 1090                    |                         | 204.044                               |
| 6     | 1                | 79.9               | 17                |                         |                         | 1028.895                              |
| 7     | 2                | 97                 | 17                | 1815                    |                         | 493.725                               |
| 8     | 2                | 59                 | 17                | 1948                    |                         | 124.956                               |
| 9     | 2                | 88                 | 17                | 1309                    |                         | 836.207                               |
| 10    | 3                | 57.2               | 17                | 1128                    | 1190                    | 832.818                               |
| 11    | 3                | 85.9               | 17                | 1553                    | 1848                    | 611.009                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 80.4               | 9                 | 1922                    |                         | 377.464                               |
| 2     | 2                | 91.9               | 9                 | 1164                    |                         | 177.783                               |
| 3     | 3                | 52.8               | 9                 | 1105                    | 1911                    | 95.876                                |
| 4     | 3                | 57.9               | 9                 | 1658                    | 1544                    | 123.749                               |
| 5     | 3                | 77.6               | 9                 | 1354                    | 1743                    | 849.682                               |
| 6     | 1                | 67.2               | 9                 |                         |                         | 85.275                                |
| 7     | 2                | 83.8               | 9                 | 1011                    |                         | 742.888                               |
| 8     | 1                | 94.6               | 9                 |                         |                         | 425.532                               |
| 9     | 2                | 56.3               | 9                 | 1853                    |                         | 273.375                               |
| 10    | 2                | 71.7               | 9                 | 1381                    |                         | 835.468                               |
| 11    | 1                | 56.1               | 9                 |                         |                         | 733.891                               |
| 12    | 3                | 93.7               | 9                 | 1548                    | 1247                    | 423.054                               |
| 13    | 3                | 92.2               | 9                 | 1039                    | 1102                    | 293.777                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 53.1               | 12                |                         |                         | 47.782                                |
| 2     | 2                | 80.6               | 12                | 1019                    |                         | 228.699                               |
| 3     | 3                | 61.2               | 12                | 1282                    | 1467                    | 183.562                               |
| 4     | 3                | 70                 | 12                | 1047                    | 1876                    | 450.033                               |
| 5     | 2                | 71.5               | 12                | 1474                    |                         | 554.694                               |
| 6     | 2                | 96.4               | 12                | 1623                    |                         | 207.625                               |
| 7     | 2                | 89.7               | 12                | 1194                    |                         | 502.996                               |
| 8     | 3                | 75.9               | 12                | 1205                    | 1762                    | 217.877                               |
| 9     | 3                | 88.1               | 12                | 1469                    | 1559                    | 247.098                               |
| 10    | 3                | 96.4               | 12                | 1631                    | 1618                    | 125.119                               |
| 11    | 1                | 55                 | 12                |                         |                         | 159.271                               |
| 12    | 2                | 86.1               | 12                | 1027                    |                         | 260.362                               |
| 13    | 2                | 50.7               | 12                | 1196                    |                         | 76.833                                |
| 14    | 1                | 84.3               | 12                |                         |                         | 315.674                               |
| 15    | 1                | 76.1               | 12                |                         |                         | 364.315                               |
| 16    | 3                | 66.4               | 12                | 1574                    | 1785                    | 616.416                               |
| 17    | 2                | 69.9               | 12                | 1448                    |                         | 475.937                               |
| 18    | 1                | 89.3               | 12                |                         |                         | 352.458                               |
| 19    | 2                | 80.1               | 12                | 1736                    |                         | 339.079                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 79.9               | 8                 | 1536                    |                         | 472.171                               |
| 2     | 1                | 93.4               | 8                 |                         |                         | 515.97                                |
| 3     | 3                | 76.9               | 8                 | 1099                    | 1403                    | 160.71                                |
| 4     | 3                | 51.3               | 8                 | 1603                    | 1983                    | 413.55                                |
| 5     | 1                | 92.3               | 8                 |                         |                         | 465.53                                |
| 6     | 1                | 82.2               | 8                 |                         |                         | 235.17                                |
| 7     | 1                | 95.2               | 8                 |                         |                         | 743.23                                |
| 8     | 2                | 53.1               | 8                 | 1746                    |                         | 123.03                                |
| 9     | 2                | 55.1               | 8                 | 1577                    |                         | 659.63                                |
| 10    | 1                | 55.9               | 8                 |                         |                         | 236.25                                |
| 11    | 1                | 87.6               | 8                 |                         |                         | 264.03                                |
| 12    | 1                | 94.6               | 8                 |                         |                         | 143.32                                |
| 13    | 1                | 76.8               | 8                 |                         |                         | 311.05                                |
| 14    | 2                | 88.3               | 8                 | 1663                    |                         | 285.1                                 |
| 15    | 2                | 72.7               | 8                 | 1558                    |                         | 459.2                                 |
| 16    | 2                | 99.2               | 8                 | 1291                    |                         | 479.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 51.1               | 12                | 1036                        |                         | 559.099                               |
| 2     | 2                | 71.1               | 12                | 1629                        |                         | 559.993                               |
| 3     | 2                | 58.2               | 12                | 1686                        |                         | 25.546                                |
| 4     | 1                | 71.4               | 12                |                             |                         | 580.219                               |
| 5     | 2                | 69.8               | 12                | 1431                        |                         | 164.562                               |
| 6     | 2                | 74.3               | 12                | 1815                        |                         | 34.645                                |
| 7     | 2                | 86                 | 12                | 1851                        |                         | 416.938                               |
| 8     | 3                | 71.2               | 12                | 1653                        | 1716                    | 906.232                               |
| 9     | 2                | 55.9               | 12                | 1061                        |                         | 772.335                               |
| 10    | 1                | 72.6               | 12                |                             |                         | 756.778                               |
| 11    | 2                | 54.7               | 12                | 1884                        |                         | 464.711                               |
| 12    | 2                | 72.9               | 12                | 1815                        |                         | 519.954                               |
| 13    | 2                | 74.3               | 12                | 1389                        |                         | 526.677                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 71.4               | 12                | 1150                    |                         | 1182.84                               |
| 2     | 1                | 58.9               | 12                |                         |                         | 531.38                                |
| 3     | 2                | 86                 | 12                | 1489                    |                         | 1151.55                               |
| 4     | 2                | 65                 | 12                | 1096                    |                         | 421.39                                |
| 5     | 3                | 96.5               | 12                | 1996                    | 1259                    | 919.11                                |
| 6     | 1                | 53.4               | 12                |                         |                         | 535.76                                |
| 7     | 2                | 66.3               | 12                | 1311                    |                         | 1182.74                               |
| 8     | 1                | 91.3               | 12                |                         |                         | 1044.35                               |
| 9     | 1                | 92.8               | 12                |                         |                         | 103.42                                |
| 10    | 2                | 76.7               | 12                | 1405                    |                         | 213.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 86                 | 12                | 1922                    |                         | 281.282                               |
| 2     | 2                | 89.6               | 12                | 1307                    |                         | 230.107                               |
| 3     | 1                | 68.2               | 12                |                         |                         | 61.264                                |
| 4     | 1                | 73.9               | 12                |                         |                         | 70.051                                |
| 5     | 2                | 80.6               | 12                | 1513                    |                         | 414.719                               |
| 6     | 2                | 97.1               | 12                | 1229                    |                         | 138.306                               |
| 7     | 2                | 74.4               | 12                | 1349                    |                         | 81.923                                |
| 8     | 2                | 90.9               | 12                | 1551                    |                         | 705.48                                |
| 9     | 2                | 97.5               | 12                | 1453                    |                         | 691.057                               |
| 10    | 1                | 55.6               | 12                |                         |                         | 291.334                               |
| 11    | 3                | 96.5               | 12                | 1288                    | 1754                    | 16.191                                |
| 12    | 1                | 96.7               | 12                |                         |                         | 229.529                               |
| 13    | 3                | 53.3               | 12                | 1319                    | 1831                    | 142.786                               |
| 14    | 3                | 66                 | 12                | 1920                    | 1069                    | 309.343                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 11**

Bursts in Trial: 8

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 12**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 13**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 14**

Bursts in Trial: 9

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 52.2               | 7                 | 1114                    | 1641                    | 786.214                               |
| 2     | 2                | 79.8               | 7                 | 1141                    |                         | 104.926                               |
| 3     | 2                | 59.8               | 7                 | 1338                    |                         | 173.16                                |
| 4     | 1                | 60.3               | 7                 |                         |                         | 49.86                                 |
| 5     | 1                | 59.1               | 7                 |                         |                         | 364.3                                 |
| 6     | 2                | 68                 | 7                 | 1138                    |                         | 349.75                                |
| 7     | 1                | 87.6               | 7                 |                         |                         | 492.75                                |
| 8     | 1                | 85.3               | 7                 |                         |                         | 36.22                                 |
| 9     | 3                | 59.4               | 7                 | 1686                    | 1900                    | 150.28                                |
| 10    | 2                | 91.5               | 7                 | 1796                    |                         | 711                                   |
| 11    | 2                | 87.9               | 7                 | 1383                    |                         | 38.21                                 |
| 12    | 2                | 91.7               | 7                 | 1171                    |                         | 300.68                                |
| 13    | 1                | 67.6               | 7                 |                         |                         | 377.89                                |
| 14    | 1                | 89.6               | 7                 |                         |                         | 12                                    |
| 15    | 1                | 53.7               | 7                 |                         |                         | 554.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 88.4               | 11                |                         |                         | 1048.17                               |
| 2     | 2                | 61.5               | 11                | 1625                    |                         | 272.961                               |
| 3     | 1                | 61.4               | 11                |                         |                         | 546.622                               |
| 4     | 2                | 93.2               | 11                | 1222                    |                         | 640.913                               |
| 5     | 2                | 50.1               | 11                | 1821                    |                         | 659.364                               |
| 6     | 2                | 54.6               | 11                | 1248                    |                         | 655.665                               |
| 7     | 2                | 56.8               | 11                | 1898                    |                         | 206.645                               |
| 8     | 1                | 70.3               | 11                |                         |                         | 1023.666                              |
| 9     | 1                | 57.5               | 11                |                         |                         | 80.527                                |
| 10    | 3                | 76.2               | 11                | 1612                    | 1906                    | 632.118                               |
| 11    | 3                | 83.1               | 11                | 1995                    | 1808                    | 888.009                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 87.6               | 11                | 1432                    |                         | 304.745                               |
| 2     | 2                | 98.7               | 11                | 1376                    |                         | 960.24                                |
| 3     | 2                | 63.9               | 11                | 1420                    |                         | 385.11                                |
| 4     | 2                | 54.6               | 11                | 1969                    |                         | 980.87                                |
| 5     | 2                | 79.6               | 11                | 1231                    |                         | 546.41                                |
| 6     | 2                | 83.4               | 11                | 1459                    |                         | 285.09                                |
| 7     | 2                | 94.8               | 11                | 1795                    |                         | 686.54                                |
| 8     | 3                | 50.4               | 11                | 1245                    | 1141                    | 464.58                                |
| 9     | 2                | 80.8               | 11                | 1380                    |                         | 1.87                                  |
| 10    | 3                | 91.1               | 11                | 1816                    | 1423                    | 151.02                                |
| 11    | 2                | 51.2               | 11                | 1230                    |                         | 65.1                                  |
| 12    | 2                | 91                 | 11                | 1314                    |                         | 257.7                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 95.7               | 14                | 1262                    | 1599                    | 206.87                                |
| 2     | 2                | 64.2               | 14                | 1686                    |                         | 26.482                                |
| 3     | 1                | 90.3               | 14                |                         |                         | 144.555                               |
| 4     | 1                | 76.4               | 14                |                         |                         | 583.453                               |
| 5     | 2                | 99.3               | 14                | 1042                    |                         | 450.311                               |
| 6     | 2                | 72                 | 14                | 1984                    |                         | 480.778                               |
| 7     | 3                | 55.3               | 14                | 1344                    | 1984                    | 472.846                               |
| 8     | 3                | 76.5               | 14                | 1403                    | 1660                    | 19.644                                |
| 9     | 3                | 80.8               | 14                | 1640                    | 1008                    | 489.411                               |
| 10    | 2                | 89.3               | 14                | 1964                    |                         | 398.789                               |
| 11    | 2                | 79.7               | 14                | 1661                    |                         | 11.236                                |
| 12    | 3                | 75.2               | 14                | 1318                    | 1445                    | 426.984                               |
| 13    | 1                | 57.9               | 14                |                         |                         | 67.802                                |
| 14    | 1                | 66.3               | 14                |                         |                         | 604.139                               |
| 15    | 3                | 51.3               | 14                | 1029                    | 1778                    | 63.167                                |
| 16    | 2                | 97.9               | 14                | 1438                    |                         | 89.765                                |
| 17    | 2                | 89                 | 14                | 1983                    |                         | 471.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 94.9               | 13                | 1524                    |                         | 539.07                                |
| 2     | 2                | 67.6               | 13                | 1374                    |                         | 1067.651                              |
| 3     | 2                | 94.5               | 13                | 1209                    |                         | 475.542                               |
| 4     | 3                | 50.4               | 13                | 1349                    | 1909                    | 912.443                               |
| 5     | 2                | 89.3               | 13                | 1029                    |                         | 502.694                               |
| 6     | 2                | 52.2               | 13                | 1389                    |                         | 745.825                               |
| 7     | 1                | 54.9               | 13                |                         |                         | 153.255                               |
| 8     | 2                | 57.5               | 13                | 1591                    |                         | 23.926                                |
| 9     | 3                | 76.1               | 13                | 1762                    | 1192                    | 777.837                               |
| 10    | 2                | 61.5               | 13                | 1336                    |                         | 789.318                               |
| 11    | 2                | 54.9               | 13                | 1290                    |                         | 610.609                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 60.1               | 18                | 1654                    |                         | 306.491                               |
| 2     | 2                | 79.4               | 18                | 1447                    |                         | 601.367                               |
| 3     | 2                | 52.3               | 18                | 1847                    |                         | 674.244                               |
| 4     | 2                | 97.7               | 18                | 1573                    |                         | 169.961                               |
| 5     | 2                | 80.8               | 18                | 1575                    |                         | 140.169                               |
| 6     | 1                | 80.4               | 18                |                         |                         | 548.426                               |
| 7     | 2                | 99.8               | 18                | 1204                    |                         | 358.883                               |
| 8     | 2                | 67.5               | 18                | 1534                    |                         | 143.58                                |
| 9     | 2                | 51.8               | 18                | 1357                    |                         | 382.397                               |
| 10    | 2                | 82.9               | 18                | 1041                    |                         | 572.314                               |
| 11    | 1                | 52.9               | 18                |                         |                         | 77.511                                |
| 12    | 2                | 82.1               | 18                | 1593                    |                         | 32.939                                |
| 13    | 3                | 92.6               | 18                | 1769                    | 1246                    | 318.886                               |
| 14    | 1                | 95.9               | 18                |                         |                         | 119.743                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 96.6               | 16                | 1005                    |                         | 241.217                               |
| 2     | 3                | 66.8               | 16                | 1137                    | 1554                    | 416.63                                |
| 3     | 2                | 91.5               | 16                | 1620                    |                         | 373.27                                |
| 4     | 2                | 62.1               | 16                | 1992                    |                         | 111.47                                |
| 5     | 3                | 84.8               | 16                | 1990                    | 1950                    | 385.1                                 |
| 6     | 3                | 68.2               | 16                | 1230                    | 1356                    | 408.44                                |
| 7     | 2                | 71.2               | 16                | 1679                    |                         | 276.65                                |
| 8     | 1                | 76.2               | 16                |                         |                         | 277.75                                |
| 9     | 2                | 64                 | 16                | 1662                    |                         | 458.02                                |
| 10    | 2                | 62.6               | 16                | 1758                    |                         | 299.74                                |
| 11    | 3                | 76.2               | 16                | 1433                    | 1471                    | 346.97                                |
| 12    | 3                | 81.1               | 16                | 1146                    | 1604                    | 478.83                                |
| 13    | 3                | 75.3               | 16                | 1064                    | 1115                    | 337.31                                |
| 14    | 2                | 93.6               | 16                | 1378                    |                         | 606.8                                 |
| 15    | 3                | 99.6               | 16                | 1454                    | 1518                    | 733.7                                 |
| 16    | 1                | 71.7               | 16                |                         |                         | 342.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 22**

|                    |
|--------------------|
| Bursts in Trial: 8 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 76.2               | 16                | 1540                    | 1560                    | 184.518                               |
| 2     | 2                | 67.9               | 16                | 1259                    |                         | 434.128                               |
| 3     | 2                | 88.9               | 16                | 1214                    |                         | 650.525                               |
| 4     | 3                | 77.2               | 16                | 1657                    | 1761                    | 96.673                                |
| 5     | 2                | 88.7               | 16                | 1931                    |                         | 583.981                               |
| 6     | 2                | 85.7               | 16                | 1670                    |                         | 87.308                                |
| 7     | 3                | 98.8               | 16                | 1122                    | 1028                    | 565.166                               |
| 8     | 3                | 78                 | 16                | 1128                    | 1390                    | 671.574                               |
| 9     | 2                | 60.2               | 16                | 1762                    |                         | 349.151                               |
| 10    | 3                | 96.9               | 16                | 1555                    | 1042                    | 166.379                               |
| 11    | 1                | 90.4               | 16                |                         |                         | 62.046                                |
| 12    | 2                | 82.3               | 16                | 1253                    |                         | 579.734                               |
| 13    | 3                | 70                 | 16                | 1377                    | 1948                    | 530.852                               |
| 14    | 2                | 53.1               | 16                | 1190                    |                         | 292.199                               |
| 15    | 2                | 76.3               | 16                | 1176                    |                         | 541.947                               |
| 16    | 2                | 51                 | 16                | 1316                    |                         | 475.365                               |
| 17    | 2                | 70.5               | 16                | 1979                    |                         | 316.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 24**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 25**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 68.3               | 17                | 1061                    | 1517                    | 572.777                               |
| 2     | 1                | 56.5               | 17                |                         |                         | 369.08                                |
| 3     | 2                | 62.5               | 17                | 1216                    |                         | 171.7                                 |
| 4     | 3                | 68.1               | 17                | 1086                    | 1818                    | 140.59                                |
| 5     | 2                | 64.3               | 17                | 1771                    |                         | 623.22                                |
| 6     | 3                | 86.4               | 17                | 1389                    | 1850                    | 482.7                                 |
| 7     | 3                | 63.7               | 17                | 1098                    | 1649                    | 600.57                                |
| 8     | 1                | 56.1               | 17                |                         |                         | 516.75                                |
| 9     | 2                | 90.9               | 17                | 1664                    |                         | 785.43                                |
| 10    | 3                | 89.2               | 17                | 1546                    | 1867                    | 33.83                                 |
| 11    | 3                | 84.8               | 17                | 1146                    | 1786                    | 490.54                                |
| 12    | 2                | 66.4               | 17                | 1481                    |                         | 683.84                                |
| 13    | 3                | 84.7               | 17                | 1715                    | 1986                    | 248.14                                |
| 14    | 3                | 51.3               | 17                | 1043                    | 1886                    | 143.7                                 |
| 15    | 2                | 50.1               | 17                | 1504                    |                         | 521.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 75.3               | 11                |                         |                         | 657.392                               |
| 2     | 1                | 76.5               | 11                |                         |                         | 892.923                               |
| 3     | 1                | 87.4               | 11                |                         |                         | 601.566                               |
| 4     | 2                | 67                 | 11                | 1174                    |                         | 143.549                               |
| 5     | 1                | 61.1               | 11                |                         |                         | 496.062                               |
| 6     | 2                | 77.4               | 11                | 1839                    |                         | 709.775                               |
| 7     | 2                | 72.3               | 11                | 1880                    |                         | 471.168                               |
| 8     | 2                | 76.5               | 11                | 1208                    |                         | 778.922                               |
| 9     | 3                | 95.5               | 11                | 1339                    | 1597                    | 554.605                               |
| 10    | 2                | 79.6               | 11                | 1644                    |                         | 522.928                               |
| 11    | 2                | 70.6               | 11                | 1093                    |                         | 148.371                               |
| 12    | 2                | 97.6               | 11                | 1329                    |                         | 430.354                               |
| 13    | 3                | 70.9               | 11                | 1769                    | 1379                    | 373.177                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 66.7               | 6                 | 1515                    | 1172                    | 189.41                                |
| 2     | 1                | 95.9               | 6                 |                         |                         | 561.011                               |
| 3     | 1                | 61                 | 6                 |                         |                         | 171.962                               |
| 4     | 1                | 58.8               | 6                 |                         |                         | 489.493                               |
| 5     | 2                | 60.8               | 6                 | 1281                    |                         | 143.494                               |
| 6     | 2                | 89.9               | 6                 | 1441                    |                         | 443.085                               |
| 7     | 2                | 81.6               | 6                 | 1215                    |                         | 356.575                               |
| 8     | 2                | 59.8               | 6                 | 1534                    |                         | 941.736                               |
| 9     | 2                | 54.3               | 6                 | 1281                    |                         | 877.017                               |
| 10    | 1                | 61.1               | 6                 |                         |                         | 555.918                               |
| 11    | 2                | 85.4               | 6                 | 1447                    |                         | 827.509                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 56.9               | 5                 | 1070                    |                         | 278.803                               |
| 2     | 3                | 88.3               | 5                 | 1966                    | 1578                    | 438.001                               |
| 3     | 1                | 81.9               | 5                 |                         |                         | 19.542                                |
| 4     | 3                | 69.4               | 5                 | 1284                    | 1204                    | 747.913                               |
| 5     | 2                | 61.5               | 5                 | 1150                    |                         | 48.314                                |
| 6     | 2                | 69.8               | 5                 | 1490                    |                         | 1042.765                              |
| 7     | 1                | 90.5               | 5                 |                         |                         | 470.545                               |
| 8     | 2                | 74.8               | 5                 | 1625                    |                         | 345.356                               |
| 9     | 2                | 60.7               | 5                 | 1299                    |                         | 179.857                               |
| 10    | 2                | 92.6               | 5                 | 1744                    |                         | 413.118                               |
| 11    | 2                | 91.7               | 5                 | 1038                    |                         | 384.509                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 57.1               | 18                | 1449                    | 1137                    | 466.695                               |
| 2     | 2                | 84                 | 18                | 1328                    |                         | 189.531                               |
| 3     | 2                | 59.5               | 18                | 1976                    |                         | 553.81                                |
| 4     | 2                | 50.6               | 18                | 1859                    |                         | 343.51                                |
| 5     | 3                | 90.2               | 18                | 1645                    | 1267                    | 524.52                                |
| 6     | 2                | 98.5               | 18                | 1916                    |                         | 150.48                                |
| 7     | 2                | 67.3               | 18                | 1379                    |                         | 549.56                                |
| 8     | 2                | 59.6               | 18                | 1772                    |                         | 355.58                                |
| 9     | 3                | 70.8               | 18                | 1064                    | 1521                    | 552.46                                |
| 10    | 2                | 74.3               | 18                | 1955                    |                         | 261.92                                |
| 11    | 3                | 91.4               | 18                | 1633                    | 1567                    | 428.35                                |
| 12    | 2                | 57.8               | 18                | 1172                    |                         | 154.9                                 |
| 13    | 1                | 66.9               | 18                |                         |                         | 59.44                                 |
| 14    | 1                | 58.5               | 18                |                         |                         | 232.54                                |
| 15    | 1                | 90.9               | 18                |                         |                         | 594.2                                 |
| 16    | 2                | 61.6               | 18                | 1128                    |                         | 131.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

802.11ax (40 MHz), 5510 MHz

Type 6

| <b>Trial #</b>                  | <b>Frequency (MHz)</b> | <b>*Filename</b>                                                   | <b>1= Detection<br/>0= No Detection</b> |
|---------------------------------|------------------------|--------------------------------------------------------------------|-----------------------------------------|
| 1                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 0                                       |
| 2                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                                       |
| 3                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                                       |
| 4                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                                       |
| 5                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                                       |
| 6                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                                       |
| 7                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                                       |
| 8                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                                       |
| 9                               | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                                       |
| 10                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                                       |
| 11                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                                       |
| 12                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                                       |
| 13                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                                       |
| 14                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                                       |
| 15                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                                       |
| 16                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                                       |
| 17                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 0                                       |
| 18                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                                       |
| 19                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                                       |
| 20                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                                       |
| 21                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                                       |
| 22                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                                       |
| 23                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                                       |
| 24                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                                       |
| 25                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                                       |
| 26                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                                       |
| 27                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                                       |
| 28                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                                       |
| 29                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                                       |
| 30                              | 5510                   | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                                       |
| <b>Detection Percentage (%)</b> |                        |                                                                    | 93.33                                   |
| <b>Limit</b>                    |                        |                                                                    | >70                                     |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.51             | 5.425        | 40              |              |
| 2     | 5.51             | 5.388        | 40              |              |
| 3     | 5.51             | 5.263        | 40              |              |
| 4     | 5.51             | 5.534        | 40              |              |
| 5     | 5.51             | 5.475        | 40              |              |
| 6     | 5.51             | 5.527        | 40              | *            |
| 7     | 5.51             | 5.426        | 40              |              |
| 8     | 5.51             | 5.63         | 40              |              |
| 9     | 5.51             | 5.526        | 40              | *            |
| 10    | 5.51             | 5.662        | 40              |              |
| 11    | 5.51             | 5.558        | 40              |              |
| 12    | 5.51             | 5.332        | 40              |              |
| 13    | 5.51             | 5.321        | 40              |              |
| 14    | 5.51             | 5.462        | 40              |              |
| 15    | 5.51             | 5.508        | 40              | *            |
| 16    | 5.51             | 5.505        | 40              | *            |
| 17    | 5.51             | 5.307        | 40              |              |
| 18    | 5.51             | 5.67         | 40              |              |
| 19    | 5.51             | 5.315        | 40              |              |
| 20    | 5.51             | 5.536        | 40              |              |
| 21    | 5.51             | 5.457        | 40              |              |
| 22    | 5.51             | 5.378        | 40              |              |
| 23    | 5.51             | 5.572        | 40              |              |
| 24    | 5.51             | 5.654        | 40              |              |
| 25    | 5.51             | 5.375        | 40              |              |
| 26    | 5.51             | 5.644        | 40              |              |
| 27    | 5.51             | 5.382        | 40              |              |
| 28    | 5.51             | 5.336        | 40              |              |
| 29    | 5.51             | 5.693        | 40              |              |
| 30    | 5.51             | 5.371        | 40              |              |
| 31    | 5.51             | 5.316        | 40              |              |
| 32    | 5.51             | 5.435        | 40              |              |
| 33    | 5.51             | 5.473        | 40              |              |
| 34    | 5.51             | 5.609        | 40              |              |
| 35    | 5.51             | 5.29         | 40              |              |
| 36    | 5.51             | 5.45         | 40              |              |
| 37    | 5.51             | 5.544        | 40              |              |
| 38    | 5.51             | 5.424        | 40              |              |
| 39    | 5.51             | 5.658        | 40              |              |
| 40    | 5.51             | 5.367        | 40              |              |
| 41    | 5.51             | 5.511        | 40              | *            |
| 42    | 5.51             | 5.407        | 40              |              |
| 43    | 5.51             | 5.495        | 40              | *            |
| 44    | 5.51             | 5.7          | 40              |              |
| 45    | 5.51             | 5.504        | 40              | *            |
| 46    | 5.51             | 5.327        | 40              |              |
| 47    | 5.51             | 5.403        | 40              |              |
| 48    | 5.51             | 5.684        | 40              |              |
| 49    | 5.51             | 5.298        | 40              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.51 | 5.625 | 40 |   |
| 51  | 5.51 | 5.33  | 40 |   |
| 52  | 5.51 | 5.545 | 40 |   |
| 53  | 5.51 | 5.406 | 40 |   |
| 54  | 5.51 | 5.397 | 40 |   |
| 55  | 5.51 | 5.392 | 40 |   |
| 56  | 5.51 | 5.591 | 40 |   |
| 57  | 5.51 | 5.329 | 40 |   |
| 58  | 5.51 | 5.574 | 40 |   |
| 59  | 5.51 | 5.299 | 40 |   |
| 60  | 5.51 | 5.519 | 40 | * |
| 61  | 5.51 | 5.643 | 40 |   |
| 62  | 5.51 | 5.653 | 40 |   |
| 63  | 5.51 | 5.306 | 40 |   |
| 64  | 5.51 | 5.712 | 40 |   |
| 65  | 5.51 | 5.722 | 40 |   |
| 66  | 5.51 | 5.664 | 40 |   |
| 67  | 5.51 | 5.687 | 40 |   |
| 68  | 5.51 | 5.583 | 40 |   |
| 69  | 5.51 | 5.393 | 40 |   |
| 70  | 5.51 | 5.622 | 40 |   |
| 71  | 5.51 | 5.409 | 40 |   |
| 72  | 5.51 | 5.718 | 40 |   |
| 73  | 5.51 | 5.58  | 40 |   |
| 74  | 5.51 | 5.381 | 40 |   |
| 75  | 5.51 | 5.32  | 40 |   |
| 76  | 5.51 | 5.594 | 40 |   |
| 77  | 5.51 | 5.342 | 40 |   |
| 78  | 5.51 | 5.344 | 40 |   |
| 79  | 5.51 | 5.569 | 40 |   |
| 80  | 5.51 | 5.253 | 40 |   |
| 81  | 5.51 | 5.701 | 40 |   |
| 82  | 5.51 | 5.598 | 40 |   |
| 83  | 5.51 | 5.323 | 40 |   |
| 84  | 5.51 | 5.396 | 40 |   |
| 85  | 5.51 | 5.482 | 40 |   |
| 86  | 5.51 | 5.463 | 40 |   |
| 87  | 5.51 | 5.499 | 40 | * |
| 88  | 5.51 | 5.264 | 40 |   |
| 89  | 5.51 | 5.273 | 40 |   |
| 90  | 5.51 | 5.652 | 40 |   |
| 91  | 5.51 | 5.688 | 40 |   |
| 92  | 5.51 | 5.449 | 40 |   |
| 93  | 5.51 | 5.352 | 40 |   |
| 94  | 5.51 | 5.49  | 40 | * |
| 95  | 5.51 | 5.366 | 40 |   |
| 96  | 5.51 | 5.34  | 40 |   |
| 97  | 5.51 | 5.324 | 40 |   |
| 98  | 5.51 | 5.606 | 40 |   |
| 99  | 5.51 | 5.454 | 40 |   |
| 100 | 5.51 | 5.608 | 40 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.341        | 40              |              |
| 2                      | 5.51             | 5.261        | 40              |              |
| 3                      | 5.51             | 5.359        | 40              |              |
| 4                      | 5.51             | 5.587        | 40              |              |
| 5                      | 5.51             | 5.49         | 40              | *            |
| 6                      | 5.51             | 5.351        | 40              |              |
| 7                      | 5.51             | 5.592        | 40              |              |
| 8                      | 5.51             | 5.393        | 40              |              |
| 9                      | 5.51             | 5.545        | 40              |              |
| 10                     | 5.51             | 5.385        | 40              |              |
| 11                     | 5.51             | 5.589        | 40              |              |
| 12                     | 5.51             | 5.493        | 40              | *            |
| 13                     | 5.51             | 5.624        | 40              |              |
| 14                     | 5.51             | 5.428        | 40              |              |
| 15                     | 5.51             | 5.442        | 40              |              |
| 16                     | 5.51             | 5.667        | 40              |              |
| 17                     | 5.51             | 5.384        | 40              |              |
| 18                     | 5.51             | 5.383        | 40              |              |
| 19                     | 5.51             | 5.302        | 40              |              |
| 20                     | 5.51             | 5.633        | 40              |              |
| 21                     | 5.51             | 5.666        | 40              |              |
| 22                     | 5.51             | 5.355        | 40              |              |
| 23                     | 5.51             | 5.349        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.407        | 40              |              |
| 2                      | 5.51             | 5.671        | 40              |              |
| 3                      | 5.51             | 5.517        | 40              | *            |
| 4                      | 5.51             | 5.605        | 40              |              |
| 5                      | 5.51             | 5.422        | 40              |              |
| 6                      | 5.51             | 5.629        | 40              |              |
| 7                      | 5.51             | 5.275        | 40              |              |
| 8                      | 5.51             | 5.533        | 40              |              |
| 9                      | 5.51             | 5.433        | 40              |              |
| 10                     | 5.51             | 5.261        | 40              |              |
| 11                     | 5.51             | 5.305        | 40              |              |
| 12                     | 5.51             | 5.346        | 40              |              |
| 13                     | 5.51             | 5.609        | 40              |              |
| 14                     | 5.51             | 5.356        | 40              |              |
| 15                     | 5.51             | 5.685        | 40              |              |
| 16                     | 5.51             | 5.304        | 40              |              |
| 17                     | 5.51             | 5.709        | 40              |              |
| 18                     | 5.51             | 5.593        | 40              |              |
| 19                     | 5.51             | 5.316        | 40              |              |
| 20                     | 5.51             | 5.434        | 40              |              |
| 21                     | 5.51             | 5.536        | 40              |              |
| 22                     | 5.51             | 5.359        | 40              |              |
| 23                     | 5.51             | 5.39         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.659        | 40              |              |
| 2                      | 5.51             | 5.4          | 40              |              |
| 3                      | 5.51             | 5.406        | 40              |              |
| 4                      | 5.51             | 5.467        | 40              |              |
| 5                      | 5.51             | 5.376        | 40              |              |
| 6                      | 5.51             | 5.499        | 40              | *            |
| 7                      | 5.51             | 5.264        | 40              |              |
| 8                      | 5.51             | 5.347        | 40              |              |
| 9                      | 5.51             | 5.598        | 40              |              |
| 10                     | 5.51             | 5.358        | 40              |              |
| 11                     | 5.51             | 5.425        | 40              |              |
| 12                     | 5.51             | 5.557        | 40              |              |
| 13                     | 5.51             | 5.645        | 40              |              |
| 14                     | 5.51             | 5.6          | 40              |              |
| 15                     | 5.51             | 5.457        | 40              |              |
| 16                     | 5.51             | 5.391        | 40              |              |
| 17                     | 5.51             | 5.442        | 40              |              |
| 18                     | 5.51             | 5.284        | 40              |              |
| 19                     | 5.51             | 5.348        | 40              |              |
| 20                     | 5.51             | 5.255        | 40              |              |
| 21                     | 5.51             | 5.468        | 40              |              |
| 22                     | 5.51             | 5.552        | 40              |              |
| 23                     | 5.51             | 5.297        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.464        | 40              |              |
| 2                      | 5.51             | 5.459        | 40              |              |
| 3                      | 5.51             | 5.355        | 40              |              |
| 4                      | 5.51             | 5.367        | 40              |              |
| 5                      | 5.51             | 5.428        | 40              |              |
| 6                      | 5.51             | 5.392        | 40              |              |
| 7                      | 5.51             | 5.415        | 40              |              |
| 8                      | 5.51             | 5.655        | 40              |              |
| 9                      | 5.51             | 5.542        | 40              |              |
| 10                     | 5.51             | 5.293        | 40              |              |
| 11                     | 5.51             | 5.711        | 40              |              |
| 12                     | 5.51             | 5.402        | 40              |              |
| 13                     | 5.51             | 5.551        | 40              |              |
| 14                     | 5.51             | 5.562        | 40              |              |
| 15                     | 5.51             | 5.635        | 40              |              |
| 16                     | 5.51             | 5.689        | 40              |              |
| 17                     | 5.51             | 5.65         | 40              |              |
| 18                     | 5.51             | 5.463        | 40              |              |
| 19                     | 5.51             | 5.63         | 40              |              |
| 20                     | 5.51             | 5.613        | 40              |              |
| 21                     | 5.51             | 5.611        | 40              |              |
| 22                     | 5.51             | 5.493        | 40              | *            |
| 23                     | 5.51             | 5.531        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.674        | 40              |              |
| 2                      | 5.51             | 5.499        | 40              | *            |
| 3                      | 5.51             | 5.439        | 40              |              |
| 4                      | 5.51             | 5.652        | 40              |              |
| 5                      | 5.51             | 5.47         | 40              |              |
| 6                      | 5.51             | 5.722        | 40              |              |
| 7                      | 5.51             | 5.504        | 40              | *            |
| 8                      | 5.51             | 5.565        | 40              |              |
| 9                      | 5.51             | 5.55         | 40              |              |
| 10                     | 5.51             | 5.413        | 40              |              |
| 11                     | 5.51             | 5.359        | 40              |              |
| 12                     | 5.51             | 5.633        | 40              |              |
| 13                     | 5.51             | 5.575        | 40              |              |
| 14                     | 5.51             | 5.706        | 40              |              |
| 15                     | 5.51             | 5.338        | 40              |              |
| 16                     | 5.51             | 5.42         | 40              |              |
| 17                     | 5.51             | 5.436        | 40              |              |
| 18                     | 5.51             | 5.554        | 40              |              |
| 19                     | 5.51             | 5.418        | 40              |              |
| 20                     | 5.51             | 5.549        | 40              |              |
| 21                     | 5.51             | 5.45         | 40              |              |
| 22                     | 5.51             | 5.613        | 40              |              |
| 23                     | 5.51             | 5.438        | 40              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 7       |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.51          | 5.624     | 40           |           |
| 2                      | 5.51          | 5.365     | 40           |           |
| 3                      | 5.51          | 5.368     | 40           |           |
| 4                      | 5.51          | 5.422     | 40           |           |
| 5                      | 5.51          | 5.478     | 40           |           |
| 6                      | 5.51          | 5.28      | 40           |           |
| 7                      | 5.51          | 5.508     | 40           | *         |
| 8                      | 5.51          | 5.506     | 40           | *         |
| 9                      | 5.51          | 5.559     | 40           |           |
| 10                     | 5.51          | 5.295     | 40           |           |
| 11                     | 5.51          | 5.423     | 40           |           |
| 12                     | 5.51          | 5.334     | 40           |           |
| 13                     | 5.51          | 5.674     | 40           |           |
| 14                     | 5.51          | 5.403     | 40           |           |
| 15                     | 5.51          | 5.284     | 40           |           |
| 16                     | 5.51          | 5.347     | 40           |           |
| 17                     | 5.51          | 5.631     | 40           |           |
| 18                     | 5.51          | 5.405     | 40           |           |
| 19                     | 5.51          | 5.575     | 40           |           |
| 20                     | 5.51          | 5.317     | 40           |           |
| 21                     | 5.51          | 5.694     | 40           |           |
| 22                     | 5.51          | 5.652     | 40           |           |
| 23                     | 5.51          | 5.304     | 40           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.537        | 40              |              |
| 2                      | 5.51             | 5.448        | 40              |              |
| 3                      | 5.51             | 5.472        | 40              |              |
| 4                      | 5.51             | 5.334        | 40              |              |
| 5                      | 5.51             | 5.356        | 40              |              |
| 6                      | 5.51             | 5.715        | 40              |              |
| 7                      | 5.51             | 5.446        | 40              |              |
| 8                      | 5.51             | 5.564        | 40              |              |
| 9                      | 5.51             | 5.431        | 40              |              |
| 10                     | 5.51             | 5.554        | 40              |              |
| 11                     | 5.51             | 5.319        | 40              |              |
| 12                     | 5.51             | 5.718        | 40              |              |
| 13                     | 5.51             | 5.701        | 40              |              |
| 14                     | 5.51             | 5.469        | 40              |              |
| 15                     | 5.51             | 5.584        | 40              |              |
| 16                     | 5.51             | 5.59         | 40              |              |
| 17                     | 5.51             | 5.251        | 40              |              |
| 18                     | 5.51             | 5.612        | 40              |              |
| 19                     | 5.51             | 5.427        | 40              |              |
| 20                     | 5.51             | 5.296        | 40              |              |
| 21                     | 5.51             | 5.516        | 40              | *            |
| 22                     | 5.51             | 5.32         | 40              |              |
| 23                     | 5.51             | 5.333        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.365        | 40              |              |
| 2                      | 5.51             | 5.363        | 40              |              |
| 3                      | 5.51             | 5.722        | 40              |              |
| 4                      | 5.51             | 5.264        | 40              |              |
| 5                      | 5.51             | 5.529        | 40              | *            |
| 6                      | 5.51             | 5.668        | 40              |              |
| 7                      | 5.51             | 5.605        | 40              |              |
| 8                      | 5.51             | 5.487        | 40              |              |
| 9                      | 5.51             | 5.492        | 40              | *            |
| 10                     | 5.51             | 5.673        | 40              |              |
| 11                     | 5.51             | 5.458        | 40              |              |
| 12                     | 5.51             | 5.576        | 40              |              |
| 13                     | 5.51             | 5.626        | 40              |              |
| 14                     | 5.51             | 5.547        | 40              |              |
| 15                     | 5.51             | 5.284        | 40              |              |
| 16                     | 5.51             | 5.582        | 40              |              |
| 17                     | 5.51             | 5.31         | 40              |              |
| 18                     | 5.51             | 5.314        | 40              |              |
| 19                     | 5.51             | 5.421        | 40              |              |
| 20                     | 5.51             | 5.598        | 40              |              |
| 21                     | 5.51             | 5.341        | 40              |              |
| 22                     | 5.51             | 5.333        | 40              |              |
| 23                     | 5.51             | 5.621        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.435        | 40              |              |
| 2                      | 5.51             | 5.36         | 40              |              |
| 3                      | 5.51             | 5.656        | 40              |              |
| 4                      | 5.51             | 5.604        | 40              |              |
| 5                      | 5.51             | 5.368        | 40              |              |
| 6                      | 5.51             | 5.609        | 40              |              |
| 7                      | 5.51             | 5.441        | 40              |              |
| 8                      | 5.51             | 5.497        | 40              | *            |
| 9                      | 5.51             | 5.653        | 40              |              |
| 10                     | 5.51             | 5.599        | 40              |              |
| 11                     | 5.51             | 5.568        | 40              |              |
| 12                     | 5.51             | 5.313        | 40              |              |
| 13                     | 5.51             | 5.648        | 40              |              |
| 14                     | 5.51             | 5.607        | 40              |              |
| 15                     | 5.51             | 5.647        | 40              |              |
| 16                     | 5.51             | 5.319        | 40              |              |
| 17                     | 5.51             | 5.412        | 40              |              |
| 18                     | 5.51             | 5.708        | 40              |              |
| 19                     | 5.51             | 5.376        | 40              |              |
| 20                     | 5.51             | 5.303        | 40              |              |
| 21                     | 5.51             | 5.417        | 40              |              |
| 22                     | 5.51             | 5.721        | 40              |              |
| 23                     | 5.51             | 5.561        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.509        | 40              | *            |
| 2                      | 5.51             | 5.378        | 40              |              |
| 3                      | 5.51             | 5.629        | 40              |              |
| 4                      | 5.51             | 5.545        | 40              |              |
| 5                      | 5.51             | 5.388        | 40              |              |
| 6                      | 5.51             | 5.714        | 40              |              |
| 7                      | 5.51             | 5.433        | 40              |              |
| 8                      | 5.51             | 5.271        | 40              |              |
| 9                      | 5.51             | 5.52         | 40              | *            |
| 10                     | 5.51             | 5.567        | 40              |              |
| 11                     | 5.51             | 5.723        | 40              |              |
| 12                     | 5.51             | 5.488        | 40              |              |
| 13                     | 5.51             | 5.5          | 40              | *            |
| 14                     | 5.51             | 5.287        | 40              |              |
| 15                     | 5.51             | 5.46         | 40              |              |
| 16                     | 5.51             | 5.605        | 40              |              |
| 17                     | 5.51             | 5.681        | 40              |              |
| 18                     | 5.51             | 5.537        | 40              |              |
| 19                     | 5.51             | 5.395        | 40              |              |
| 20                     | 5.51             | 5.557        | 40              |              |
| 21                     | 5.51             | 5.566        | 40              |              |
| 22                     | 5.51             | 5.302        | 40              |              |
| 23                     | 5.51             | 5.514        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.716        | 40              |              |
| 2                      | 5.51             | 5.456        | 40              |              |
| 3                      | 5.51             | 5.369        | 40              |              |
| 4                      | 5.51             | 5.372        | 40              |              |
| 5                      | 5.51             | 5.613        | 40              |              |
| 6                      | 5.51             | 5.354        | 40              |              |
| 7                      | 5.51             | 5.561        | 40              |              |
| 8                      | 5.51             | 5.669        | 40              |              |
| 9                      | 5.51             | 5.697        | 40              |              |
| 10                     | 5.51             | 5.553        | 40              |              |
| 11                     | 5.51             | 5.502        | 40              | *            |
| 12                     | 5.51             | 5.605        | 40              |              |
| 13                     | 5.51             | 5.552        | 40              |              |
| 14                     | 5.51             | 5.379        | 40              |              |
| 15                     | 5.51             | 5.323        | 40              |              |
| 16                     | 5.51             | 5.378        | 40              |              |
| 17                     | 5.51             | 5.3          | 40              |              |
| 18                     | 5.51             | 5.468        | 40              |              |
| 19                     | 5.51             | 5.301        | 40              |              |
| 20                     | 5.51             | 5.689        | 40              |              |
| 21                     | 5.51             | 5.63         | 40              |              |
| 22                     | 5.51             | 5.413        | 40              |              |
| 23                     | 5.51             | 5.678        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.592        | 40              |              |
| 2                      | 5.51             | 5.381        | 40              |              |
| 3                      | 5.51             | 5.41         | 40              |              |
| 4                      | 5.51             | 5.562        | 40              |              |
| 5                      | 5.51             | 5.518        | 40              | *            |
| 6                      | 5.51             | 5.31         | 40              |              |
| 7                      | 5.51             | 5.515        | 40              | *            |
| 8                      | 5.51             | 5.637        | 40              |              |
| 9                      | 5.51             | 5.268        | 40              |              |
| 10                     | 5.51             | 5.301        | 40              |              |
| 11                     | 5.51             | 5.684        | 40              |              |
| 12                     | 5.51             | 5.554        | 40              |              |
| 13                     | 5.51             | 5.283        | 40              |              |
| 14                     | 5.51             | 5.421        | 40              |              |
| 15                     | 5.51             | 5.395        | 40              |              |
| 16                     | 5.51             | 5.312        | 40              |              |
| 17                     | 5.51             | 5.658        | 40              |              |
| 18                     | 5.51             | 5.576        | 40              |              |
| 19                     | 5.51             | 5.474        | 40              |              |
| 20                     | 5.51             | 5.608        | 40              |              |
| 21                     | 5.51             | 5.571        | 40              |              |
| 22                     | 5.51             | 5.558        | 40              |              |
| 23                     | 5.51             | 5.644        | 40              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 14      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.51          | 5.263     | 40           |           |
| 2                      | 5.51          | 5.699     | 40           |           |
| 3                      | 5.51          | 5.452     | 40           |           |
| 4                      | 5.51          | 5.391     | 40           |           |
| 5                      | 5.51          | 5.527     | 40           | *         |
| 6                      | 5.51          | 5.713     | 40           |           |
| 7                      | 5.51          | 5.48      | 40           |           |
| 8                      | 5.51          | 5.492     | 40           | *         |
| 9                      | 5.51          | 5.601     | 40           |           |
| 10                     | 5.51          | 5.708     | 40           |           |
| 11                     | 5.51          | 5.655     | 40           |           |
| 12                     | 5.51          | 5.512     | 40           | *         |
| 13                     | 5.51          | 5.479     | 40           |           |
| 14                     | 5.51          | 5.424     | 40           |           |
| 15                     | 5.51          | 5.302     | 40           |           |
| 16                     | 5.51          | 5.357     | 40           |           |
| 17                     | 5.51          | 5.476     | 40           |           |
| 18                     | 5.51          | 5.281     | 40           |           |
| 19                     | 5.51          | 5.291     | 40           |           |
| 20                     | 5.51          | 5.494     | 40           | *         |
| 21                     | 5.51          | 5.667     | 40           |           |
| 22                     | 5.51          | 5.513     | 40           | *         |
| 23                     | 5.51          | 5.42      | 40           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.393        | 40              |              |
| 2                      | 5.51             | 5.561        | 40              |              |
| 3                      | 5.51             | 5.713        | 40              |              |
| 4                      | 5.51             | 5.489        | 40              |              |
| 5                      | 5.51             | 5.535        | 40              |              |
| 6                      | 5.51             | 5.263        | 40              |              |
| 7                      | 5.51             | 5.667        | 40              |              |
| 8                      | 5.51             | 5.479        | 40              |              |
| 9                      | 5.51             | 5.578        | 40              |              |
| 10                     | 5.51             | 5.447        | 40              |              |
| 11                     | 5.51             | 5.567        | 40              |              |
| 12                     | 5.51             | 5.573        | 40              |              |
| 13                     | 5.51             | 5.269        | 40              |              |
| 14                     | 5.51             | 5.402        | 40              |              |
| 15                     | 5.51             | 5.382        | 40              |              |
| 16                     | 5.51             | 5.457        | 40              |              |
| 17                     | 5.51             | 5.394        | 40              |              |
| 18                     | 5.51             | 5.626        | 40              |              |
| 19                     | 5.51             | 5.714        | 40              |              |
| 20                     | 5.51             | 5.359        | 40              |              |
| 21                     | 5.51             | 5.4          | 40              |              |
| 22                     | 5.51             | 5.602        | 40              |              |
| 23                     | 5.51             | 5.674        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.441        | 40              |              |
| 2                      | 5.51             | 5.507        | 40              | *            |
| 3                      | 5.51             | 5.607        | 40              |              |
| 4                      | 5.51             | 5.267        | 40              |              |
| 5                      | 5.51             | 5.415        | 40              |              |
| 6                      | 5.51             | 5.682        | 40              |              |
| 7                      | 5.51             | 5.63         | 40              |              |
| 8                      | 5.51             | 5.254        | 40              |              |
| 9                      | 5.51             | 5.34         | 40              |              |
| 10                     | 5.51             | 5.436        | 40              |              |
| 11                     | 5.51             | 5.4          | 40              |              |
| 12                     | 5.51             | 5.605        | 40              |              |
| 13                     | 5.51             | 5.478        | 40              |              |
| 14                     | 5.51             | 5.395        | 40              |              |
| 15                     | 5.51             | 5.45         | 40              |              |
| 16                     | 5.51             | 5.409        | 40              |              |
| 17                     | 5.51             | 5.265        | 40              |              |
| 18                     | 5.51             | 5.549        | 40              |              |
| 19                     | 5.51             | 5.324        | 40              |              |
| 20                     | 5.51             | 5.54         | 40              |              |
| 21                     | 5.51             | 5.317        | 40              |              |
| 22                     | 5.51             | 5.588        | 40              |              |
| 23                     | 5.51             | 5.485        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.694        | 40              |              |
| 2                      | 5.51             | 5.606        | 40              |              |
| 3                      | 5.51             | 5.497        | 40              | *            |
| 4                      | 5.51             | 5.27         | 40              |              |
| 5                      | 5.51             | 5.442        | 40              |              |
| 6                      | 5.51             | 5.648        | 40              |              |
| 7                      | 5.51             | 5.698        | 40              |              |
| 8                      | 5.51             | 5.381        | 40              |              |
| 9                      | 5.51             | 5.321        | 40              |              |
| 10                     | 5.51             | 5.626        | 40              |              |
| 11                     | 5.51             | 5.458        | 40              |              |
| 12                     | 5.51             | 5.554        | 40              |              |
| 13                     | 5.51             | 5.323        | 40              |              |
| 14                     | 5.51             | 5.721        | 40              |              |
| 15                     | 5.51             | 5.341        | 40              |              |
| 16                     | 5.51             | 5.466        | 40              |              |
| 17                     | 5.51             | 5.692        | 40              |              |
| 18                     | 5.51             | 5.42         | 40              |              |
| 19                     | 5.51             | 5.277        | 40              |              |
| 20                     | 5.51             | 5.658        | 40              |              |
| 21                     | 5.51             | 5.672        | 40              |              |
| 22                     | 5.51             | 5.535        | 40              |              |
| 23                     | 5.51             | 5.72         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.261        | 40              |              |
| 2                      | 5.51             | 5.412        | 40              |              |
| 3                      | 5.51             | 5.553        | 40              |              |
| 4                      | 5.51             | 5.358        | 40              |              |
| 5                      | 5.51             | 5.374        | 40              |              |
| 6                      | 5.51             | 5.421        | 40              |              |
| 7                      | 5.51             | 5.35         | 40              |              |
| 8                      | 5.51             | 5.669        | 40              |              |
| 9                      | 5.51             | 5.647        | 40              |              |
| 10                     | 5.51             | 5.253        | 40              |              |
| 11                     | 5.51             | 5.385        | 40              |              |
| 12                     | 5.51             | 5.464        | 40              |              |
| 13                     | 5.51             | 5.715        | 40              |              |
| 14                     | 5.51             | 5.603        | 40              |              |
| 15                     | 5.51             | 5.418        | 40              |              |
| 16                     | 5.51             | 5.638        | 40              |              |
| 17                     | 5.51             | 5.71         | 40              |              |
| 18                     | 5.51             | 5.63         | 40              |              |
| 19                     | 5.51             | 5.586        | 40              |              |
| 20                     | 5.51             | 5.695        | 40              |              |
| 21                     | 5.51             | 5.316        | 40              |              |
| 22                     | 5.51             | 5.509        | 40              | *            |
| 23                     | 5.51             | 5.391        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.365        | 40              |              |
| 2                      | 5.51             | 5.688        | 40              |              |
| 3                      | 5.51             | 5.543        | 40              |              |
| 4                      | 5.51             | 5.446        | 40              |              |
| 5                      | 5.51             | 5.582        | 40              |              |
| 6                      | 5.51             | 5.493        | 40              | *            |
| 7                      | 5.51             | 5.531        | 40              |              |
| 8                      | 5.51             | 5.609        | 40              |              |
| 9                      | 5.51             | 5.3          | 40              |              |
| 10                     | 5.51             | 5.317        | 40              |              |
| 11                     | 5.51             | 5.302        | 40              |              |
| 12                     | 5.51             | 5.613        | 40              |              |
| 13                     | 5.51             | 5.561        | 40              |              |
| 14                     | 5.51             | 5.374        | 40              |              |
| 15                     | 5.51             | 5.69         | 40              |              |
| 16                     | 5.51             | 5.319        | 40              |              |
| 17                     | 5.51             | 5.711        | 40              |              |
| 18                     | 5.51             | 5.505        | 40              | *            |
| 19                     | 5.51             | 5.28         | 40              |              |
| 20                     | 5.51             | 5.662        | 40              |              |
| 21                     | 5.51             | 5.522        | 40              | *            |
| 22                     | 5.51             | 5.63         | 40              |              |
| 23                     | 5.51             | 5.266        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.546        | 40              |              |
| 2                      | 5.51             | 5.433        | 40              |              |
| 3                      | 5.51             | 5.439        | 40              |              |
| 4                      | 5.51             | 5.45         | 40              |              |
| 5                      | 5.51             | 5.551        | 40              |              |
| 6                      | 5.51             | 5.647        | 40              |              |
| 7                      | 5.51             | 5.368        | 40              |              |
| 8                      | 5.51             | 5.521        | 40              | *            |
| 9                      | 5.51             | 5.537        | 40              |              |
| 10                     | 5.51             | 5.723        | 40              |              |
| 11                     | 5.51             | 5.285        | 40              |              |
| 12                     | 5.51             | 5.464        | 40              |              |
| 13                     | 5.51             | 5.345        | 40              |              |
| 14                     | 5.51             | 5.334        | 40              |              |
| 15                     | 5.51             | 5.491        | 40              | *            |
| 16                     | 5.51             | 5.547        | 40              |              |
| 17                     | 5.51             | 5.41         | 40              |              |
| 18                     | 5.51             | 5.649        | 40              |              |
| 19                     | 5.51             | 5.687        | 40              |              |
| 20                     | 5.51             | 5.717        | 40              |              |
| 21                     | 5.51             | 5.535        | 40              |              |
| 22                     | 5.51             | 5.36         | 40              |              |
| 23                     | 5.51             | 5.451        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.542        | 40              |              |
| 2                      | 5.51             | 5.46         | 40              |              |
| 3                      | 5.51             | 5.357        | 40              |              |
| 4                      | 5.51             | 5.718        | 40              |              |
| 5                      | 5.51             | 5.512        | 40              | *            |
| 6                      | 5.51             | 5.647        | 40              |              |
| 7                      | 5.51             | 5.367        | 40              |              |
| 8                      | 5.51             | 5.476        | 40              |              |
| 9                      | 5.51             | 5.251        | 40              |              |
| 10                     | 5.51             | 5.421        | 40              |              |
| 11                     | 5.51             | 5.645        | 40              |              |
| 12                     | 5.51             | 5.456        | 40              |              |
| 13                     | 5.51             | 5.701        | 40              |              |
| 14                     | 5.51             | 5.601        | 40              |              |
| 15                     | 5.51             | 5.699        | 40              |              |
| 16                     | 5.51             | 5.494        | 40              | *            |
| 17                     | 5.51             | 5.328        | 40              |              |
| 18                     | 5.51             | 5.364        | 40              |              |
| 19                     | 5.51             | 5.672        | 40              |              |
| 20                     | 5.51             | 5.69         | 40              |              |
| 21                     | 5.51             | 5.352        | 40              |              |
| 22                     | 5.51             | 5.417        | 40              |              |
| 23                     | 5.51             | 5.452        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.45         | 40              |              |
| 2                      | 5.51             | 5.34         | 40              |              |
| 3                      | 5.51             | 5.429        | 40              |              |
| 4                      | 5.51             | 5.451        | 40              |              |
| 5                      | 5.51             | 5.417        | 40              |              |
| 6                      | 5.51             | 5.583        | 40              |              |
| 7                      | 5.51             | 5.536        | 40              |              |
| 8                      | 5.51             | 5.365        | 40              |              |
| 9                      | 5.51             | 5.605        | 40              |              |
| 10                     | 5.51             | 5.299        | 40              |              |
| 11                     | 5.51             | 5.511        | 40              | *            |
| 12                     | 5.51             | 5.457        | 40              |              |
| 13                     | 5.51             | 5.597        | 40              |              |
| 14                     | 5.51             | 5.445        | 40              |              |
| 15                     | 5.51             | 5.421        | 40              |              |
| 16                     | 5.51             | 5.574        | 40              |              |
| 17                     | 5.51             | 5.409        | 40              |              |
| 18                     | 5.51             | 5.255        | 40              |              |
| 19                     | 5.51             | 5.721        | 40              |              |
| 20                     | 5.51             | 5.621        | 40              |              |
| 21                     | 5.51             | 5.679        | 40              |              |
| 22                     | 5.51             | 5.694        | 40              |              |
| 23                     | 5.51             | 5.565        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.546        | 40              |              |
| 2                      | 5.51             | 5.562        | 40              |              |
| 3                      | 5.51             | 5.512        | 40              | *            |
| 4                      | 5.51             | 5.479        | 40              |              |
| 5                      | 5.51             | 5.584        | 40              |              |
| 6                      | 5.51             | 5.383        | 40              |              |
| 7                      | 5.51             | 5.372        | 40              |              |
| 8                      | 5.51             | 5.529        | 40              | *            |
| 9                      | 5.51             | 5.553        | 40              |              |
| 10                     | 5.51             | 5.359        | 40              |              |
| 11                     | 5.51             | 5.379        | 40              |              |
| 12                     | 5.51             | 5.263        | 40              |              |
| 13                     | 5.51             | 5.545        | 40              |              |
| 14                     | 5.51             | 5.599        | 40              |              |
| 15                     | 5.51             | 5.456        | 40              |              |
| 16                     | 5.51             | 5.515        | 40              | *            |
| 17                     | 5.51             | 5.391        | 40              |              |
| 18                     | 5.51             | 5.481        | 40              |              |
| 19                     | 5.51             | 5.57         | 40              |              |
| 20                     | 5.51             | 5.292        | 40              |              |
| 21                     | 5.51             | 5.492        | 40              | *            |
| 22                     | 5.51             | 5.482        | 40              |              |
| 23                     | 5.51             | 5.44         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.469        | 40              |              |
| 2                      | 5.51             | 5.549        | 40              |              |
| 3                      | 5.51             | 5.682        | 40              |              |
| 4                      | 5.51             | 5.508        | 40              | *            |
| 5                      | 5.51             | 5.558        | 40              |              |
| 6                      | 5.51             | 5.34         | 40              |              |
| 7                      | 5.51             | 5.266        | 40              |              |
| 8                      | 5.51             | 5.45         | 40              |              |
| 9                      | 5.51             | 5.501        | 40              | *            |
| 10                     | 5.51             | 5.669        | 40              |              |
| 11                     | 5.51             | 5.609        | 40              |              |
| 12                     | 5.51             | 5.403        | 40              |              |
| 13                     | 5.51             | 5.573        | 40              |              |
| 14                     | 5.51             | 5.561        | 40              |              |
| 15                     | 5.51             | 5.465        | 40              |              |
| 16                     | 5.51             | 5.712        | 40              |              |
| 17                     | 5.51             | 5.608        | 40              |              |
| 18                     | 5.51             | 5.572        | 40              |              |
| 19                     | 5.51             | 5.399        | 40              |              |
| 20                     | 5.51             | 5.531        | 40              |              |
| 21                     | 5.51             | 5.667        | 40              |              |
| 22                     | 5.51             | 5.296        | 40              |              |
| 23                     | 5.51             | 5.643        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.543        | 40              |              |
| 2                      | 5.51             | 5.7          | 40              |              |
| 3                      | 5.51             | 5.568        | 40              |              |
| 4                      | 5.51             | 5.648        | 40              |              |
| 5                      | 5.51             | 5.334        | 40              |              |
| 6                      | 5.51             | 5.463        | 40              |              |
| 7                      | 5.51             | 5.426        | 40              |              |
| 8                      | 5.51             | 5.649        | 40              |              |
| 9                      | 5.51             | 5.523        | 40              | *            |
| 10                     | 5.51             | 5.601        | 40              |              |
| 11                     | 5.51             | 5.615        | 40              |              |
| 12                     | 5.51             | 5.332        | 40              |              |
| 13                     | 5.51             | 5.602        | 40              |              |
| 14                     | 5.51             | 5.4          | 40              |              |
| 15                     | 5.51             | 5.333        | 40              |              |
| 16                     | 5.51             | 5.684        | 40              |              |
| 17                     | 5.51             | 5.345        | 40              |              |
| 18                     | 5.51             | 5.253        | 40              |              |
| 19                     | 5.51             | 5.431        | 40              |              |
| 20                     | 5.51             | 5.339        | 40              |              |
| 21                     | 5.51             | 5.316        | 40              |              |
| 22                     | 5.51             | 5.267        | 40              |              |
| 23                     | 5.51             | 5.586        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.373        | 40              |              |
| 2                      | 5.51             | 5.454        | 40              |              |
| 3                      | 5.51             | 5.715        | 40              |              |
| 4                      | 5.51             | 5.527        | 40              | *            |
| 5                      | 5.51             | 5.268        | 40              |              |
| 6                      | 5.51             | 5.503        | 40              | *            |
| 7                      | 5.51             | 5.488        | 40              |              |
| 8                      | 5.51             | 5.608        | 40              |              |
| 9                      | 5.51             | 5.493        | 40              | *            |
| 10                     | 5.51             | 5.374        | 40              |              |
| 11                     | 5.51             | 5.65         | 40              |              |
| 12                     | 5.51             | 5.481        | 40              |              |
| 13                     | 5.51             | 5.543        | 40              |              |
| 14                     | 5.51             | 5.355        | 40              |              |
| 15                     | 5.51             | 5.317        | 40              |              |
| 16                     | 5.51             | 5.641        | 40              |              |
| 17                     | 5.51             | 5.364        | 40              |              |
| 18                     | 5.51             | 5.34         | 40              |              |
| 19                     | 5.51             | 5.417        | 40              |              |
| 20                     | 5.51             | 5.713        | 40              |              |
| 21                     | 5.51             | 5.306        | 40              |              |
| 22                     | 5.51             | 5.472        | 40              |              |
| 23                     | 5.51             | 5.473        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.376        | 40              |              |
| 2                      | 5.51             | 5.319        | 40              |              |
| 3                      | 5.51             | 5.295        | 40              |              |
| 4                      | 5.51             | 5.593        | 40              |              |
| 5                      | 5.51             | 5.336        | 40              |              |
| 6                      | 5.51             | 5.512        | 40              | *            |
| 7                      | 5.51             | 5.419        | 40              |              |
| 8                      | 5.51             | 5.622        | 40              |              |
| 9                      | 5.51             | 5.716        | 40              |              |
| 10                     | 5.51             | 5.368        | 40              |              |
| 11                     | 5.51             | 5.507        | 40              | *            |
| 12                     | 5.51             | 5.613        | 40              |              |
| 13                     | 5.51             | 5.407        | 40              |              |
| 14                     | 5.51             | 5.579        | 40              |              |
| 15                     | 5.51             | 5.434        | 40              |              |
| 16                     | 5.51             | 5.663        | 40              |              |
| 17                     | 5.51             | 5.719        | 40              |              |
| 18                     | 5.51             | 5.324        | 40              |              |
| 19                     | 5.51             | 5.5          | 40              | *            |
| 20                     | 5.51             | 5.632        | 40              |              |
| 21                     | 5.51             | 5.38         | 40              |              |
| 22                     | 5.51             | 5.281        | 40              |              |
| 23                     | 5.51             | 5.693        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.528        | 40              | *            |
| 2                      | 5.51             | 5.655        | 40              |              |
| 3                      | 5.51             | 5.657        | 40              |              |
| 4                      | 5.51             | 5.427        | 40              |              |
| 5                      | 5.51             | 5.269        | 40              |              |
| 6                      | 5.51             | 5.712        | 40              |              |
| 7                      | 5.51             | 5.628        | 40              |              |
| 8                      | 5.51             | 5.474        | 40              |              |
| 9                      | 5.51             | 5.475        | 40              |              |
| 10                     | 5.51             | 5.451        | 40              |              |
| 11                     | 5.51             | 5.694        | 40              |              |
| 12                     | 5.51             | 5.404        | 40              |              |
| 13                     | 5.51             | 5.527        | 40              | *            |
| 14                     | 5.51             | 5.493        | 40              | *            |
| 15                     | 5.51             | 5.372        | 40              |              |
| 16                     | 5.51             | 5.701        | 40              |              |
| 17                     | 5.51             | 5.481        | 40              |              |
| 18                     | 5.51             | 5.563        | 40              |              |
| 19                     | 5.51             | 5.714        | 40              |              |
| 20                     | 5.51             | 5.575        | 40              |              |
| 21                     | 5.51             | 5.334        | 40              |              |
| 22                     | 5.51             | 5.69         | 40              |              |
| 23                     | 5.51             | 5.553        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.517        | 40              | *            |
| 2                      | 5.51             | 5.527        | 40              | *            |
| 3                      | 5.51             | 5.613        | 40              |              |
| 4                      | 5.51             | 5.557        | 40              |              |
| 5                      | 5.51             | 5.546        | 40              |              |
| 6                      | 5.51             | 5.479        | 40              |              |
| 7                      | 5.51             | 5.38         | 40              |              |
| 8                      | 5.51             | 5.583        | 40              |              |
| 9                      | 5.51             | 5.551        | 40              |              |
| 10                     | 5.51             | 5.627        | 40              |              |
| 11                     | 5.51             | 5.538        | 40              |              |
| 12                     | 5.51             | 5.354        | 40              |              |
| 13                     | 5.51             | 5.581        | 40              |              |
| 14                     | 5.51             | 5.273        | 40              |              |
| 15                     | 5.51             | 5.367        | 40              |              |
| 16                     | 5.51             | 5.678        | 40              |              |
| 17                     | 5.51             | 5.39         | 40              |              |
| 18                     | 5.51             | 5.345        | 40              |              |
| 19                     | 5.51             | 5.298        | 40              |              |
| 20                     | 5.51             | 5.262        | 40              |              |
| 21                     | 5.51             | 5.435        | 40              |              |
| 22                     | 5.51             | 5.334        | 40              |              |
| 23                     | 5.51             | 5.681        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.358        | 40              |              |
| 2                      | 5.51             | 5.633        | 40              |              |
| 3                      | 5.51             | 5.253        | 40              |              |
| 4                      | 5.51             | 5.279        | 40              |              |
| 5                      | 5.51             | 5.438        | 40              |              |
| 6                      | 5.51             | 5.447        | 40              |              |
| 7                      | 5.51             | 5.389        | 40              |              |
| 8                      | 5.51             | 5.697        | 40              |              |
| 9                      | 5.51             | 5.367        | 40              |              |
| 10                     | 5.51             | 5.399        | 40              |              |
| 11                     | 5.51             | 5.653        | 40              |              |
| 12                     | 5.51             | 5.337        | 40              |              |
| 13                     | 5.51             | 5.444        | 40              |              |
| 14                     | 5.51             | 5.685        | 40              |              |
| 15                     | 5.51             | 5.592        | 40              |              |
| 16                     | 5.51             | 5.636        | 40              |              |
| 17                     | 5.51             | 5.665        | 40              |              |
| 18                     | 5.51             | 5.584        | 40              |              |
| 19                     | 5.51             | 5.321        | 40              |              |
| 20                     | 5.51             | 5.254        | 40              |              |
| 21                     | 5.51             | 5.341        | 40              |              |
| 22                     | 5.51             | 5.266        | 40              |              |
| 23                     | 5.51             | 5.406        | 40              |              |

| 802.11ax (80 MHz), 5530 MHz                                                                                                          |           |               |           |        |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|-----------|--------|
| Radar Test Summary:                                                                                                                  |           |               |           |        |
| Signal Type                                                                                                                          | Trial No. | Detection (%) | Limit (%) | Result |
| 1                                                                                                                                    | 30        | 86.67         | 60        | Pass   |
| 2                                                                                                                                    | 30        | 76.67         | 60        | Pass   |
| 3                                                                                                                                    | 30        | 80.00         | 60        | Pass   |
| 4                                                                                                                                    | 30        | 80.00         | 60        | Pass   |
| Total Type 1~4                                                                                                                       | 30        | 80.83         | 80        | Pass   |
| 5                                                                                                                                    | 30        | 90.00         | 80        | Pass   |
| 6                                                                                                                                    | 30        | 93.33         | 70        | Pass   |
| Note: The aggregate should be 80 percent that the average of the percentage of successful detections of Short Pulse Radar Types 1-4. |           |               |           |        |

802.11ax (80 MHz), 5530 MHz

Type 1

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 19          | 1                | 2857     | 1                               |
| 2                        | 5530            | 32          | 1                | 1687     | 1                               |
| 3                        | 5530            | 39          | 1                | 1371     | 1                               |
| 4                        | 5530            | 31          | 1                | 1700     | 1                               |
| 5                        | 5530            | 18          | 1                | 3015     | 0                               |
| 6                        | 5530            | 42          | 1                | 1275     | 1                               |
| 7                        | 5530            | 19          | 1                | 2843     | 1                               |
| 8                        | 5530            | 21          | 1                | 2555     | 1                               |
| 9                        | 5530            | 27          | 1                | 1997     | 1                               |
| 10                       | 5530            | 23          | 1                | 2330     | 1                               |
| 11                       | 5530            | 32          | 1                | 1692     | 1                               |
| 12                       | 5530            | 21          | 1                | 2534     | 1                               |
| 13                       | 5530            | 26          | 1                | 2038     | 0                               |
| 14                       | 5530            | 65          | 1                | 822      | 1                               |
| 15                       | 5530            | 18          | 1                | 3021     | 1                               |
| 16                       | 5530            | 29          | 1                | 1821     | 0                               |
| 17                       | 5530            | 88          | 1                | 599      | 1                               |
| 18                       | 5530            | 25          | 1                | 2195     | 1                               |
| 19                       | 5530            | 44          | 1                | 1206     | 1                               |
| 20                       | 5530            | 23          | 1                | 2320     | 1                               |
| 21                       | 5530            | 39          | 1                | 1384     | 1                               |
| 22                       | 5530            | 23          | 1                | 2323     | 1                               |
| 23                       | 5530            | 84          | 1                | 631      | 1                               |
| 24                       | 5530            | 31          | 1                | 1721     | 0                               |
| 25                       | 5530            | 20          | 1                | 2653     | 1                               |
| 26                       | 5530            | 62          | 1                | 861      | 1                               |
| 27                       | 5530            | 46          | 1                | 1153     | 1                               |
| 28                       | 5530            | 33          | 1                | 1646     | 1                               |
| 29                       | 5530            | 19          | 1                | 2854     | 1                               |
| 30                       | 5530            | 20          | 1                | 2716     | 1                               |
| Detection Percentage (%) |                 |             |                  | 86.67 %  |                                 |

802.11ax (80 MHz), 5530 MHz

Type 2

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 26          | 4.3              | 151      | 1                               |
| 2                        | 5530            | 24          | 2.9              | 228      | 0                               |
| 3                        | 5530            | 26          | 4.6              | 198      | 1                               |
| 4                        | 5530            | 26          | 1                | 228      | 1                               |
| 5                        | 5530            | 24          | 2.3              | 155      | 1                               |
| 6                        | 5530            | 28          | 1.7              | 184      | 1                               |
| 7                        | 5530            | 25          | 1.3              | 170      | 1                               |
| 8                        | 5530            | 24          | 4.5              | 215      | 0                               |
| 9                        | 5530            | 27          | 3                | 196      | 1                               |
| 10                       | 5530            | 28          | 3.3              | 155      | 1                               |
| 11                       | 5530            | 27          | 2.5              | 226      | 1                               |
| 12                       | 5530            | 26          | 1.1              | 175      | 1                               |
| 13                       | 5530            | 25          | 4.2              | 162      | 1                               |
| 14                       | 5530            | 29          | 3.1              | 182      | 1                               |
| 15                       | 5530            | 27          | 2.7              | 217      | 0                               |
| 16                       | 5530            | 27          | 2.6              | 156      | 0                               |
| 17                       | 5530            | 25          | 4.5              | 221      | 1                               |
| 18                       | 5530            | 27          | 4.2              | 174      | 1                               |
| 19                       | 5530            | 29          | 3.9              | 192      | 0                               |
| 20                       | 5530            | 26          | 4.2              | 183      | 1                               |
| 21                       | 5530            | 26          | 3.4              | 154      | 1                               |
| 22                       | 5530            | 25          | 2.6              | 224      | 0                               |
| 23                       | 5530            | 27          | 3.2              | 192      | 1                               |
| 24                       | 5530            | 25          | 2.1              | 170      | 1                               |
| 25                       | 5530            | 25          | 3.5              | 170      | 1                               |
| 26                       | 5530            | 25          | 1.2              | 225      | 1                               |
| 27                       | 5530            | 28          | 2.7              | 162      | 0                               |
| 28                       | 5530            | 26          | 3.9              | 164      | 1                               |
| 29                       | 5530            | 28          | 3.7              | 166      | 1                               |
| 30                       | 5530            | 26          | 2.2              | 213      | 1                               |
| Detection Percentage (%) |                 |             |                  | 76.67 %  |                                 |

802.11ax (80 MHz), 5530 MHz

Type 3

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 17          | 6.8              | 410      | 1                               |
| 2                        | 5530            | 16          | 6.9              | 409      | 1                               |
| 3                        | 5530            | 16          | 6.6              | 431      | 1                               |
| 4                        | 5530            | 17          | 9                | 258      | 0                               |
| 5                        | 5530            | 18          | 7.9              | 297      | 1                               |
| 6                        | 5530            | 18          | 7.5              | 267      | 1                               |
| 7                        | 5530            | 18          | 6.9              | 229      | 1                               |
| 8                        | 5530            | 17          | 9.8              | 414      | 1                               |
| 9                        | 5530            | 16          | 8.7              | 348      | 0                               |
| 10                       | 5530            | 18          | 8.8              | 471      | 1                               |
| 11                       | 5530            | 16          | 9.3              | 420      | 1                               |
| 12                       | 5530            | 17          | 6.4              | 391      | 0                               |
| 13                       | 5530            | 17          | 9.7              | 285      | 0                               |
| 14                       | 5530            | 17          | 7.2              | 308      | 1                               |
| 15                       | 5530            | 17          | 7.3              | 441      | 1                               |
| 16                       | 5530            | 16          | 6.3              | 228      | 1                               |
| 17                       | 5530            | 16          | 9.4              | 330      | 1                               |
| 18                       | 5530            | 17          | 7.5              | 353      | 0                               |
| 19                       | 5530            | 16          | 6.4              | 280      | 1                               |
| 20                       | 5530            | 16          | 8.5              | 347      | 1                               |
| 21                       | 5530            | 17          | 6                | 203      | 1                               |
| 22                       | 5530            | 18          | 6.2              | 232      | 1                               |
| 23                       | 5530            | 18          | 7.1              | 246      | 1                               |
| 24                       | 5530            | 16          | 8.3              | 270      | 1                               |
| 25                       | 5530            | 18          | 7.4              | 318      | 1                               |
| 26                       | 5530            | 16          | 8.3              | 497      | 0                               |
| 27                       | 5530            | 17          | 7.4              | 214      | 1                               |
| 28                       | 5530            | 17          | 8.9              | 209      | 1                               |
| 29                       | 5530            | 16          | 8.8              | 488      | 1                               |
| 30                       | 5530            | 16          | 8                | 288      | 1                               |
| Detection Percentage (%) |                 |             |                  | 80.00 %  |                                 |

802.11ax (80 MHz), 5530 MHz

Type 4

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 15          | 15.7             | 275      | 1                               |
| 2                        | 5530            | 13          | 16.4             | 390      | 1                               |
| 3                        | 5530            | 13          | 14.4             | 247      | 1                               |
| 4                        | 5530            | 13          | 16.2             | 484      | 1                               |
| 5                        | 5530            | 13          | 13               | 233      | 1                               |
| 6                        | 5530            | 12          | 19.7             | 352      | 1                               |
| 7                        | 5530            | 14          | 14.6             | 382      | 0                               |
| 8                        | 5530            | 14          | 15.7             | 357      | 1                               |
| 9                        | 5530            | 15          | 16.4             | 253      | 1                               |
| 10                       | 5530            | 15          | 17.7             | 264      | 1                               |
| 11                       | 5530            | 15          | 12.6             | 420      | 1                               |
| 12                       | 5530            | 14          | 13.8             | 483      | 1                               |
| 13                       | 5530            | 13          | 11.7             | 301      | 1                               |
| 14                       | 5530            | 13          | 14.5             | 211      | 1                               |
| 15                       | 5530            | 15          | 11.2             | 414      | 0                               |
| 16                       | 5530            | 14          | 14.6             | 221      | 1                               |
| 17                       | 5530            | 15          | 13.3             | 290      | 1                               |
| 18                       | 5530            | 14          | 12.9             | 422      | 1                               |
| 19                       | 5530            | 15          | 15               | 254      | 0                               |
| 20                       | 5530            | 14          | 17.1             | 485      | 1                               |
| 21                       | 5530            | 15          | 12.2             | 483      | 1                               |
| 22                       | 5530            | 13          | 11.9             | 405      | 1                               |
| 23                       | 5530            | 13          | 18.1             | 428      | 1                               |
| 24                       | 5530            | 13          | 13.5             | 215      | 0                               |
| 25                       | 5530            | 15          | 17.6             | 204      | 1                               |
| 26                       | 5530            | 13          | 16.7             | 290      | 1                               |
| 27                       | 5530            | 15          | 17.2             | 406      | 0                               |
| 28                       | 5530            | 13          | 11               | 315      | 0                               |
| 29                       | 5530            | 16          | 14.5             | 244      | 1                               |
| 30                       | 5530            | 16          | 13.7             | 469      | 1                               |
| Detection Percentage (%) |                 |             |                  | 80.00 %  |                                 |

802.11ax (80 MHz), 5530 MHz

Type 5

| Center Freq: 5530MHz     |       |        |                     | Low Edge: 5491MHz                                    | High Edge: 5569MHz              |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                        | 5     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                        | 5     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                        | 6     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                        | 10    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                        | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                        | 13    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                        | 5     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                        | 12    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                        | 9     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                       | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |
| 11                       | 14    | 5.6    | 5496.6              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 0                               |
| 12                       | 10    | 4      | 5495                | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 1                               |
| 13                       | 11    | 4.4    | 5495.4              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 1                               |
| 14                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |
| 15                       | 13    | 5.2    | 5496.2              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 1                               |
| 16                       | 15    | 6      | 5497                | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 0                               |
| 17                       | 7     | 2.8    | 5493.8              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 1                               |
| 18                       | 13    | 5.2    | 5496.2              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 1                               |
| 19                       | 9     | 3.6    | 5494.6              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                       | 17    | 6.8    | 5497.8              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |
| 21                       | 12    | 4.8    | 5564.2              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                       | 11    | 4.4    | 5564.6              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                       | 13    | 5.2    | 5563.8              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                       | 14    | 5.6    | 5563.4              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                       | 17    | 6.8    | 5562.2              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                       | 15    | 6      | 5563                | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                       | 13    | 5.2    | 5563.8              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                       | 10    | 4      | 5565                | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 0                               |
| 29                       | 13    | 5.2    | 5563.8              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |
| 30                       | 16    | 6.4    | 5562.6              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%) |       |        |                     |                                                      | 90.00                           |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 92.3               | 5                 | 1746                    |                         | 211.903                               |
| 2     | 1                | 55.3               | 5                 |                         |                         | 127.573                               |
| 3     | 1                | 56.4               | 5                 |                         |                         | 301.664                               |
| 4     | 2                | 84.6               | 5                 | 1379                    |                         | 253.241                               |
| 5     | 3                | 77.3               | 5                 | 1757                    | 1413                    | 843.459                               |
| 6     | 3                | 86.6               | 5                 | 1185                    | 1979                    | 254.956                               |
| 7     | 2                | 78.5               | 5                 | 1555                    |                         | 765.903                               |
| 8     | 1                | 96                 | 5                 |                         |                         | 324.36                                |
| 9     | 2                | 54.7               | 5                 | 1648                    |                         | 549.527                               |
| 10    | 2                | 87.4               | 5                 | 1336                    |                         | 135.854                               |
| 11    | 3                | 66.2               | 5                 | 1942                    | 1465                    | 672.751                               |
| 12    | 1                | 50.6               | 5                 |                         |                         | 613.829                               |
| 13    | 3                | 82.1               | 5                 | 1303                    | 1529                    | 688.886                               |
| 14    | 1                | 57.4               | 5                 |                         |                         | 174.143                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 57.4               | 5                 | 1120                    | 1766                    | 192.975                               |
| 2     | 3                | 57.4               | 5                 | 1870                    | 1736                    | 508.68                                |
| 3     | 2                | 83.4               | 5                 | 1690                    |                         | 459.18                                |
| 4     | 1                | 98.3               | 5                 |                         |                         | 1107.43                               |
| 5     | 1                | 65.4               | 5                 |                         |                         | 936.12                                |
| 6     | 2                | 88.8               | 5                 | 1199                    |                         | 1163.22                               |
| 7     | 2                | 65.3               | 5                 | 1778                    |                         | 54.71                                 |
| 8     | 1                | 71.7               | 5                 |                         |                         | 908.47                                |
| 9     | 1                | 98.8               | 5                 |                         |                         | 323.7                                 |
| 10    | 2                | 68.9               | 5                 | 1677                    |                         | 163.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 63.3               | 6                 | 1084                    |                         | 172.772                               |
| 2     | 3                | 52.5               | 6                 | 1305                    | 1191                    | 322.807                               |
| 3     | 2                | 68.8               | 6                 | 1566                    |                         | 587.314                               |
| 4     | 2                | 64.6               | 6                 | 1311                    |                         | 772.501                               |
| 5     | 2                | 53.8               | 6                 | 1322                    |                         | 403.579                               |
| 6     | 2                | 73.1               | 6                 | 1995                    |                         | 637.436                               |
| 7     | 2                | 75.7               | 6                 | 1680                    |                         | 673.113                               |
| 8     | 2                | 94                 | 6                 | 1530                    |                         | 27.41                                 |
| 9     | 1                | 76.7               | 6                 |                         |                         | 606.227                               |
| 10    | 2                | 59.3               | 6                 | 1665                    |                         | 732.614                               |
| 11    | 2                | 85                 | 6                 | 1102                    |                         | 261.241                               |
| 12    | 3                | 69.5               | 6                 | 1465                    | 1123                    | 426.449                               |
| 13    | 1                | 86.6               | 6                 |                         |                         | 610.786                               |
| 14    | 2                | 73.1               | 6                 | 1924                    |                         | 126.443                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 71.9               | 10                | 1438                    | 1781                    | 302.601                               |
| 2     | 1                | 55.2               | 10                |                         |                         | 577.381                               |
| 3     | 3                | 73.9               | 10                | 1058                    | 1380                    | 644.622                               |
| 4     | 2                | 89                 | 10                | 1303                    |                         | 108.843                               |
| 5     | 1                | 76.8               | 10                |                         |                         | 25.824                                |
| 6     | 1                | 52.7               | 10                |                         |                         | 833.095                               |
| 7     | 2                | 98                 | 10                | 1737                    |                         | 73.205                                |
| 8     | 2                | 64.4               | 10                | 1478                    |                         | 84.236                                |
| 9     | 3                | 54.5               | 10                | 1649                    | 1146                    | 1025.087                              |
| 10    | 3                | 83.9               | 10                | 1307                    | 1510                    | 223.318                               |
| 11    | 2                | 94.5               | 10                | 1337                    |                         | 843.309                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 79.6               | 15                |                         |                         | 346.625                               |
| 2     | 2                | 55.3               | 15                | 1664                    |                         | 96.349                                |
| 3     | 1                | 60.1               | 15                |                         |                         | 290.032                               |
| 4     | 1                | 71                 | 15                |                         |                         | 360.983                               |
| 5     | 2                | 50.9               | 15                | 1042                    |                         | 562.764                               |
| 6     | 1                | 94.8               | 15                |                         |                         | 295.985                               |
| 7     | 2                | 84.8               | 15                | 1344                    |                         | 328.696                               |
| 8     | 1                | 83.6               | 15                |                         |                         | 394.407                               |
| 9     | 2                | 97.2               | 15                | 1211                    |                         | 568.518                               |
| 10    | 2                | 84.8               | 15                | 1098                    |                         | 300.649                               |
| 11    | 1                | 98.1               | 15                |                         |                         | 347.451                               |
| 12    | 3                | 77.3               | 15                | 1618                    | 1977                    | 289.802                               |
| 13    | 2                | 85.9               | 15                | 1821                    |                         | 45.863                                |
| 14    | 1                | 93                 | 15                |                         |                         | 147.724                               |
| 15    | 2                | 74.7               | 15                | 1725                    |                         | 165.725                               |
| 16    | 2                | 92.8               | 15                | 1875                    |                         | 510.116                               |
| 17    | 2                | 60.4               | 15                | 1504                    |                         | 476.237                               |
| 18    | 2                | 61.5               | 15                | 1114                    |                         | 148.558                               |
| 19    | 2                | 88.9               | 15                | 1625                    |                         | 447.079                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 56                 | 13                |                         |                         | 520.559                               |
| 2     | 1                | 69.6               | 13                |                         |                         | 569.448                               |
| 3     | 1                | 63.2               | 13                |                         |                         | 106.765                               |
| 4     | 1                | 73.7               | 13                |                         |                         | 681.883                               |
| 5     | 2                | 97.8               | 13                | 1780                    |                         | 299.571                               |
| 6     | 1                | 88.3               | 13                |                         |                         | 242.708                               |
| 7     | 2                | 56.6               | 13                | 1045                    |                         | 295.696                               |
| 8     | 2                | 91.2               | 13                | 1901                    |                         | 698.234                               |
| 9     | 1                | 57.2               | 13                |                         |                         | 212.451                               |
| 10    | 1                | 64.7               | 13                |                         |                         | 681.559                               |
| 11    | 1                | 92.8               | 13                |                         |                         | 439.886                               |
| 12    | 3                | 79.8               | 13                | 1776                    | 1183                    | 125.914                               |
| 13    | 1                | 62.6               | 13                |                         |                         | 500.752                               |
| 14    | 1                | 69.5               | 13                |                         |                         | 203.659                               |
| 15    | 1                | 99.2               | 13                |                         |                         | 567.647                               |
| 16    | 2                | 86                 | 13                | 1693                    |                         | 273.065                               |
| 17    | 2                | 82.3               | 13                | 1498                    |                         | 299.182                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 7**

|                    |
|--------------------|
| Bursts in Trial: 8 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (μsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (μsec) | Pulse 2-to-3 PRI (μsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 61.7               | 12                | 1982                        |                         | 584.745                               |
| 2     | 1                | 97.1               | 12                |                             |                         | 26.943                                |
| 3     | 2                | 71.5               | 12                | 1213                        |                         | 757.914                               |
| 4     | 1                | 67.7               | 12                |                             |                         | 239.761                               |
| 5     | 2                | 53                 | 12                | 1267                        |                         | 440.469                               |
| 6     | 2                | 96.9               | 12                | 1615                        |                         | 1.086                                 |
| 7     | 1                | 89.5               | 12                |                             |                         | 523.463                               |
| 8     | 2                | 72.8               | 12                | 1587                        |                         | 416.81                                |
| 9     | 2                | 53.9               | 12                | 1604                        |                         | 253.567                               |
| 10    | 1                | 78.1               | 12                |                             |                         | 220.374                               |
| 11    | 3                | 98.7               | 12                | 1732                        | 1877                    | 718.941                               |
| 12    | 2                | 50.2               | 12                | 1210                        |                         | 515.979                               |
| 13    | 1                | 68.9               | 12                |                             |                         | 731.686                               |
| 14    | 2                | 57.9               | 12                | 1709                        |                         | 533.643                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 60.9               | 9                 | 1496                    |                         | 565.486                               |
| 2     | 2                | 83.7               | 9                 | 1343                    |                         | 301.069                               |
| 3     | 2                | 62.3               | 9                 | 1149                    |                         | 269.08                                |
| 4     | 2                | 84.5               | 9                 | 1074                    |                         | 387.86                                |
| 5     | 1                | 60.3               | 9                 |                         |                         | 213.35                                |
| 6     | 1                | 80.6               | 9                 |                         |                         | 533.69                                |
| 7     | 1                | 61                 | 9                 |                         |                         | 77.73                                 |
| 8     | 1                | 97.3               | 9                 |                         |                         | 225.94                                |
| 9     | 1                | 58.9               | 9                 |                         |                         | 262.14                                |
| 10    | 1                | 52.9               | 9                 |                         |                         | 363.32                                |
| 11    | 1                | 60.3               | 9                 |                         |                         | 257.75                                |
| 12    | 3                | 91                 | 9                 | 1460                    | 1560                    | 45.88                                 |
| 13    | 2                | 67                 | 9                 | 1679                    |                         | 227.66                                |
| 14    | 3                | 85.7               | 9                 | 1038                    | 1254                    | 246.5                                 |
| 15    | 3                | 97.4               | 9                 | 1547                    | 1753                    | 469.92                                |
| 16    | 2                | 75.8               | 9                 | 1256                    |                         | 104.78                                |
| 17    | 2                | 87.3               | 9                 | 1867                    |                         | 138.76                                |
| 18    | 2                | 57.1               | 9                 | 1130                    |                         | 239                                   |
| 19    | 1                | 84                 | 9                 |                         |                         | 106.8                                 |
| 20    | 2                | 51                 | 9                 | 1610                    |                         | 428.2                                 |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.9               | 14                | 1165                    |                         | 657.305                               |
| 2     | 1                | 74                 | 14                |                         |                         | 273.233                               |
| 3     | 1                | 85.8               | 14                |                         |                         | 540.886                               |
| 4     | 1                | 73.4               | 14                |                         |                         | 386.949                               |
| 5     | 1                | 53.1               | 14                |                         |                         | 468.182                               |
| 6     | 1                | 53.6               | 14                |                         |                         | 910.515                               |
| 7     | 3                | 77.8               | 14                | 1130                    | 1547                    | 812.018                               |
| 8     | 3                | 54                 | 14                | 1434                    | 1534                    | 31.822                                |
| 9     | 3                | 59.1               | 14                | 1559                    | 1117                    | 771.885                               |
| 10    | 2                | 51.5               | 14                | 1592                    |                         | 825.388                               |
| 11    | 2                | 95.1               | 14                | 1839                    |                         | 274.271                               |
| 12    | 2                | 90.3               | 14                | 1940                    |                         | 569.554                               |
| 13    | 2                | 53.7               | 14                | 1484                    |                         | 175.577                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 97.1               | 10                |                         |                         | 541.669                               |
| 2     | 1                | 54.5               | 10                |                         |                         | 600.271                               |
| 3     | 3                | 96.6               | 10                | 1730                    | 1280                    | 557.002                               |
| 4     | 2                | 67.6               | 10                | 1356                    |                         | 600.843                               |
| 5     | 2                | 82.3               | 10                | 1884                    |                         | 235.184                               |
| 6     | 2                | 91.5               | 10                | 1238                    |                         | 162.265                               |
| 7     | 3                | 96.6               | 10                | 1350                    | 1638                    | 543.286                               |
| 8     | 2                | 89.5               | 10                | 1354                    |                         | 233.417                               |
| 9     | 1                | 73.3               | 10                |                         |                         | 588.968                               |
| 10    | 3                | 56                 | 10                | 1711                    | 1159                    | 263.299                               |
| 11    | 2                | 91.3               | 10                | 1251                    |                         | 344.091                               |
| 12    | 2                | 60.5               | 10                | 1674                    |                         | 281.082                               |
| 13    | 1                | 76.1               | 10                |                         |                         | 227.723                               |
| 14    | 2                | 80.5               | 10                | 1635                    |                         | 102.414                               |
| 15    | 3                | 78.2               | 10                | 1451                    | 1516                    | 205.575                               |
| 16    | 2                | 53.9               | 10                | 1371                    |                         | 106.126                               |
| 17    | 3                | 82.7               | 10                | 1554                    | 1697                    | 235.137                               |
| 18    | 1                | 98.8               | 10                |                         |                         | 59.858                                |
| 19    | 2                | 50                 | 10                | 1934                    |                         | 436.579                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 56                 | 11                |                         |                         | 276.695                               |
| 2     | 2                | 65.2               | 11                | 1277                    |                         | 671.208                               |
| 3     | 1                | 81                 | 11                |                         |                         | 68.405                                |
| 4     | 3                | 55                 | 11                | 1601                    | 1953                    | 276.213                               |
| 5     | 2                | 52.8               | 11                | 1099                    |                         | 89.031                                |
| 6     | 2                | 66.8               | 11                | 1711                    |                         | 353.938                               |
| 7     | 1                | 83.2               | 11                |                         |                         | 528.876                               |
| 8     | 2                | 59.8               | 11                | 1874                    |                         | 287.044                               |
| 9     | 3                | 93.6               | 11                | 1111                    | 1065                    | 449.301                               |
| 10    | 2                | 99                 | 11                | 1234                    |                         | 405.389                               |
| 11    | 1                | 72                 | 11                |                         |                         | 76.526                                |
| 12    | 2                | 67.2               | 11                | 1269                    |                         | 484.724                               |
| 13    | 3                | 81                 | 11                | 1245                    | 1341                    | 61.762                                |
| 14    | 2                | 71.9               | 11                | 1580                    |                         | 295.979                               |
| 15    | 3                | 83.6               | 11                | 1948                    | 1623                    | 379.547                               |
| 16    | 2                | 54.5               | 11                | 1322                    |                         | 687.865                               |
| 17    | 3                | 51.4               | 11                | 1636                    | 1994                    | 213.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 86.9               | 19                | 1507                    | 1323                    | 1.601                                 |
| 2     | 2                | 77.8               | 19                | 1986                    |                         | 985.121                               |
| 3     | 3                | 88.8               | 19                | 1174                    | 1752                    | 774.672                               |
| 4     | 2                | 74.7               | 19                | 1793                    |                         | 477.963                               |
| 5     | 2                | 74                 | 19                | 1317                    |                         | 623.744                               |
| 6     | 1                | 68.5               | 19                |                         |                         | 1032.515                              |
| 7     | 2                | 63.2               | 19                | 1842                    |                         | 895.665                               |
| 8     | 2                | 74.6               | 19                | 1741                    |                         | 964.756                               |
| 9     | 2                | 85.8               | 19                | 1700                    |                         | 208.957                               |
| 10    | 2                | 59.4               | 19                | 1841                    |                         | 15.348                                |
| 11    | 1                | 64.6               | 19                |                         |                         | 445.309                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 15**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 58                 | 15                | 1921                    |                         | 589.62                                |
| 2     | 2                | 94                 | 15                | 1521                    |                         | 533.93                                |
| 3     | 3                | 72.2               | 15                | 1639                    | 1498                    | 1109.19                               |
| 4     | 2                | 61.2               | 15                | 1054                    |                         | 21.55                                 |
| 5     | 2                | 61                 | 15                | 1675                    |                         | 493.74                                |
| 6     | 2                | 52                 | 15                | 1556                    |                         | 762.19                                |
| 7     | 1                | 82                 | 15                |                         |                         | 147.8                                 |
| 8     | 2                | 99                 | 15                | 1241                    |                         | 1073.57                               |
| 9     | 2                | 56.9               | 15                | 1319                    |                         | 502.1                                 |
| 10    | 2                | 80.2               | 15                | 1127                    |                         | 85.6                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 72.2               | 7                 | 1755                    |                         | 662.246                               |
| 2     | 3                | 98.3               | 7                 | 1661                    | 1181                    | 94.529                                |
| 3     | 2                | 87.5               | 7                 | 1472                    |                         | 114.6                                 |
| 4     | 3                | 80.6               | 7                 | 1977                    | 1703                    | 735.52                                |
| 5     | 3                | 84.5               | 7                 | 1648                    | 1342                    | 260.39                                |
| 6     | 1                | 98.3               | 7                 |                         |                         | 233.02                                |
| 7     | 3                | 71.3               | 7                 | 1667                    | 1865                    | 614.8                                 |
| 8     | 2                | 89.3               | 7                 | 1457                    |                         | 571.69                                |
| 9     | 1                | 89.6               | 7                 |                         |                         | 639.99                                |
| 10    | 3                | 67.4               | 7                 | 1520                    | 1012                    | 651.66                                |
| 11    | 2                | 77.8               | 7                 | 1299                    |                         | 273.16                                |
| 12    | 1                | 74.9               | 7                 |                         |                         | 322.85                                |
| 13    | 3                | 62.3               | 7                 | 1571                    | 1620                    | 80.33                                 |
| 14    | 2                | 78.7               | 7                 | 1014                    |                         | 608.6                                 |
| 15    | 1                | 69                 | 7                 |                         |                         | 718.9                                 |
| 16    | 2                | 53.3               | 7                 | 1327                    |                         | 85.2                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 97.3               | 13                | 1551                    | 1923                    | 498.219                               |
| 2     | 2                | 60.6               | 13                | 1783                    |                         | 300.854                               |
| 3     | 2                | 68.2               | 13                | 1145                    |                         | 175.162                               |
| 4     | 2                | 89.9               | 13                | 1555                    |                         | 493.963                               |
| 5     | 3                | 69.1               | 13                | 1590                    | 1583                    | 194.004                               |
| 6     | 3                | 67.2               | 13                | 1502                    | 1210                    | 160.035                               |
| 7     | 3                | 59.1               | 13                | 1917                    | 1472                    | 576.376                               |
| 8     | 2                | 65.6               | 13                | 1257                    |                         | 583.007                               |
| 9     | 2                | 74.8               | 13                | 1043                    |                         | 483.988                               |
| 10    | 1                | 69.7               | 13                |                         |                         | 558.659                               |
| 11    | 2                | 52.3               | 13                | 1469                    |                         | 554.261                               |
| 12    | 2                | 83.5               | 13                | 1360                    |                         | 251.932                               |
| 13    | 2                | 83.7               | 13                | 1305                    |                         | 170.253                               |
| 14    | 2                | 87.8               | 13                | 1239                    |                         | 456.314                               |
| 15    | 2                | 84                 | 13                | 1178                    |                         | 127.335                               |
| 16    | 2                | 57.8               | 13                | 1552                    |                         | 464.496                               |
| 17    | 2                | 53.6               | 13                | 1697                    |                         | 63.537                                |
| 18    | 2                | 77.8               | 13                | 1368                    |                         | 544.258                               |
| 19    | 3                | 62.1               | 13                | 1987                    | 1691                    | 210.179                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 58.8               | 9                 | 1164                    | 1342                    | 526.141                               |
| 2     | 1                | 75.8               | 9                 |                         |                         | 642.968                               |
| 3     | 2                | 61.7               | 9                 | 1592                    |                         | 512.935                               |
| 4     | 3                | 84.8               | 9                 | 1822                    | 1360                    | 501.763                               |
| 5     | 2                | 82                 | 9                 | 1320                    |                         | 428.761                               |
| 6     | 3                | 97.1               | 9                 | 1658                    | 1768                    | 282.668                               |
| 7     | 2                | 53.4               | 9                 | 1575                    |                         | 464.466                               |
| 8     | 3                | 97.3               | 9                 | 1133                    | 1492                    | 681.464                               |
| 9     | 2                | 61.3               | 9                 | 1945                    |                         | 569.541                               |
| 10    | 2                | 91.2               | 9                 | 1453                    |                         | 19.499                                |
| 11    | 2                | 74                 | 9                 | 1652                    |                         | 7.486                                 |
| 12    | 1                | 75.7               | 9                 |                         |                         | 520.004                               |
| 13    | 2                | 80.2               | 9                 | 1761                    |                         | 256.212                               |
| 14    | 2                | 61.5               | 9                 | 1744                    |                         | 657.739                               |
| 15    | 1                | 83.7               | 9                 |                         |                         | 400.547                               |
| 16    | 2                | 94                 | 9                 | 1561                    |                         | 200.565                               |
| 17    | 1                | 86.6               | 9                 |                         |                         | 479.482                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 81.2               | 17                | 1823                    |                         | 283.01                                |
| 2     | 2                | 57.8               | 17                | 1792                    |                         | 127.775                               |
| 3     | 2                | 82.8               | 17                | 1534                    |                         | 210.74                                |
| 4     | 3                | 76                 | 17                | 1543                    | 1195                    | 527.84                                |
| 5     | 1                | 56.1               | 17                |                         |                         | 15.88                                 |
| 6     | 3                | 73.3               | 17                | 1401                    | 1442                    | 102.16                                |
| 7     | 2                | 83                 | 17                | 1723                    |                         | 267.5                                 |
| 8     | 3                | 82.7               | 17                | 1133                    | 1457                    | 219.82                                |
| 9     | 1                | 64.2               | 17                |                         |                         | 274.45                                |
| 10    | 1                | 71.6               | 17                |                         |                         | 177.69                                |
| 11    | 2                | 98.1               | 17                | 1218                    |                         | 539.29                                |
| 12    | 1                | 73.4               | 17                |                         |                         | 377.15                                |
| 13    | 1                | 87.1               | 17                |                         |                         | 134.45                                |
| 14    | 3                | 97.3               | 17                | 1519                    | 1815                    | 234.87                                |
| 15    | 2                | 71.6               | 17                | 1202                    |                         | 471.14                                |
| 16    | 2                | 73.9               | 17                | 1179                    |                         | 495.82                                |
| 17    | 3                | 52.1               | 17                | 1855                    | 1816                    | 390.2                                 |
| 18    | 2                | 60.3               | 17                | 1416                    |                         | 58                                    |
| 19    | 1                | 64.4               | 17                |                         |                         | 458.4                                 |
| 20    | 3                | 60                 | 17                | 1272                    | 1407                    | 79                                    |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 92.9               | 12                | 1813                    |                         | 798.573                               |
| 2     | 2                | 76.9               | 12                | 1233                    |                         | 551.607                               |
| 3     | 3                | 82.5               | 12                | 1534                    | 1803                    | 150.933                               |
| 4     | 3                | 54                 | 12                | 1163                    | 1838                    | 881.27                                |
| 5     | 1                | 87.4               | 12                |                         |                         | 762.457                               |
| 6     | 3                | 87.3               | 12                | 1288                    | 1492                    | 802.093                               |
| 7     | 2                | 74.2               | 12                | 1278                    |                         | 133.65                                |
| 8     | 1                | 66.9               | 12                |                         |                         | 536.487                               |
| 9     | 2                | 56.7               | 12                | 1941                    |                         | 382.233                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 80.9               | 11                | 1707                    | 1129                    | 740.994                               |
| 2     | 1                | 60.2               | 11                |                         |                         | 761.863                               |
| 3     | 1                | 60.6               | 11                |                         |                         | 100.666                               |
| 4     | 2                | 99.9               | 11                | 1902                    |                         | 60.499                                |
| 5     | 1                | 82.5               | 11                |                         |                         | 484.842                               |
| 6     | 1                | 59.5               | 11                |                         |                         | 295.235                               |
| 7     | 1                | 83                 | 11                |                         |                         | 178.138                               |
| 8     | 2                | 59.4               | 11                | 1450                    |                         | 835.132                               |
| 9     | 2                | 52.3               | 11                | 1428                    |                         | 563.205                               |
| 10    | 2                | 80.7               | 11                | 1313                    |                         | 228.448                               |
| 11    | 2                | 55.4               | 11                | 1866                    |                         | 667.861                               |
| 12    | 2                | 82.5               | 11                | 1389                    |                         | 866.754                               |
| 13    | 3                | 74.3               | 11                | 1510                    | 1751                    | 168.577                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 70                 | 13                | 1798                    |                         | 577.969                               |
| 2     | 2                | 68.2               | 13                | 1979                    |                         | 514.52                                |
| 3     | 2                | 50.1               | 13                | 1668                    |                         | 370.9                                 |
| 4     | 2                | 97.4               | 13                | 1363                    |                         | 486.37                                |
| 5     | 2                | 82.2               | 13                | 1462                    |                         | 759.07                                |
| 6     | 2                | 83.3               | 13                | 1442                    |                         | 317.34                                |
| 7     | 3                | 55.6               | 13                | 1351                    | 1262                    | 540.49                                |
| 8     | 3                | 51                 | 13                | 1823                    | 1665                    | 685.92                                |
| 9     | 1                | 63.1               | 13                |                         |                         | 595.88                                |
| 10    | 3                | 59.5               | 13                | 1342                    | 1666                    | 223.3                                 |
| 11    | 2                | 59.9               | 13                | 1018                    |                         | 759.65                                |
| 12    | 2                | 65                 | 13                | 1970                    |                         | 522.39                                |
| 13    | 3                | 87.9               | 13                | 1492                    | 1188                    | 451.9                                 |
| 14    | 2                | 60.3               | 13                | 1009                    |                         | 40.9                                  |
| 15    | 1                | 58.6               | 13                |                         |                         | 162.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 59.1               | 14                | 1568                    |                         | 664.543                               |
| 2     | 2                | 96.8               | 14                | 1482                    |                         | 585.138                               |
| 3     | 2                | 84.9               | 14                | 1487                    |                         | 235.935                               |
| 4     | 1                | 50.6               | 14                |                         |                         | 175.823                               |
| 5     | 2                | 53.9               | 14                | 1449                    |                         | 496.291                               |
| 6     | 1                | 73.9               | 14                |                         |                         | 666.908                               |
| 7     | 2                | 50.9               | 14                | 1650                    |                         | 134.656                               |
| 8     | 2                | 83.6               | 14                | 1032                    |                         | 293.804                               |
| 9     | 2                | 87.9               | 14                | 1734                    |                         | 363.601                               |
| 10    | 1                | 93.2               | 14                |                         |                         | 103.209                               |
| 11    | 2                | 79.8               | 14                | 1451                    |                         | 23.286                                |
| 12    | 2                | 73.1               | 14                | 1812                    |                         | 617.174                               |
| 13    | 2                | 79.6               | 14                | 1754                    |                         | 658.652                               |
| 14    | 2                | 68.9               | 14                | 1144                    |                         | 364.409                               |
| 15    | 2                | 89.8               | 14                | 1706                    |                         | 495.347                               |
| 16    | 1                | 53.5               | 14                |                         |                         | 121.265                               |
| 17    | 3                | 81.6               | 14                | 1632                    | 1123                    | 503.182                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 25**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 85                 | 15                | 1156                    |                         | 230.194                               |
| 2     | 2                | 54.4               | 15                | 1728                    |                         | 391.891                               |
| 3     | 1                | 82.2               | 15                |                         |                         | 732.452                               |
| 4     | 1                | 78.6               | 15                |                         |                         | 852.513                               |
| 5     | 2                | 64.5               | 15                | 1173                    |                         | 472.354                               |
| 6     | 1                | 92.5               | 15                |                         |                         | 1022.805                              |
| 7     | 2                | 56                 | 15                | 1505                    |                         | 490.895                               |
| 8     | 2                | 95.7               | 15                | 1368                    |                         | 312.846                               |
| 9     | 1                | 57.6               | 15                |                         |                         | 1070.797                              |
| 10    | 3                | 65.9               | 15                | 1127                    | 1590                    | 859.318                               |
| 11    | 3                | 58.8               | 15                | 1724                    | 1723                    | 482.109                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 55.2               | 13                | 1258                    |                         | 942.499                               |
| 2     | 3                | 89                 | 13                | 1868                    | 1104                    | 1039.891                              |
| 3     | 2                | 96.8               | 13                | 1043                    |                         | 970.472                               |
| 4     | 2                | 85.3               | 13                | 1686                    |                         | 990.353                               |
| 5     | 3                | 91.4               | 13                | 1321                    | 1845                    | 228.034                               |
| 6     | 3                | 89.4               | 13                | 1877                    | 1059                    | 306.535                               |
| 7     | 2                | 75.1               | 13                | 1330                    |                         | 663.825                               |
| 8     | 2                | 96.2               | 13                | 1064                    |                         | 957.266                               |
| 9     | 2                | 88.2               | 13                | 1343                    |                         | 42.117                                |
| 10    | 3                | 59.3               | 13                | 1216                    | 1460                    | 260.818                               |
| 11    | 2                | 95                 | 13                | 1678                    |                         | 732.709                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 28**

Bursts in Trial: 8

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 29**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 50                 | 16                |                         |                         | 415.771                               |
| 2     | 1                | 59.2               | 16                |                         |                         | 619.811                               |
| 3     | 2                | 95.8               | 16                | 1351                    |                         | 554.502                               |
| 4     | 2                | 88.7               | 16                | 1012                    |                         | 617.133                               |
| 5     | 1                | 86.9               | 16                |                         |                         | 231.594                               |
| 6     | 1                | 63.2               | 16                |                         |                         | 118.265                               |
| 7     | 1                | 97.8               | 16                |                         |                         | 470.656                               |
| 8     | 1                | 79.7               | 16                |                         |                         | 218.797                               |
| 9     | 2                | 55                 | 16                | 1556                    |                         | 412.078                               |
| 10    | 2                | 78                 | 16                | 1443                    |                         | 410.009                               |
| 11    | 1                | 70.9               | 16                |                         |                         | 117.811                               |
| 12    | 2                | 86                 | 16                | 1048                    |                         | 233.142                               |
| 13    | 2                | 62.3               | 16                | 1323                    |                         | 584.913                               |
| 14    | 2                | 63.8               | 16                | 1437                    |                         | 38.914                                |
| 15    | 2                | 57.5               | 16                | 1704                    |                         | 223.935                               |
| 16    | 2                | 66.1               | 16                | 1632                    |                         | 160.246                               |
| 17    | 3                | 56.4               | 16                | 1671                    | 1849                    | 305.137                               |
| 18    | 2                | 68.6               | 16                | 1644                    |                         | 606.358                               |
| 19    | 1                | 87.1               | 16                |                         |                         | 204.479                               |
|       |                  |                    |                   |                         |                         |                                       |

802.11ax (80 MHz), 5530 MHz

Type 6

| Trial #                         | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 0                               |
| 14                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 0                               |
| 30                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| <b>Detection Percentage (%)</b> |                 |                                                                    | 93.33                           |
| <b>Limit</b>                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.53             | 5.325        | 80              |              |
| 2     | 5.53             | 5.52         | 80              | *            |
| 3     | 5.53             | 5.474        | 80              |              |
| 4     | 5.53             | 5.559        | 80              | *            |
| 5     | 5.53             | 5.294        | 80              |              |
| 6     | 5.53             | 5.468        | 80              |              |
| 7     | 5.53             | 5.434        | 80              |              |
| 8     | 5.53             | 5.42         | 80              |              |
| 9     | 5.53             | 5.401        | 80              |              |
| 10    | 5.53             | 5.683        | 80              |              |
| 11    | 5.53             | 5.263        | 80              |              |
| 12    | 5.53             | 5.678        | 80              |              |
| 13    | 5.53             | 5.554        | 80              | *            |
| 14    | 5.53             | 5.416        | 80              |              |
| 15    | 5.53             | 5.372        | 80              |              |
| 16    | 5.53             | 5.516        | 80              | *            |
| 17    | 5.53             | 5.32         | 80              |              |
| 18    | 5.53             | 5.268        | 80              |              |
| 19    | 5.53             | 5.352        | 80              |              |
| 20    | 5.53             | 5.606        | 80              |              |
| 21    | 5.53             | 5.46         | 80              |              |
| 22    | 5.53             | 5.619        | 80              |              |
| 23    | 5.53             | 5.353        | 80              |              |
| 24    | 5.53             | 5.533        | 80              | *            |
| 25    | 5.53             | 5.604        | 80              |              |
| 26    | 5.53             | 5.422        | 80              |              |
| 27    | 5.53             | 5.698        | 80              |              |
| 28    | 5.53             | 5.528        | 80              | *            |
| 29    | 5.53             | 5.685        | 80              |              |
| 30    | 5.53             | 5.286        | 80              |              |
| 31    | 5.53             | 5.368        | 80              |              |
| 32    | 5.53             | 5.614        | 80              |              |
| 33    | 5.53             | 5.622        | 80              |              |
| 34    | 5.53             | 5.271        | 80              |              |
| 35    | 5.53             | 5.704        | 80              |              |
| 36    | 5.53             | 5.549        | 80              | *            |
| 37    | 5.53             | 5.443        | 80              |              |
| 38    | 5.53             | 5.724        | 80              |              |
| 39    | 5.53             | 5.479        | 80              |              |
| 40    | 5.53             | 5.632        | 80              |              |
| 41    | 5.53             | 5.492        | 80              | *            |
| 42    | 5.53             | 5.329        | 80              |              |
| 43    | 5.53             | 5.518        | 80              | *            |
| 44    | 5.53             | 5.544        | 80              | *            |
| 45    | 5.53             | 5.552        | 80              | *            |
| 46    | 5.53             | 5.313        | 80              |              |
| 47    | 5.53             | 5.289        | 80              |              |
| 48    | 5.53             | 5.635        | 80              |              |
| 49    | 5.53             | 5.677        | 80              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.53 | 5.483 | 80 |   |
| 51  | 5.53 | 5.602 | 80 |   |
| 52  | 5.53 | 5.657 | 80 |   |
| 53  | 5.53 | 5.563 | 80 | * |
| 54  | 5.53 | 5.288 | 80 |   |
| 55  | 5.53 | 5.316 | 80 |   |
| 56  | 5.53 | 5.418 | 80 |   |
| 57  | 5.53 | 5.708 | 80 |   |
| 58  | 5.53 | 5.669 | 80 |   |
| 59  | 5.53 | 5.686 | 80 |   |
| 60  | 5.53 | 5.537 | 80 | * |
| 61  | 5.53 | 5.309 | 80 |   |
| 62  | 5.53 | 5.355 | 80 |   |
| 63  | 5.53 | 5.307 | 80 |   |
| 64  | 5.53 | 5.298 | 80 |   |
| 65  | 5.53 | 5.308 | 80 |   |
| 66  | 5.53 | 5.494 | 80 | * |
| 67  | 5.53 | 5.511 | 80 | * |
| 68  | 5.53 | 5.382 | 80 |   |
| 69  | 5.53 | 5.358 | 80 |   |
| 70  | 5.53 | 5.253 | 80 |   |
| 71  | 5.53 | 5.63  | 80 |   |
| 72  | 5.53 | 5.54  | 80 | * |
| 73  | 5.53 | 5.376 | 80 |   |
| 74  | 5.53 | 5.713 | 80 |   |
| 75  | 5.53 | 5.481 | 80 |   |
| 76  | 5.53 | 5.324 | 80 |   |
| 77  | 5.53 | 5.311 | 80 |   |
| 78  | 5.53 | 5.25  | 80 |   |
| 79  | 5.53 | 5.68  | 80 |   |
| 80  | 5.53 | 5.576 | 80 |   |
| 81  | 5.53 | 5.461 | 80 |   |
| 82  | 5.53 | 5.558 | 80 | * |
| 83  | 5.53 | 5.478 | 80 |   |
| 84  | 5.53 | 5.322 | 80 |   |
| 85  | 5.53 | 5.279 | 80 |   |
| 86  | 5.53 | 5.341 | 80 |   |
| 87  | 5.53 | 5.642 | 80 |   |
| 88  | 5.53 | 5.57  | 80 | * |
| 89  | 5.53 | 5.715 | 80 |   |
| 90  | 5.53 | 5.356 | 80 |   |
| 91  | 5.53 | 5.667 | 80 |   |
| 92  | 5.53 | 5.547 | 80 | * |
| 93  | 5.53 | 5.414 | 80 |   |
| 94  | 5.53 | 5.441 | 80 |   |
| 95  | 5.53 | 5.662 | 80 |   |
| 96  | 5.53 | 5.423 | 80 |   |
| 97  | 5.53 | 5.255 | 80 |   |
| 98  | 5.53 | 5.394 | 80 |   |
| 99  | 5.53 | 5.274 | 80 |   |
| 100 | 5.53 | 5.419 | 80 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.277        | 80              |              |
| 2                      | 5.53             | 5.438        | 80              |              |
| 3                      | 5.53             | 5.452        | 80              |              |
| 4                      | 5.53             | 5.587        | 80              |              |
| 5                      | 5.53             | 5.434        | 80              |              |
| 6                      | 5.53             | 5.53         | 80              | *            |
| 7                      | 5.53             | 5.577        | 80              |              |
| 8                      | 5.53             | 5.471        | 80              |              |
| 9                      | 5.53             | 5.686        | 80              |              |
| 10                     | 5.53             | 5.617        | 80              |              |
| 11                     | 5.53             | 5.461        | 80              |              |
| 12                     | 5.53             | 5.588        | 80              |              |
| 13                     | 5.53             | 5.534        | 80              | *            |
| 14                     | 5.53             | 5.319        | 80              |              |
| 15                     | 5.53             | 5.696        | 80              |              |
| 16                     | 5.53             | 5.421        | 80              |              |
| 17                     | 5.53             | 5.495        | 80              | *            |
| 18                     | 5.53             | 5.523        | 80              | *            |
| 19                     | 5.53             | 5.375        | 80              |              |
| 20                     | 5.53             | 5.414        | 80              |              |
| 21                     | 5.53             | 5.651        | 80              |              |
| 22                     | 5.53             | 5.33         | 80              |              |
| 23                     | 5.53             | 5.685        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.447        | 80              |              |
| 2                      | 5.53             | 5.42         | 80              |              |
| 3                      | 5.53             | 5.251        | 80              |              |
| 4                      | 5.53             | 5.482        | 80              |              |
| 5                      | 5.53             | 5.426        | 80              |              |
| 6                      | 5.53             | 5.673        | 80              |              |
| 7                      | 5.53             | 5.278        | 80              |              |
| 8                      | 5.53             | 5.397        | 80              |              |
| 9                      | 5.53             | 5.377        | 80              |              |
| 10                     | 5.53             | 5.595        | 80              |              |
| 11                     | 5.53             | 5.694        | 80              |              |
| 12                     | 5.53             | 5.51         | 80              | *            |
| 13                     | 5.53             | 5.274        | 80              |              |
| 14                     | 5.53             | 5.261        | 80              |              |
| 15                     | 5.53             | 5.683        | 80              |              |
| 16                     | 5.53             | 5.358        | 80              |              |
| 17                     | 5.53             | 5.545        | 80              | *            |
| 18                     | 5.53             | 5.372        | 80              |              |
| 19                     | 5.53             | 5.601        | 80              |              |
| 20                     | 5.53             | 5.586        | 80              |              |
| 21                     | 5.53             | 5.636        | 80              |              |
| 22                     | 5.53             | 5.69         | 80              |              |
| 23                     | 5.53             | 5.504        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.257        | 80              |              |
| 2                      | 5.53             | 5.264        | 80              |              |
| 3                      | 5.53             | 5.338        | 80              |              |
| 4                      | 5.53             | 5.57         | 80              | *            |
| 5                      | 5.53             | 5.672        | 80              |              |
| 6                      | 5.53             | 5.422        | 80              |              |
| 7                      | 5.53             | 5.576        | 80              |              |
| 8                      | 5.53             | 5.628        | 80              |              |
| 9                      | 5.53             | 5.272        | 80              |              |
| 10                     | 5.53             | 5.535        | 80              | *            |
| 11                     | 5.53             | 5.651        | 80              |              |
| 12                     | 5.53             | 5.273        | 80              |              |
| 13                     | 5.53             | 5.42         | 80              |              |
| 14                     | 5.53             | 5.306        | 80              |              |
| 15                     | 5.53             | 5.622        | 80              |              |
| 16                     | 5.53             | 5.708        | 80              |              |
| 17                     | 5.53             | 5.297        | 80              |              |
| 18                     | 5.53             | 5.403        | 80              |              |
| 19                     | 5.53             | 5.405        | 80              |              |
| 20                     | 5.53             | 5.71         | 80              |              |
| 21                     | 5.53             | 5.348        | 80              |              |
| 22                     | 5.53             | 5.294        | 80              |              |
| 23                     | 5.53             | 5.498        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.435        | 80              |              |
| 2                      | 5.53             | 5.563        | 80              | *            |
| 3                      | 5.53             | 5.515        | 80              | *            |
| 4                      | 5.53             | 5.67         | 80              |              |
| 5                      | 5.53             | 5.614        | 80              |              |
| 6                      | 5.53             | 5.596        | 80              |              |
| 7                      | 5.53             | 5.419        | 80              |              |
| 8                      | 5.53             | 5.687        | 80              |              |
| 9                      | 5.53             | 5.5          | 80              | *            |
| 10                     | 5.53             | 5.594        | 80              |              |
| 11                     | 5.53             | 5.386        | 80              |              |
| 12                     | 5.53             | 5.536        | 80              | *            |
| 13                     | 5.53             | 5.505        | 80              | *            |
| 14                     | 5.53             | 5.671        | 80              |              |
| 15                     | 5.53             | 5.4          | 80              |              |
| 16                     | 5.53             | 5.384        | 80              |              |
| 17                     | 5.53             | 5.649        | 80              |              |
| 18                     | 5.53             | 5.631        | 80              |              |
| 19                     | 5.53             | 5.36         | 80              |              |
| 20                     | 5.53             | 5.543        | 80              | *            |
| 21                     | 5.53             | 5.65         | 80              |              |
| 22                     | 5.53             | 5.691        | 80              |              |
| 23                     | 5.53             | 5.708        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.545        | 80              | *            |
| 2                      | 5.53             | 5.34         | 80              |              |
| 3                      | 5.53             | 5.281        | 80              |              |
| 4                      | 5.53             | 5.679        | 80              |              |
| 5                      | 5.53             | 5.624        | 80              |              |
| 6                      | 5.53             | 5.296        | 80              |              |
| 7                      | 5.53             | 5.643        | 80              |              |
| 8                      | 5.53             | 5.703        | 80              |              |
| 9                      | 5.53             | 5.305        | 80              |              |
| 10                     | 5.53             | 5.628        | 80              |              |
| 11                     | 5.53             | 5.368        | 80              |              |
| 12                     | 5.53             | 5.455        | 80              |              |
| 13                     | 5.53             | 5.36         | 80              |              |
| 14                     | 5.53             | 5.396        | 80              |              |
| 15                     | 5.53             | 5.504        | 80              | *            |
| 16                     | 5.53             | 5.435        | 80              |              |
| 17                     | 5.53             | 5.505        | 80              | *            |
| 18                     | 5.53             | 5.629        | 80              |              |
| 19                     | 5.53             | 5.445        | 80              |              |
| 20                     | 5.53             | 5.609        | 80              |              |
| 21                     | 5.53             | 5.402        | 80              |              |
| 22                     | 5.53             | 5.311        | 80              |              |
| 23                     | 5.53             | 5.336        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.504        | 80              | *            |
| 2                      | 5.53             | 5.65         | 80              |              |
| 3                      | 5.53             | 5.447        | 80              |              |
| 4                      | 5.53             | 5.515        | 80              | *            |
| 5                      | 5.53             | 5.574        | 80              |              |
| 6                      | 5.53             | 5.552        | 80              | *            |
| 7                      | 5.53             | 5.527        | 80              | *            |
| 8                      | 5.53             | 5.316        | 80              |              |
| 9                      | 5.53             | 5.42         | 80              |              |
| 10                     | 5.53             | 5.543        | 80              | *            |
| 11                     | 5.53             | 5.593        | 80              |              |
| 12                     | 5.53             | 5.484        | 80              |              |
| 13                     | 5.53             | 5.7          | 80              |              |
| 14                     | 5.53             | 5.431        | 80              |              |
| 15                     | 5.53             | 5.423        | 80              |              |
| 16                     | 5.53             | 5.28         | 80              |              |
| 17                     | 5.53             | 5.415        | 80              |              |
| 18                     | 5.53             | 5.479        | 80              |              |
| 19                     | 5.53             | 5.279        | 80              |              |
| 20                     | 5.53             | 5.608        | 80              |              |
| 21                     | 5.53             | 5.499        | 80              | *            |
| 22                     | 5.53             | 5.633        | 80              |              |
| 23                     | 5.53             | 5.329        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.395        | 80              |              |
| 2                      | 5.53             | 5.715        | 80              |              |
| 3                      | 5.53             | 5.448        | 80              |              |
| 4                      | 5.53             | 5.272        | 80              |              |
| 5                      | 5.53             | 5.691        | 80              |              |
| 6                      | 5.53             | 5.582        | 80              |              |
| 7                      | 5.53             | 5.68         | 80              |              |
| 8                      | 5.53             | 5.706        | 80              |              |
| 9                      | 5.53             | 5.711        | 80              |              |
| 10                     | 5.53             | 5.504        | 80              | *            |
| 11                     | 5.53             | 5.273        | 80              |              |
| 12                     | 5.53             | 5.381        | 80              |              |
| 13                     | 5.53             | 5.686        | 80              |              |
| 14                     | 5.53             | 5.368        | 80              |              |
| 15                     | 5.53             | 5.301        | 80              |              |
| 16                     | 5.53             | 5.312        | 80              |              |
| 17                     | 5.53             | 5.303        | 80              |              |
| 18                     | 5.53             | 5.576        | 80              |              |
| 19                     | 5.53             | 5.547        | 80              | *            |
| 20                     | 5.53             | 5.506        | 80              | *            |
| 21                     | 5.53             | 5.625        | 80              |              |
| 22                     | 5.53             | 5.645        | 80              |              |
| 23                     | 5.53             | 5.412        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.564        | 80              | *            |
| 2                      | 5.53             | 5.261        | 80              |              |
| 3                      | 5.53             | 5.516        | 80              | *            |
| 4                      | 5.53             | 5.617        | 80              |              |
| 5                      | 5.53             | 5.667        | 80              |              |
| 6                      | 5.53             | 5.311        | 80              |              |
| 7                      | 5.53             | 5.354        | 80              |              |
| 8                      | 5.53             | 5.508        | 80              | *            |
| 9                      | 5.53             | 5.601        | 80              |              |
| 10                     | 5.53             | 5.517        | 80              | *            |
| 11                     | 5.53             | 5.671        | 80              |              |
| 12                     | 5.53             | 5.723        | 80              |              |
| 13                     | 5.53             | 5.545        | 80              | *            |
| 14                     | 5.53             | 5.548        | 80              | *            |
| 15                     | 5.53             | 5.446        | 80              |              |
| 16                     | 5.53             | 5.46         | 80              |              |
| 17                     | 5.53             | 5.607        | 80              |              |
| 18                     | 5.53             | 5.549        | 80              | *            |
| 19                     | 5.53             | 5.63         | 80              |              |
| 20                     | 5.53             | 5.706        | 80              |              |
| 21                     | 5.53             | 5.369        | 80              |              |
| 22                     | 5.53             | 5.451        | 80              |              |
| 23                     | 5.53             | 5.264        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.582        | 80              |              |
| 2                      | 5.53             | 5.465        | 80              |              |
| 3                      | 5.53             | 5.462        | 80              |              |
| 4                      | 5.53             | 5.378        | 80              |              |
| 5                      | 5.53             | 5.568        | 80              | *            |
| 6                      | 5.53             | 5.446        | 80              |              |
| 7                      | 5.53             | 5.43         | 80              |              |
| 8                      | 5.53             | 5.261        | 80              |              |
| 9                      | 5.53             | 5.704        | 80              |              |
| 10                     | 5.53             | 5.536        | 80              | *            |
| 11                     | 5.53             | 5.548        | 80              | *            |
| 12                     | 5.53             | 5.62         | 80              |              |
| 13                     | 5.53             | 5.269        | 80              |              |
| 14                     | 5.53             | 5.602        | 80              |              |
| 15                     | 5.53             | 5.637        | 80              |              |
| 16                     | 5.53             | 5.682        | 80              |              |
| 17                     | 5.53             | 5.678        | 80              |              |
| 18                     | 5.53             | 5.719        | 80              |              |
| 19                     | 5.53             | 5.696        | 80              |              |
| 20                     | 5.53             | 5.51         | 80              | *            |
| 21                     | 5.53             | 5.466        | 80              |              |
| 22                     | 5.53             | 5.706        | 80              |              |
| 23                     | 5.53             | 5.489        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.364        | 80              |              |
| 2                      | 5.53             | 5.627        | 80              |              |
| 3                      | 5.53             | 5.277        | 80              |              |
| 4                      | 5.53             | 5.581        | 80              |              |
| 5                      | 5.53             | 5.389        | 80              |              |
| 6                      | 5.53             | 5.609        | 80              |              |
| 7                      | 5.53             | 5.574        | 80              |              |
| 8                      | 5.53             | 5.594        | 80              |              |
| 9                      | 5.53             | 5.287        | 80              |              |
| 10                     | 5.53             | 5.332        | 80              |              |
| 11                     | 5.53             | 5.548        | 80              | *            |
| 12                     | 5.53             | 5.476        | 80              |              |
| 13                     | 5.53             | 5.444        | 80              |              |
| 14                     | 5.53             | 5.632        | 80              |              |
| 15                     | 5.53             | 5.366        | 80              |              |
| 16                     | 5.53             | 5.569        | 80              | *            |
| 17                     | 5.53             | 5.674        | 80              |              |
| 18                     | 5.53             | 5.525        | 80              | *            |
| 19                     | 5.53             | 5.641        | 80              |              |
| 20                     | 5.53             | 5.613        | 80              |              |
| 21                     | 5.53             | 5.439        | 80              |              |
| 22                     | 5.53             | 5.383        | 80              |              |
| 23                     | 5.53             | 5.44         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.488        | 80              |              |
| 2                      | 5.53             | 5.265        | 80              |              |
| 3                      | 5.53             | 5.273        | 80              |              |
| 4                      | 5.53             | 5.669        | 80              |              |
| 5                      | 5.53             | 5.361        | 80              |              |
| 6                      | 5.53             | 5.608        | 80              |              |
| 7                      | 5.53             | 5.646        | 80              |              |
| 8                      | 5.53             | 5.479        | 80              |              |
| 9                      | 5.53             | 5.341        | 80              |              |
| 10                     | 5.53             | 5.705        | 80              |              |
| 11                     | 5.53             | 5.329        | 80              |              |
| 12                     | 5.53             | 5.291        | 80              |              |
| 13                     | 5.53             | 5.718        | 80              |              |
| 14                     | 5.53             | 5.457        | 80              |              |
| 15                     | 5.53             | 5.259        | 80              |              |
| 16                     | 5.53             | 5.501        | 80              | *            |
| 17                     | 5.53             | 5.514        | 80              | *            |
| 18                     | 5.53             | 5.447        | 80              |              |
| 19                     | 5.53             | 5.564        | 80              | *            |
| 20                     | 5.53             | 5.472        | 80              |              |
| 21                     | 5.53             | 5.434        | 80              |              |
| 22                     | 5.53             | 5.322        | 80              |              |
| 23                     | 5.53             | 5.335        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.679        | 80              |              |
| 2                      | 5.53             | 5.49         | 80              | *            |
| 3                      | 5.53             | 5.299        | 80              |              |
| 4                      | 5.53             | 5.643        | 80              |              |
| 5                      | 5.53             | 5.601        | 80              |              |
| 6                      | 5.53             | 5.631        | 80              |              |
| 7                      | 5.53             | 5.274        | 80              |              |
| 8                      | 5.53             | 5.252        | 80              |              |
| 9                      | 5.53             | 5.522        | 80              | *            |
| 10                     | 5.53             | 5.615        | 80              |              |
| 11                     | 5.53             | 5.565        | 80              | *            |
| 12                     | 5.53             | 5.29         | 80              |              |
| 13                     | 5.53             | 5.56         | 80              | *            |
| 14                     | 5.53             | 5.404        | 80              |              |
| 15                     | 5.53             | 5.444        | 80              |              |
| 16                     | 5.53             | 5.426        | 80              |              |
| 17                     | 5.53             | 5.714        | 80              |              |
| 18                     | 5.53             | 5.64         | 80              |              |
| 19                     | 5.53             | 5.41         | 80              |              |
| 20                     | 5.53             | 5.549        | 80              | *            |
| 21                     | 5.53             | 5.47         | 80              |              |
| 22                     | 5.53             | 5.689        | 80              |              |
| 23                     | 5.53             | 5.39         | 80              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 14      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.53          | 5.329     | 80           |           |
| 2                      | 5.53          | 5.615     | 80           |           |
| 3                      | 5.53          | 5.566     | 80           | *         |
| 4                      | 5.53          | 5.288     | 80           |           |
| 5                      | 5.53          | 5.26      | 80           |           |
| 6                      | 5.53          | 5.664     | 80           |           |
| 7                      | 5.53          | 5.396     | 80           |           |
| 8                      | 5.53          | 5.549     | 80           | *         |
| 9                      | 5.53          | 5.463     | 80           |           |
| 10                     | 5.53          | 5.584     | 80           |           |
| 11                     | 5.53          | 5.506     | 80           | *         |
| 12                     | 5.53          | 5.441     | 80           |           |
| 13                     | 5.53          | 5.534     | 80           | *         |
| 14                     | 5.53          | 5.261     | 80           |           |
| 15                     | 5.53          | 5.372     | 80           |           |
| 16                     | 5.53          | 5.563     | 80           | *         |
| 17                     | 5.53          | 5.341     | 80           |           |
| 18                     | 5.53          | 5.502     | 80           | *         |
| 19                     | 5.53          | 5.576     | 80           |           |
| 20                     | 5.53          | 5.57      | 80           | *         |
| 21                     | 5.53          | 5.687     | 80           |           |
| 22                     | 5.53          | 5.292     | 80           |           |
| 23                     | 5.53          | 5.452     | 80           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.561        | 80              | *            |
| 2                      | 5.53             | 5.66         | 80              |              |
| 3                      | 5.53             | 5.281        | 80              |              |
| 4                      | 5.53             | 5.452        | 80              |              |
| 5                      | 5.53             | 5.663        | 80              |              |
| 6                      | 5.53             | 5.427        | 80              |              |
| 7                      | 5.53             | 5.28         | 80              |              |
| 8                      | 5.53             | 5.675        | 80              |              |
| 9                      | 5.53             | 5.438        | 80              |              |
| 10                     | 5.53             | 5.597        | 80              |              |
| 11                     | 5.53             | 5.255        | 80              |              |
| 12                     | 5.53             | 5.594        | 80              |              |
| 13                     | 5.53             | 5.319        | 80              |              |
| 14                     | 5.53             | 5.375        | 80              |              |
| 15                     | 5.53             | 5.517        | 80              | *            |
| 16                     | 5.53             | 5.289        | 80              |              |
| 17                     | 5.53             | 5.635        | 80              |              |
| 18                     | 5.53             | 5.271        | 80              |              |
| 19                     | 5.53             | 5.638        | 80              |              |
| 20                     | 5.53             | 5.366        | 80              |              |
| 21                     | 5.53             | 5.63         | 80              |              |
| 22                     | 5.53             | 5.536        | 80              | *            |
| 23                     | 5.53             | 5.346        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.289        | 80              |              |
| 2                      | 5.53             | 5.68         | 80              |              |
| 3                      | 5.53             | 5.486        | 80              |              |
| 4                      | 5.53             | 5.586        | 80              |              |
| 5                      | 5.53             | 5.328        | 80              |              |
| 6                      | 5.53             | 5.573        | 80              |              |
| 7                      | 5.53             | 5.542        | 80              | *            |
| 8                      | 5.53             | 5.634        | 80              |              |
| 9                      | 5.53             | 5.524        | 80              | *            |
| 10                     | 5.53             | 5.414        | 80              |              |
| 11                     | 5.53             | 5.528        | 80              | *            |
| 12                     | 5.53             | 5.596        | 80              |              |
| 13                     | 5.53             | 5.338        | 80              |              |
| 14                     | 5.53             | 5.559        | 80              | *            |
| 15                     | 5.53             | 5.384        | 80              |              |
| 16                     | 5.53             | 5.382        | 80              |              |
| 17                     | 5.53             | 5.702        | 80              |              |
| 18                     | 5.53             | 5.673        | 80              |              |
| 19                     | 5.53             | 5.51         | 80              | *            |
| 20                     | 5.53             | 5.599        | 80              |              |
| 21                     | 5.53             | 5.464        | 80              |              |
| 22                     | 5.53             | 5.558        | 80              | *            |
| 23                     | 5.53             | 5.349        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.426        | 80              |              |
| 2                      | 5.53             | 5.651        | 80              |              |
| 3                      | 5.53             | 5.333        | 80              |              |
| 4                      | 5.53             | 5.538        | 80              | *            |
| 5                      | 5.53             | 5.613        | 80              |              |
| 6                      | 5.53             | 5.305        | 80              |              |
| 7                      | 5.53             | 5.286        | 80              |              |
| 8                      | 5.53             | 5.684        | 80              |              |
| 9                      | 5.53             | 5.681        | 80              |              |
| 10                     | 5.53             | 5.406        | 80              |              |
| 11                     | 5.53             | 5.301        | 80              |              |
| 12                     | 5.53             | 5.704        | 80              |              |
| 13                     | 5.53             | 5.553        | 80              | *            |
| 14                     | 5.53             | 5.429        | 80              |              |
| 15                     | 5.53             | 5.414        | 80              |              |
| 16                     | 5.53             | 5.435        | 80              |              |
| 17                     | 5.53             | 5.337        | 80              |              |
| 18                     | 5.53             | 5.307        | 80              |              |
| 19                     | 5.53             | 5.308        | 80              |              |
| 20                     | 5.53             | 5.72         | 80              |              |
| 21                     | 5.53             | 5.275        | 80              |              |
| 22                     | 5.53             | 5.489        | 80              |              |
| 23                     | 5.53             | 5.418        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.636        | 80              |              |
| 2                      | 5.53             | 5.678        | 80              |              |
| 3                      | 5.53             | 5.617        | 80              |              |
| 4                      | 5.53             | 5.403        | 80              |              |
| 5                      | 5.53             | 5.582        | 80              |              |
| 6                      | 5.53             | 5.587        | 80              |              |
| 7                      | 5.53             | 5.459        | 80              |              |
| 8                      | 5.53             | 5.651        | 80              |              |
| 9                      | 5.53             | 5.298        | 80              |              |
| 10                     | 5.53             | 5.627        | 80              |              |
| 11                     | 5.53             | 5.393        | 80              |              |
| 12                     | 5.53             | 5.6          | 80              |              |
| 13                     | 5.53             | 5.709        | 80              |              |
| 14                     | 5.53             | 5.44         | 80              |              |
| 15                     | 5.53             | 5.383        | 80              |              |
| 16                     | 5.53             | 5.481        | 80              |              |
| 17                     | 5.53             | 5.483        | 80              |              |
| 18                     | 5.53             | 5.623        | 80              |              |
| 19                     | 5.53             | 5.319        | 80              |              |
| 20                     | 5.53             | 5.67         | 80              |              |
| 21                     | 5.53             | 5.49         | 80              | *            |
| 22                     | 5.53             | 5.305        | 80              |              |
| 23                     | 5.53             | 5.664        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.287        | 80              |              |
| 2                      | 5.53             | 5.534        | 80              | *            |
| 3                      | 5.53             | 5.39         | 80              |              |
| 4                      | 5.53             | 5.505        | 80              | *            |
| 5                      | 5.53             | 5.537        | 80              | *            |
| 6                      | 5.53             | 5.352        | 80              |              |
| 7                      | 5.53             | 5.295        | 80              |              |
| 8                      | 5.53             | 5.427        | 80              |              |
| 9                      | 5.53             | 5.349        | 80              |              |
| 10                     | 5.53             | 5.563        | 80              | *            |
| 11                     | 5.53             | 5.34         | 80              |              |
| 12                     | 5.53             | 5.317        | 80              |              |
| 13                     | 5.53             | 5.428        | 80              |              |
| 14                     | 5.53             | 5.362        | 80              |              |
| 15                     | 5.53             | 5.625        | 80              |              |
| 16                     | 5.53             | 5.582        | 80              |              |
| 17                     | 5.53             | 5.585        | 80              |              |
| 18                     | 5.53             | 5.668        | 80              |              |
| 19                     | 5.53             | 5.405        | 80              |              |
| 20                     | 5.53             | 5.697        | 80              |              |
| 21                     | 5.53             | 5.543        | 80              | *            |
| 22                     | 5.53             | 5.679        | 80              |              |
| 23                     | 5.53             | 5.576        | 80              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 20      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.53          | 5.64      | 80           |           |
| 2                      | 5.53          | 5.356     | 80           |           |
| 3                      | 5.53          | 5.537     | 80           | *         |
| 4                      | 5.53          | 5.61      | 80           |           |
| 5                      | 5.53          | 5.693     | 80           |           |
| 6                      | 5.53          | 5.561     | 80           | *         |
| 7                      | 5.53          | 5.4       | 80           |           |
| 8                      | 5.53          | 5.45      | 80           |           |
| 9                      | 5.53          | 5.563     | 80           | *         |
| 10                     | 5.53          | 5.519     | 80           | *         |
| 11                     | 5.53          | 5.617     | 80           |           |
| 12                     | 5.53          | 5.529     | 80           | *         |
| 13                     | 5.53          | 5.59      | 80           |           |
| 14                     | 5.53          | 5.562     | 80           | *         |
| 15                     | 5.53          | 5.431     | 80           |           |
| 16                     | 5.53          | 5.611     | 80           |           |
| 17                     | 5.53          | 5.306     | 80           |           |
| 18                     | 5.53          | 5.378     | 80           |           |
| 19                     | 5.53          | 5.541     | 80           | *         |
| 20                     | 5.53          | 5.458     | 80           |           |
| 21                     | 5.53          | 5.619     | 80           |           |
| 22                     | 5.53          | 5.474     | 80           |           |
| 23                     | 5.53          | 5.527     | 80           | *         |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.357        | 80              |              |
| 2                      | 5.53             | 5.478        | 80              |              |
| 3                      | 5.53             | 5.293        | 80              |              |
| 4                      | 5.53             | 5.724        | 80              |              |
| 5                      | 5.53             | 5.281        | 80              |              |
| 6                      | 5.53             | 5.488        | 80              |              |
| 7                      | 5.53             | 5.419        | 80              |              |
| 8                      | 5.53             | 5.43         | 80              |              |
| 9                      | 5.53             | 5.292        | 80              |              |
| 10                     | 5.53             | 5.703        | 80              |              |
| 11                     | 5.53             | 5.379        | 80              |              |
| 12                     | 5.53             | 5.541        | 80              | *            |
| 13                     | 5.53             | 5.453        | 80              |              |
| 14                     | 5.53             | 5.274        | 80              |              |
| 15                     | 5.53             | 5.662        | 80              |              |
| 16                     | 5.53             | 5.658        | 80              |              |
| 17                     | 5.53             | 5.609        | 80              |              |
| 18                     | 5.53             | 5.683        | 80              |              |
| 19                     | 5.53             | 5.466        | 80              |              |
| 20                     | 5.53             | 5.532        | 80              | *            |
| 21                     | 5.53             | 5.454        | 80              |              |
| 22                     | 5.53             | 5.714        | 80              |              |
| 23                     | 5.53             | 5.42         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.329        | 80              |              |
| 2                      | 5.53             | 5.628        | 80              |              |
| 3                      | 5.53             | 5.379        | 80              |              |
| 4                      | 5.53             | 5.684        | 80              |              |
| 5                      | 5.53             | 5.591        | 80              |              |
| 6                      | 5.53             | 5.514        | 80              | *            |
| 7                      | 5.53             | 5.592        | 80              |              |
| 8                      | 5.53             | 5.404        | 80              |              |
| 9                      | 5.53             | 5.361        | 80              |              |
| 10                     | 5.53             | 5.626        | 80              |              |
| 11                     | 5.53             | 5.406        | 80              |              |
| 12                     | 5.53             | 5.702        | 80              |              |
| 13                     | 5.53             | 5.44         | 80              |              |
| 14                     | 5.53             | 5.464        | 80              |              |
| 15                     | 5.53             | 5.529        | 80              | *            |
| 16                     | 5.53             | 5.542        | 80              | *            |
| 17                     | 5.53             | 5.52         | 80              | *            |
| 18                     | 5.53             | 5.51         | 80              | *            |
| 19                     | 5.53             | 5.364        | 80              |              |
| 20                     | 5.53             | 5.342        | 80              |              |
| 21                     | 5.53             | 5.466        | 80              |              |
| 22                     | 5.53             | 5.258        | 80              |              |
| 23                     | 5.53             | 5.31         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.297        | 80              |              |
| 2                      | 5.53             | 5.627        | 80              |              |
| 3                      | 5.53             | 5.285        | 80              |              |
| 4                      | 5.53             | 5.457        | 80              |              |
| 5                      | 5.53             | 5.628        | 80              |              |
| 6                      | 5.53             | 5.608        | 80              |              |
| 7                      | 5.53             | 5.695        | 80              |              |
| 8                      | 5.53             | 5.688        | 80              |              |
| 9                      | 5.53             | 5.567        | 80              | *            |
| 10                     | 5.53             | 5.714        | 80              |              |
| 11                     | 5.53             | 5.626        | 80              |              |
| 12                     | 5.53             | 5.473        | 80              |              |
| 13                     | 5.53             | 5.594        | 80              |              |
| 14                     | 5.53             | 5.335        | 80              |              |
| 15                     | 5.53             | 5.263        | 80              |              |
| 16                     | 5.53             | 5.332        | 80              |              |
| 17                     | 5.53             | 5.521        | 80              | *            |
| 18                     | 5.53             | 5.678        | 80              |              |
| 19                     | 5.53             | 5.611        | 80              |              |
| 20                     | 5.53             | 5.344        | 80              |              |
| 21                     | 5.53             | 5.382        | 80              |              |
| 22                     | 5.53             | 5.643        | 80              |              |
| 23                     | 5.53             | 5.634        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.345        | 80              |              |
| 2                      | 5.53             | 5.612        | 80              |              |
| 3                      | 5.53             | 5.682        | 80              |              |
| 4                      | 5.53             | 5.278        | 80              |              |
| 5                      | 5.53             | 5.336        | 80              |              |
| 6                      | 5.53             | 5.56         | 80              | *            |
| 7                      | 5.53             | 5.692        | 80              |              |
| 8                      | 5.53             | 5.349        | 80              |              |
| 9                      | 5.53             | 5.721        | 80              |              |
| 10                     | 5.53             | 5.413        | 80              |              |
| 11                     | 5.53             | 5.666        | 80              |              |
| 12                     | 5.53             | 5.516        | 80              | *            |
| 13                     | 5.53             | 5.627        | 80              |              |
| 14                     | 5.53             | 5.642        | 80              |              |
| 15                     | 5.53             | 5.709        | 80              |              |
| 16                     | 5.53             | 5.378        | 80              |              |
| 17                     | 5.53             | 5.533        | 80              | *            |
| 18                     | 5.53             | 5.511        | 80              | *            |
| 19                     | 5.53             | 5.307        | 80              |              |
| 20                     | 5.53             | 5.308        | 80              |              |
| 21                     | 5.53             | 5.351        | 80              |              |
| 22                     | 5.53             | 5.453        | 80              |              |
| 23                     | 5.53             | 5.316        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.666        | 80              |              |
| 2                      | 5.53             | 5.419        | 80              |              |
| 3                      | 5.53             | 5.659        | 80              |              |
| 4                      | 5.53             | 5.4          | 80              |              |
| 5                      | 5.53             | 5.646        | 80              |              |
| 6                      | 5.53             | 5.586        | 80              |              |
| 7                      | 5.53             | 5.641        | 80              |              |
| 8                      | 5.53             | 5.543        | 80              | *            |
| 9                      | 5.53             | 5.7          | 80              |              |
| 10                     | 5.53             | 5.456        | 80              |              |
| 11                     | 5.53             | 5.557        | 80              | *            |
| 12                     | 5.53             | 5.388        | 80              |              |
| 13                     | 5.53             | 5.412        | 80              |              |
| 14                     | 5.53             | 5.649        | 80              |              |
| 15                     | 5.53             | 5.339        | 80              |              |
| 16                     | 5.53             | 5.576        | 80              |              |
| 17                     | 5.53             | 5.585        | 80              |              |
| 18                     | 5.53             | 5.251        | 80              |              |
| 19                     | 5.53             | 5.696        | 80              |              |
| 20                     | 5.53             | 5.32         | 80              |              |
| 21                     | 5.53             | 5.402        | 80              |              |
| 22                     | 5.53             | 5.631        | 80              |              |
| 23                     | 5.53             | 5.473        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.608        | 80              |              |
| 2                      | 5.53             | 5.684        | 80              |              |
| 3                      | 5.53             | 5.353        | 80              |              |
| 4                      | 5.53             | 5.447        | 80              |              |
| 5                      | 5.53             | 5.686        | 80              |              |
| 6                      | 5.53             | 5.429        | 80              |              |
| 7                      | 5.53             | 5.36         | 80              |              |
| 8                      | 5.53             | 5.423        | 80              |              |
| 9                      | 5.53             | 5.266        | 80              |              |
| 10                     | 5.53             | 5.575        | 80              |              |
| 11                     | 5.53             | 5.408        | 80              |              |
| 12                     | 5.53             | 5.535        | 80              | *            |
| 13                     | 5.53             | 5.412        | 80              |              |
| 14                     | 5.53             | 5.53         | 80              | *            |
| 15                     | 5.53             | 5.711        | 80              |              |
| 16                     | 5.53             | 5.47         | 80              |              |
| 17                     | 5.53             | 5.489        | 80              |              |
| 18                     | 5.53             | 5.657        | 80              |              |
| 19                     | 5.53             | 5.493        | 80              | *            |
| 20                     | 5.53             | 5.557        | 80              | *            |
| 21                     | 5.53             | 5.452        | 80              |              |
| 22                     | 5.53             | 5.578        | 80              |              |
| 23                     | 5.53             | 5.274        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.565        | 80              | *            |
| 2                      | 5.53             | 5.328        | 80              |              |
| 3                      | 5.53             | 5.386        | 80              |              |
| 4                      | 5.53             | 5.591        | 80              |              |
| 5                      | 5.53             | 5.695        | 80              |              |
| 6                      | 5.53             | 5.339        | 80              |              |
| 7                      | 5.53             | 5.316        | 80              |              |
| 8                      | 5.53             | 5.434        | 80              |              |
| 9                      | 5.53             | 5.405        | 80              |              |
| 10                     | 5.53             | 5.649        | 80              |              |
| 11                     | 5.53             | 5.469        | 80              |              |
| 12                     | 5.53             | 5.653        | 80              |              |
| 13                     | 5.53             | 5.612        | 80              |              |
| 14                     | 5.53             | 5.603        | 80              |              |
| 15                     | 5.53             | 5.623        | 80              |              |
| 16                     | 5.53             | 5.445        | 80              |              |
| 17                     | 5.53             | 5.335        | 80              |              |
| 18                     | 5.53             | 5.354        | 80              |              |
| 19                     | 5.53             | 5.579        | 80              |              |
| 20                     | 5.53             | 5.634        | 80              |              |
| 21                     | 5.53             | 5.252        | 80              |              |
| 22                     | 5.53             | 5.26         | 80              |              |
| 23                     | 5.53             | 5.472        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.287        | 80              |              |
| 2                      | 5.53             | 5.504        | 80              | *            |
| 3                      | 5.53             | 5.604        | 80              |              |
| 4                      | 5.53             | 5.557        | 80              | *            |
| 5                      | 5.53             | 5.496        | 80              | *            |
| 6                      | 5.53             | 5.453        | 80              |              |
| 7                      | 5.53             | 5.321        | 80              |              |
| 8                      | 5.53             | 5.403        | 80              |              |
| 9                      | 5.53             | 5.267        | 80              |              |
| 10                     | 5.53             | 5.609        | 80              |              |
| 11                     | 5.53             | 5.661        | 80              |              |
| 12                     | 5.53             | 5.535        | 80              | *            |
| 13                     | 5.53             | 5.393        | 80              |              |
| 14                     | 5.53             | 5.377        | 80              |              |
| 15                     | 5.53             | 5.58         | 80              |              |
| 16                     | 5.53             | 5.532        | 80              | *            |
| 17                     | 5.53             | 5.478        | 80              |              |
| 18                     | 5.53             | 5.579        | 80              |              |
| 19                     | 5.53             | 5.448        | 80              |              |
| 20                     | 5.53             | 5.687        | 80              |              |
| 21                     | 5.53             | 5.546        | 80              | *            |
| 22                     | 5.53             | 5.563        | 80              | *            |
| 23                     | 5.53             | 5.46         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.406        | 80              |              |
| 2                      | 5.53             | 5.677        | 80              |              |
| 3                      | 5.53             | 5.273        | 80              |              |
| 4                      | 5.53             | 5.511        | 80              | *            |
| 5                      | 5.53             | 5.494        | 80              | *            |
| 6                      | 5.53             | 5.288        | 80              |              |
| 7                      | 5.53             | 5.665        | 80              |              |
| 8                      | 5.53             | 5.667        | 80              |              |
| 9                      | 5.53             | 5.446        | 80              |              |
| 10                     | 5.53             | 5.382        | 80              |              |
| 11                     | 5.53             | 5.618        | 80              |              |
| 12                     | 5.53             | 5.683        | 80              |              |
| 13                     | 5.53             | 5.664        | 80              |              |
| 14                     | 5.53             | 5.463        | 80              |              |
| 15                     | 5.53             | 5.69         | 80              |              |
| 16                     | 5.53             | 5.464        | 80              |              |
| 17                     | 5.53             | 5.614        | 80              |              |
| 18                     | 5.53             | 5.586        | 80              |              |
| 19                     | 5.53             | 5.35         | 80              |              |
| 20                     | 5.53             | 5.251        | 80              |              |
| 21                     | 5.53             | 5.423        | 80              |              |
| 22                     | 5.53             | 5.654        | 80              |              |
| 23                     | 5.53             | 5.485        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.585        | 80              |              |
| 2                      | 5.53             | 5.523        | 80              | *            |
| 3                      | 5.53             | 5.29         | 80              |              |
| 4                      | 5.53             | 5.554        | 80              | *            |
| 5                      | 5.53             | 5.616        | 80              |              |
| 6                      | 5.53             | 5.591        | 80              |              |
| 7                      | 5.53             | 5.252        | 80              |              |
| 8                      | 5.53             | 5.577        | 80              |              |
| 9                      | 5.53             | 5.521        | 80              | *            |
| 10                     | 5.53             | 5.4          | 80              |              |
| 11                     | 5.53             | 5.371        | 80              |              |
| 12                     | 5.53             | 5.402        | 80              |              |
| 13                     | 5.53             | 5.47         | 80              |              |
| 14                     | 5.53             | 5.34         | 80              |              |
| 15                     | 5.53             | 5.576        | 80              |              |
| 16                     | 5.53             | 5.517        | 80              | *            |
| 17                     | 5.53             | 5.456        | 80              |              |
| 18                     | 5.53             | 5.384        | 80              |              |
| 19                     | 5.53             | 5.259        | 80              |              |
| 20                     | 5.53             | 5.429        | 80              |              |
| 21                     | 5.53             | 5.465        | 80              |              |
| 22                     | 5.53             | 5.612        | 80              |              |
| 23                     | 5.53             | 5.391        | 80              |              |