

hp REF 100.0 dBμV ATTEN 10 dB

MR 15.33 msec
50.00 dBμV

10 dB/

DL
60.0
dBμV

SWEEP TIME
30.0 msec

CORR'D



CENTER 910.470 002 MHz
RES BW 1 MHz

VBW 1 MHz

SPAN 0 Hz
SWP 30.0 msec

hp REF 100.0 dBμV ATTN 10 dB

MR 10.22 msec
59.00 dBμV

10 dB/

DL
60.0
dBμV

SWEEP TIME
20.0 msec

CORR'D



CENTER 910.470 002 MHz
RES BW 1 MHz

VBW 1 MHz

SPAN 0 Hz
SWP 20.0 msec

hp REF 100.0 dBmV ATTEN 10 dB

MARKER 4.420 msec
5.50 dB

10 dB

DL
60.0
50mV
MARKER Δ
4.420 msec
5.50 dB

CORR'D



CENTER 010.470 002 Hz
MHz BW 1 Hz

VOL 1 Hz

SPAN 0 Hz
Span 20.0 msec

hp REF 100.0 dBμV ATTN 10 dB

MR Δ 180.0 μsec
1.20 dB

10 dB/

DL
60.0
dBμV

MARKER Δ
180.0 μsec
1.20 dB

CORR'D



CENTER 916.476 002 MHz
RES BW 1 MHz

VBW 1 MHz

SPAN 0 Hz
SWP 20.0 msec

hp REF 100.0 dBμV ATTN 10 dB

MR Δ 280.0 msec
5.20 dB

10 dB/

DL
60.0
dBμV

MARKER Δ
280.0 μsec
5.20 dB

CORR'D



CENTER 016.476 002 MHz
RES BW 1 MHz

VBW 1 MHz

SPAN 0 Hz
SKP 20.0 msec

hp REF 100.0 dBμV ATTEN 10 dB

MARK Δ 19.05 msec
-0.20 dB

10 dB/

DL
00.0
dBμV

MARKER Δ
19.05 msec
-0.20 dB

CORR'D

CENTER 016.470 003 MHz
RES BW 1 MHz

VSW 1 MHz

SPAN 0 Hz
GSP 30.0 msec

