

Test Report No.50349163 001

Appendix D: Radiated Spurious Emission Data

(File: 50349163 001 Appendix D)

Contents


Spurious Emissions, Bandedge.....	2
Spurious Emissions, TX Mode, 9kHz-30MHz.....	154
Spurious Emissions, TX Mode, 30MHz-1GHz.....	162
Spurious Emissions, TX Mode, 1GHz-40GHz.....	170
Spurious Emissions, AC Mains	246

Spurious Emissions, Bandedge


5180MHz, a




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.77	50.59	7.13	43.46	54.00	-3.41	373	0	Average	Horizontal
2 *	5180.00	100.15	56.55	43.60	54.00	46.15	373	0	Average	Horizontal
3	5407.27	44.31	0.16	44.15	54.00	-9.69	373	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	52.71	9.25	43.46	54.00	-1.29	130	346	Average	Vertical
2 *	5180.00	99.25	55.65	43.60	54.00	45.25	130	346	Average	Vertical
3	5400.23	44.51	0.34	44.17	54.00	-9.49	130	346	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.36	65.66	22.21	43.45	74.00	-8.34	373	0	Peak	Horizontal
2 *	5180.00	109.79	66.19	43.60	74.00	35.79	373	0	Peak	Horizontal
3	5422.27	56.59	12.49	44.10	74.00	-17.41	373	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.05	67.54	24.09	43.45	74.00	-6.46	130	346	Peak	Vertical
2 *	5180.00	108.65	65.05	43.60	74.00	34.65	130	346	Peak	Vertical
3	5363.86	57.80	13.73	44.07	74.00	-16.20	130	346	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	50.53	7.07	43.46	54.00	-3.47	304	338	Average	Horizontal
2 *	5200.00	103.88	60.18	43.70	54.00	49.88	304	338	Average	Horizontal
3	5399.77	44.63	0.46	44.17	54.00	-9.37	304	338	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	52.52	9.06	43.46	54.00	-1.48	100	67	Average	Vertical
2 *	5200.00	102.37	58.67	43.70	54.00	48.37	100	67	Average	Vertical
3	5399.55	44.93	0.76	44.17	54.00	-9.07	100	67	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.77	64.95	21.49	43.46	74.00	-9.05	304	338	Peak	Horizontal
2 *	5200.00	112.99	69.29	43.70	74.00	38.99	304	338	Peak	Horizontal
3	5417.50	56.92	12.80	44.12	74.00	-17.08	304	338	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.77	67.26	23.80	43.46	74.00	-6.74	100	67	Peak	Vertical
2 *	5200.00	111.52	67.82	43.70	74.00	37.52	100	67	Peak	Vertical
3	5353.41	57.07	13.03	44.04	74.00	-16.93	100	67	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5117.27	43.34	0.94	42.40	54.00	-10.66	346	353	Average	Horizontal
2 *	5239.09	103.52	60.53	42.99	54.00	49.52	346	353	Average	Horizontal
3	5382.27	43.71	0.51	43.20	54.00	-10.29	346	353	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.68	43.17	0.66	42.51	54.00	-10.83	202	66	Average	Vertical
2 *	5240.00	101.82	58.83	42.99	54.00	47.82	202	66	Average	Vertical
3	5393.18	44.20	0.96	43.24	54.00	-9.80	202	66	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.82	55.77	13.30	42.47	74.00	-18.23	346	353	Peak	Horizontal
2 *	5239.09	112.79	69.80	42.99	74.00	38.79	346	353	Peak	Horizontal
3	5437.50	55.53	12.40	43.13	74.00	-18.47	346	353	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5113.18	55.75	13.37	42.38	74.00	-18.25	202	66	Peak	Vertical
2 *	5240.00	111.12	68.13	42.99	74.00	37.12	202	66	Peak	Vertical
3	5380.68	56.51	13.31	43.20	74.00	-17.49	202	66	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.00	43.36	0.84	42.52	54.00	-10.64	341	348	Average	Horizontal
2 *	5260.00	103.30	60.24	43.06	54.00	49.30	341	348	Average	Horizontal
3	5407.33	43.91	0.68	43.23	54.00	-10.09	341	348	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.00	43.27	0.73	42.54	54.00	-10.73	100	332	Average	Vertical
2 *	5260.00	102.06	59.00	43.06	54.00	48.06	100	332	Average	Vertical
3	5409.00	44.01	0.79	43.22	54.00	-9.99	100	332	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5108.00	57.00	14.65	42.35	74.00	-17.00	341	348	Peak	Horizontal
2 *	5260.00	112.37	69.31	43.06	74.00	38.37	341	348	Peak	Horizontal
3	5409.00	56.48	13.26	43.22	74.00	-17.52	341	348	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.67	55.63	13.22	42.41	74.00	-18.37	100	332	Peak	Vertical
2 *	5260.00	111.23	68.17	43.06	74.00	37.23	100	332	Peak	Vertical
3	5376.67	55.89	12.71	43.18	74.00	-18.11	100	332	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5129.55	43.34	0.88	42.46	54.00	-10.66	305	343	Average	Horizontal
2 *	5300.00	103.29	60.12	43.17	54.00	49.29	305	343	Average	Horizontal
3	5350.23	47.40	4.29	43.11	54.00	-6.60	305	343	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5126.36	43.20	0.75	42.45	54.00	-10.80	104	63	Average	Vertical
2 *	5300.00	101.73	58.56	43.17	54.00	47.73	104	63	Average	Vertical
3 !	5350.00	49.75	6.64	43.11	54.00	-4.25	104	63	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.73	55.91	13.48	42.43	74.00	-18.09	305	343	Peak	Horizontal
2 *	5300.00	112.60	69.43	43.17	74.00	38.60	305	343	Peak	Horizontal
3	5350.91	59.85	16.74	43.11	74.00	-14.15	305	343	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5078.18	55.59	13.38	42.21	74.00	-18.41	104	63	Peak	Vertical
2 *	5300.00	110.94	67.77	43.17	74.00	36.94	104	63	Peak	Vertical
3	5350.23	64.12	21.01	43.11	74.00	-9.88	104	63	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.50	43.14	0.69	42.45	54.00	-10.86	304	344	Average	Horizontal
2 *	5320.00	100.76	57.61	43.15	54.00	46.76	304	344	Average	Horizontal
3 !	5350.46	50.33	7.22	43.11	54.00	-3.67	304	344	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.50	43.32	0.87	42.45	54.00	-10.68	102	64	Average	Vertical
2 *	5319.32	99.76	56.61	43.15	54.00	45.76	102	64	Average	Vertical
3 !	5350.23	52.01	8.90	43.11	54.00	-1.99	102	64	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5075.00	56.09	13.89	42.20	74.00	-17.91	304	344	Peak	Horizontal
2 *	5320.00	110.04	66.89	43.15	74.00	36.04	304	344	Peak	Horizontal
3	5351.59	63.05	19.94	43.11	74.00	-10.95	304	344	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.50	56.85	14.30	42.55	74.00	-17.15	102	64	Peak	Vertical
2 *	5320.00	108.98	65.83	43.15	74.00	34.98	102	64	Peak	Vertical
3	5351.14	66.76	23.65	43.11	74.00	-7.24	102	64	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	44.78	1.66	43.12	54.00	-9.22	328	354	Average	Horizontal
2 *	5500.00	98.90	55.67	43.23	54.00	44.90	328	354	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.77	47.19	4.07	43.12	54.00	-6.81	196	58	Average	Vertical
2 *	5500.00	99.34	56.11	43.23	54.00	45.34	196	58	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	57.34	14.25	43.09	74.00	-16.66	328	354	Peak	Horizontal
2 !	5467.05	67.89	24.76	43.13	68.20	-0.31	328	354	Peak	Horizontal
3 *	5500.00	108.08	64.85	43.23	68.20	39.88	328	354	Peak	Horizontal
4	5816.14	58.32	14.85	43.47	68.20	-9.88	328	354	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	59.85	16.76	43.09	74.00	-14.15	196	58	Peak	Vertical
2 !	5467.73	66.81	23.67	43.14	68.20	-1.39	196	58	Peak	Vertical
3 *	5500.00	107.91	64.68	43.23	68.20	39.71	196	58	Peak	Vertical
4	5827.50	56.76	13.28	43.48	68.20	-11.44	196	58	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5424.55	43.56	0.39	43.17	54.00	-10.44	335	347	Average	horizontal
2 *	5580.00	102.86	59.71	43.15	54.00	48.86	335	347	Average	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.50	43.61	0.46	43.15	54.00	-10.39	299	57	Average	Vertical
2 *	5580.00	102.52	59.37	43.15	54.00	48.52	299	57	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.23	56.75	13.61	43.14	74.00	-17.25	335	347	Peak	horizontal
2	5463.64	56.02	12.89	43.13	68.20	-12.18	335	347	Peak	horizontal
3 *	5580.00	112.15	69.00	43.15	68.20	43.95	335	347	Peak	horizontal
4	5838.18	58.14	14.65	43.49	68.20	-10.06	335	347	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5419.77	57.53	14.34	43.19	74.00	-16.47	299	57	Peak	Vertical
2	5467.96	55.96	12.81	43.15	68.20	-12.24	299	57	Peak	Vertical
3 *	5580.00	111.88	68.73	43.15	68.20	43.68	299	57	Peak	Vertical
4	5801.82	57.17	13.71	43.46	68.20	-11.03	299	57	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5393.86	43.51	0.27	43.24	54.00	-10.49	337	350	Average	Horizontal
2 *	5700.00	97.84	54.46	43.38	54.00	43.84	337	350	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.59	43.47	0.24	43.23	54.00	-10.53	205	57	Average	Vertical
2 *	5700.00	96.92	53.54	43.38	54.00	42.92	205	57	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5183.86	56.84	14.12	42.72	74.00	-17.16	337	350	Peak	Horizontal
2	5467.05	55.87	12.74	43.13	68.20	-12.33	337	350	Peak	Horizontal
3 *	5700.00	106.73	63.35	43.38	68.20	38.53	337	350	Peak	Horizontal
4 !	5725.46	65.29	21.94	43.35	68.20	-2.91	337	350	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5386.14	56.32	13.11	43.21	74.00	-17.68	205	57	Peak	Vertical
2	5468.86	55.93	12.78	43.15	68.20	-12.27	205	57	Peak	Vertical
3 *	5700.00	106.10	62.72	43.38	68.20	37.90	205	57	Peak	Vertical
4 !	5725.91	66.50	23.15	43.35	68.20	-1.70	205	57	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	101.09	57.76	43.33	54.00	47.09	346	358	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	101.92	58.59	43.33	54.00	47.92	284	59	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.59	56.39	13.25	43.14	68.20	-11.81	346	358	Peak	Horizontal
2	5697.50	63.22	19.86	43.36	103.36	-40.14	346	358	Peak	Horizontal
3	5719.32	76.22	32.86	43.36	110.61	-34.39	346	358	Peak	Horizontal
4	5724.55	81.68	38.33	43.35	121.16	-39.48	346	358	Peak	Horizontal
5	5745.00	110.49	67.16	43.33	122.20	-11.71	346	358	Peak	Horizontal
6	5853.86	55.88	12.36	43.52	113.39	-57.51	346	358	Peak	Horizontal
7	5865.68	57.16	13.56	43.60	107.81	-50.65	346	358	Peak	Horizontal
8	5907.73	57.73	13.86	43.87	80.95	-23.22	346	358	Peak	Horizontal
9	5978.64	57.42	13.27	44.15	68.20	-10.78	346	358	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5485.68	57.99	14.80	43.19	68.20	-10.21	284	59	Peak	Vertical
2	5700.00	65.22	21.84	43.38	105.20	-39.98	284	59	Peak	Vertical
3	5719.77	76.80	33.44	43.36	110.74	-33.94	284	59	Peak	Vertical
4	5724.09	82.12	38.77	43.35	120.13	-38.01	284	59	Peak	Vertical
5	5745.00	111.38	68.05	43.33	122.20	-10.82	284	59	Peak	Vertical
6	5852.73	56.18	12.66	43.52	115.98	-59.80	284	59	Peak	Vertical
7	5868.18	56.51	12.89	43.62	107.11	-50.60	284	59	Peak	Vertical
8	5902.27	56.90	13.05	43.85	84.98	-28.08	284	59	Peak	Vertical
9	5975.46	57.18	13.04	44.14	68.20	-11.02	284	59	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	101.91	58.49	43.42	54.00	47.91	358	357	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	102.37	58.95	43.42	54.00	48.37	270	42	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5523.18	56.31	13.15	43.16	68.20	-11.89	358	357	Peak	Horizontal
2	5653.18	55.93	12.95	42.98	70.56	-14.63	358	357	Peak	Horizontal
3	5719.32	58.73	15.37	43.36	110.61	-51.88	358	357	Peak	Horizontal
4	5724.77	63.55	20.20	43.35	121.68	-58.13	358	357	Peak	Horizontal
5	5785.00	111.06	67.64	43.42	122.20	-11.14	358	357	Peak	Horizontal
6	5850.00	57.96	14.46	43.50	122.20	-64.24	358	357	Peak	Horizontal
7	5873.18	57.48	13.83	43.65	105.71	-48.23	358	357	Peak	Horizontal
8	5900.68	57.58	13.75	43.83	86.16	-28.58	358	357	Peak	Horizontal
9	5925.46	57.80	13.85	43.95	68.20	-10.40	358	357	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.91	56.76	13.75	43.01	68.20	-11.44	270	42	Peak	Vertical
2	5695.91	56.36	13.01	43.35	102.19	-45.83	270	42	Peak	Vertical
3	5714.55	57.15	13.79	43.36	109.27	-52.12	270	42	Peak	Vertical
4	5724.55	58.96	15.61	43.35	121.16	-62.20	270	42	Peak	Vertical
5	5785.00	111.57	68.15	43.42	122.20	-10.63	270	42	Peak	Vertical
6	5854.09	56.32	12.80	43.52	112.87	-56.55	270	42	Peak	Vertical
7	5857.05	56.29	12.75	43.54	110.23	-53.94	270	42	Peak	Vertical
8	5923.18	56.54	12.60	43.94	69.54	-13.00	270	42	Peak	Vertical
9	5939.55	57.12	13.10	44.02	68.20	-11.08	270	42	Peak	Vertical


5825MHz, a




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	104.23	60.75	43.48	54.00	50.23	351	337	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	104.13	60.65	43.48	54.00	50.13	279	40	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5522.96	56.67	13.51	43.16	68.20	-11.53	351	337	Peak	Horizontal
2	5693.18	56.33	13.00	43.33	100.17	-43.84	351	337	Peak	Horizontal
3	5714.55	57.23	13.87	43.36	109.27	-52.04	351	337	Peak	Horizontal
4	5725.00	56.45	13.10	43.35	122.20	-65.75	351	337	Peak	Horizontal
5	5825.00	113.81	70.33	43.48	122.20	-8.39	351	337	Peak	Horizontal
6	5850.91	90.18	46.67	43.51	120.13	-29.95	351	337	Peak	Horizontal
7	5856.59	81.49	37.95	43.54	110.35	-28.86	351	337	Peak	Horizontal
8	5875.23	69.57	25.90	43.67	105.03	-35.46	351	337	Peak	Horizontal
9	5971.59	58.55	14.42	44.13	68.20	-9.65	351	337	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5567.73	56.37	13.25	43.12	68.20	-11.83	279	40	Peak	Vertical
2	5688.86	56.60	13.32	43.28	96.99	-40.39	279	40	Peak	Vertical
3	5707.73	56.90	13.53	43.37	107.37	-50.47	279	40	Peak	Vertical
4	5723.41	55.77	12.42	43.35	118.57	-62.80	279	40	Peak	Vertical
5	5825.00	113.78	70.30	43.48	122.20	-8.42	279	40	Peak	Vertical
6	5851.59	87.91	44.40	43.51	118.57	-30.66	279	40	Peak	Vertical
7	5857.05	81.25	37.71	43.54	110.23	-28.98	279	40	Peak	Vertical
8	5880.00	67.97	24.27	43.70	101.49	-33.52	279	40	Peak	Vertical
9	5940.23	57.99	13.97	44.02	68.20	-10.21	279	40	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.77	51.66	8.20	43.46	54.00	-2.34	303	353	Average	Horizontal
2 *	5180.00	100.66	57.06	43.60	54.00	46.66	303	353	Average	Horizontal
3	5376.36	44.61	0.51	44.10	54.00	-9.39	303	353	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	51.68	9.12	42.56	54.00	-2.32	110	63	Average	Vertical
2 *	5180.00	97.83	55.13	42.70	54.00	43.83	110	63	Average	Vertical
3	5382.27	43.65	0.45	43.20	54.00	-10.35	110	63	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.86	66.33	22.87	43.46	74.00	-7.67	303	353	Peak	Horizontal
2 *	5180.00	110.74	67.14	43.60	74.00	36.74	303	353	Peak	Horizontal
3	5401.14	57.71	13.54	44.17	74.00	-16.29	303	353	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	65.85	22.39	43.46	74.00	-8.15	110	63	Peak	Vertical
2 *	5180.00	107.70	64.10	43.60	74.00	33.70	110	63	Peak	Vertical
3	5401.59	56.99	12.82	44.17	74.00	-17.01	110	63	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	49.74	7.18	42.56	54.00	-4.26	303	0	Average	Horizontal
2 *	5200.00	102.45	59.65	42.80	54.00	48.45	303	0	Average	Horizontal
3	5351.14	43.76	0.65	43.11	54.00	-10.24	303	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	51.00	8.44	42.56	54.00	-3.00	100	65	Average	Vertical
2 *	5200.00	101.12	58.32	42.80	54.00	47.12	100	65	Average	Vertical
3	5384.09	44.14	0.93	43.21	54.00	-9.86	100	65	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.09	64.99	22.43	42.56	74.00	-9.01	303	0	Peak	Horizontal
2 *	5200.00	112.35	69.55	42.80	74.00	38.35	303	0	Peak	Horizontal
3	5353.86	56.13	13.00	43.13	74.00	-17.87	303	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.55	66.01	23.45	42.56	74.00	-7.99	100	65	Peak	Vertical
2 *	5200.00	110.44	67.64	42.80	74.00	36.44	100	65	Peak	Vertical
3	5390.68	56.63	13.41	43.22	74.00	-17.37	100	65	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5096.59	44.30	1.10	43.20	54.00	-9.70	329	349	Average	Horizontal
2 *	5240.00	103.43	59.53	43.90	54.00	49.43	329	349	Average	Horizontal
3	5388.18	44.67	0.53	44.14	54.00	-9.33	329	349	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	43.46	0.93	42.53	54.00	-10.54	150	334	Average	Vertical
2 *	5240.00	101.55	58.56	42.99	54.00	47.55	150	334	Average	Vertical
3	5394.55	43.80	0.56	43.24	54.00	-10.20	150	334	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5129.09	56.75	13.39	43.36	74.00	-17.25	329	349	Peak	Horizontal
2 *	5240.00	113.16	69.26	43.90	74.00	39.16	329	349	Peak	Horizontal
3	5389.09	57.10	12.96	44.14	74.00	-16.90	329	349	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5132.50	58.37	15.00	43.37	74.00	-15.63	150	334	Peak	Vertical
2 *	5240.00	112.21	68.31	43.90	74.00	38.21	150	334	Peak	Vertical
3	5407.73	57.19	13.04	44.15	74.00	-16.81	150	334	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5106.59	43.39	1.04	42.35	54.00	-10.61	296	343	Average	Horizontal
2 *	5260.00	103.13	60.07	43.06	54.00	49.13	296	343	Average	Horizontal
3	5403.41	43.87	0.63	43.24	54.00	-10.13	296	343	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5135.91	43.22	0.73	42.49	54.00	-10.78	100	332	Average	Vertical
2 *	5260.00	101.23	58.17	43.06	54.00	47.23	100	332	Average	Vertical
3	5407.50	43.76	0.53	43.23	54.00	-10.24	100	332	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5125.46	56.14	13.70	42.44	74.00	-17.86	296	343	Peak	Horizontal
2 *	5260.00	112.76	69.70	43.06	74.00	38.76	296	343	Peak	Horizontal
3	5352.27	56.20	13.09	43.11	74.00	-17.80	296	343	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5110.68	56.31	13.94	42.37	74.00	-17.69	100	332	Peak	Vertical
2 *	5260.00	110.65	67.59	43.06	74.00	36.65	100	332	Peak	Vertical
3	5413.41	56.66	13.45	43.21	74.00	-17.34	100	332	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.91	43.76	1.23	42.53	54.00	-10.24	305	343	Average	Horizontal
2 *	5300.00	102.55	59.38	43.17	54.00	48.55	305	343	Average	Horizontal
3	5350.46	45.39	2.28	43.11	54.00	-8.61	305	343	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.09	43.34	0.78	42.56	54.00	-10.66	100	83	Average	Vertical
2 *	5300.00	100.71	57.54	43.17	54.00	46.71	100	83	Average	Vertical
3	5350.46	47.15	4.04	43.11	54.00	-6.85	100	83	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5138.18	56.25	13.75	42.50	74.00	-17.75	305	343	Peak	Horizontal
2 *	5300.00	112.68	69.51	43.17	74.00	38.68	305	343	Peak	Horizontal
3	5353.41	58.78	15.65	43.13	74.00	-15.22	305	343	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.77	55.33	12.77	42.56	74.00	-18.67	100	83	Peak	Vertical
2 *	5300.00	110.33	67.16	43.17	74.00	36.33	100	83	Peak	Vertical
3	5350.46	59.69	16.58	43.11	74.00	-14.31	100	83	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	43.12	0.56	42.56	54.00	-10.88	303	344	Average	Horizontal
2 *	5320.00	101.05	57.90	43.15	54.00	47.05	303	344	Average	Horizontal
3 !	5350.00	52.38	9.27	43.11	54.00	-1.62	303	344	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5129.09	43.17	0.71	42.46	54.00	-10.83	197	57	Average	Vertical
2 *	5320.00	100.45	57.30	43.15	54.00	46.45	197	57	Average	Vertical
3 !	5350.00	53.46	10.35	43.11	54.00	-0.54	197	57	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5128.41	55.79	13.34	42.45	74.00	-18.21	303	344	Peak	Horizontal
2 *	5320.00	111.11	67.96	43.15	74.00	37.11	303	344	Peak	Horizontal
3	5350.46	67.94	24.83	43.11	74.00	-6.06	303	344	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5105.68	57.10	14.76	42.34	74.00	-16.90	197	57	Peak	Vertical
2 *	5320.00	110.50	67.35	43.15	74.00	36.50	197	57	Peak	Vertical
3 !	5351.59	73.41	30.30	43.11	74.00	-0.59	197	57	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	45.72	2.60	43.12	54.00	-8.28	328	353	Average	Horizontal
2 *	5500.00	98.77	55.54	43.23	54.00	44.77	328	353	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5460.00	48.60	5.48	43.12	54.00	-5.40	197	60	Average	Vertical
2 *	5500.00	98.87	55.64	43.23	54.00	44.87	197	60	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.55	58.94	15.82	43.12	74.00	-15.06	328	353	Peak	Horizontal
2	5469.77	65.76	22.61	43.15	68.20	-2.44	328	353	Peak	Horizontal
3 *	5500.00	107.89	64.66	43.23	68.20	39.69	328	353	Peak	Horizontal
4	5824.55	56.87	13.39	43.48	68.20	-11.33	328	353	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	63.41	20.32	43.09	74.00	-10.59	197	60	Peak	Vertical
2 !	5470.00	67.41	24.26	43.15	68.20	-0.79	197	60	Peak	Vertical
3 *	5500.00	108.43	65.20	43.23	68.20	40.23	197	60	Peak	Vertical
4	5836.59	56.67	13.18	43.49	68.20	-11.53	197	60	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.23	43.54	0.34	43.20	54.00	-10.46	335	342	Average	Horizontal
2 *	5580.00	102.33	59.18	43.15	54.00	48.33	335	342	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.46	43.47	0.23	43.24	54.00	-10.53	194	63	Average	Vertical
2 *	5580.00	101.30	58.15	43.15	54.00	47.30	194	63	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.32	56.33	13.09	43.24	74.00	-17.67	335	342	Peak	Horizontal
2	5462.27	54.65	11.53	43.12	68.20	-13.55	335	342	Peak	Horizontal
3 *	5580.00	112.94	69.79	43.15	68.20	44.74	335	342	Peak	Horizontal
4	5732.96	57.62	14.28	43.34	68.20	-10.58	335	342	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5424.77	56.51	13.34	43.17	74.00	-17.49	194	63	Peak	Vertical
2	5469.77	56.11	12.96	43.15	68.20	-12.09	194	63	Peak	Vertical
3 *	5580.00	110.63	67.48	43.15	68.20	42.43	194	63	Peak	Vertical
4	5810.91	56.76	13.29	43.47	68.20	-11.44	194	63	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5385.68	43.55	0.34	43.21	54.00	-10.45	337	350	Average	Horizontal
2 *	5700.00	99.25	55.87	43.38	54.00	45.25	337	350	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5375.68	43.54	0.36	43.18	54.00	-10.46	288	59	Average	Vertical
2 *	5700.00	99.39	56.01	43.38	54.00	45.39	288	59	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5296.14	57.10	13.94	43.16	74.00	-16.90	337	350	Peak	Horizontal
2	5468.41	55.59	12.44	43.15	68.20	-12.61	337	350	Peak	Horizontal
3 *	5700.00	108.14	64.76	43.38	68.20	39.94	337	350	Peak	Horizontal
4 !	5725.00	66.69	23.34	43.35	68.20	-1.51	337	350	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5407.50	56.59	13.36	43.23	74.00	-17.41	288	59	Peak	Vertical
2	5464.32	55.21	12.08	43.13	68.20	-12.99	288	59	Peak	Vertical
3 *	5700.00	108.31	64.93	43.38	68.20	40.11	288	59	Peak	Vertical
4 !	5727.27	65.02	21.67	43.35	68.20	-3.18	288	59	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	100.64	57.31	43.33	54.00	46.64	346	358	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	101.38	58.05	43.33	54.00	47.38	283	59	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5526.36	56.62	13.48	43.14	68.20	-11.58	346	358	Peak	Horizontal
2	5700.00	63.79	20.41	43.38	105.20	-41.41	346	358	Peak	Horizontal
3	5720.00	75.39	32.03	43.36	110.80	-35.41	346	358	Peak	Horizontal
4	5725.00	84.16	40.81	43.35	122.20	-38.04	346	358	Peak	Horizontal
5	5745.00	110.65	67.32	43.33	122.20	-11.55	346	358	Peak	Horizontal
6	5850.00	56.72	13.22	43.50	122.20	-65.48	346	358	Peak	Horizontal
7	5869.09	57.03	13.41	43.62	106.85	-49.82	346	358	Peak	Horizontal
8	5901.36	57.15	13.30	43.85	85.65	-28.50	346	358	Peak	Horizontal
9	5997.96	57.45	13.24	44.21	68.20	-10.75	346	358	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.41	56.40	13.37	43.03	68.20	-11.80	283	59	Peak	Vertical
2	5699.32	63.23	19.86	43.37	104.70	-41.47	283	59	Peak	Vertical
3	5718.64	77.28	33.92	43.36	110.42	-33.14	283	59	Peak	Vertical
4	5724.55	84.55	41.20	43.35	121.16	-36.61	283	59	Peak	Vertical
5	5745.00	110.65	67.32	43.33	122.20	-11.55	283	59	Peak	Vertical
6	5854.77	56.04	12.51	43.53	111.32	-55.28	283	59	Peak	Vertical
7	5874.32	56.34	12.68	43.66	105.39	-49.05	283	59	Peak	Vertical
8	5895.00	56.93	13.13	43.80	90.36	-33.43	283	59	Peak	Vertical
9	5954.77	57.25	13.16	44.09	68.20	-10.95	283	59	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	100.98	57.56	43.42	54.00	46.98	358	358	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	101.36	57.94	43.42	54.00	47.36	269	41	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5539.55	57.68	14.58	43.10	68.20	-10.52	358	358	Peak	Horizontal
2	5692.50	56.12	12.80	43.32	99.67	-43.55	358	358	Peak	Horizontal
3	5719.32	58.45	15.09	43.36	110.61	-52.16	358	358	Peak	Horizontal
4	5723.86	60.51	17.16	43.35	119.61	-59.10	358	358	Peak	Horizontal
5	5785.00	110.51	67.09	43.42	122.20	-11.69	358	358	Peak	Horizontal
6	5850.68	58.08	14.58	43.50	120.65	-62.57	358	358	Peak	Horizontal
7	5859.55	57.14	13.58	43.56	109.53	-52.39	358	358	Peak	Horizontal
8	5922.50	56.87	12.93	43.94	70.04	-13.17	358	358	Peak	Horizontal
9	5975.46	57.82	13.68	44.14	68.20	-10.38	358	358	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5482.27	56.20	13.02	43.18	68.20	-12.00	269	41	Peak	Vertical
2	5694.32	56.78	13.45	43.33	101.01	-44.23	269	41	Peak	Vertical
3	5719.32	56.77	13.41	43.36	110.61	-53.84	269	41	Peak	Vertical
4	5723.64	57.48	14.13	43.35	119.09	-61.61	269	41	Peak	Vertical
5	5785.00	110.70	67.28	43.42	122.20	-11.50	269	41	Peak	Vertical
6	5855.00	57.15	13.62	43.53	110.80	-53.65	269	41	Peak	Vertical
7	5855.00	57.15	13.62	43.53	110.80	-53.65	269	41	Peak	Vertical
8	5895.91	57.93	14.12	43.81	89.69	-31.76	269	41	Peak	Vertical
9	5937.50	57.17	13.16	44.01	68.20	-11.03	269	41	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	103.69	60.21	43.48	54.00	49.69	351	337	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	103.81	60.33	43.48	54.00	49.81	279	41	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5567.73	56.72	13.60	43.12	68.20	-11.48	351	337	Peak	Horizontal
2	5681.82	57.61	14.39	43.22	91.78	-34.17	351	337	Peak	Horizontal
3	5717.73	57.34	13.98	43.36	110.16	-52.82	351	337	Peak	Horizontal
4	5723.86	59.40	16.05	43.35	119.61	-60.21	351	337	Peak	Horizontal
5	5825.00	113.99	70.51	43.48	122.20	-8.21	351	337	Peak	Horizontal
6	5850.00	88.02	44.52	43.50	122.20	-34.18	351	337	Peak	Horizontal
7	5857.27	83.23	39.69	43.54	110.16	-26.93	351	337	Peak	Horizontal
8	5876.59	71.15	27.47	43.68	104.02	-32.87	351	337	Peak	Horizontal
9	5975.91	58.87	14.73	44.14	68.20	-9.33	351	337	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5589.32	56.41	13.23	43.18	68.20	-11.79	279	41	Peak	Vertical
2	5677.96	56.88	13.69	43.19	88.93	-32.05	279	41	Peak	Vertical
3	5717.50	56.59	13.22	43.37	110.10	-53.51	279	41	Peak	Vertical
4	5724.32	56.98	13.63	43.35	120.65	-63.67	279	41	Peak	Vertical
5	5825.00	113.84	70.36	43.48	122.20	-8.36	279	41	Peak	Vertical
6	5851.14	86.97	43.46	43.51	119.61	-32.64	279	41	Peak	Vertical
7	5859.32	83.66	40.10	43.56	109.59	-25.93	279	41	Peak	Vertical
8	5876.59	68.25	24.57	43.68	104.02	-35.77	279	41	Peak	Vertical
9	5925.68	58.18	14.23	43.95	68.20	-10.02	279	41	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.67	51.50	8.94	42.56	54.00	-2.50	304	6	Average	Horizontal
2 *	5190.00	95.11	52.36	42.75	54.00	41.11	304	6	Average	Horizontal
3	5371.33	43.75	0.58	43.17	54.00	-10.25	304	6	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	53.91	11.35	42.56	54.00	-0.09	100	81	Average	Vertical
2 *	5190.00	93.67	50.92	42.75	54.00	39.67	100	81	Average	Vertical
3	5399.00	43.87	0.62	43.25	54.00	-10.13	100	81	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	69.77	27.22	42.55	74.00	-4.23	304	6	Peak	Horizontal
2 *	5190.00	104.35	61.60	42.75	74.00	30.35	304	6	Peak	Horizontal
3	5422.50	57.02	13.84	43.18	74.00	-16.98	304	6	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	70.70	28.14	42.56	74.00	-3.30	100	81	Peak	Vertical
2 *	5190.00	103.54	60.79	42.75	74.00	29.54	100	81	Peak	Vertical
3	5358.67	56.32	13.18	43.14	74.00	-17.68	100	81	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5146.67	50.82	8.28	42.54	54.00	-3.18	312	341	Average	Horizontal
2 *	5230.00	99.76	56.82	42.94	54.00	45.76	312	341	Average	Horizontal
3	5351.33	44.61	1.50	43.11	54.00	-9.39	312	341	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	52.80	10.24	42.56	54.00	-1.20	100	334	Average	Vertical
2 *	5230.00	98.65	55.71	42.94	54.00	44.65	100	334	Average	Vertical
3	5373.83	44.42	1.24	43.18	54.00	-9.58	100	334	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.83	64.86	22.31	42.55	74.00	-9.14	312	341	Peak	Horizontal
2 *	5230.00	109.43	66.49	42.94	74.00	35.43	312	341	Peak	Horizontal
3	5373.67	57.71	14.53	43.18	74.00	-16.29	312	341	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.17	66.79	24.23	42.56	74.00	-7.21	100	334	Peak	Vertical
2 *	5230.00	107.84	64.90	42.94	74.00	33.84	100	334	Peak	Vertical
3	5380.00	56.69	13.49	43.20	74.00	-17.31	100	334	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.91	46.35	3.82	42.53	54.00	-7.65	340	348	Average	Horizontal
2 *	5270.00	100.18	57.09	43.09	54.00	46.18	340	348	Average	Horizontal
3	5366.14	45.76	2.60	43.16	54.00	-8.24	340	348	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.09	45.29	2.73	42.56	54.00	-8.71	100	317	Average	Vertical
2 *	5270.00	95.39	52.30	43.09	54.00	41.39	100	317	Average	Vertical
3	5350.00	46.45	3.34	43.11	54.00	-7.55	100	317	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.55	60.01	17.45	42.56	74.00	-13.99	340	348	Peak	Horizontal
2 *	5270.00	109.65	66.56	43.09	74.00	35.65	340	348	Peak	Horizontal
3	5357.27	62.52	19.39	43.13	74.00	-11.48	340	348	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.46	59.15	16.64	42.51	74.00	-14.85	108	332	Peak	Vertical
2 *	5270.00	107.31	64.22	43.09	74.00	33.31	108	332	Peak	Vertical
3	5357.50	65.15	22.02	43.13	74.00	-8.85	108	332	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.32	43.61	1.05	42.56	54.00	-10.39	304	0	Average	Horizontal
2 *	5310.00	95.36	52.20	43.16	54.00	41.36	304	0	Average	Horizontal
3 !	5350.00	49.94	6.83	43.11	54.00	-4.06	304	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.82	43.68	1.14	42.54	54.00	-10.32	100	62	Average	Vertical
2 *	5310.00	93.71	50.55	43.16	54.00	39.71	100	62	Average	Vertical
3 !	5350.46	52.97	9.86	43.11	54.00	-1.03	100	62	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5138.86	57.33	14.82	42.51	74.00	-16.67	304	0	Peak	Horizontal
2 *	5310.00	103.77	60.61	43.16	74.00	29.77	304	0	Peak	Horizontal
3 !	5352.73	71.81	28.68	43.13	74.00	-2.19	304	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4912.05	55.75	13.81	41.94	74.00	-18.25	100	62	Peak	Vertical
2 *	5310.00	103.31	60.15	43.16	74.00	29.31	100	62	Peak	Vertical
3 !	5350.68	73.82	30.71	43.11	74.00	-0.18	100	62	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	46.15	3.03	43.12	54.00	-7.85	327	354	Average	Horizontal
2 *	5510.00	95.22	52.02	43.20	54.00	41.22	327	354	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	47.62	4.50	43.12	54.00	-6.38	280	59	Average	Vertical
2 *	5510.00	94.94	51.74	43.20	54.00	40.94	280	59	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	60.90	17.81	43.09	74.00	-13.10	327	354	Peak	Horizontal
2 !	5470.00	66.87	23.72	43.15	68.20	-1.33	327	354	Peak	Horizontal
3 *	5510.00	104.08	60.88	43.20	68.20	35.88	327	354	Peak	Horizontal
4	5728.41	57.68	14.34	43.34	68.20	-10.52	327	354	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	59.97	16.88	43.09	74.00	-14.03	280	59	Peak	Vertical
2 !	5469.77	66.24	23.09	43.15	68.20	-1.96	280	59	Peak	Vertical
3 *	5510.00	104.51	61.31	43.20	68.20	36.31	280	59	Peak	Vertical
4	5795.23	57.67	14.23	43.44	68.20	-10.53	280	59	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5459.77	51.47	8.35	43.12	54.00	-2.53	338	358	Average	Horizontal
2 *	5550.00	100.05	56.98	43.07	54.00	46.05	338	358	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5460.00	49.66	6.54	43.12	54.00	-4.34	276	60	Average	Vertical
2 *	5550.00	100.29	57.22	43.07	54.00	46.29	276	60	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	65.14	22.05	43.09	74.00	-8.86	338	358	Peak	Horizontal
2 !	5468.86	66.92	23.77	43.15	68.20	-1.28	338	358	Peak	Horizontal
3 *	5550.00	109.19	66.12	43.07	68.20	40.99	338	358	Peak	Horizontal
4	5834.32	57.18	13.70	43.48	68.20	-11.02	338	358	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.09	63.14	20.05	43.09	74.00	-10.86	276	60	Peak	Vertical
2 !	5468.41	66.49	23.34	43.15	68.20	-1.71	276	60	Peak	Vertical
3 *	5550.00	109.86	66.79	43.07	68.20	41.66	276	60	Peak	Vertical
4	5773.86	57.26	13.87	43.39	68.20	-10.94	276	60	Peak	Vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5390.68	44.01	0.79	43.22	54.00	-9.99	340	356	Average	Horizontal
2 *	5670.00	97.48	54.36	43.12	54.00	43.48	340	356	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.00	44.06	0.86	43.20	54.00	-9.94	291	59	Average	Vertical
2 *	5670.00	97.42	54.30	43.12	54.00	43.42	291	59	Average	Vertical