

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

CH 1(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2381.98	61.49	24.48	37.09	74.00	-12.51	120	177	Peak	HORIZONTAL		
2 *	2412.00	112.48	75.29	37.19	74.00	38.48	120	177	Peak	HORIZONTAL		
3	2494.91	56.08	18.58	37.50	74.00	-17.92	120	177	Peak	HORIZONTAL		

CH 1(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2385.99	58.96	21.86	37.10	74.00	-15.04	100	260	Peak	Vertical		
2 *	2412.00	110.13	72.94	37.19	74.00	36.13	100	260	Peak	Vertical		
3	2821.18	55.92	18.45	37.47	74.00	-18.08	100	260	Peak	Vertical		


802.11b

CH 1(Horizontal) Average

CH 1(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.82	51.97	14.87	37.10	54.00	-2.03	120	177	Average	HORIZONTAL		
2	2412.00	109.05	71.86	37.19	54.00	55.05	120	177	Average	HORIZONTAL		
3	2491.84	43.65	6.16	37.49	54.00	-10.35	120	177	Average	HORIZONTAL		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.05	50.87	13.77	37.10	54.00	-3.13	100	260	Average	Vertical		
2	2412.00	106.57	69.38	37.19	54.00	52.57	100	260	Average	Vertical		
3	2491.48	43.50	6.01	37.49	54.00	-10.50	100	260	Average	Vertical		

802.11b

CH 6(Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.98	55.97	18.90	37.07	74.00	-18.03		119	178	Peak	Horizontal	
2 *	2437.00	113.74	76.38	37.36	74.00	39.74		119	178	Peak	Horizontal	
3	2503.76	57.35	19.86	37.49	74.00	-16.65		119	178	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.47	55.11	18.01	37.10	74.00	-18.89		374	113	Peak	Vertical	
2 *	2437.00	109.46	72.10	37.36	74.00	35.46		374	113	Peak	Vertical	
3	2553.55	55.53	18.08	37.45	74.00	-18.47		374	113	Peak	Vertical	


802.11b

CH 6(Horizontal) Average

CH 6(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.38	44.89	7.79	37.10	54.00	-9.11	119	178	Average	Horizontal		
2 *	2437.00	110.15	72.79	37.36	54.00	56.15	119	178	Average	Horizontal		
3	2487.24	44.03	6.54	37.49	54.00	-9.97	119	178	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	43.18	6.08	37.10	54.00	-10.82	374	113	Average	Vertical		
2 *	2437.00	106.01	68.65	37.36	54.00	52.01	374	113	Average	Vertical		
3	2894.93	43.19	5.25	37.94	54.00	-10.81	374	113	Average	Vertical		

802.11b

CH 11 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	55.31	18.21	37.10	74.00	-18.69	188	188	Peak	Horizontal		
2 *	2462.00	111.13	73.66	37.47	74.00	37.13	188	188	Peak	Horizontal		
3	2484.05	65.55	28.06	37.49	74.00	-8.45	188	188	Peak	Horizontal		

CH 11 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.35	54.55	17.45	37.10	74.00	-19.45	368	117	Peak	Vertical		
2 *	2462.00	109.29	71.82	37.47	74.00	35.29	368	117	Peak	Vertical		
3	2486.17	62.44	24.95	37.49	74.00	-11.56	368	117	Peak	Vertical		

802.11b

CH 11 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.93	42.89	5.71	37.09	54.00	-11.20	188	188	Average	Horizontal		
2 *	2462.00	107.58	70.11	37.47	54.00	53.58	188	188	Average	Horizontal		
3 !	2487.83	50.22	12.73	37.49	54.00	-3.78	188	188	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.03	41.96	4.07	37.09	54.00	-12.04	368	117	Average	Vertical		
2 *	2462.00	105.78	68.31	37.47	54.00	51.78	368	117	Average	Vertical		
3 !	2487.71	52.43	14.94	37.49	54.00	-1.57	368	117	Average	Vertical		


802.11g

CH 1(Horizontal) Peak

CH 1(Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	72.13	35.03	37.10	74.00	-1.87	157	166	Peak	Horizontal	
2	2412.00	109.21	72.02	37.19	74.00	35.21	157	166	Peak	Horizontal	
3	2624.00	55.98	18.61	37.37	74.00	-18.02	157	166	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	70.76	33.66	37.10	74.00	-3.24	140	221	Peak	Vertical	
2	2412.00	108.40	71.21	37.19	74.00	34.40	140	221	Peak	Vertical	
3	2527.36	55.20	17.72	37.48	74.00	-18.80	140	221	Peak	Vertical	


802.11g

CH 1(Horizontal) Average

CH 1(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	51.00	13.98	37.10	54.00	-2.92	157	166	Average	Horizontal	
2	2412.00	99.50	62.31	37.19	54.00	45.50	157	166	Average	Horizontal	
3	2503.76	43.12	5.63	37.49	54.00	-10.88	157	166	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	49.74	12.64	37.10	54.00	-4.26	140	221	Average	Vertical	
2	2412.00	90.59	61.40	37.19	54.00	44.59	140	221	Average	Vertical	
3	2533.73	43.10	5.64	37.46	54.00	-10.90	140	221	Average	Vertical	


802.11g

CH 6(Horizontal) Peak

CH 6(Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.53	56.36	19.26	37.10	74.00	-17.64	100	250	Peak	Horizontal	
2 *	2437.00	112.69	75.33	37.36	74.00	38.69	100	250	Peak	Horizontal	
3	2484.76	59.63	22.14	37.49	74.00	-14.37	100	250	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	58.75	21.65	37.10	74.00	-15.25	100	221	Peak	Vertical	
2 *	2437.00	112.28	74.92	37.36	74.00	38.28	100	221	Peak	Vertical	
3	2484.76	61.99	24.50	37.49	74.00	-12.01	100	221	Peak	Vertical	


802.11g

CH 6(Horizontal) Average

CH 6(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	43.01	5.91	37.10	54.00	-10.99	100	250	Average	Horizontal		
2 *	2437.00	102.79	65.43	37.36	54.00	48.79	100	250	Average	Horizontal		
3	2483.93	44.27	6.78	37.49	54.00	-9.73	100	250	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	43.51	6.41	37.10	54.00	-10.49	100	221	Average	Vertical		
2 *	2437.00	102.53	65.17	37.36	54.00	48.53	100	221	Average	Vertical		
3	2483.93	45.03	7.54	37.49	54.00	-8.97	100	221	Average	Vertical		


802.11g

CH 11 (Horizontal) Peak

CH 11 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.42	54.91	17.97	36.94	74.00	-19.09	100	230	Peak	Horizontal		
2 *	2462.00	108.56	71.09	37.47	74.00	34.56	100	230	Peak	Horizontal		
3 !	2483.93	72.81	35.32	37.49	74.00	-1.19	100	230	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.94	54.58	17.50	37.08	74.00	-19.42	100	222	Peak	Vertical		
2 *	2462.00	109.00	71.53	37.47	74.00	35.00	100	222	Peak	Vertical		
3 !	2484.17	72.89	35.40	37.49	74.00	-1.11	100	222	Peak	Vertical		

802.11g

CH 11 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	41.89	4.70	37.10	54.00	-12.20	100	230	Average	Horizontal		
2 *	2462.00	99.08	61.61	37.47	54.00	45.08	100	230	Average	Horizontal		
3 !	2483.46	52.07	14.59	37.48	54.00	-1.93	100	230	Average	Horizontal		

CH 11 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	41.95	4.85	37.10	54.00	-12.05	100	222	Average	Vertical		
2 *	2462.00	99.48	61.93	37.47	54.00	45.48	100	222	Average	Vertical		
3 !	2483.46	52.81	15.33	37.48	54.00	-1.19	100	222	Average	Vertical		

802.11n HT20

CH 1(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	72.36	35.26	37.10	74.00	-1.64	118	164	Peak	Horizontal		
2	2412.00	110.54	73.35	37.19	74.00	36.54	118	164	Peak	Horizontal		
3	2878.64	56.10	18.24	37.86	74.00	-17.90	118	164	Peak	Horizontal		

CH 1(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	68.58	31.48	37.10	74.00	-5.42	153	228	Peak	Vertical		
2	2412.00	104.58	67.39	37.19	74.00	30.58	153	228	Peak	Vertical		
3	2826.13	56.74	19.23	37.51	74.00	-17.26	153	228	Peak	Vertical		


802.11n HT20

CH 1(Horizontal) Average

CH 1(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	51.02	13.92	37.10	54.00	-2.98	118	164	Average	Horizontal		
2	2412.00	100.64	63.45	37.19	54.00	46.64	118	164	Average	Horizontal		
3	2511.43	43.20	5.71	37.49	54.00	-10.80	118	164	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	47.77	10.67	37.10	54.00	-6.23	153	228	Average	Vertical		
2	2412.00	94.74	57.55	37.19	54.00	40.74	153	228	Average	Vertical		
3	2898.82	42.94	4.97	37.97	54.00	-11.06	153	228	Average	Vertical		

802.11n HT20

CH 2(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	63.47	26.37	37.10	74.00	-10.53	132	167	Peak	Horizontal		
2 *	2417.00	109.78	72.56	37.22	74.00	35.78	132	167	Peak	Horizontal		
3	2508.00	57.73	20.24	37.49	74.00	-16.27	132	167	Peak	Horizontal		

CH 2(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.94	64.06	26.06	37.10	74.00	-9.94	144	221	Peak	Vertical		
2 *	2417.00	109.91	72.69	37.22	74.00	35.91	144	221	Peak	Vertical		
3	2501.63	55.92	18.42	37.50	74.00	-18.08	144	221	Peak	Vertical		

802.11n HT20

CH 2(Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	46.42	9.32	37.10	54.00	-7.58	132	167	Average	Horizontal		
2 *	2417.00	99.83	62.61	37.22	54.00	45.83	132	167	Average	Horizontal		
3	2518.62	43.20	5.72	37.48	54.00	-10.80	132	167	Average	Horizontal		

CH 2(Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	46.61	9.51	37.10	54.00	-7.39	144	221	Average	Vertical		
2 *	2417.00	100.34	63.12	37.22	54.00	46.34	144	221	Average	Vertical		
3	2507.77	42.79	5.30	37.49	54.00	-11.21	144	221	Average	Vertical		


802.11n HT20

CH 6(Horizontal) Peak

CH 6(Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.35	60.74	23.64	37.10	74.00	-13.26	150	165	Peak	Horizontal		
2 *	2437.00	115.30	77.94	37.36	74.00	41.30	150	165	Peak	Horizontal		
3	2484.76	67.04	29.55	37.49	74.00	-6.96	150	165	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.59	56.75	19.65	37.10	74.00	-17.25	302	167	Peak	Vertical		
2 *	2437.00	113.20	75.04	37.36	74.00	39.20	302	167	Peak	Vertical		
3	2485.70	66.21	28.72	37.49	74.00	-7.79	302	167	Peak	Vertical		


802.11n HT20

CH 6(Horizontal) Average


CH 6(Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 10(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.68	54.66	17.57	37.09	74.00	-19.34	100	230	Peak	Horizontal		
2 *	2457.00	109.52	72.06	37.46	74.00	35.52	100	230	Peak	Horizontal		
3	2484.76	66.08	28.59	37.49	74.00	-7.92	100	230	Peak	Horizontal		

CH 10(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2313.19	54.79	17.08	36.81	74.00	-19.21	100	224	Peak	Vertical		
2 *	2457.00	109.75	72.29	37.46	74.00	35.75	100	224	Peak	Vertical		
3	2484.88	66.24	28.75	37.49	74.00	-7.76	100	224	Peak	Vertical		

802.11n HT20

CH 10(Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.34	41.99	4.90	37.09	54.00	-12.01	100	230	Average	Horizontal		
2 *	2457.00	99.00	62.34	37.46	54.00	45.00	100	230	Average	Horizontal		
3 !	2483.58	48.69	11.21	37.48	54.00	-5.31	100	230	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.82	42.19	5.09	37.10	54.00	-11.81	100	224	Average	Vertical		
2 *	2457.00	100.22	62.76	37.46	54.00	46.22	100	224	Average	Vertical		
3 !	2484.05	48.67	11.18	37.49	54.00	-5.33	100	224	Average	Vertical		


802.11n HT20

CH 11 (Horizontal) Peak

CH 11 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	54.90	17.80	37.10	74.00	-19.10	154	170	Peak	Horizontal		
2 *	2462.00	110.45	72.98	37.47	74.00	36.45	154	170	Peak	Horizontal		
3 !	2483.58	71.46	33.98	37.48	74.00	-2.54	154	170	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.74	54.96	17.87	37.09	74.00	-19.04	100	116	Peak	Vertical		
2 *	2462.00	104.40	66.93	37.47	74.00	30.40	100	116	Peak	Vertical		
3	2484.52	62.81	25.32	37.49	74.00	-11.19	100	116	Peak	Vertical		

802.11n HT20

CH 11 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.06	42.71	5.61	37.10	54.00	-11.29	154	170	Average	Horizontal		
2 *	2462.00	99.65	62.18	37.47	54.00	45.65	154	170	Average	Horizontal		
3 !	2483.46	49.60	12.12	37.48	54.00	-4.40	154	170	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.34	41.73	4.64	37.09	54.00	-12.27	100	116	Average	Vertical		
2 *	2462.00	93.33	55.86	37.47	54.00	39.33	100	116	Average	Vertical		
3	2483.58	44.43	6.95	37.48	54.00	-9.57	100	116	Average	Vertical		

802.11n HT40

CH 1(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.87	70.94	33.84	37.10	74.00	-3.06	120	167	Peak	Horizontal		
2	2422.00	106.74	69.48	37.26	74.00	32.74	120	167	Peak	Horizontal		
3	2497.97	56.45	18.95	37.50	74.00	-17.55	120	167	Peak	Horizontal		

CH 1(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.11	65.96	28.86	37.10	74.00	-8.04	309	171	Peak	Vertical		
2	2422.00	103.51	66.25	37.26	74.00	29.51	309	171	Peak	Vertical		
3	2892.57	56.21	18.28	37.93	74.00	-17.79	309	171	Peak	Vertical		