


802.11n HT40

CH 1(Horizontal) Average

CH 1(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	51.91	14.81	37.10	54.00	-2.09	120	167	Average	Horizontal		
2	2422.00	97.01	59.75	37.26	54.00	43.01	120	167	Average	Horizontal		
3	2488.06	43.79	6.30	37.49	54.00	-10.21	120	167	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	47.99	10.89	37.10	54.00	-6.01	309	171	Average	Vertical		
2	2422.00	93.76	56.50	37.26	54.00	39.76	309	171	Average	Vertical		
3	2484.54	43.87	5.98	37.89	54.00	-10.13	309	171	Average	Vertical		

802.11n HT40

CH 6(Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	69.53	32.43	37.10	74.00	-4.47	163	167	Peak	HORIZONTAL		
2	2437.00	108.52	71.16	37.36	74.00	34.52	163	167	Peak	HORIZONTAL		
3	2483.58	70.83	33.35	37.48	74.00	-3.17	163	167	Peak	HORIZONTAL		

CH 6(Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	66.32	29.22	37.10	74.00	-7.68	308	169	Peak	Vertical		
2	2437.00	104.77	67.41	37.36	74.00	30.77	308	169	Peak	Vertical		
3	2483.46	65.53	28.05	37.48	74.00	-8.47	308	169	Peak	Vertical		


802.11n HT40

CH 6(Horizontal) Average

CH 6(Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.53	50.97	13.87	37.10	54.00	-3.83	163	167 Average	HORIZONTAL	
2	2437.00	98.76	61.40	37.36	54.00	44.76	163	167 Average	HORIZONTAL	
3	2483.58	52.30	14.82	37.48	54.00	-1.70	163	167 Average	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.89	47.31	10.21	37.10	54.00	-6.69	308	169 Average	Vertical	
2	2437.00	94.84	57.48	37.36	54.00	40.84	308	169 Average	Vertical	
3	2481.59	48.15	10.51	37.64	54.00	-5.85	308	169 Average	Vertical	


802.11n HT40

CH 11 (Horizontal) Peak

CH 11 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.03	54.96	18.11	36.85	74.00	-19.04	160	166	Peak	Horizontal		
2 *	2452.00	105.18	67.72	37.46	74.00	31.18	160	166	Peak	Horizontal		
3 !	2487.12	69.60	32.11	37.49	74.00	-4.40	160	166	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2345.75	54.32	17.29	37.03	74.00	-19.68	100	116	Peak	Vertical		
2 *	2452.00	99.93	62.47	37.46	74.00	25.93	100	116	Peak	Vertical		
3	2487.24	64.33	26.84	37.49	74.00	-9.67	100	116	Peak	Vertical		

802.11n HT40

CH 11 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	42.83	5.73	37.10	54.00	-11.17	160	166	Average	Horizontal		
2 *	2452.00	95.31	57.85	37.46	54.00	41.31	160	166	Average	Horizontal		
3 !	2483.93	52.39	14.90	37.49	54.00	-1.61	160	166	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.12	41.68	4.58	37.10	54.00	-12.32	100	116	Average	Vertical		
2 *	2452.00	90.48	52.94	37.46	54.00	36.48	100	116	Average	Vertical		
3	2483.93	47.57	10.08	37.49	54.00	-6.43	100	116	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11n40

CH 69kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	57.92	38.97	18.95	119.13	-61.21	100	148	Peak	Open		
2	0.05	41.62	22.50	19.12	113.58	-71.96	100	148	Peak	Open		
3	0.06	40.72	21.87	18.85	111.82	-71.10	100	245	Peak	Open		
4	0.07	43.35	24.63	18.72	111.12	-67.77	100	168	Peak	Open		
5	0.10	35.99	17.98	18.01	107.90	-71.91	100	85	Peak	Open		
6	0.13	35.33	17.28	18.05	105.40	-70.07	100	167	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.78	44.85	25.87	18.98	69.80	-24.95	100	148	Peak	Open		
2	5.68	33.52	13.66	19.86	69.50	-35.98	100	174	Peak	Open		
3	10.30	35.71	14.13	21.58	69.50	-33.79	100	26	Peak	Open		
4	17.07	35.49	13.45	22.04	69.50	-34.01	100	244	Peak	Open		
5	20.36	35.80	13.56	22.24	69.50	-33.70	100	308	Peak	Open		
6	27.28	36.53	14.22	22.31	69.50	-32.97	100	221	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11n40

CH 6(Horizontal)

CH 6(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	70.74	22.26	32.39	-10.13	40.00	-17.74	100	211 Peak	Horizontal	
2	144.46	28.37	36.04	-7.67	43.50	-15.13	200	266 Peak	Horizontal	
3	297.72	30.30	37.04	-6.74	46.00	-15.70	100	288 Peak	Horizontal	
4	782.21	34.74	33.03	1.71	46.00	-11.26	100	183 Peak	Horizontal	
5	810.85	33.36	30.45	2.91	46.00	-12.64	100	197 Peak	Horizontal	
6	903.00	35.58	31.25	4.33	46.00	-10.42	100	271 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	32.91	29.11	37.98	-8.87	40.00	-10.89	100	128 Peak	Vertical	
2	149.31	26.94	34.41	-7.47	43.50	-16.56	100	74 Peak	Vertical	
3	250.19	31.91	39.91	-8.00	46.00	-14.09	100	84 Peak	Vertical	
4	399.57	30.12	34.59	-4.47	46.00	-15.88	100	45 Peak	Vertical	
5	539.25	30.33	32.35	-2.02	46.00	-15.67	100	169 Peak	Vertical	
6	823.46	34.86	31.78	3.08	46.00	-11.14	100	170 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

CH 1(Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	46.39	56.73	-10.34	54.00	-7.61	200	60	Average	Horizontal		
2	4824.00	50.78	61.12	-10.34	74.00	-23.22	200	60	Peak	Horizontal		

CH 1(Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	44.30	54.64	-10.34	54.00	-9.70	400	360	Average	Vertical		
2	4824.00	48.58	58.92	-10.34	74.00	-25.42	400	360	Peak	Vertical		


802.11b

CH 6(Horizontal)

CH 6(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	52.98	63.31	-10.33	54.00	-1.02	181	250	Average	Horizontal		
2	4874.00	54.22	64.55	-10.33	74.00	-19.78	181	250	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	47.11	57.44	-10.33	54.00	-6.89	182	336	Average	Vertical		
2	4874.00	49.25	59.58	-10.33	74.00	-24.75	182	336	Peak	Vertical		


802.11b

CH 11 (Horizontal)

CH 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	43.86	54.17	-10.31	54.00	-10.14	200	198	Average	Horizontal		
2	4924.00	46.71	57.02	-10.31	74.00	-27.29	200	198	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	42.58	52.89	-10.31	54.00	-11.42	300	171	Average	Vertical		
2	4924.00	45.79	56.10	-10.31	74.00	-28.21	300	171	Peak	Vertical		


802.11g

CH 1(Horizontal)

CH 1(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	29.06	39.40	-10.34	54.00	-24.94	180	85	Average	Horizontal		
2	4824.00	42.50	52.84	-10.34	74.00	-31.50	180	85	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	29.24	39.58	-10.34	54.00	-24.76	300	19	Average	Vertical		
2	4824.00	42.73	53.07	-10.34	74.00	-31.27	300	19	Peak	Vertical		


802.11g

CH 6(Horizontal)

CH 6(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	33.75	44.00	-10.33	54.00	-20.25	280	187	Average	Horizontal		
2	4874.00	49.56	59.89	-10.33	74.00	-24.44	280	187	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	32.38	42.71	-10.33	54.00	-21.62	300	188	Average	Vertical		
2	4874.00	47.30	57.63	-10.33	74.00	-26.70	300	188	Peak	Vertical		


802.11g

CH 11 (Horizontal)

CH 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	29.19	39.50	-10.31	54.00	-24.81	200	196	Average	Horizontal		
2	4924.00	43.78	54.09	-10.31	74.00	-30.22	200	196	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	29.08	39.39	-10.31	54.00	-24.92	200	27	Average	Vertical		
2	4924.00	42.94	53.25	-10.31	74.00	-31.06	200	27	Peak	Vertical		


802.11n HT20

CH 1(Horizontal)

CH 1(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	26.22	36.56	-10.34	54.00	-27.78	300	360	Average	Horizontal		
2	4824.00	39.91	50.25	-10.34	74.00	-34.09	300	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	26.31	36.65	-10.34	54.00	-27.69	126	360	Average	Vertical		
2	4824.00	44.96	55.30	-10.34	74.00	-29.04	126	360	Peak	Vertical		


802.11n HT20

CH 2(Horizontal)

CH 2(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4834.00	29.10	39.40	-10.30	54.00	-24.90	480	126	Average	Horizontal		
2	4834.00	42.29	52.59	-10.30	74.00	-31.71	480	126	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4834.00	29.11	39.41	-10.30	54.00	-24.89	300	109	Average	Vertical		
2	4834.00	42.56	52.86	-10.30	74.00	-31.44	300	109	Peak	Vertical		


802.11n HT20

CH 6(Horizontal)

CH 6(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	33.25	43.58	-10.33	54.00	-20.75	100	251	Average	Horizontal	
2	4874.00	43.91	54.24	-10.33	74.00	-30.09	100	251	Peak	Horizontal	
3	7311.00	36.56	45.05	-8.49	54.00	-17.44	100	192	Average	Horizontal	
4	7311.00	46.72	55.21	-8.49	74.00	-27.28	100	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	30.88	41.21	-10.33	54.00	-23.12	336	269	Average	Vertical	
2	4874.00	43.25	53.58	-10.33	74.00	-30.75	336	269	Peak	Vertical	
3	7311.00	35.88	44.37	-8.49	54.00	-18.12	264	187	Average	Vertical	
4	7311.00	44.74	53.23	-8.49	74.00	-29.26	264	187	Peak	Vertical	


802.11n HT20

CH 10(Horizontal)

CH 10(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4914.00	32.16	42.51	-10.35	54.00	-21.84	280	194	Average	Horizontal		
2	4914.00	47.09	57.44	-10.35	74.00	-26.91	280	194	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4914.00	30.38	40.73	-10.35	54.00	-23.62	400	98	Average	Vertical		
2	4914.00	44.97	55.32	-10.35	74.00	-29.03	400	98	Peak	Vertical		


802.11n HT20

CH 11 (Horizontal)

CH 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	26.16	36.47	-10.31	54.00	-27.84		300	126	Average	Horizontal	
2	4924.00	40.17	50.48	-10.31	74.00	-33.83		300	126	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	26.33	36.64	-10.31	54.00	-27.67		400	152	Average	Vertical	
2	4924.00	39.70	50.01	-10.31	74.00	-34.30		400	152	Peak	Vertical	


802.11n HT40

CH 1(Horizontal)

CH 1(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	26.44	36.71	-10.27	54.00	-27.56		400	112	Average	Horizontal	
2	4844.00	39.97	50.24	-10.27	74.00	-34.03		400	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	26.39	36.66	-10.27	54.00	-27.61		400	281	Average	Vertical	
2	4844.00	36.07	46.34	-10.27	74.00	-37.93		400	281	Peak	Vertical	


802.11n HT40

CH 6(Horizontal)

CH 6(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	26.07	36.40	-10.33	54.00	-27.93	118	360	Average	Horizontal		
2	4874.00	40.09	50.42	-10.33	74.00	-33.91	118	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	26.05	36.38	-10.33	54.00	-27.95	300	2	Average	Vertical		
2	4874.00	39.26	49.59	-10.33	74.00	-34.74	300	2	Peak	Vertical		


802.11n HT40

CH 11 (Horizontal)

CH 11 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	26.13	36.58	-10.37	54.00	-27.87	100	177	Average	Horizontal		
2	4904.00	40.21	50.58	-10.37	74.00	-33.79	100	177	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	26.07	36.44	-10.37	54.00	-27.93	300	169	Average	Vertical		
2	4904.00	40.21	50.58	-10.37	74.00	-33.79	300	169	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.19	20.70	11.08	9.62	54.05	-33.35 Average	line1	
2	0.19	33.56	23.94	9.62	64.05	-30.49 QP	line1	
3	0.46	36.55	26.92	9.63	46.69	-10.14 Average	line1	
4	0.46	42.12	32.49	9.63	56.69	-14.57 QP	line1	
5	0.77	21.10	11.46	9.64	46.00	-24.90 Average	line1	
6	0.77	30.24	20.60	9.64	56.00	-25.76 QP	line1	
7	1.96	19.41	9.75	9.66	46.00	-26.59 Average	line1	
8	1.96	25.13	15.47	9.66	56.00	-30.87 QP	line1	
9	3.87	16.73	7.05	9.68	46.00	-29.27 Average	line1	
10	3.87	22.69	13.01	9.68	56.00	-33.31 QP	line1	
11	16.66	20.03	10.26	9.77	50.00	-29.97 Average	line1	
12	16.66	27.37	17.60	9.77	60.00	-32.63 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.17	17.65	8.03	9.62	55.05	-37.40 Average	neutral	
2	0.17	34.40	24.78	9.62	65.05	-30.65 QP	neutral	
3	0.46	27.24	17.61	9.63	46.69	-19.45 Average	neutral	
4	0.46	39.32	29.69	9.63	56.69	-17.37 QP	neutral	
5	0.87	16.88	7.24	9.64	46.00	-29.12 Average	neutral	
6	0.87	29.40	19.76	9.64	56.00	-26.60 QP	neutral	
7	1.99	11.36	1.70	9.66	46.00	-34.64 Average	neutral	
8	1.99	21.30	11.64	9.66	56.00	-34.70 QP	neutral	
9	4.54	8.31	-1.40	9.71	46.00	-37.69 Average	neutral	
10	4.54	17.00	7.29	9.71	56.00	-39.00 QP	neutral	
11	16.66	14.42	4.58	9.84	50.00	-35.58 Average	neutral	
12	16.66	25.93	16.09	9.84	60.00	-34.07 QP	neutral	