

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.99	60.98	24.70	36.28	74.00	-13.02	288	360	Peak	Horizontal	
2 *	2412.00	110.17	73.81	36.36	74.00	36.17	288	360	Peak	Horizontal	
3	2488.17	54.66	17.70	36.96	74.00	-19.34	288	360	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.14	57.74	21.44	36.30	74.00	-16.26	100	125	Peak	Vertical	
2 *	2412.00	104.76	68.40	36.36	74.00	30.76	100	125	Peak	Vertical	
3	2496.11	53.87	16.85	37.02	74.00	-20.13	100	125	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.24	53.82	17.52	36.30	54.00	-0.18	288	360 Average	Horizontal	
2	2412.00	106.13	69.77	36.36	54.00	52.13	288	360 Average	Horizontal	
3	2495.68	40.53	3.52	37.01	54.00	-13.47	288	360 Average	Horizontal	

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.24	50.12	13.82	36.30	54.00	-3.88	100	125 Average	Vertical	
2	2412.00	101.66	65.30	36.36	54.00	47.66	100	125 Average	Vertical	
3	2491.59	40.46	3.47	36.99	54.00	-13.54	100	125 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.52	41.43	5.14	36.29	54.00	-12.57	284	360	Average	Horizontal		
2 *	2437.00	105.93	69.34	36.59	54.00	51.93	284	360	Average	Horizontal		
3	2498.05	40.42	3.39	37.03	54.00	-13.58	284	360	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.42	40.49	4.21	36.28	54.00	-13.51	204	136	Average	Vertical		
2 *	2437.00	103.19	66.60	36.59	54.00	49.19	204	136	Average	Vertical		
3	2493.92	40.80	3.80	37.00	54.00	-13.20	204	136	Average	Vertical		

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.68	53.21	16.85	36.36	74.00	-20.79	100	174	Peak	Horizontal		
2 *	2462.00	100.88	72.10	36.78	74.00	34.88	100	174	Peak	Horizontal		
3	2483.99	62.60	25.67	36.93	74.00	-11.40	100	174	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.00	53.61	17.24	36.37	74.00	-20.39	227	134	Peak	Vertical		
2 *	2462.00	100.64	69.86	36.78	74.00	32.64	227	134	Peak	Vertical		
3	2484.42	64.22	27.28	36.94	74.00	-9.78	227	134	Peak	Vertical		

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.96	39.77	3.47	36.30	54.00	-14.23	100	174	Average	Horizontal		
2 *	2462.00	105.08	68.39	36.78	54.00	51.08	100	174	Average	Horizontal		
3 †	2483.50	52.04	15.11	36.93	54.00	-1.96	100	174	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.85	39.59	3.19	36.40	54.00	-14.41	227	134	Average	Vertical		
2 *	2462.00	103.98	67.28	36.78	54.00	49.98	227	134	Average	Vertical		
3 †	2483.47	53.10	16.17	36.93	54.00	-0.90	227	134	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.85	72.03	35.75	36.28	74.00	-1.97	287	360	Peak	Horizontal		
2	2412.00	108.92	72.56	36.36	74.00	34.92	287	360	Peak	Horizontal		
3	2486.46	54.12	17.17	36.95	74.00	-19.88	287	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.94	70.50	34.22	36.28	74.00	-3.50	268	134	Peak	Vertical		
2	2412.00	105.32	68.96	36.36	74.00	31.32	268	134	Peak	Vertical		
3	2488.93	54.30	17.34	36.96	74.00	-19.70	268	134	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.99	47.43	11.15	36.28	54.00	-6.57	284	360	Average	Horizontal		
2 *	2437.00	103.06	66.47	36.59	54.00	49.06	284	360	Average	Horizontal		
3 †	2483.57	48.32	11.39	36.93	54.00	-5.68	284	360	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.99	44.98	8.70	36.28	54.00	-9.02	301	276	Average	Vertical		
2 *	2437.00	100.23	63.64	36.59	54.00	46.23	301	276	Average	Vertical		
3 †	2483.57	49.22	12.29	36.93	54.00	-4.78	301	276	Average	Vertical		

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.63	53.62	17.32	36.30	74.00	-20.38	223	360	Peak	Horizontal		
2 *	2462.00	107.67	70.89	36.78	74.00	33.67	223	360	Peak	Horizontal		
3 !	2483.61	73.09	36.16	36.93	74.00	-0.91	223	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.84	53.58	17.19	36.39	74.00	-20.42	176	132	Peak	Vertical		
2 *	2462.00	105.49	68.71	36.78	74.00	31.49	176	132	Peak	Vertical		
3 !	2483.57	73.50	36.57	36.93	74.00	-0.50	176	132	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2339.21	39.82	3.43	36.39	54.00	-14.18	223	360	Average	Horizontal		
2 *	2462.00	96.90	68.12	36.78	54.00	42.90	223	360	Average	Horizontal		
3 !	2483.50	53.31	16.38	36.93	54.00	-0.69	223	360	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.83	39.71	3.39	36.32	54.00	-14.29	176	132	Average	Vertical		
2 *	2462.00	95.28	58.50	36.78	54.00	41.28	176	132	Average	Vertical		
3 !	2483.52	52.56	15.63	36.93	54.00	-1.44	176	132	Average	Vertical		

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.75	70.56	34.28	36.28	74.00	-3.44	291	360	Peak	Horizontal		
2	2412.00	107.27	70.91	36.36	74.00	33.27	291	360	Peak	Horizontal		
3	2499.53	54.46	17.42	37.04	74.00	-19.54	291	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.99	67.70	31.42	36.28	74.00	-6.30	131	126	Peak	Vertical		
2	2412.00	103.91	67.55	36.36	74.00	29.91	131	126	Peak	Vertical		
3	2486.37	53.85	16.90	36.95	74.00	-20.15	131	126	Peak	Vertical		

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.94	52.33	16.05	36.28	54.00	-1.67	291	360	Average	Horizontal		
2	2412.00	97.30	60.94	36.36	54.00	43.30	291	360	Average	Horizontal		
3	2498.91	40.89	3.86	37.03	54.00	-13.11	291	360	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	48.65	12.37	36.28	54.00	-5.35	131	126	Average	Vertical		
2	2412.00	93.55	57.19	36.36	54.00	39.55	131	126	Average	Vertical		
3	2498.24	40.78	3.75	37.03	54.00	-13.22	131	126	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.14	58.40	22.12	36.28	74.00	-15.60	313	360	Peak	Horizontal		
2 *	2437.00	112.74	76.15	36.59	74.00	38.74	313	360	Peak	Horizontal		
3 †	2483.47	68.51	31.58	36.93	74.00	-5.49	313	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.42	63.19	26.91	36.28	74.00	-10.81	301	269	Peak	Vertical		
2 *	2437.00	110.69	74.10	36.59	74.00	36.69	301	269	Peak	Vertical		
3	2484.23	64.15	27.21	36.94	74.00	-9.85	301	269	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2335.22	53.50	17.11	36.39	74.00	-20.50	227	360	Peak	Horizontal		
2 *	2462.00	106.09	69.31	36.78	74.00	32.09	227	360	Peak	Horizontal		
3 !	2483.47	71.16	34.23	36.93	74.00	-2.84	227	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.40	53.04	16.64	36.40	74.00	-20.96	253	136	Peak	Vertical		
2 *	2462.00	105.50	68.72	36.78	74.00	31.50	253	136	Peak	Vertical		
3 !	2483.66	73.40	36.47	36.93	74.00	-0.60	253	136	Peak	Vertical		

802.11n HT20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2314.89	40.17	3.80	36.37	54.00	-13.83	227	360	Average	Horizontal		
2 *	2462.00	95.92	59.14	36.78	54.00	41.92	227	360	Average	Horizontal		
3 †	2483.57	49.40	12.47	36.93	54.00	-4.60	227	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2314.51	39.83	3.46	36.37	54.00	-14.17	253	136	Average	Vertical		
2 *	2462.00	95.40	58.62	36.78	54.00	41.40	253	136	Average	Vertical		
3 †	2483.80	51.73	14.80	36.93	54.00	-2.27	253	136	Average	Vertical		

802.11n HT40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.71	70.27	33.98	36.29	74.00	-3.73	286	360	Peak	Horizontal		
2	2422.00	103.99	67.54	36.45	74.00	29.99	286	360	Peak	Horizontal		
3	2491.40	55.46	18.47	36.99	74.00	-18.54	286	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.42	66.58	30.30	36.28	74.00	-7.42	303	208	Peak	Vertical		
2	2422.00	100.23	63.78	36.45	74.00	26.23	303	208	Peak	Vertical		
3	2488.60	55.99	19.03	36.96	74.00	-18.01	303	208	Peak	Vertical		

802.11n HT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.90	53.06	16.78	36.28	54.00	-0.94	286	360	Average	Horizontal		
2	2422.00	93.78	57.33	36.45	54.00	39.78	286	360	Average	Horizontal		
3	2483.95	41.42	4.49	36.93	54.00	-12.58	286	360	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.90	48.96	12.68	36.28	54.00	-5.04	303	208	Average	Vertical		
2	2422.00	89.98	53.53	36.45	54.00	35.98	303	208	Average	Vertical		
3	2483.47	41.74	4.81	36.93	54.00	-12.26	303	208	Average	Vertical		

802.11n HT40

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.52	53.36	17.08	36.28	54.00	-0.64	285	360	Average	Horizontal		
2	2437.00	96.18	59.59	36.59	54.00	42.18	285	360	Average	Horizontal		
3	2483.66	52.20	15.27	36.93	54.00	-1.80	285	360	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.99	47.27	10.99	36.28	54.00	-6.73	295	182	Average	Vertical		
2	2437.00	92.42	55.83	36.59	54.00	38.42	295	182	Average	Vertical		
3	2483.66	46.80	9.87	36.93	54.00	-7.20	295	182	Average	Vertical		

802.11n HT40

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1		2388.99	53.95	17.67	36.28	74.00	-20.05	281	360	Peak	Horizontal
2	*	2452.00	102.12	65.41	36.71	74.00	28.12	281	360	Peak	Horizontal
3	*	2485.09	68.83	31.09	36.94	74.00	-5.97	281	360	Peak	Horizontal

802.11n HT40

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.18	40.62	4.34	36.28	54.00	-13.38	281	360	Average	Horizontal	
2 *	2452.00	93.21	56.50	36.71	54.00	39.21	281	360	Average	Horizontal	
3 †	2483.80	51.45	14.52	36.93	54.00	-2.55	281	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.97	40.31	3.91	36.40	54.00	-13.69	292	209	Average	Vertical	
2 *	2452.00	90.37	53.66	36.71	54.00	36.37	292	209	Average	Vertical	
3 †	2483.95	53.44	16.51	36.93	54.00	-0.56	292	209	Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	54.25	22.74	28.61	-5.87	40.00	-17.26	100	130	Peak	Horizontal		
2	186.17	29.99	37.84	-7.85	43.50	-13.51	100	99	Peak	Horizontal		
3	364.65	30.18	34.23	-4.05	46.00	-15.82	100	282	Peak	Horizontal		
4	631.40	33.24	32.31	0.93	46.00	-12.76	110	360	Peak	Horizontal		
5	748.77	35.82	32.79	3.03	46.00	-10.18	200	183	Peak	Horizontal		
6	925.31	36.75	31.65	5.10	46.00	-9.25	100	360	Peak	Horizontal		

Vertical



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	45.52	24.94	31.02	-6.08	40.00	-15.06	100	2	Peak	Vertical		
2	143.49	25.92	32.35	-6.43	43.50	-17.58	100	119	Peak	Vertical		
3	251.16	26.56	33.34	-6.78	46.00	-19.44	100	183	Peak	Vertical		
4	517.91	31.73	32.73	-1.00	46.00	-14.27	100	291	Peak	Vertical		
5	642.07	38.17	37.03	1.14	46.00	-7.83	100	317	Peak	Vertical		
6	926.28	37.52	32.40	5.12	46.00	-6.48	200	283	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	25.72	35.11	-9.39	54.00	-28.28	200	179	Average	Horizontal	
2	4824.00	40.63	50.02	-9.39	74.00	-33.37	200	179	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	25.51	34.90	-9.39	54.00	-28.49	300	120	Average	Vertical	
2	4824.00	39.32	48.71	-9.39	74.00	-34.68	300	120	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	34.12	43.53	-9.41	54.00	-19.88	100	128	Average	Horizontal	
2	4874.00	49.16	58.57	-9.41	74.00	-24.84	100	128	Peak	Horizontal	
3	7311.00	37.55	44.64	-7.09	54.00	-16.45	200	244	Average	Horizontal	
4	7311.00	51.48	58.57	-7.09	74.00	-22.52	200	244	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	35.31	44.72	-9.41	54.00	-18.69	300	205	Average	Vertical	
2	4874.00	50.14	59.55	-9.41	74.00	-23.86	300	205	Peak	Vertical	
3	7311.00	37.08	44.17	-7.09	54.00	-16.92	100	197	Average	Vertical	
4	7311.00	51.36	58.45	-7.09	74.00	-22.64	100	197	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	25.97	35.25	-9.28	54.00	-28.03	180	210	Average	Horizontal	
2	4924.00	39.50	48.78	-9.28	74.00	-34.50	180	210	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	26.39	35.67	-9.28	54.00	-27.61	180	360	Average	Vertical	
2	4924.00	40.12	49.40	-9.28	74.00	-33.68	180	360	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	33.56	42.97	-9.41	54.00	-20.44	200	138	Average	Horizontal	
2	4874.00	48.59	58.00	-9.41	74.00	-25.41	200	138	Peak	Horizontal	
3	7311.00	42.63	49.72	-7.09	54.00	-11.37	200	296	Average	Horizontal	
4	7311.00	57.37	64.46	-7.09	74.00	-16.63	200	296	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	35.45	44.06	-9.41	54.00	-18.55	300	205	Average	Vertical	
2	4874.00	49.30	58.71	-9.41	74.00	-24.70	300	205	Peak	Vertical	
3	7311.00	36.94	44.03	-7.09	54.00	-17.06	300	127	Average	Vertical	
4	7311.00	51.33	58.42	-7.09	74.00	-22.67	300	127	Peak	Vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	25.94	35.22	-9.28	54.00	-28.06	180	257	Average	Horizontal	
2	4924.00	39.35	48.63	-9.28	74.00	-34.65	180	257	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	25.98	35.26	-9.28	54.00	-28.02	180	95	Average	Vertical	
2	4924.00	38.89	48.17	-9.28	74.00	-35.11	180	95	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	26.75	36.13	-9.38	54.00	-27.25	100	194	Average	Horizontal		
2	4844.00	39.94	49.32	-9.38	74.00	-34.06	100	194	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	26.59	35.97	-9.38	54.00	-27.41	100	298	Average	Vertical		
2	4844.00	39.47	48.85	-9.38	74.00	-34.53	100	298	Peak	Vertical		


802.11n HT40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 4874.00	26.61	36.02	-9.41	54.00	-27.39	269	0	Average Horizontal
2 4874.00	39.56	48.97	-9.41	74.00	-34.44	269	0	Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 4874.00	26.72	36.13	-9.41	54.00	-27.28	300	142	Average Vertical
2 4874.00	39.95	49.36	-9.41	74.00	-34.05	300	142	Peak Vertical


802.11n HT40

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Mains Conducted Emission, 150kHz ~ 30MHz

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.16	22.76	12.73	10.03	55.59	-32.83 Average	line1
2	0.16	36.39	26.36	10.03	65.59	-29.20 QP	line1
3	0.44	35.44	25.39	10.05	47.14	-11.70 Average	line1
4	0.44	46.51	36.46	10.05	57.14	-10.63 QP	line1
5	0.86	27.88	17.76	10.12	46.00	-18.12 Average	line1
6	0.86	38.76	28.64	10.12	56.00	-17.24 QP	line1
7	1.99	21.31	11.05	10.26	46.00	-24.69 Average	line1
8	1.99	32.37	22.11	10.26	56.00	-23.63 QP	line1
9	7.43	16.38	5.55	10.83	50.00	-33.62 Average	line1
10	7.43	26.70	15.87	10.83	60.00	-33.30 QP	line1
11	10.59	11.54	0.52	11.02	50.00	-38.46 Average	line1
12	10.59	19.99	8.97	11.02	60.00	-40.01 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.16	24.57	14.55	10.02	55.46	-30.89 Average	neutral
2	0.16	37.33	27.31	10.02	65.46	-28.13 QP	neutral
3	0.44	39.48	29.44	10.04	47.02	-7.54 Average	neutral
4	0.44	45.95	35.91	10.04	57.02	-11.07 QP	neutral
5	1.06	29.89	19.81	10.08	46.00	-16.11 Average	neutral
6	1.06	36.55	26.47	10.08	56.00	-19.45 QP	neutral
7	2.04	24.08	13.92	10.16	46.00	-21.92 Average	neutral
8	2.04	31.48	21.32	10.16	56.00	-24.52 QP	neutral
9	7.39	17.43	6.86	10.57	50.00	-32.57 Average	neutral
10	7.39	26.80	16.23	10.57	60.00	-33.20 QP	neutral
11	24.33	9.27	-1.81	11.00	50.00	-40.73 Average	neutral
12	24.33	19.68	8.60	11.00	60.00	-40.32 QP	neutral