


Appendix B: Test Results of Radiated Spurious Emissions


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak



Low Channel (Vertical) Peak




BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2383.16	40.61	3.05	37.56	54.00	-13.39	308	175	Average	Horizontal	
2 *	2402.00	98.38	60.76	37.62	54.00	44.38	308	175	Average	Horizontal	
3	2530.07	41.55	3.93	37.62	54.00	-12.45	308	175	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2377.26	41.20	3.91	37.29	54.00	-12.80	112	93	Average	Vertical	
2 *	2402.00	99.18	61.86	37.32	54.00	45.18	112	93	Average	Vertical	
3	2530.07	41.69	3.83	37.86	54.00	-12.31	112	93	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.12	52.98	15.52	37.46	74.00	-21.02	211	205	Peak	Horizontal		
2 *	2480.00	104.74	67.15	37.59	74.00	30.74	211	205	Peak	Horizontal		
3	2483.46	61.06	23.48	37.58	74.00	-12.94	211	205	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2342.45	53.35	16.15	37.20	74.00	-20.65	241	69	Peak	Vertical		
2 *	2480.00	106.53	68.84	37.69	74.00	32.53	241	69	Peak	Vertical		
3	2483.46	63.69	25.98	37.71	74.00	-10.31	241	69	Peak	Vertical		

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2351.89	41.08	3.62	37.46	54.00	-12.92		211	205	Average	Horizontal	
2 *	2480.00	98.00	61.21	37.59	54.00	44.00		211	205	Average	Horizontal	
3	2483.46	43.47	5.89	37.58	54.00	-10.53		211	205	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2351.89	41.93	4.67	37.26	54.00	-12.07		241	69	Average	Vertical	
2 *	2480.00	100.50	62.81	37.69	54.00	46.50		241	69	Average	Vertical	
3	2483.46	44.88	7.17	37.71	54.00	-9.12		241	69	Average	Vertical	

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2376.00	54.18	16.64	37.54	74.00	-19.82	310	175	Peak	Horizontal	
2 *	2402.00	103.03	66.21	37.62	74.00	29.83	310	175	Peak	Horizontal	
3	2679.93	54.28	16.10	38.18	74.00	-19.72	310	175	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2379.03	52.89	15.60	37.29	74.00	-21.11	168	93	Peak	Vertical	
2 *	2402.00	104.05	67.53	37.32	74.00	30.05	168	93	Peak	Vertical	
3	2845.13	54.95	16.72	38.23	74.00	-19.05	168	93	Peak	Vertical	

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.26	40.41	2.87	37.54	54.00	-13.59	310	175	Average	Horizontal	
2 *	2402.00	84.52	46.90	37.62	54.00	30.52	310	175	Average	Horizontal	
3	2633.91	41.39	3.20	38.19	54.00	-12.61	310	175	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.26	40.32	3.03	37.29	54.00	-13.68	168	93	Average	Vertical	
2 *	2402.00	85.20	47.88	37.32	54.00	31.20	168	93	Average	Vertical	
3	2632.73	41.64	3.73	37.91	54.00	-12.36	168	93	Average	Vertical	

BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2358.74	53.79	16.21	37.49	74.00	-20.30	211	204 Peak	Horizontal		
2 *	2480.00	104.73	67.14	37.59	74.00	30.73	211	204 Peak	Horizontal		
3	2483.46	62.58	25.00	37.58	74.00	-11.42	211	204 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2390.24	52.09	14.79	37.30	74.00	-21.91	182	72 Peak	Vertical		
2 *	2480.00	105.53	67.84	37.69	74.00	31.53	182	72 Peak	Vertical		
3	2483.46	61.65	23.94	37.71	74.00	-12.35	182	72 Peak	Vertical		

BLE_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.89	40.67	3.21	37.46	54.00	-13.33		211	204	Average	Horizontal	
2 *	2480.00	85.26	47.67	37.59	54.00	31.26		211	204	Average	Horizontal	
3	2483.46	45.55	7.97	37.58	54.00	-8.45		211	204	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.89	40.50	3.24	37.26	54.00	-13.50		102	72	Average	Vertical	
2 *	2480.00	85.04	48.15	37.69	54.00	31.04		102	72	Average	Vertical	
3	2483.46	46.25	8.54	37.71	54.00	-7.75		102	72	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	61.99	44.28	17.71	127.60	-65.61	100	64 QP	Open	
2	0.03	64.53	45.35	19.18	119.18	-54.65	100	172 QP	Open	
3	0.03	48.28	28.77	19.51	118.05	-69.77	100	52 QP	Open	
4	0.05	45.03	25.78	19.25	113.13	-68.10	100	258 QP	Open	
5	0.06	41.41	22.37	19.04	111.72	-70.31	100	1 QP	Open	
6	0.13	28.53	16.21	18.32	105.46	-76.93	100	214 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.24	45.02	26.31	18.71	100.01	-54.99	100	213 QP	Open	
2	1.25	34.38	15.09	19.29	65.64	-31.26	100	226 QP	Open	
3	9.73	34.32	13.04	21.28	69.50	-35.18	100	165 QP	Open	
4	14.27	35.05	13.36	21.69	69.50	-34.45	100	13 QP	Open	
5	17.61	34.95	13.04	21.91	69.50	-34.55	100	93 QP	Open	
6	23.94	35.55	13.34	22.21	69.50	-33.95	100	337 QP	Open	

BLE_1M

Low Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	52.18	34.47	17.71	127.60	-75.42	100	6 QP	Close		
2	0.03	64.62	45.44	19.18	119.18	-54.56	100	271 QP	Close		
3	0.05	45.75	26.50	19.25	113.13	-67.38	100	26 QP	Close		
4	0.06	39.62	20.58	19.04	111.72	-72.10	100	40 QP	Close		
5	0.07	36.67	17.71	18.96	111.25	-74.58	100	244 QP	Close		
6	0.13	26.34	8.02	18.32	105.43	-79.09	100	208 QP	Close		

Low Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.27	42.33	23.51	18.82	98.99	-56.66	100	108 QP	Close		
2	5.40	33.49	14.01	19.48	69.50	-36.01	100	158 QP	Close		
3	9.91	33.81	12.45	21.36	69.50	-35.69	100	270 QP	Close		
4	14.54	35.09	13.39	21.70	69.50	-34.41	100	111 QP	Close		
5	19.28	34.96	12.94	22.02	69.50	-34.54	100	80 QP	Close		
6	24.96	36.02	14.57	22.25	69.50	-32.68	100	257 QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	59.10	26.09	33.08	-6.99	40.00	-13.91	400	272	QP		Horizontal	
2	131.05	35.24	42.06	-6.82	43.50	-8.26	200	100	QP		Horizontal	
3	155.13	32.84	38.63	-5.79	43.50	-10.66	200	261	QP		Horizontal	
4	179.38	33.72	40.86	-7.14	43.50	-9.78	200	132	QP		Horizontal	
5	275.41	33.62	39.04	-5.42	46.00	-12.38	100	83	QP		Horizontal	
6	335.55	33.74	37.94	-3.80	46.00	-12.26	100	233	QP		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	47.46	33.57	39.33	-5.76	40.00	-6.43	100	285	QP		Vertical	
2	59.10	34.47	41.46	-6.99	40.00	-5.53	100	258	QP		Vertical	
3	71.71	34.13	42.97	-8.84	40.00	-5.87	200	360	QP		Vertical	
4	83.35	36.12	47.36	-11.24	40.00	-3.88	200	360	QP		Vertical	
5	155.13	32.64	38.43	-5.79	43.50	-10.86	300	230	QP		Vertical	
6	275.41	29.07	34.49	-5.42	46.00	-16.93	200	4	QP		Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




BLE_1M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	48.06	54.57	-6.51	54.00	-5.94	125	59	Average	Horizontal		
2	7320.00	57.52	64.03	-6.51	74.00	-16.48	300	59	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	48.20	54.83	-6.63	54.00	-5.80	187	10	Average	Vertical		
2	7320.00	57.66	64.29	-6.63	74.00	-16.34	187	10	Peak	Vertical		

BLE_1M

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7440.00	48.75	54.98	-6.23	54.00	-5.25	137	69	Average	Horizontal		
2	7440.00	57.81	64.04	-6.23	74.00	-16.19	137	69	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7440.00	49.53	56.12	-6.59	54.00	-4.47	101	20	Average	Vertical		
2	7440.00	58.49	65.08	-6.59	74.00	-15.51	101	20	Peak	Vertical		


BLE_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	48.58	57.60	-9.02	74.00	-25.42	400	143	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	48.10	57.51	-9.41	74.00	-25.90	200	135	Peak	Vertical	

BLE_2M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	43.60	50.11	-6.51	54.00	-10.40	100	195	Average	Horizontal	
2	7320.00	57.48	63.99	-6.51	74.00	-16.52	100	195	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	43.73	50.36	-6.63	54.00	-10.27	100	91	Average	Vertical	
2	7320.00	57.09	63.72	-6.63	74.00	-16.91	100	91	Peak	Vertical	


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	42.54	48.77	-6.23	54.00	-11.46	100	191	Average	Horizontal		
2	7440.00	58.03	64.26	-6.23	74.00	-15.97	100	191	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	44.02	50.61	-6.59	54.00	-9.98	125	10	Average	Vertical		
2	7440.00	58.08	64.67	-6.59	74.00	-15.92	125	10	Peak	Vertical		