



U-NII-3






802.11a

CH 165 (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.16	42.60	-2.44	54.00	-13.84	149	360	Average	Horizontal	
2	11650.00	54.04	56.48	-2.44	74.00	-19.96	149	360	Peak	Horizontal	
3	17475.00	62.77	58.03	4.74	68.20	-5.43	100	299	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	NHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	42.13	44.57	-2.44	54.00	-11.87	100	337 Average	Vertical	
2	11650.00	55.63	58.87	-2.44	74.00	-18.37	100	337 Peak	Vertical	
3	17475.00	62.75	58.01	4.74	68.20	-5.45	200	166 Peak	Vertical	



802.11ac VHT20


CH 157 (Horizontal)



TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-10-30



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	39.33	42.00	-2.67	54.00	-14.67	100	346 Average	Horizontal	
2	11570.00	53.37	56.04	-2.67	74.00	-20.63	100	346 Peak	Horizontal	
3	17355.00	65.32	60.75	4.57	68.20	-2.88	400	202 Peak	Horizontal	


CH 157 (Vertical)



TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-10-30



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	39.86	42.53	-2.67	54.00	-14.14	300	6 Average	Vertical	
2	11570.00	54.47	57.14	-2.67	74.00	-19.53	300	6 Peak	Vertical	
3	17355.00	66.16	61.59	4.57	68.20	-2.04	400	162 Peak	Vertical	


802.11ac VHT20

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-10-30




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11650.00	38.14	40.58	-2.44	54.00	-15.86	100	305	Average	Horizontal	
2 11650.00	52.15	54.59	-2.44	74.00	-21.85	100	305	Peak	Horizontal	
3 17475.00	61.40	56.66	4.74	68.20	-6.80	100	190	Peak	Horizontal	

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


Date: 2023-10-30



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11650.00	37.98	40.42	-2.44	54.00	-16.02	100	68	Average	Vertical	
2 11650.00	52.77	55.21	-2.44	74.00	-21.23	100	68	Peak	Vertical	
3 17475.00	64.00	60.06	4.74	68.20	-3.40	395	219	Peak	Vertical	

	Freq	Read Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBm	Factor	Line	Limit				
	dBm	dBm				cm	deg		
1	11510.00	37.91	40.67	-2.76	54.00	-16.09	200	328 Average	Vertical
2	11510.00	48.69	51.45	-2.76	74.00	-25.31	200	328 Peak	Vertical
3	17265.00	57.54	53.23	4.31	68.20	-10.66	200	243 Peak	Vertical







Mains Conducted Emission, 150kHz ~ 30MHz



Worst Band

(Line)

(Neutral)



Trace: 1	Frequency (MHz)							
	Freq	Level	Read Level	Limit	Over Limit	Pol/Phase	Note	
	MHz	dBuV	Factor	dB	dB			
1	0.18	28.61	19.02	9.59	54.55	-25.94	Average	line1
2	0.18	56.31	46.72	9.59	64.55	-8.24	QP	line1
3	0.32	23.58	13.92	9.59	49.67	-26.09	Average	line1
4	0.32	40.40	30.81	9.59	59.67	-19.27	QP	line1
5	1.01	38.60	28.99	9.61	46.00	-7.25	Average	line1
6	1.01	38.75	29.14	9.61	56.00	-17.25	QP	line1
7	3.03	30.49	18.84	9.61	46.00	-25.76	Average	line1
8	3.03	24.15	14.50	9.65	56.00	-31.85	QP	line1
9	6.73	16.15	6.47	9.68	50.00	-33.85	Average	line1
10	6.73	24.51	14.83	9.68	60.00	-35.49	QP	line1
11	18.97	25.88	16.18	9.70	50.00	-24.82	Average	line1
12	18.97	39.29	29.59	9.70	60.00	-20.71	QP	line1



Trace: 1	Frequency (MHz)								
	Read Level				Limit		Over	Pol/Phase	Note
	Freq	Level	Read Level	Factor	Limit	dB	Limit		
	NHz	dBuV	dBuV	dB	dBuV	dB	dB	Remark	
1	0.27	22.80	13.22	9.58	51.16	-28.36	Average		neutral
2	0.27	44.49	34.91	9.58	63.16	-16.67	QP		neutral
3	0.51	40.76	31.17	9.59	46.00	-5.21	Average		neutral
4	0.51	41.78	32.19	9.59	56.00	-14.22	QP		neutral
5	1.01	31.64	22.04	9.60	46.00	-14.36	Average		neutral
6	1.01	32.97	23.37	9.60	56.00	-23.05	QP		neutral
7	1.02	33.86	4.24	9.60	46.00	-33.86	Average		neutral
8	2.02	26.26	16.64	9.62	56.00	-29.74	QP		neutral
9	5.04	19.11	9.45	9.66	50.00	-38.89	Average		neutral
10	5.04	27.67	18.01	9.66	60.00	-32.33	QP		neutral
11	17.95	29.48	19.72	9.70	60.00	-33.86	Average		neutral
12	17.95	29.38	29.44	9.76	60.00	-28.08	QP		neutral