




No.	Freq.	Cut#1(Theta- [dB]	Avg. [dB]	Peak [dB]	Null [deg]	Diff. [deg]	BW [deg]													
1	2400.000	-5.74	-3.29	261.00	-9.74	7.00	6.45	72.70												
2	2410.000	-5.74	-3.49	161.00	-9.39	6.00	5.90	78.39												
3	2420.000	-5.65	-3.27	274.00	-9.38	356.00	6.11	71.60												
4	2430.000	-5.72	-3.32	167.00	-9.61	8.00	6.29	90.18												
5	2440.000	-6.29	-3.73	265.00	-9.84	4.00	6.11	70.45												
6	2450.000	-6.46	-3.91	268.00	-10.81	11.00	6.91	71.52												
7	2460.000	-7.79	-4.76	273.00	-12.68	14.00	7.93	66.94												
8	2470.000	-7.54	-4.66	270.00	-12.94	354.00	8.28	61.64												
9	2480.000	-7.77	-4.59	277.00	-12.27	6.00	7.68	56.78												
10	2490.000	-8.11	-4.72	271.00	-12.74	24.00	8.02	59.00												
11	2500.000	-8.35	-5.02	279.00	-12.72	10.00	7.69	57.00												

Data Set

Polarization :

Theta-pol(

Cut :

90

 [deg]

Freq. : [MHz]

2400,000

2410,000

2420,000

2430,000

2440,000

2450,000

2460,000

2470,000

2480,000

2490,000

2500,000

Param.

BW[dB] :

-

3




F/B[deg] :

±

30

Lobe Filter [dB] :

Apply



Graph Option

Style

☒ Polar

☐ Rect.

☐ angular

Mark

☐ Beam Peak

☐ Beam Width

☐ Side Lobes

Zoom

Cut #1

Cut #2

Cut #3

Scale

Max :

20

Min :

-40

Apply

☐ Report Form



No.	Freq.	Cut#1(Theta- Avg. [dB]	Peak [dB]	[deg]	Null [dB]	[deg]	Diff. [dB]	BW [deg]												
1	2400.000	-5.85	-0.09	268.00	-38.98	11.00	38.89	59.93												
2	2410.000	-6.30	-0.29	268.00	-43.33	10.00	43.04	57.53												
3	2420.000	-6.36	-0.34	265.00	-43.26	8.00	42.91	58.89												
4	2430.000	-6.78	-0.87	259.00	-36.99	9.00	36.12	56.92												
5	2440.000	-7.76	-1.92	260.00	-34.44	12.00	32.51	55.96												
6	2450.000	-8.02	-2.01	270.00	-37.01	10.00	35.00	54.89												
7	2460.000	-9.45	-3.03	252.00	-51.24	11.00	48.21	49.50												
8	2470.000	-9.18	-3.17	265.00	-46.73	10.00	43.57	56.68												
9	2480.000	-9.40	-3.12	275.00	-57.66	12.00	54.54	54.28												
10	2490.000	-9.80	-3.28	263.00	-48.43	12.00	45.15	46.16												
11	2500.000	-9.88	-3.46	257.00	-39.04	14.00	35.58	43.91												

Data Set

Polarization :

Phi-pol(V)

Cut :

90

 [deg]

Freq. : [MHz]

2400,000

2410,000

2420,000

2430,000

2440,000

2450,000

2460,000

2470,000

2480,000

2490,000

2500,000

Param.

BW[dB] :

-

3




F/B[deg] :

±

30

Lobe Filter [dB] :

Apply



Graph Option

Style

Mark

☒ Polar

☐ Beam Peak

☐ Beam Width

☐ Rect. angular

☐ Side Lobes

Zoom

Cut #1

Cut #2

Cut #3

Scale

Max :

20

Min :

-40

Apply

☐ Report Form

Microwave Technologies Group