











		21																																																																
Mode		Band Edge																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 26/0_5500MHz																																																																
ANT		CDD 3+4																																																																
Pol.		Horizontal																																																																
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.15</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>41.29</td><td>34.70</td><td>9.98</td><td>31.97</td><td>0.00</td><td>300</td><td>92 PEAK</td></tr><tr><td>2</td><td>5460.70</td><td>51.75</td><td>68.20</td><td>-16.45</td><td>39.01</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>300</td><td>92 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5428.15	54.00	74.00	-20.00	41.29	34.70	9.98	31.97	0.00	300	92 PEAK	2	5460.70	51.75	68.20	-16.45	39.01	34.70	10.03	31.99	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5428.15	54.00	74.00	-20.00	41.29	34.70	9.98	31.97	0.00	300	92 PEAK																																																							
2	5460.70	51.75	68.20	-16.45	39.01	34.70	10.03	31.99	0.00	300	92 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.54</td><td>-----</td><td>-----</td><td>91.77</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>300</td><td>92 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.54	-----	-----	91.77	34.70	10.08	32.01	0.00	300	92 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5500.00	104.54	-----	-----	91.77	34.70	10.08	32.01	0.00	300	92 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.15</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>29.01</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>300</td><td>92 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.15	41.74	54.00	-12.26	29.01	34.70	10.02	31.99	0.00	300	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5458.15	41.74	54.00	-12.26	29.01	34.70	10.02	31.99	0.00	300	92 AVERAGE																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.63</td><td>-----</td><td>-----</td><td>82.86</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>300</td><td>92 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	95.63	-----	-----	82.86	34.70	10.08	32.01	0.00	300	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5500.00	95.63	-----	-----	82.86	34.70	10.08	32.01	0.00	300	92 AVERAGE																																																							






Mode	21																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 26/0_5500MHz																																																																																																																
ANT	CDD 3+4																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.85</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>40.10</td><td>34.68</td><td>9.94</td><td>31.95</td><td>0.00</td><td>280</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5465.05</td><td>53.35</td><td>68.20</td><td>-14.85</td><td>40.61</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>280</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.85	52.77	74.00	-21.23	40.10	34.68	9.94	31.95	0.00	280	294	PEAK	2	5465.05	53.35	68.20	-14.85	40.61	34.70	10.03	31.99	0.00	280	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.55</td><td>-----</td><td>-----</td><td>97.78</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>280</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.55	-----	-----	97.78	34.70	10.08	32.01	0.00	280	294	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5394.85	52.77	74.00	-21.23	40.10	34.68	9.94	31.95	0.00	280	294	PEAK																																																																																																					
2	5465.05	53.35	68.20	-14.85	40.61	34.70	10.03	31.99	0.00	280	294	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	110.55	-----	-----	97.78	34.70	10.08	32.01	0.00	280	294	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.90</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>29.28</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>280</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.90	42.01	54.00	-11.99	29.28	34.70	10.02	31.99	0.00	280	294	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.38</td><td>-----</td><td>-----</td><td>89.61</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>280</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.38	-----	-----	89.61	34.70	10.08	32.01	0.00	280	294	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.90	42.01	54.00	-11.99	29.28	34.70	10.02	31.99	0.00	280	294	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	102.38	-----	-----	89.61	34.70	10.08	32.01	0.00	280	294	AVERAGE																																																																																																					







		22																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 26/8_5700MHz																																																																																							
ANT		CDD 3+4																																																																																							
Pol.		Fundamental																																																																																							
Peak	Horizontal	Fundamental																																																																																							
	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5735.04 MHz. The limit line is at 65.0 dBuV/m. The read level is 54.45 dBuV/m. The line margin is -13.75 dB. The peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5735.04</td><td>54.45</td><td>68.20</td><td>-13.75</td><td>41.49</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>140</td><td>102</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.04	54.45	68.20	-13.75	41.49	34.63	10.35	32.02	0.00	140	102	PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. The limit line is at 65.0 dBuV/m. The read level is 103.01 dBuV/m. The line margin is -13.75 dB. The peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.01</td><td>-----</td><td>-----</td><td>90.04</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>140</td><td>102</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.01	-----	-----	90.04	34.68	10.33	32.04	0.00	140	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5735.04	54.45	68.20	-13.75	41.49	34.63	10.35	32.02	0.00	140	102	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5700.00	103.01	-----	-----	90.04	34.68	10.33	32.04	0.00	140	102	PEAK																																																																													
Avg	Blank	Fundamental																																																																																							
		Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. The limit line is at 65.0 dBuV/m. The read level is 95.02 dBuV/m. The line margin is -13.75 dB. The peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.02</td><td>-----</td><td>-----</td><td>82.05</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>140</td><td>102</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.02	-----	-----	82.05	34.68	10.33	32.04	0.00	140	102	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5700.00	95.02	-----	-----	82.05	34.68	10.33	32.04	0.00	140	102	AVERAGE																																																																													







Mode	22																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 26/8_5700MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.90</td><td>110.83</td><td>68.20</td><td>-12.82</td><td>42.40</td><td>34.61</td><td>10.37</td><td>32.00</td><td>0.00</td><td>281</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.90	110.83	68.20	-12.82	42.40	34.61	10.37	32.00	0.00	281	320	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.83</td><td>-----</td><td>-----</td><td>97.86</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>281</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.83	-----	-----	97.86	34.68	10.33	32.04	0.00	281	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5755.90	110.83	68.20	-12.82	42.40	34.61	10.37	32.00	0.00	281	320	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	110.83	-----	-----	97.86	34.68	10.33	32.04	0.00	281	320	PEAK																																																																																																			
Avg	Blank																																																																																																														
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.34</td><td>-----</td><td>-----</td><td>89.37</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>281</td><td>320</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.34	-----	-----	89.37	34.68	10.33	32.04	0.00	281	320	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	102.34	-----	-----	89.37	34.68	10.33	32.04	0.00	281	320	AVERAGE																																																																																																			







Mode	23																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 52/37_5180MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.80</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>41.28</td><td>34.20</td><td>9.76</td><td>31.79</td><td>0.00</td><td>106</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.80	53.45	74.00	-20.55	41.28	34.20	9.76	31.79	0.00	106	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.28</td><td>-----</td><td>-----</td><td>94.02</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>106</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.28	-----	-----	94.02	34.28	9.80	31.82	0.00	106	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5124.80	53.45	74.00	-20.55	41.28	34.20	9.76	31.79	0.00	106	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	106.28	-----	-----	94.02	34.28	9.80	31.82	0.00	106	0	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>30.10</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>106</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	42.27	54.00	-11.73	30.10	34.20	9.74	31.77	0.00	106	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.70</td><td>-----</td><td>-----</td><td>85.44</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>106</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.70	-----	-----	85.44	34.28	9.80	31.82	0.00	106	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	42.27	54.00	-11.73	30.10	34.20	9.74	31.77	0.00	106	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	97.70	-----	-----	85.44	34.28	9.80	31.82	0.00	106	0	AVERAGE																																																																																																			







Mode	23																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 52/37_5180MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.00</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>41.50</td><td>34.20</td><td>9.77</td><td>31.79</td><td>0.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	53.68	74.00	-20.32	41.50	34.20	9.77	31.79	0.00	156	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.16</td><td>-----</td><td>-----</td><td>94.90</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.16	-----	-----	94.90	34.28	9.80	31.82	0.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5136.00	53.68	74.00	-20.32	41.50	34.20	9.77	31.79	0.00	156	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	107.16	-----	-----	94.90	34.28	9.80	31.82	0.00	156	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>30.17</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	42.34	54.00	-11.66	30.17	34.20	9.74	31.77	0.00	156	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.63</td><td>-----</td><td>-----</td><td>86.37</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.63	-----	-----	86.37	34.28	9.80	31.82	0.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	42.34	54.00	-11.66	30.17	34.20	9.74	31.77	0.00	156	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	98.63	-----	-----	86.37	34.28	9.80	31.82	0.00	156	360	AVERAGE																																																																																																			







		24																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 52/40_5320MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.84</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>40.36</td><td>34.70</td><td>10.00</td><td>31.98</td><td>0.00</td><td>283</td><td>32</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.84	53.08	74.00	-20.92	40.36	34.70	10.00	31.98	0.00	283	32	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.02</td><td>-----</td><td>-----</td><td>93.48</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>283</td><td>32</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.02	-----	-----	93.48	34.55	9.90	31.91	0.00	283	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5439.84	53.08	74.00	-20.92	40.36	34.70	10.00	31.98	0.00	283	32	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	106.02	-----	-----	93.48	34.55	9.90	31.91	0.00	283	32	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>28.96</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>283</td><td>32</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	41.69	54.00	-12.31	28.96	34.70	10.02	31.99	0.00	283	32	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.09</td><td>-----</td><td>-----</td><td>84.55</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>283</td><td>32</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.09	-----	-----	84.55	34.55	9.90	31.91	0.00	283	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5458.32	41.69	54.00	-12.31	28.96	34.70	10.02	31.99	0.00	283	32	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.09	-----	-----	84.55	34.55	9.90	31.91	0.00	283	32	AVERAGE																																																																																							







Mode	24																																																																																																													
	Band Edge																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 52/40_5320MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5338.18</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>40.40</td><td>34.65</td><td>9.93</td><td>31.95</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>279</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5338.18	53.03	74.00	-20.97	40.40	34.65	9.93	31.95								0.00	279									299 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>110.01</td><td>-----</td><td>-----</td><td>97.47</td><td>34.55</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>279</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.01	-----	-----	97.47	34.55	9.90	31.91								0.00	279									299 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5338.18	53.03	74.00	-20.97	40.40	34.65	9.93	31.95																																																																																																						
							0.00	279																																																																																																						
								299 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	110.01	-----	-----	97.47	34.55	9.90	31.91																																																																																																						
							0.00	279																																																																																																						
								299 PEAK																																																																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.10</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>29.46</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>279</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.10	41.95	54.00	-12.05	29.46	34.50	9.91	31.92								0.00	279									299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>102.45</td><td>-----</td><td>-----</td><td>89.91</td><td>34.55</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>279</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.45	-----	-----	89.91	34.55	9.90	31.91								0.00	279									299 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5350.10	41.95	54.00	-12.05	29.46	34.50	9.91	31.92																																																																																																						
							0.00	279																																																																																																						
								299 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	102.45	-----	-----	89.91	34.55	9.90	31.91																																																																																																						
							0.00	279																																																																																																						
								299 AVERAGE																																																																																																						



Mode	25																																																																
	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 52/37_5500MHz																																																																
ANT	CDD 3+4																																																																
Pol.	Horizontal																																																																
Peak	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.45</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>41.04</td><td>34.70</td><td>9.97</td><td>31.97</td><td>0.00</td><td>297</td><td>81 PEAK</td></tr><tr><td>2</td><td>5465.80</td><td>52.10</td><td>68.20</td><td>-16.10</td><td>39.35</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>297</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.45	53.74	74.00	-20.26	41.04	34.70	9.97	31.97	0.00	297	81 PEAK	2	5465.80	52.10	68.20	-16.10	39.35	34.70	10.04	31.99	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5422.45	53.74	74.00	-20.26	41.04	34.70	9.97	31.97	0.00	297	81 PEAK																																																						
2	5465.80	52.10	68.20	-16.10	39.35	34.70	10.04	31.99	0.00	297	81 PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.10</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>29.04</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>297</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.10	41.77	54.00	-12.23	29.04	34.70	10.02	31.99	0.00	297	81 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5457.10	41.77	54.00	-12.23	29.04	34.70	10.02	31.99	0.00	297	81 AVERAGE																																																						
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.57</td><td>-----</td><td>-----</td><td>91.80</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>297</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.57	-----	-----	91.80	34.70	10.08	32.01	0.00	297	81 PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	104.57	-----	-----	91.80	34.70	10.08	32.01	0.00	297	81 PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.28</td><td>-----</td><td>-----</td><td>82.51</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>297</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.28	-----	-----	82.51	34.70	10.08	32.01	0.00	297	81 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	95.28	-----	-----	82.51	34.70	10.08	32.01	0.00	297	81 AVERAGE																																																						






Mode	25																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 52/37_5500MHz																																																																																																																												
ANT	CDD 3+4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>41.14</td><td>34.52</td><td>9.91</td><td>31.93</td><td>0.00</td><td>263</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5467.30</td><td>53.37</td><td>68.20</td><td>-14.83</td><td>40.62</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>263</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	53.64	74.00	-20.36	41.14	34.52	9.91	31.93	0.00	263	304	PEAK	2	5467.30	53.37	68.20	-14.83	40.62	34.70	10.04	31.99	0.00	263	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.38</td><td>-----</td><td>-----</td><td>97.61</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>263</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.38	-----	-----	97.61	34.70	10.08	32.01	0.00	263	304	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5353.90	53.64	74.00	-20.36	41.14	34.52	9.91	31.93	0.00	263	304	PEAK																																																																																																																	
2	5467.30	53.37	68.20	-14.83	40.62	34.70	10.04	31.99	0.00	263	304	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	110.38	-----	-----	97.61	34.70	10.08	32.01	0.00	263	304	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.00</td><td>42.22</td><td>54.00</td><td>-11.78</td><td>29.49</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>263</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.00	42.22	54.00	-11.78	29.49	34.70	10.02	31.99	0.00	263	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.64</td><td>-----</td><td>-----</td><td>88.87</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>263</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.64	-----	-----	88.87	34.70	10.08	32.01	0.00	263	304	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5455.00	42.22	54.00	-11.78	29.49	34.70	10.02	31.99	0.00	263	304	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	101.64	-----	-----	88.87	34.70	10.08	32.01	0.00	263	304	AVERAGE																																																																																																																	







Mode	26																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 52/40_5700MHz																																																																																																																															
ANT	CDD 3+4																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5729.84</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>41.58</td><td>34.64</td><td>10.35</td><td>32.03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>282</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>228</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.84	54.54	68.20	-13.66	41.58	34.64	10.35	32.03								0.00	282									228									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5700.00</td><td>104.17</td><td>-----</td><td>-----</td><td>91.20</td><td>34.69</td><td>10.33</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>282</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>228</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	104.17	-----	-----	91.20	34.69	10.33	32.05								0.00	282									228									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5729.84	54.54	68.20	-13.66	41.58	34.64	10.35	32.03																																																																																																																								
							0.00	282																																																																																																																								
								228																																																																																																																								
								PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5700.00	104.17	-----	-----	91.20	34.69	10.33	32.05																																																																																																																								
							0.00	282																																																																																																																								
								228																																																																																																																								
								PEAK																																																																																																																								
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5700.00</td><td>96.92</td><td>-----</td><td>-----</td><td>83.95</td><td>34.69</td><td>10.33</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>282</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>228</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	96.92	-----	-----	83.95	34.69	10.33	32.05								0.00	282									228									AVERAGE																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5700.00	96.92	-----	-----	83.95	34.69	10.33	32.05																																																																																																																								
							0.00	282																																																																																																																								
								228																																																																																																																								
								AVERAGE																																																																																																																								







Mode	26																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 52/40_5700MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5758.70</td><td>56.16</td><td>68.20</td><td>-12.04</td><td>43.17</td><td>34.62</td><td>10.37</td><td>32.00</td><td>0.00</td><td>280</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.70	56.16	68.20	-12.04	43.17	34.62	10.37	32.00	0.00	280	320	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.01</td><td>-----</td><td>-----</td><td>97.04</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>280</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.01	-----	-----	97.04	34.68	10.33	32.04	0.00	280	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5758.70	56.16	68.20	-12.04	43.17	34.62	10.37	32.00	0.00	280	320	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	110.01	-----	-----	97.04	34.68	10.33	32.04	0.00	280	320	PEAK																																																																																																			
Avg	Blank																																																																																																														
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.37</td><td>-----</td><td>-----</td><td>89.40</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>280</td><td>320</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.37	-----	-----	89.40	34.68	10.33	32.04	0.00	280	320	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	102.37	-----	-----	89.40	34.68	10.33	32.04	0.00	280	320	AVERAGE																																																																																																			







Mode	27																																																																																																													
	Band Edge																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 106/53_5180MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>41.72</td><td>34.20</td><td>9.75</td><td>31.78</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	53.89	74.00	-20.11	41.72	34.20	9.75	31.78								0.00	118									0 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.45</td><td>-----</td><td>-----</td><td>94.19</td><td>34.28</td><td>9.80</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	106.45	-----	-----	94.19	34.28	9.80	31.82								0.00	118									0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	53.89	74.00	-20.11	41.72	34.20	9.75	31.78																																																																																																						
							0.00	118																																																																																																						
								0 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	106.45	-----	-----	94.19	34.28	9.80	31.82																																																																																																						
							0.00	118																																																																																																						
								0 PEAK																																																																																																						
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5101.92</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>30.45</td><td>34.20</td><td>9.74</td><td>31.77</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5101.92	42.62	54.00	-11.38	30.45	34.20	9.74	31.77								0.00	118									0 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.06</td><td>-----</td><td>-----</td><td>85.80</td><td>34.28</td><td>9.80</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	98.06	-----	-----	85.80	34.28	9.80	31.82								0.00	118									0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5101.92	42.62	54.00	-11.38	30.45	34.20	9.74	31.77																																																																																																						
							0.00	118																																																																																																						
								0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	98.06	-----	-----	85.80	34.28	9.80	31.82																																																																																																						
							0.00	118																																																																																																						
								0 AVERAGE																																																																																																						



Mode	27																																																																																																										
	Band Edge																																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 106/53_5180MHz																																																																																																										
ANT	CDD 3+4																																																																																																										
Pol.	Vertical					Fundamental																																																																																																					
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.24</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>42.29</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>300</td><td>295</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.24	54.47	74.00	-19.53	42.29	34.20	9.78	31.00	0.00	300	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.88</td><td>-----</td><td>-----</td><td>96.59</td><td>34.30</td><td>9.81</td><td>31.82</td><td>0.00</td><td>300</td><td>295</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.88	-----	-----	96.59	34.30	9.81	31.82	0.00	300	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5138.24	54.47	74.00	-19.53	42.29	34.20	9.78	31.00	0.00	300	295	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5180.00	108.88	-----	-----	96.59	34.30	9.81	31.82	0.00	300	295	PEAK																																																																																															
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.68</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>30.82</td><td>34.20</td><td>9.75</td><td>31.78</td><td>0.00</td><td>300</td><td>295</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.68	42.99	54.00	-11.01	30.82	34.20	9.75	31.78	0.00	300	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.06</td><td>-----</td><td>-----</td><td>88.77</td><td>34.30</td><td>9.81</td><td>31.82</td><td>0.00</td><td>300</td><td>295</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.06	-----	-----	88.77	34.30	9.81	31.82	0.00	300	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5107.68	42.99	54.00	-11.01	30.82	34.20	9.75	31.78	0.00	300	295	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5180.00	101.06	-----	-----	88.77	34.30	9.81	31.82	0.00	300	295	AVERAGE																																																																																															



Mode	28																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 106/54_5320MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.90</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>40.68</td><td>34.70</td><td>9.98</td><td>31.97</td><td>0.00</td><td>105</td><td>346</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.90	53.39	74.00	-20.61	40.68	34.70	9.98	31.97	0.00	105	346	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.30</td><td>-----</td><td>-----</td><td>92.76</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>105</td><td>346</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.30	-----	-----	92.76	34.55	9.90	31.91	0.00	105	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5429.90	53.39	74.00	-20.61	40.68	34.70	9.98	31.97	0.00	105	346	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	105.30	-----	-----	92.76	34.55	9.90	31.91	0.00	105	346	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.66</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>29.41</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>105</td><td>346</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.66	41.90	54.00	-12.10	29.41	34.50	9.91	31.92	0.00	105	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.49</td><td>-----</td><td>-----</td><td>84.95</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>105</td><td>346</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.49	-----	-----	84.95	34.55	9.90	31.91	0.00	105	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.66	41.90	54.00	-12.10	29.41	34.50	9.91	31.92	0.00	105	346	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	97.49	-----	-----	84.95	34.55	9.90	31.91	0.00	105	346	AVERAGE																																																																																																			

Mode

28

Band Edge

U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 106/54_5320MHz

ANT

CDD 3+4

Pol.

Vertical

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5320

5348

5376

5404

5432

5460

U-NII-1-U-NII-2A-U-NII-2C

Limit

Read

Ant

Cable Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5403.30

53.84

74.00

-20.16

41.16

34.70

9.94

31.96

0.00

300

299

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

U-NII-1-U-NII-2A-U-NII-2C

Limit

Read

Ant

Cable Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5320.00

110.09

97.55

34.55

9.90

31.91

0.00

300

299

PEAK

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5320

5348

5376

5404

5432

5460

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Limit

Read

Ant

Cable Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5354.72

43.07

54.00

-10.93

30.57

34.52

9.91

31.93

0.00

300

299

AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Limit

Read

Ant

Cable Preamp

Aux

APos

TPos

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

Remark

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5320.00

102.59

90.05

34.55

9.90

31.91





0.00

300





299

AVERAGE





Mode	29																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 106/53_5500MHz																																																																																											
ANT	CDD 3+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5393.20</td><td>53.35</td><td>74.00</td><td>-20.65</td><td>40.70</td><td>34.67</td><td>9.93</td><td>31.95</td><td>0.00</td><td>300 91 PEAK</td></tr><tr><td>2 5465.95</td><td>52.22</td><td>68.20</td><td>-15.98</td><td>39.47</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>300 91 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5393.20	53.35	74.00	-20.65	40.70	34.67	9.93	31.95	0.00	300 91 PEAK	2 5465.95	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	300 91 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>105.36</td><td>-----</td><td>-----</td><td>92.59</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>300 91 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	105.36	-----	-----	92.59	34.70	10.08	32.01	0.00	300 91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5393.20	53.35	74.00	-20.65	40.70	34.67	9.93	31.95	0.00	300 91 PEAK																																																																																			
2 5465.95	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	300 91 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	105.36	-----	-----	92.59	34.70	10.08	32.01	0.00	300 91 PEAK																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5455.75</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>29.03</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>300 91 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.75	41.76	54.00	-12.24	29.03	34.70	10.02	31.99	0.00	300 91 AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>94.97</td><td>-----</td><td>-----</td><td>82.20</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>300 91 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	94.97	-----	-----	82.20	34.70	10.08	32.01	0.00	300 91 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5455.75	41.76	54.00	-12.24	29.03	34.70	10.02	31.99	0.00	300 91 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	94.97	-----	-----	82.20	34.70	10.08	32.01	0.00	300 91 AVERAGE																																																																																			






Mode	29																																																																																																											
	Band Edge																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU 106/53_5500MHz																																																																																																											
ANT	CDD 3+4																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.85</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>41.08</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>52.37</td><td>68.20</td><td>-15.83</td><td>39.63</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.85	53.81	74.00	-20.19	41.08	34.70	10.02	31.99	0.00	306	PEAK	2	5467.90	52.37	68.20	-15.83	39.63	34.70	10.04	32.00	0.00	306	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.63</td><td>-----</td><td>-----</td><td>94.85</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>306</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.63	-----	-----	94.85	34.70	10.09	32.01	0.00	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5454.85	53.81	74.00	-20.19	41.08	34.70	10.02	31.99	0.00	306	PEAK																																																																																																	
2	5467.90	52.37	68.20	-15.83	39.63	34.70	10.04	32.00	0.00	306	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	107.63	-----	-----	94.85	34.70	10.09	32.01	0.00	306	PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.70</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>29.51</td><td>34.70</td><td>10.01</td><td>31.99</td><td>0.00</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.70	42.23	54.00	-11.77	29.51	34.70	10.01	31.99	0.00	306	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.66</td><td>-----</td><td>-----</td><td>87.89</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>306</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.66	-----	-----	87.89	34.70	10.08	32.01	0.00	306	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5451.70	42.23	54.00	-11.77	29.51	34.70	10.01	31.99	0.00	306	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	100.66	-----	-----	87.89	34.70	10.08	32.01	0.00	306	AVERAGE																																																																																																	







Mode	30																																																										
	Band Edge																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 106/54_5700MHz																																																										
ANT	CDD 3+4																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5733.67</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>41.59</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5733.67	54.55	68.20	-13.65	41.59	34.63	10.35	32.02	0.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5733.67	54.55	68.20	-13.65	41.59	34.63	10.35	32.02	0.00	308	90 PEAK																																																
Avg	Blank																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.20</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>308</td><td>90 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	105.17	-----	-----	92.20	34.69	10.33	32.05	0.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5700.00	105.17	-----	-----	92.20	34.69	10.33	32.05	0.00	308	90 PEAK																																																





Mode	30																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU 106/54_5700MHz																																																																																													
ANT	CDD 3+4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5750.18</td><td>54.83</td><td>68.20</td><td>-13.37</td><td>41.88</td><td>34.60</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>302 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.18	54.83	68.20	-13.37	41.88	34.60	10.36	32.01	0.00	300	302 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.29</td><td>-----</td><td>-----</td><td>97.32</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>302 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.29	-----	-----	97.32	34.69	10.33	32.05	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5750.18	54.83	68.20	-13.37	41.88	34.60	10.36	32.01	0.00	300	302 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	110.29	-----	-----	97.32	34.69	10.33	32.05	0.00	300	302 PEAK																																																																																			
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.31</td><td>-----</td><td>-----</td><td>89.34</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.31	-----	-----	89.34	34.69	10.33	32.05	0.00	300	302 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	102.31	-----	-----	89.34	34.69	10.33	32.05	0.00	300	302 AVERAGE																																																																																			







Mode	31																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																					
ANT	CDD 3+4																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>70.35</td><td>74.00</td><td>-3.65</td><td>58.16</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>110</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	70.35	74.00	-3.65	58.16	34.20	9.79	31.00	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.50	70.35	74.00	-3.65	58.16	34.20	9.79	31.00	0.00	110	0 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.22</td><td>-----</td><td>-----</td><td>90.84</td><td>34.38</td><td>9.83</td><td>31.83</td><td>0.00</td><td>110</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.22	-----	-----	90.84	34.38	9.83	31.83	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5190.00	103.22	-----	-----	90.84	34.38	9.83	31.83	0.00	110	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>35.29</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>110</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	47.48	54.00	-6.52	35.29	34.20	9.79	31.00	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5150.00	47.48	54.00	-6.52	35.29	34.20	9.79	31.00	0.00	110	0 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.19</td><td>-----</td><td>-----</td><td>81.81</td><td>34.38</td><td>9.83</td><td>31.83</td><td>0.00</td><td>110</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.19	-----	-----	81.81	34.38	9.83	31.83	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5190.00	94.19	-----	-----	81.81	34.38	9.83	31.83	0.00	110	0 AVERAGE																																											





Mode	31																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																				
ANT	CDD 3+4																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5383.32</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>40.15</td><td>34.63</td><td>9.93</td><td>31.94</td><td>0.00</td><td>110</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.32	52.77	74.00	-21.23	40.15	34.63	9.93	31.94	0.00	110	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5383.32	52.77	74.00	-21.23	40.15	34.63	9.93	31.94	0.00	110	0 PEAK																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.19</td><td>41.70</td><td>54.00</td><td>-12.30</td><td>28.96</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>110</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.19	41.70	54.00	-12.30	28.96	34.70	10.03	31.99	0.00	110	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5459.19	41.70	54.00	-12.30	28.96	34.70	10.03	31.99	0.00	110	0 AVERAGE																																										



		31																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																											
ANT		CDD 3+4																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.90	64.93	74.00	-9.07	52.74	34.20	9.79	31.80								0.00	317									292 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5190.00</td><td>105.09</td><td>-----</td><td>-----</td><td>92.69</td><td>34.40</td><td>9.83</td><td>31.83</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>317</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>292 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	105.09	-----	-----	92.69	34.40	9.83	31.83								0.00	317									292 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	5148.90	64.93	74.00	-9.07	52.74	34.20	9.79	31.80																																																																																																					
							0.00	317																																																																																																					
								292 PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	5190.00	105.09	-----	-----	92.69	34.40	9.83	31.83																																																																																																					
							0.00	317																																																																																																					
								292 PEAK																																																																																																					
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5148.50</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>34.47</td><td>34.20</td><td>9.79</td><td>31.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>317</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>292 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.50	46.66	54.00	-7.34	34.47	34.20	9.79	31.80								0.00	317									292 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5190.00</td><td>97.15</td><td>-----</td><td>-----</td><td>84.75</td><td>34.40</td><td>9.83</td><td>31.83</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>317</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>292 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	97.15	-----	-----	84.75	34.40	9.83	31.83								0.00	317								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	5148.50	46.66	54.00	-7.34	34.47	34.20	9.79	31.80																																																																																																					
							0.00	317																																																																																																					
								292 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	5190.00	97.15	-----	-----	84.75	34.40	9.83	31.83																																																																																																					
							0.00	317																																																																																																					
								292 AVERAGE																																																																																																					







Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.45</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>40.74</td><td>34.65</td><td>9.93</td><td>31.95</td><td>0.00</td><td>317</td><td>292</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.45	53.37	74.00	-20.63	40.74	34.65	9.93	31.95	0.00	317	292	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5388.45	53.37	74.00	-20.63	40.74	34.65	9.93	31.95	0.00	317	292	PEAK																																											
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.68</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>29.06</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>317</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.68	41.79	54.00	-12.21	29.06	34.70	10.02	31.99	0.00	317	292	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5455.68	41.79	54.00	-12.21	29.06	34.70	10.02	31.99	0.00	317	292	AVERAGE																																											





Mode	31																																																																																								
	Harmonic																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																								
ANT	CDD 3+4																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>53.46</td><td>37.48</td><td>14.14</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	44.18	68.20	-24.02	53.46	37.48	14.14	60.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>54.95</td><td>37.48</td><td>14.14</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	45.67	68.20	-22.53	54.95	37.48	14.14	60.90	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10380.00	44.18	68.20	-24.02	53.46	37.48	14.14	60.90	0.00	---	---	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10380.00	45.67	68.20	-22.53	54.95	37.48	14.14	60.90	0.00	---	---	PEAK																																																																													







Mode	32																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																								
ANT	CDD 3+4																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																			
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.82</td><td>63.00</td><td>74.00</td><td>-11.00</td><td>50.82</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>120</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.82	63.00	74.00	-11.00	50.82	34.20	9.78	31.00	0.00	120	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>105.96</td><td>-----</td><td>-----</td><td>93.57</td><td>34.40</td><td>9.85</td><td>31.86</td><td>0.00</td><td>120</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.96	-----	-----	93.57	34.40	9.85	31.86	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5145.82	63.00	74.00	-11.00	50.82	34.20	9.78	31.00	0.00	120	0 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5230.00	105.96	-----	-----	93.57	34.40	9.85	31.86	0.00	120	0 PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.50</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>35.85</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>120</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	48.04	54.00	-5.96	35.85	34.20	9.79	31.00	0.00	120	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>95.14</td><td>-----</td><td>-----</td><td>82.74</td><td>34.40</td><td>9.85</td><td>31.85</td><td>0.00</td><td>120</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	95.14	-----	-----	82.74	34.40	9.85	31.85	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5149.50	48.04	54.00	-5.96	35.85	34.20	9.79	31.00	0.00	120	0 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5230.00	95.14	-----	-----	82.74	34.40	9.85	31.85	0.00	120	0 AVERAGE																																																																																														





Mode	32																																																																
	Band Edge - R																																																																
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																
ANT	CDD 3+4																																																																
Pol.	Horizontal						Fundamental																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5378.81</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>40.83</td><td>34.62</td><td>9.93</td><td>31.94</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>120</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5378.81	53.44	74.00	-20.56	40.83	34.62	9.93	31.94								0.00	120									0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5378.81	53.44	74.00	-20.56	40.83	34.62	9.93	31.94																																																									
							0.00	120																																																									
								0 PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5354.66</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>29.75</td><td>34.52</td><td>9.91</td><td>31.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>120</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.66	42.25	54.00	-11.75	29.75	34.52	9.91	31.93								0.00	120									0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5354.66	42.25	54.00	-11.75	29.75	34.52	9.91	31.93																																																									
							0.00	120																																																									
								0 AVERAGE																																																									





Mode	32																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.46</td><td>62.35</td><td>74.00</td><td>-11.65</td><td>50.17</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.46	62.35	74.00	-11.65	50.17	34.20	9.78	31.00	0.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5138.46	62.35	74.00	-11.65	50.17	34.20	9.78	31.00	0.00	300	287	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>107.09</td><td>-----</td><td>-----</td><td>94.69</td><td>34.40</td><td>9.85</td><td>31.85</td><td>0.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	107.09	-----	-----	94.69	34.40	9.85	31.85	0.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	107.09	-----	-----	94.69	34.40	9.85	31.85	0.00	300	287	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.89</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>33.92</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.89	46.10	54.00	-7.90	33.92	34.20	9.78	31.00	0.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.89	46.10	54.00	-7.90	33.92	34.20	9.78	31.00	0.00	300	287	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>98.00</td><td>-----</td><td>-----</td><td>86.40</td><td>34.40</td><td>9.85</td><td>31.85</td><td>0.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	98.00	-----	-----	86.40	34.40	9.85	31.85	0.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	98.00	-----	-----	86.40	34.40	9.85	31.85	0.00	300	287	AVERAGE																																											





	32																																																			
Mode	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																			
ANT	CDD 3+4																																																			
Pol.	Vertical						Fundamental																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5366.39</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>43.60</td><td>34.57</td><td>9.92</td><td>31.93</td><td>0.00</td><td>300</td><td>287 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.39	56.16	74.00	-17.84	43.60	34.57	9.92	31.93	0.00	300	287 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5366.39	56.16	74.00	-17.84	43.60	34.57	9.92	31.93	0.00	300	287 PEAK																																									
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.51</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>31.01</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>300</td><td>287 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.51	43.50	54.00	-10.50	31.01	34.51	9.91	31.93	0.00	300	287 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.51	43.50	54.00	-10.50	31.01	34.51	9.91	31.93	0.00	300	287 AVERAGE																																									







Mode	32																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>54.58</td><td>37.62</td><td>14.20</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.51	68.20	-22.69	54.58	37.62	14.20	60.89	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.10</td><td>68.20</td><td>-24.10</td><td>53.17</td><td>37.62</td><td>14.20</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	44.10	68.20	-24.10	53.17	37.62	14.20	60.89	0.00	---	---	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10460.00	45.51	68.20	-22.69	54.58	37.62	14.20	60.89	0.00	---	---	PEAK																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10460.00	44.10	68.20	-24.10	53.17	37.62	14.20	60.89	0.00	---	---	PEAK																																																																																										





Mode	33																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.05</td><td>68.20</td><td>-23.15</td><td>53.91</td><td>37.78</td><td>14.25</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.05	68.20	-23.15	53.91	37.78	14.25	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>44.78</td><td>68.20</td><td>-23.42</td><td>53.64</td><td>37.78</td><td>14.25</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	44.78	68.20	-23.42	53.64	37.78	14.25	60.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10540.00	45.05	68.20	-23.15	53.91	37.78	14.25	60.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10540.00	44.78	68.20	-23.42	53.64	37.78	14.25	60.89	0.00	---	---	PEAK																																																																																								







Mode	34																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																					
ANT	CDD 3+4																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5069.44</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>41.80</td><td>34.20</td><td>9.72</td><td>31.75</td><td>0.00</td><td>111</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5069.44	53.97	74.00	-20.03	41.80	34.20	9.72	31.75	0.00	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5069.44	53.97	74.00	-20.03	41.80	34.20	9.72	31.75	0.00	111	0 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.32</td><td>-----</td><td>-----</td><td>92.77</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>111</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.32	-----	-----	92.77	34.56	9.90	31.91	0.00	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	105.32	-----	-----	92.77	34.56	9.90	31.91	0.00	111	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5052.08</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>30.28</td><td>34.20</td><td>9.70</td><td>31.74</td><td>0.00</td><td>111</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5052.08	42.44	54.00	-11.56	30.28	34.20	9.70	31.74	0.00	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5052.08	42.44	54.00	-11.56	30.28	34.20	9.70	31.74	0.00	111	0 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.11</td><td>-----</td><td>-----</td><td>81.55</td><td>34.57</td><td>9.89</td><td>31.90</td><td>0.00</td><td>111</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.11	-----	-----	81.55	34.57	9.89	31.90	0.00	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	94.11	-----	-----	81.55	34.57	9.89	31.90	0.00	111	0 AVERAGE																																											





	34																																																				
Mode	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																				
ANT	CDD 3+4																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.65</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>49.00</td><td>34.55</td><td>9.92</td><td>31.93</td><td>0.00</td><td>111</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.65	61.54	74.00	-12.46	49.00	34.55	9.92	31.93	0.00	111	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5362.65	61.54	74.00	-12.46	49.00	34.55	9.92	31.93	0.00	111	0 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>32.77</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>111</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	45.26	54.00	-8.74	32.77	34.51	9.91	31.93	0.00	111	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.70	45.26	54.00	-8.74	32.77	34.51	9.91	31.93	0.00	111	0 AVERAGE																																										





Mode	34																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5111.91</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>43.67</td><td>34.20</td><td>9.75</td><td>31.78</td><td>0.00</td><td>290</td><td>288</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.91	55.84	74.00	-18.16	43.67	34.20	9.75	31.78	0.00	290	288	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>107.90</td><td>-----</td><td>-----</td><td>95.43</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>290</td><td>288</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	107.90	-----	-----	95.43	34.56	9.90	31.91	0.00	290	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5111.91	55.84	74.00	-18.16	43.67	34.20	9.75	31.78	0.00	290	288	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	107.90	-----	-----	95.43	34.56	9.90	31.91	0.00	290	288	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5042.78</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.77</td><td>34.19</td><td>9.69</td><td>31.74</td><td>0.00</td><td>290</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5042.78	42.91	54.00	-11.09	30.77	34.19	9.69	31.74	0.00	290	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.05</td><td>-----</td><td>-----</td><td>86.50</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>290</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.05	-----	-----	86.50	34.56	9.90	31.91	0.00	290	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5042.78	42.91	54.00	-11.09	30.77	34.19	9.69	31.74	0.00	290	288	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	99.05	-----	-----	86.50	34.56	9.90	31.91	0.00	290	288	AVERAGE																																																																																																			



	34																																																																
Mode	Band Edge - R																																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																
ANT	CDD 3+4																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.65</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>47.35</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>290</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>288</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.65	59.84	74.00	-14.16	47.35	34.50	9.91	31.92								0.00	290									288									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5350.65	59.84	74.00	-14.16	47.35	34.50	9.91	31.92																																																									
							0.00	290																																																									
								288																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.05</td><td>48.77</td><td>54.00</td><td>-5.23</td><td>36.28</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>290</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>288</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.05	48.77	54.00	-5.23	36.28	34.50	9.91	31.92								0.00	290									288									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5350.05	48.77	54.00	-5.23	36.28	34.50	9.91	31.92																																																									
							0.00	290																																																									
								288																																																									
								AVERAGE																																																									




Mode	34																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>51.90</td><td>37.90</td><td>14.31</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	43.22	74.00	-30.78	51.90	37.90	14.31	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>54.80</td><td>37.90</td><td>14.31</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.12	74.00	-27.88	54.80	37.90	14.31	60.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10620.00	43.22	74.00	-30.78	51.90	37.90	14.31	60.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10620.00	46.12	74.00	-27.88	54.80	37.90	14.31	60.89	0.00	---	---	PEAK																																																																																								







Mode	35																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																				
ANT	CDD 3+4																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.52</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>41.59</td><td>34.70</td><td>9.99</td><td>31.98</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>42.68</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.52	54.30	74.00	-19.70	41.59	34.70	9.99	31.98	0.00	300	90	PEAK	2	5460.72	55.42	68.20	-12.78	42.68	34.70	10.03	31.99	0.00	300	90	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5437.52	54.30	74.00	-19.70	41.59	34.70	9.99	31.98	0.00	300	90	PEAK																																																									
2	5460.72	55.42	68.20	-12.78	42.68	34.70	10.03	31.99	0.00	300	90	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>30.61</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>300</td><td>90</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.35	54.00	-10.65	30.61	34.70	10.03	31.99	0.00	300	90	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.92	43.35	54.00	-10.65	30.61	34.70	10.03	31.99	0.00	300	90	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.02</td><td>-----</td><td>-----</td><td>90.24</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>300</td><td>90</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.02	-----	-----	90.24	34.70	10.09	32.01	0.00	300	90	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	103.02	-----	-----	90.24	34.70	10.09	32.01	0.00	300	90	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.64</td><td>-----</td><td>-----</td><td>79.86</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>300</td><td>90</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.64	-----	-----	79.86	34.70	10.09	32.01	0.00	300	90	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	92.64	-----	-----	79.86	34.70	10.09	32.01	0.00	300	90	AVERAGE																																																									



Mode	35																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																					
ANT	CDD 3+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5735.93</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>41.40</td><td>34.63</td><td>10.35</td><td>32.02</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5735.93	54.36	68.20	-13.84	41.40	34.63	10.35	32.02	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5735.93	54.36	68.20	-13.84	41.40	34.63	10.35	32.02																														



Mode	35																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																																
ANT	CDD 3+4																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>63.35</td><td>74.00</td><td>-10.65</td><td>50.61</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>259</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>61.61</td><td>68.20</td><td>-6.59</td><td>48.86</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>259</td><td>292</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	63.35	74.00	-10.65	50.61	34.70	10.03	31.99	0.00	259	292	PEAK	2	5467.28	61.61	68.20	-6.59	48.86	34.70	10.04	31.99	0.00	259	292	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>108.35</td><td>-----</td><td>-----</td><td>95.57</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>259</td><td>292</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.35	-----	-----	95.57	34.70	10.09	32.01	0.00	259	292	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.28	63.35	74.00	-10.65	50.61	34.70	10.03	31.99	0.00	259	292	PEAK																																																																																																					
2	5467.28	61.61	68.20	-6.59	48.86	34.70	10.04	31.99	0.00	259	292	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	108.35	-----	-----	95.57	34.70	10.09	32.01	0.00	259	292	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>34.23</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>259</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.97	54.00	-7.03	34.23	34.70	10.03	31.99	0.00	259	292	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.13</td><td>-----</td><td>-----</td><td>86.35</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>259</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.13	-----	-----	86.35	34.70	10.09	32.01	0.00	259	292	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	46.97	54.00	-7.03	34.23	34.70	10.03	31.99	0.00	259	292	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	99.13	-----	-----	86.35	34.70	10.09	32.01	0.00	259	292	AVERAGE																																																																																																					





Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz	
ANT	CDD 3+4	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) </	







Mode	35											
	Harmonic											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz											
ANT	CDD 3+4											
Pol.	Horizontal						Vertical					
Peak Avg												



Mode	36																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																																																																									
ANT	CDD 3+4																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>52.87</td><td>38.00</td><td>14.63</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	44.63	74.00	-29.37	52.87	38.00	14.63	60.87						0.00												0.00									deg									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>53.50</td><td>38.00</td><td>14.63</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	45.26	74.00	-28.74	53.50	38.00	14.63	60.87						0.00												0.00									deg								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	11100.00	44.63	74.00	-29.37	52.87	38.00	14.63	60.87																																																																																																																																																		
					0.00																																																																																																																																																					
								0.00																																																																																																																																																		
								deg																																																																																																																																																		
								PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	11100.00	45.26	74.00	-28.74	53.50	38.00	14.63	60.87																																																																																																																																																		
					0.00																																																																																																																																																					
								0.00																																																																																																																																																		
								deg																																																																																																																																																		
								PEAK																																																																																																																																																		







Mode	37																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																																
ANT	CDD 3+4																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.04</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>40.14</td><td>34.53</td><td>9.92</td><td>31.93</td><td>0.00</td><td>100</td><td>34</td><td>PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>51.91</td><td>68.20</td><td>-16.29</td><td>39.16</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>100</td><td>34</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.04	52.66	74.00	-21.34	40.14	34.53	9.92	31.93	0.00	100	34	PEAK	2	5467.12	51.91	68.20	-16.29	39.16	34.70	10.04	31.99	0.00	100	34	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.13</td><td>-----</td><td>-----</td><td>88.23</td><td>34.66</td><td>10.31</td><td>32.07</td><td>0.00</td><td>100</td><td>34</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.13	-----	-----	88.23	34.66	10.31	32.07	0.00	100	34	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5357.04	52.66	74.00	-21.34	40.14	34.53	9.92	31.93	0.00	100	34	PEAK																																																																																																					
2	5467.12	51.91	68.20	-16.29	39.16	34.70	10.04	31.99	0.00	100	34	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	101.13	-----	-----	88.23	34.66	10.31	32.07	0.00	100	34	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>29.09</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>100</td><td>34</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	41.82	54.00	-12.18	29.09	34.70	10.02	31.99	0.00	100	34	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.71</td><td>-----</td><td>-----</td><td>78.83</td><td>34.65</td><td>10.30</td><td>32.07</td><td>0.00</td><td>100</td><td>34</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.71	-----	-----	78.83	34.65	10.30	32.07	0.00	100	34	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.52	41.82	54.00	-12.18	29.09	34.70	10.02	31.99	0.00	100	34	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	91.71	-----	-----	78.83	34.65	10.30	32.07	0.00	100	34	AVERAGE																																																																																																					




Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz	
ANT	CDD 3+4	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) </	





Mode	37																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.04</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>40.91</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>245</td><td>297 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>40.68</td><td>34.70</td><td>10.04</td><td>31.99</td><td>0.00</td><td>245</td><td>297 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	53.64	74.00	-20.36	40.91	34.70	10.02	31.99	0.00	245	297 PEAK	2	5466.80	53.43	68.20	-14.77	40.68	34.70	10.04	31.99	0.00	245	297 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.99</td><td>-----</td><td>-----</td><td>97.11</td><td>34.65</td><td>10.30</td><td>32.07</td><td>0.00</td><td>245</td><td>297 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.99	-----	-----	97.11	34.65	10.30	32.07	0.00	245	297 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.04	53.64	74.00	-20.36	40.91	34.70	10.02	31.99	0.00	245	297 PEAK																																																																																																			
2	5466.80	53.43	68.20	-14.77	40.68	34.70	10.04	31.99	0.00	245	297 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	109.99	-----	-----	97.11	34.65	10.30	32.07	0.00	245	297 PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>29.32</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>245</td><td>297 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.06	54.00	-11.94	29.32	34.70	10.03	31.99	0.00	245	297 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.57</td><td>-----</td><td>-----</td><td>86.69</td><td>34.65</td><td>10.30</td><td>32.07</td><td>0.00</td><td>245</td><td>297 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.57	-----	-----	86.69	34.65	10.30	32.07	0.00	245	297 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.12	42.06	54.00	-11.94	29.32	34.70	10.03	31.99	0.00	245	297 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	99.57	-----	-----	86.69	34.65	10.30	32.07	0.00	245	297 AVERAGE																																																																																																			







Mode	37																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.19</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>45.67</td><td>34.64</td><td>10.35</td><td>32.03</td><td>0.00</td><td>245</td><td>297</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.19	58.63	68.20	-9.57	45.67	34.64	10.35	32.03	0.00	245	297	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.19	58.63	68.20	-9.57	45.67	34.64	10.35	32.03	0.00	245	297	PEAK																																											





Mode	37																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																																																													
ANT	CDD 3+4																																																																																																																																													
Pol.	Horizontal												Vertical																																																																																																																																	
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11340.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>51.95</td><td>38.14</td><td>14.80</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	44.02	74.00	-29.98	51.95	38.14	14.80	60.87						0.00									---			---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11340.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>51.65</td><td>38.14</td><td>14.80</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	43.72	74.00	-30.28	51.65	38.14	14.80	60.87						0.00									---			---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11340.00	44.02	74.00	-29.98	51.95	38.14	14.80	60.87																																																																																																																																						
					0.00																																																																																																																																									
					---			---																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11340.00	43.72	74.00	-30.28	51.65	38.14	14.80	60.87																																																																																																																																						
					0.00																																																																																																																																									
					---			---																																																																																																																																						
								PEAK																																																																																																																																						







		38																																																																																															
Mode	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																
ANT	CDD 3+4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.88</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>52.60</td><td>34.20</td><td>9.77</td><td>31.79</td><td>0.00</td><td>114</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.88	64.78	74.00	-9.22	52.60	34.20	9.77	31.79	0.00	114	347	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.93</td><td>-----</td><td>-----</td><td>87.53</td><td>34.40</td><td>9.83</td><td>31.83</td><td>0.00</td><td>114</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.93	-----	-----	87.53	34.40	9.83	31.83	0.00	114	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5131.88	64.78	74.00	-9.22	52.60	34.20	9.77	31.79	0.00	114	347	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5210.00	99.93	-----	-----	87.53	34.40	9.83	31.83	0.00	114	347	PEAK																																																																																					
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.01</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>38.13</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>114</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.01	50.31	54.00	-3.69	38.13	34.20	9.78	31.00	0.00	114	347	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.35</td><td>-----</td><td>-----</td><td>78.96</td><td>34.40</td><td>9.83</td><td>31.84</td><td>0.00</td><td>114</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.35	-----	-----	78.96	34.40	9.83	31.84	0.00	114	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5143.01	50.31	54.00	-3.69	38.13	34.20	9.78	31.00	0.00	114	347	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5210.00	91.35	-----	-----	78.96	34.40	9.83	31.84	0.00	114	347	AVERAGE																																																																																					





Mode	38																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																														
ANT	CDD 3+4																																														
Pol.	Horizontal						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5454.50</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>40.69</td><td>34.70</td><td>10.02</td><td>31.99</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5454.50	53.42	74.00	-20.58	40.69	34.70	10.02	31.99	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5454.50	53.42	74.00	-20.58	40.69	34.70	10.02	31.99																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5355.25</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>29.99</td><td>34.52</td><td>9.91</td><td>31.93</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.25	42.49	54.00	-11.51	29.99	34.52	9.91	31.93	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5355.25	42.49	54.00	-11.51	29.99	34.52	9.91	31.93																																							





Mode	38																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																										
ANT	CDD 3+4																																																																																																										
Pol.	Vertical					Fundamental																																																																																																					
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.55</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>48.61</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>300</td><td>285</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.55	60.79	74.00	-13.21	48.61	34.20	9.78	31.00	0.00	300	285	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>103.49</td><td>-----</td><td>-----</td><td>91.09</td><td>34.40</td><td>9.84</td><td>31.84</td><td>0.00</td><td>300</td><td>285</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.49	-----	-----	91.09	34.40	9.84	31.84	0.00	300	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5137.55	60.79	74.00	-13.21	48.61	34.20	9.78	31.00	0.00	300	285	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5210.00	103.49	-----	-----	91.09	34.40	9.84	31.84	0.00	300	285	PEAK																																																																																															
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.47</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>38.11</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>300</td><td>285</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.47	50.30	54.00	-3.70	38.11	34.20	9.79	31.00	0.00	300	285	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>94.03</td><td>-----</td><td>-----</td><td>81.63</td><td>34.40</td><td>9.84</td><td>31.84</td><td>0.00</td><td>300</td><td>285</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.03	-----	-----	81.63	34.40	9.84	31.84	0.00	300	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5148.47	50.30	54.00	-3.70	38.11	34.20	9.79	31.00	0.00	300	285	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5210.00	94.03	-----	-----	81.63	34.40	9.84	31.84	0.00	300	285	AVERAGE																																																																																															







Mode	38																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																					
ANT	CDD 3+4																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>43.43</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>300</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.00	55.92	74.00	-18.08	43.43	34.50	9.91	31.92	0.00	300	285	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5351.00	55.92	74.00	-18.08	43.43	34.50	9.91	31.92	0.00	300	285	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.75</td><td>43.98</td><td>54.00</td><td>-10.02</td><td>31.49</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>300</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.75	43.98	54.00	-10.02	31.49	34.51	9.91	31.93	0.00	300	285	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5351.75	43.98	54.00	-10.02	31.49	34.51	9.91	31.93	0.00	300	285	AVERAGE																																										





Mode	38																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>54.87</td><td>37.54</td><td>14.17</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.68	68.20	-22.52	54.87	37.54	14.17	60.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.94</td><td>68.20</td><td>-23.26</td><td>54.13</td><td>37.54</td><td>14.17</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.94	68.20	-23.26	54.13	37.54	14.17	60.90	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	45.68	68.20	-22.52	54.87	37.54	14.17	60.90	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	44.94	68.20	-23.26	54.13	37.54	14.17	60.90	0.00	---	---	PEAK																																																																																								







Mode	39																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																				
ANT	CDD 3+4																																																																																																																				
Pol.	Horizontal					Fundamental																																																																																																															
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5149.93</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>44.36</td><td>34.20</td><td>9.79</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>121</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.93	56.55	74.00	-17.45	44.36	34.20	9.79	31.00								0.00	121									0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.38</td><td>-----</td><td>-----</td><td>86.79</td><td>34.60</td><td>9.89</td><td>31.90</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>121</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	99.38	-----	-----	86.79	34.60	9.89	31.90								0.00	121								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5149.93	56.55	74.00	-17.45	44.36	34.20	9.79	31.00																																																																																																													
							0.00	121																																																																																																													
								0 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	99.38	-----	-----	86.79	34.60	9.89	31.90																																																																																																													
							0.00	121																																																																																																													
								0 PEAK																																																																																																													
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5149.35</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>31.66</td><td>34.20</td><td>9.79</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>121</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.35	43.85	54.00	-10.15	31.66	34.20	9.79	31.00								0.00	121									0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.34</td><td>-----</td><td>-----</td><td>78.79</td><td>34.56</td><td>9.88</td><td>31.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>121</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	91.34	-----	-----	78.79	34.56	9.88	31.89								0.00	121								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5149.35	43.85	54.00	-10.15	31.66	34.20	9.79	31.00																																																																																																													
							0.00	121																																																																																																													
								0 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	91.34	-----	-----	78.79	34.56	9.88	31.89																																																																																																													
							0.00	121																																																																																																													
								0 AVERAGE																																																																																																													





Mode	39																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																				
ANT	CDD 3+4																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.37</td><td>61.45</td><td>74.00</td><td>-12.55</td><td>48.95</td><td>34.51</td><td>9.91</td><td>31.92</td><td>0.00</td><td>121</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.37	61.45	74.00	-12.55	48.95	34.51	9.91	31.92	0.00	121	0 PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.37	61.45	74.00	-12.55	48.95	34.51	9.91	31.92	0.00	121	0 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.22</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>34.41</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>121</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.22	46.90	54.00	-7.10	34.41	34.51	9.91	31.93	0.00	121	0 AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.22	46.90	54.00	-7.10	34.41	34.51	9.91	31.93	0.00	121	0 AVERAGE																																										



Mode	39																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																				
ANT	CDD 3+4																																																																																																																				
Pol.	Vertical					Fundamental																																																																																																															
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5138.62</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>43.29</td><td>34.20</td><td>9.78</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5138.62	55.47	74.00	-18.53	43.29	34.20	9.78	31.00								0.00	277									291 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>105.58</td><td>-----</td><td>-----</td><td>93.03</td><td>34.56</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	105.58	-----	-----	93.03	34.56	9.90	31.91								0.00	277								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5138.62	55.47	74.00	-18.53	43.29	34.20	9.78	31.00																																																																																																													
							0.00	277																																																																																																													
								291 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	105.58	-----	-----	93.03	34.56	9.90	31.91																																																																																																													
							0.00	277																																																																																																													
								291 PEAK																																																																																																													
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5146.74</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>31.38</td><td>34.20</td><td>9.78</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5146.74	43.56	54.00	-10.44	31.38	34.20	9.78	31.00								0.00	277									291 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>95.43</td><td>-----</td><td>-----</td><td>82.86</td><td>34.58</td><td>9.89</td><td>31.90</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	95.43	-----	-----	82.86	34.58	9.89	31.90								0.00	277								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5146.74	43.56	54.00	-10.44	31.38	34.20	9.78	31.00																																																																																																													
							0.00	277																																																																																																													
								291 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	95.43	-----	-----	82.86	34.58	9.89	31.90																																																																																																													
							0.00	277																																																																																																													
								291 AVERAGE																																																																																																													



Mode	39																																																																										
	Band Edge - R																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																										
ANT	CDD 3+4																																																																										
Pol.	Vertical																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5369.05</td><td>63.09</td><td>74.00</td><td>-10.91</td><td>50.53</td><td>34.58</td><td>9.92</td><td>31.94</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5369.05	63.09	74.00	-10.91	50.53	34.58	9.92	31.94								0.00	277									291									PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5369.05	63.09	74.00	-10.91	50.53	34.58	9.92	31.94																																																																			
							0.00	277																																																																			
								291																																																																			
								PEAK																																																																			
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.01</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>38.41</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>277</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.01	50.90	54.00	-3.10	38.41	34.50	9.91	31.92								0.00	277									291									AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5350.01	50.90	54.00	-3.10	38.41	34.50	9.91	31.92																																																																			
							0.00	277																																																																			
								291																																																																			
								AVERAGE																																																																			

Mode

39

Harmonic

U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz

ANT

CDD 3+4

Pol.



Horizontal

Vertical





Peak Avg

Level (dBuV/m)




Mode	39																																																																																																																																														
	LF																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																														
ANT	CDD 3+4																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																						
Peak QP																																																																																																																																															
		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	32.91	21.23	40.00	-18.77	29.56	23.51	0.49 32.33	2	146.40	25.28	43.50	-18.22	38.59	17.25	1.61 32.17	3	187.14	23.96	43.50	-19.54	39.39	14.89	1.85 32.17	4	332.64	22.07	46.00	-23.93	31.84	19.97	2.46 32.20	5	757.50	29.23	46.00	-16.77	29.46	28.20	3.72 32.15	6	955.38	32.42	46.00	-13.58	28.24	30.95	4.16 30.93		Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	32.91	28.42	40.00	-11.58	36.75	23.51	0.49 32.33	2	57.16	29.66	40.00	-10.34	48.70	12.65	0.80 32.49	3	186.17	20.77	43.50	-22.73	36.18	14.92	1.84 32.17	4	291.90	23.97	46.00	-22.03	34.59	19.24	2.31 32.17	5	747.80	30.25	46.00	-15.75	30.58	28.14	3.70 32.17	6	961.20	31.70	54.00	-22.30	27.48	30.91
	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																								
1	32.91	21.23	40.00	-18.77	29.56	23.51	0.49 32.33																																																																																																																																								
2	146.40	25.28	43.50	-18.22	38.59	17.25	1.61 32.17																																																																																																																																								
3	187.14	23.96	43.50	-19.54	39.39	14.89	1.85 32.17																																																																																																																																								
4	332.64	22.07	46.00	-23.93	31.84	19.97	2.46 32.20																																																																																																																																								
5	757.50	29.23	46.00	-16.77	29.46	28.20	3.72 32.15																																																																																																																																								
6	955.38	32.42	46.00	-13.58	28.24	30.95	4.16 30.93																																																																																																																																								
	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																								
1	32.91	28.42	40.00	-11.58	36.75	23.51	0.49 32.33																																																																																																																																								
2	57.16	29.66	40.00	-10.34	48.70	12.65	0.80 32.49																																																																																																																																								
3	186.17	20.77	43.50	-22.73	36.18	14.92	1.84 32.17																																																																																																																																								
4	291.90	23.97	46.00	-22.03	34.59	19.24	2.31 32.17																																																																																																																																								
5	747.80	30.25	46.00	-15.75	30.58	28.14	3.70 32.17																																																																																																																																								
6	961.20	31.70	54.00	-22.30	27.48	30.91	4.18 30.87																																																																																																																																								







Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.94</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>42.20</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>5464.30</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>42.57</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	54.93	74.00	-19.07	42.20	34.70	10.02	31.99	0.00	100	342	PEAK	2	5464.30	55.31	68.20	-12.89	42.57	34.70	10.03	31.99	0.00	100	342	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.01</td><td>-----</td><td>-----</td><td>86.28</td><td>34.63</td><td>10.14</td><td>32.04</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.01	-----	-----	86.28	34.63	10.14	32.04	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.94	54.93	74.00	-19.07	42.20	34.70	10.02	31.99	0.00	100	342	PEAK																																																																																																				
2	5464.30	55.31	68.20	-12.89	42.57	34.70	10.03	31.99	0.00	100	342	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	99.01	-----	-----	86.28	34.63	10.14	32.04	0.00	100	342	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.76</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>32.72</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.76	45.45	54.00	-8.55	32.72	34.70	10.02	31.99	0.00	100	342	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.92</td><td>-----</td><td>-----</td><td>77.18</td><td>34.65</td><td>10.12</td><td>32.03</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.92	-----	-----	77.18	34.65	10.12	32.03	0.00	100	342	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.76	45.45	54.00	-8.55	32.72	34.70	10.02	31.99	0.00	100	342	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	89.92	-----	-----	77.18	34.65	10.12	32.03	0.00	100	342	AVERAGE																																																																																																				




Mode	40																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																					
ANT	CDD 3+4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5729.99</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>40.52</td><td>34.64</td><td>10.35</td><td>32.03</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.99	53.48	68.20	-14.72	40.52	34.64	10.35	32.03	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5729.99	53.48	68.20	-14.72	40.52	34.64	10.35	32.03																														



Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.34</td><td>59.28</td><td>74.00</td><td>-14.72</td><td>46.56</td><td>34.70</td><td>10.01</td><td>31.99</td><td>0.00</td><td>257</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>5468.44</td><td>61.60</td><td>68.20</td><td>-6.60</td><td>48.86</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>257</td><td>290</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.34	59.28	74.00	-14.72	46.56	34.70	10.01	31.99	0.00	257	290	PEAK	2	5468.44	61.60	68.20	-6.60	48.86	34.70	10.04	32.00	0.00	257	290	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>107.71</td><td>-----</td><td>-----</td><td>94.98</td><td>34.61</td><td>10.17</td><td>32.05</td><td>0.00</td><td>257</td><td>290</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	107.71	-----	-----	94.98	34.61	10.17	32.05	0.00	257	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5451.34	59.28	74.00	-14.72	46.56	34.70	10.01	31.99	0.00	257	290	PEAK																																																																																																				
2	5468.44	61.60	68.20	-6.60	48.86	34.70	10.04	32.00	0.00	257	290	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	107.71	-----	-----	94.98	34.61	10.17	32.05	0.00	257	290	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.44</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>35.83</td><td>34.70</td><td>10.01</td><td>31.98</td><td>0.00</td><td>257</td><td>290</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.44	48.56	54.00	-5.44	35.83	34.70	10.01	31.98	0.00	257	290	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.06</td><td>-----</td><td>-----</td><td>83.32</td><td>34.64</td><td>10.13</td><td>32.03</td><td>0.00</td><td>257</td><td>290</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	96.06	-----	-----	83.32	34.64	10.13	32.03	0.00	257	290	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5450.44	48.56	54.00	-5.44	35.83	34.70	10.01	31.98	0.00	257	290	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	96.06	-----	-----	83.32	34.64	10.13	32.03	0.00	257	290	AVERAGE																																																																																																				







Mode	40																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																					
ANT	CDD 3+4																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5759.60</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>42.93</td><td>34.62</td><td>10.37</td><td>32.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5759.60	55.92	68.20	-12.28	42.93	34.62	10.37	32.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5759.60	55.92	68.20	-12.28	42.93	34.62	10.37	32.00																														





Mode	40											
	Harmonic											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz											
ANT	CDD 3+4											
Pol.	Horizontal						Vertical					
Peak Avg												







Mode	41																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_5250MHz																																																																																																	
ANT	CDD 3+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5110.25</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>46.40</td><td>34.20</td><td>9.75</td><td>31.78</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5110.25	58.57	74.00	-15.43	46.40	34.20	9.75	31.78	0.00	100	349 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>95.78</td><td>-----</td><td>-----</td><td>83.19</td><td>34.60</td><td>9.89</td><td>31.90</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5250.00	95.78	-----	-----	83.19	34.60	9.89	31.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5110.25	58.57	74.00	-15.43	46.40	34.20	9.75	31.78	0.00	100	349 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5250.00	95.78	-----	-----	83.19	34.60	9.89	31.90	0.00	100	349 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5132.00</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>35.67</td><td>34.20</td><td>9.77</td><td>31.79</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5132.00	47.85	54.00	-6.15	35.67	34.20	9.77	31.79	0.00	100	349 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>86.42</td><td>-----</td><td>-----</td><td>74.02</td><td>34.40</td><td>9.84</td><td>31.84</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5250.00	86.42	-----	-----	74.02	34.40	9.84	31.84	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5132.00	47.85	54.00	-6.15	35.67	34.20	9.77	31.79	0.00	100	349 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5250.00	86.42	-----	-----	74.02	34.40	9.84	31.84	0.00	100	349 AVERAGE																																																																																								





Mode	41																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_5250MHz																																																							
ANT	CDD 3+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5383.77</td><td>58.10</td><td>74.00</td><td>-15.90</td><td>45.47</td><td>34.64</td><td>9.93</td><td>31.94</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.77	58.10	74.00	-15.90	45.47	34.64	9.93	31.94	0.00	100	349	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5383.77	58.10	74.00	-15.90	45.47	34.64	9.93	31.94	0.00	100	349	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.27</td><td>46.79</td><td>54.00</td><td>-7.21</td><td>34.22</td><td>34.59</td><td>9.92</td><td>31.94</td><td>0.00</td><td>100</td><td>349</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.27	46.79	54.00	-7.21	34.22	34.59	9.92	31.94	0.00	100	349	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.27	46.79	54.00	-7.21	34.22	34.59	9.92	31.94	0.00	100	349	AVERAGE																																												



Mode	41																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_5250MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5099.50</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>46.37</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>284</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5099.50	58.54	74.00	-15.46	46.37	34.20	9.74	31.77	0.00	284	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>101.11</td><td>-----</td><td>-----</td><td>88.63</td><td>34.49</td><td>9.87</td><td>31.88</td><td>0.00</td><td>284</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.11	-----	-----	88.63	34.49	9.87	31.88	0.00	284	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5099.50	58.54	74.00	-15.46	46.37	34.20	9.74	31.77	0.00	284	293	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	101.11	-----	-----	88.63	34.49	9.87	31.88	0.00	284	293	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.75</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>36.40</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>284</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.75	48.58	54.00	-5.42	36.40	34.20	9.78	31.00	0.00	284	293	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>90.49</td><td>-----</td><td>-----</td><td>77.94</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>284</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.49	-----	-----	77.94	34.56	9.88	31.89	0.00	284	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5137.75	48.58	54.00	-5.42	36.40	34.20	9.78	31.00	0.00	284	293	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	90.49	-----	-----	77.94	34.56	9.88	31.89	0.00	284	293	AVERAGE																																																																																							






Mode	41																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_5250MHz																																																
ANT	CDD 3+4																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5380.41</td><td>62.18</td><td>74.00</td><td>-11.82</td><td>49.57</td><td>34.62</td><td>9.93</td><td>31.94</td><td>0.00</td><td>284</td><td>293</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5380.41	62.18	74.00	-11.82	49.57	34.62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5380.41	62.18	74.00	-11.82	49.57	34.62	9.93	31.94	0.00	284	293	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.91</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>38.14</td><td>34.58</td><td>9.92</td><td>31.94</td><td>0.00</td><td>284</td><td>293</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.91	50.70	54.00	-3.30	38.14	34.58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5369.91	50.70	54.00	-3.30	38.14	34.58	9.92	31.94	0.00	284	293	AVERAGE																																					






Mode	41											
	Harmonic											
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_5250MHz											
ANT	CDD 3+4											
Pol.	Horizontal						Vertical					
Peak Avg												





Mode	42																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	CDD 3+4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.82</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>44.25</td><td>34.61</td><td>10.28</td><td>32.10</td><td>0.00</td><td>225</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>54.24</td><td>68.22</td><td>-13.98</td><td>41.45</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>225</td><td>223</td><td>PEAK</td></tr><tr><td>3</td><td>5716.15</td><td>73.86</td><td>109.82</td><td>-35.96</td><td>60.89</td><td>34.67</td><td>10.34</td><td>32.04</td><td>0.00</td><td>225</td><td>223</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>74.18</td><td>111.70</td><td>-37.52</td><td>61.21</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>225</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.82	57.04	68.20	-11.16	44.25	34.61	10.28	32.10	0.00	225	223	PEAK	2	5650.03	54.24	68.22	-13.98	41.45	34.60	10.28	32.09	0.00	225	223	PEAK	3	5716.15	73.86	109.82	-35.96	60.89	34.67	10.34	32.04	0.00	225	223	PEAK	4	5720.35	74.18	111.70	-37.52	61.21	34.66	10.34	32.03	0.00	225	223	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.69</td><td>-----</td><td>-----</td><td>94.73</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>225</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.69	-----	-----	94.73	34.61	10.36	32.01	0.00	225	223	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.82	57.04	68.20	-11.16	44.25	34.61	10.28	32.10	0.00	225	223	PEAK																																																																																																																															
2	5650.03	54.24	68.22	-13.98	41.45	34.60	10.28	32.09	0.00	225	223	PEAK																																																																																																																															
3	5716.15	73.86	109.82	-35.96	60.89	34.67	10.34	32.04	0.00	225	223	PEAK																																																																																																																															
4	5720.35	74.18	111.70	-37.52	61.21	34.66	10.34	32.03	0.00	225	223	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	107.69	-----	-----	94.73	34.61	10.36	32.01	0.00	225	223	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.70</td><td>-----</td><td>-----</td><td>85.74</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>225</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.70	-----	-----	85.74	34.62	10.36	32.02	0.00	225	223	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.70	-----	-----	85.74	34.62	10.36	32.02	0.00	225	223	AVERAGE																																																																																																																															





		42																																																																																																																																																									
Mode	Band Edge																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																										
ANT	CDD 3+4																																																																																																																																																										
Pol.	Vertical											Fundamental																																																																																																																																															
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.57</td><td>58.34</td><td>68.20</td><td>-9.86</td><td>45.54</td><td>34.62</td><td>10.28</td><td>32.10</td><td>0.00</td><td>280</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>55.14</td><td>68.33</td><td>-13.19</td><td>42.35</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>280</td><td>299</td><td>PEAK</td></tr><tr><td>3</td><td>5715.71</td><td>78.43</td><td>109.70</td><td>-31.27</td><td>65.46</td><td>34.67</td><td>10.34</td><td>32.04</td><td>0.00</td><td>280</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>75.23</td><td>112.69</td><td>-37.46</td><td>62.26</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>280</td><td>299</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5638.57	58.34	68.20	-9.86	45.54	34.62	10.28	32.10	0.00	280	299	PEAK	2	5650.17	55.14	68.33	-13.19	42.35	34.60	10.28	32.09	0.00	280	299	PEAK	3	5715.71	78.43	109.70	-31.27	65.46	34.67	10.34	32.04	0.00	280	299	PEAK	4	5720.79	75.23	112.69	-37.46	62.26	34.66	10.34	32.03	0.00	280	299	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.48</td><td>-----</td><td>-----</td><td>100.52</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>280</td><td>299</td><td>PEAK</td></tr></tbody></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5745.00	113.48	-----	-----	100.52	34.62	10.36	32.02	0.00	280	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5638.57	58.34	68.20	-9.86	45.54	34.62	10.28	32.10	0.00	280	299	PEAK																																																																																																																																															
2	5650.17	55.14	68.33	-13.19	42.35	34.60	10.28	32.09	0.00	280	299	PEAK																																																																																																																																															
3	5715.71	78.43	109.70	-31.27	65.46	34.67	10.34	32.04	0.00	280	299	PEAK																																																																																																																																															
4	5720.79	75.23	112.69	-37.46	62.26	34.66	10.34	32.03	0.00	280	299	PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5745.00	113.48	-----	-----	100.52	34.62	10.36	32.02	0.00	280	299	PEAK																																																																																																																																															
Avg	Blank																																																																																																																																																										
														<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.98</td><td>-----</td><td>-----</td><td>92.02</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>280</td><td>299</td><td>AVERAGE</td></tr></tbody></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5745.00	104.98	-----	-----	92.02	34.62	10.36	32.02	0.00	280	299	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	5745.00	104.98	-----	-----	92.02	34.62	10.36	32.02	0.00	280	299	AVERAGE																																																																																																																																															






Mode	42																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																										
ANT	CDD 3+4																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>54.27</td><td>38.20</td><td>14.91</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	46.52	74.00	-27.48	54.27	38.20	14.91	60.86								0.00									cm	deg								---	---									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>54.15</td><td>38.20</td><td>14.91</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	46.40	74.00	-27.60	54.15	38.20	14.91	60.86								0.00									cm	deg								---	---								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																			
1	11490.00	46.52	74.00	-27.48	54.27	38.20	14.91	60.86																																																																																																																																																			
							0.00																																																																																																																																																				
							cm	deg																																																																																																																																																			
							---	---																																																																																																																																																			
								PEAK																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																			
1	11490.00	46.40	74.00	-27.60	54.15	38.20	14.91	60.86																																																																																																																																																			
							0.00																																																																																																																																																				
							cm	deg																																																																																																																																																			
							---	---																																																																																																																																																			
								PEAK																																																																																																																																																			





		43																																																								
Mode		Harmonic																																																								
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																								
ANT		CDD 3+4																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>54.11</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.60	74.00	-27.40	54.11	38.34	14.97	60.82	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11570.00	46.60	74.00	-27.40	54.11	38.34	14.97	60.82	0.00	---	---	PEAK																																														
																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>54.68</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.17	74.00	-26.83	54.68	38.34	14.97	60.82	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11570.00	47.17	74.00	-26.83	54.68	38.34	14.97	60.82	0.00	---	---	PEAK																																														





Mode	44																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	CDD 3+4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>57.79</td><td>110.90</td><td>-53.11</td><td>44.37</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.29</td><td>105.58</td><td>-48.29</td><td>43.82</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5924.25</td><td>56.24</td><td>68.75</td><td>-12.51</td><td>42.62</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5946.75</td><td>58.33</td><td>68.20</td><td>-9.87</td><td>44.62</td><td>35.19</td><td>10.53</td><td>32.01</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	57.79	110.90	-53.11	44.37	34.91	10.45	31.94	0.00	300	89	PEAK	2	5874.00	57.29	105.58	-48.29	43.82	34.95	10.47	31.95	0.00	300	89	PEAK	3	5924.25	56.24	68.75	-12.51	42.62	35.10	10.51	31.99	0.00	300	89	PEAK	4	5946.75	58.33	68.20	-9.87	44.62	35.19	10.53	32.01	0.00	300	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.78</td><td>-----</td><td>-----</td><td>91.47</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>300</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.78	-----	-----	91.47	34.82	10.43	31.94	0.00	300	89	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5855.00	57.79	110.90	-53.11	44.37	34.91	10.45	31.94	0.00	300	89	PEAK																																																																																																																															
2	5874.00	57.29	105.58	-48.29	43.82	34.95	10.47	31.95	0.00	300	89	PEAK																																																																																																																															
3	5924.25	56.24	68.75	-12.51	42.62	35.10	10.51	31.99	0.00	300	89	PEAK																																																																																																																															
4	5946.75	58.33	68.20	-9.87	44.62	35.19	10.53	32.01	0.00	300	89	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	104.78	-----	-----	91.47	34.82	10.43	31.94	0.00	300	89	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.83</td><td>-----</td><td>-----</td><td>83.55</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>300</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.83	-----	-----	83.55	34.80	10.43	31.95	0.00	300	89	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	96.83	-----	-----	83.55	34.80	10.43	31.95	0.00	300	89	AVERAGE																																																																																																																															






	44																																																																																														
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.38</td><td>65.05</td><td>114.60</td><td>-49.55</td><td>51.63</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>263</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>61.33</td><td>105.86</td><td>-44.53</td><td>47.86</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>263</td><td>307</td><td>PEAK</td></tr><tr><td>3</td><td>5923.13</td><td>57.49</td><td>69.59</td><td>-12.10</td><td>43.88</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>263</td><td>307</td><td>PEAK</td></tr><tr><td>4</td><td>5933.88</td><td>57.76</td><td>68.20</td><td>-10.44</td><td>44.10</td><td>35.14</td><td>10.52</td><td>32.00</td><td>0.00</td><td>263</td><td>307</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.38	65.05	114.60	-49.55	51.63	34.91	10.45	31.94	0.00	263	307	PEAK	2	5873.00	61.33	105.86	-44.53	47.86	34.95	10.47	31.95	0.00	263	307	PEAK	3	5923.13	57.49	69.59	-12.10	43.88	35.09	10.51	31.99	0.00	263	307	PEAK	4	5933.88	57.76	68.20	-10.44	44.10	35.14	10.52	32.00	0.00	263	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.38	65.05	114.60	-49.55	51.63	34.91	10.45	31.94	0.00	263	307	PEAK																																																																																			
2	5873.00	61.33	105.86	-44.53	47.86	34.95	10.47	31.95	0.00	263	307	PEAK																																																																																			
3	5923.13	57.49	69.59	-12.10	43.88	35.09	10.51	31.99	0.00	263	307	PEAK																																																																																			
4	5933.88	57.76	68.20	-10.44	44.10	35.14	10.52	32.00	0.00	263	307	PEAK																																																																																			
Avg	Blank																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.55</td><td>-----</td><td>-----</td><td>99.27</td><td>34.80</td><td>10.43</td><td>31.95</td><td>0.00</td><td>263</td><td>307</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.55	-----	-----	99.27	34.80	10.43	31.95	0.00	263	307	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	112.55	-----	-----	99.27	34.80	10.43	31.95	0.00	263	307	PEAK																																																																																			






Mode	44																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7770.00</td><td>51.53</td><td>68.20</td><td>-16.67</td><td>64.13</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>54.53</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7770.00	51.53	68.20	-16.67	64.13	35.90	12.12	60.62	0.00	---	---	Peak	2	11650.00	47.28	74.00	-26.72	54.53	38.50	15.02	60.77	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7770.00</td><td>48.57</td><td>68.20</td><td>-19.63</td><td>61.17</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>54.50</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7770.00	48.57	68.20	-19.63	61.17	35.90	12.12	60.62	0.00	---	---	Peak	2	11650.00	47.25	74.00	-26.75	54.50	38.50	15.02	60.77	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7770.00	51.53	68.20	-16.67	64.13	35.90	12.12	60.62	0.00	---	---	Peak																																																																																																																																
2	11650.00	47.28	74.00	-26.72	54.53	38.50	15.02	60.77	0.00	---	---	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7770.00	48.57	68.20	-19.63	61.17	35.90	12.12	60.62	0.00	---	---	Peak																																																																																																																																
2	11650.00	47.25	74.00	-26.75	54.50	38.50	15.02	60.77	0.00	---	---	PEAK																																																																																																																																





Mode	45																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.16</td><td>58.09</td><td>68.20</td><td>-10.11</td><td>45.26</td><td>34.66</td><td>10.26</td><td>32.09</td><td>0.00</td><td>173</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>56.32</td><td>69.52</td><td>-13.20</td><td>43.52</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>173</td><td>232</td><td>PEAK</td></tr><tr><td>3</td><td>5700.49</td><td>57.21</td><td>105.44</td><td>-48.23</td><td>44.24</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>173</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>55.89</td><td>111.37</td><td>-55.48</td><td>42.92</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>173</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.16	58.09	68.20	-10.11	45.26	34.66	10.26	32.09	0.00	173	232	PEAK	2	5651.77	56.32	69.52	-13.20	43.52	34.60	10.29	32.09	0.00	173	232	PEAK	3	5700.49	57.21	105.44	-48.23	44.24	34.70	10.32	32.05	0.00	173	232	PEAK	4	5720.21	55.89	111.37	-55.48	42.92	34.66	10.34	32.03	0.00	173	232	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.02</td><td>-----</td><td>-----</td><td>94.06</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>173</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.02	-----	-----	94.06	34.60	10.37	32.01	0.00	173	232	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5620.16	58.09	68.20	-10.11	45.26	34.66	10.26	32.09	0.00	173	232	PEAK																																																																																																																													
2	5651.77	56.32	69.52	-13.20	43.52	34.60	10.29	32.09	0.00	173	232	PEAK																																																																																																																													
3	5700.49	57.21	105.44	-48.23	44.24	34.70	10.32	32.05	0.00	173	232	PEAK																																																																																																																													
4	5720.21	55.89	111.37	-55.48	42.92	34.66	10.34	32.03	0.00	173	232	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	107.02	-----	-----	94.06	34.60	10.37	32.01	0.00	173	232	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.56</td><td>-----</td><td>-----</td><td>83.60</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>173</td><td>232</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.56	-----	-----	83.60	34.60	10.37	32.01	0.00	173	232	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	96.56	-----	-----	83.60	34.60	10.37	32.01	0.00	173	232	AVERAGE																																																																																																																													





		45																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.74</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>43.79</td><td>34.70</td><td>10.24</td><td>32.08</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>57.52</td><td>69.41</td><td>-11.89</td><td>44.72</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>5703.10</td><td>57.57</td><td>106.17</td><td>-48.60</td><td>44.60</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>60.83</td><td>112.69</td><td>-51.86</td><td>47.86</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.74	56.65	68.20	-11.55	43.79	34.70	10.24	32.08	0.00	300	300	PEAK	2	5651.62	57.52	69.41	-11.89	44.72	34.60	10.29	32.09	0.00	300	300	PEAK	3	5703.10	57.57	106.17	-48.60	44.60	34.69	10.33	32.05	0.00	300	300	PEAK	4	5720.79	60.83	112.69	-51.86	47.86	34.66	10.34	32.03	0.00	300	300	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.74</td><td>-----</td><td>-----</td><td>97.78</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.74	-----	-----	97.78	34.61	10.36	32.01	0.00	300	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5601.74	56.65	68.20	-11.55	43.79	34.70	10.24	32.08	0.00	300	300	PEAK																																																																																																																														
2	5651.62	57.52	69.41	-11.89	44.72	34.60	10.29	32.09	0.00	300	300	PEAK																																																																																																																														
3	5703.10	57.57	106.17	-48.60	44.60	34.69	10.33	32.05	0.00	300	300	PEAK																																																																																																																														
4	5720.79	60.83	112.69	-51.86	47.86	34.66	10.34	32.03	0.00	300	300	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.74	-----	-----	97.78	34.61	10.36	32.01	0.00	300	300	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.00</td><td>-----</td><td>-----</td><td>89.04</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.00	-----	-----	89.04	34.61	10.36	32.01	0.00	300	300	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	102.00	-----	-----	89.04	34.61	10.36	32.01	0.00	300	300	AVERAGE																																																																																																																														






Mode	45																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>53.66</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.91	74.00	-28.09	53.66	38.20	14.91	60.86	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.05</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.30	74.00	-27.70	54.05	38.20	14.91	60.86	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	45.91	74.00	-28.09	53.66	38.20	14.91	60.86	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	46.30	74.00	-27.70	54.05	38.20	14.91	60.86	0.00	---	---	PEAK																																																																																								






Mode	46																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.08</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.57	74.00	-27.43	54.08	38.34	14.97	60.82	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>54.71</td><td>38.34</td><td>14.97</td><td>60.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.20	74.00	-26.80	54.71	38.34	14.97	60.82	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	46.57	74.00	-27.43	54.08	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	47.20	74.00	-26.80	54.71	38.34	14.97	60.82	0.00	---	---	PEAK																																																																																								





	47																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>56.80</td><td>110.90</td><td>-54.10</td><td>43.38</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300 105 PEAK</td></tr><tr><td>2 5874.00</td><td>55.99</td><td>105.58</td><td>-49.59</td><td>42.52</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300 105 PEAK</td></tr><tr><td>3 5921.88</td><td>59.58</td><td>70.51</td><td>-10.93</td><td>45.97</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300 105 PEAK</td></tr><tr><td>4 5944.50</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>44.12</td><td>35.18</td><td>10.53</td><td>32.01</td><td>0.00</td><td>300 105 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5855.00	56.80	110.90	-54.10	43.38	34.91	10.45	31.94	0.00	300 105 PEAK	2 5874.00	55.99	105.58	-49.59	42.52	34.95	10.47	31.95	0.00	300 105 PEAK	3 5921.88	59.58	70.51	-10.93	45.97	35.09	10.51	31.99	0.00	300 105 PEAK	4 5944.50	57.82	68.20	-10.38	44.12	35.18	10.53	32.01	0.00	300 105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.59</td><td>-----</td><td>-----</td><td>91.28</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>300 105 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	104.59	-----	-----	91.28	34.82	10.43	31.94	0.00	300 105 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5855.00	56.80	110.90	-54.10	43.38	34.91	10.45	31.94	0.00	300 105 PEAK																																																																																																							
2 5874.00	55.99	105.58	-49.59	42.52	34.95	10.47	31.95	0.00	300 105 PEAK																																																																																																							
3 5921.88	59.58	70.51	-10.93	45.97	35.09	10.51	31.99	0.00	300 105 PEAK																																																																																																							
4 5944.50	57.82	68.20	-10.38	44.12	35.18	10.53	32.01	0.00	300 105 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	104.59	-----	-----	91.28	34.82	10.43	31.94	0.00	300 105 PEAK																																																																																																							
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.35</td><td>-----</td><td>-----</td><td>82.04</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>300 105 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	95.35	-----	-----	82.04	34.82	10.43	31.94	0.00	300 105 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	95.35	-----	-----	82.04	34.82	10.43	31.94	0.00	300 105 AVERAGE																																																																																																							






		47																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>58.46</td><td>111.18</td><td>-52.72</td><td>45.04</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>260</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>57.71</td><td>105.47</td><td>-47.76</td><td>44.24</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>260</td><td>303</td><td>PEAK</td></tr><tr><td>3</td><td>5922.38</td><td>59.02</td><td>70.14</td><td>-11.12</td><td>45.41</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>260</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>5937.25</td><td>58.86</td><td>68.20</td><td>-9.34</td><td>45.18</td><td>35.15</td><td>10.53</td><td>32.00</td><td>0.00</td><td>260</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	58.46	111.18	-52.72	45.04	34.91	10.45	31.94	0.00	260	303	PEAK	2	5874.38	57.71	105.47	-47.76	44.24	34.95	10.47	31.95	0.00	260	303	PEAK	3	5922.38	59.02	70.14	-11.12	45.41	35.09	10.51	31.99	0.00	260	303	PEAK	4	5937.25	58.86	68.20	-9.34	45.18	35.15	10.53	32.00	0.00	260	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.02</td><td>-----</td><td>-----</td><td>98.78</td><td>34.77</td><td>10.42</td><td>31.95</td><td>0.00</td><td>260</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.02	-----	-----	98.78	34.77	10.42	31.95	0.00	260	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.88	58.46	111.18	-52.72	45.04	34.91	10.45	31.94	0.00	260	303	PEAK																																																																																																																														
2	5874.38	57.71	105.47	-47.76	44.24	34.95	10.47	31.95	0.00	260	303	PEAK																																																																																																																														
3	5922.38	59.02	70.14	-11.12	45.41	35.09	10.51	31.99	0.00	260	303	PEAK																																																																																																																														
4	5937.25	58.86	68.20	-9.34	45.18	35.15	10.53	32.00	0.00	260	303	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	112.02	-----	-----	98.78	34.77	10.42	31.95	0.00	260	303	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.28</td><td>-----</td><td>-----</td><td>89.97</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>260</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.28	-----	-----	89.97	34.82	10.43	31.94	0.00	260	303	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.28	-----	-----	89.97	34.82	10.43	31.94	0.00	260	303	AVERAGE																																																																																																																														




Mode	47																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																									
ANT	CDD 3+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7770.00</td><td>51.50</td><td>68.20</td><td>-16.70</td><td>64.10</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>54.24</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	51.50	68.20	-16.70	64.10	35.90	12.12	60.62	0.00	---	Peak	2	11650.00	46.99	74.00	-27.01	54.24	38.50	15.02	60.77	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7770.00</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>62.10</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>53.94</td><td>38.50</td><td>15.02</td><td>60.77</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7770.00	49.50	68.20	-18.70	62.10	35.90	12.12	60.62	0.00	---	Peak	2	11650.00	46.69	74.00	-27.31	53.94	38.50	15.02	60.77	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7770.00	51.50	68.20	-16.70	64.10	35.90	12.12	60.62	0.00	---	Peak																																																																																																															
2	11650.00	46.99	74.00	-27.01	54.24	38.50	15.02	60.77	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7770.00	49.50	68.20	-18.70	62.10	35.90	12.12	60.62	0.00	---	Peak																																																																																																															
2	11650.00	46.69	74.00	-27.31	53.94	38.50	15.02	60.77	0.00	---	PEAK																																																																																																															






Mode	48																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																		
ANT	CDD 3+4																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5604.19</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>44.61</td><td>34.69</td><td>10.25</td><td>32.08</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>2 5651.00</td><td>56.27</td><td>68.94</td><td>-12.67</td><td>43.47</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>3 5705.71</td><td>57.79</td><td>106.90</td><td>-49.11</td><td>44.82</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>4 5720.13</td><td>57.84</td><td>111.19</td><td>-53.35</td><td>44.87</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5604.19	57.47	68.20	-10.73	44.61	34.69	10.25	32.08	0.00	174	232	PEAK	2 5651.00	56.27	68.94	-12.67	43.47	34.60	10.29	32.09	0.00	174	232	PEAK	3 5705.71	57.79	106.90	-49.11	44.82	34.69	10.33	32.05	0.00	174	232	PEAK	4 5720.13	57.84	111.19	-53.35	44.87	34.66	10.34	32.03	0.00	174	232	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.90</td><td>-----</td><td>-----</td><td>90.91</td><td>34.62</td><td>10.37</td><td>32.00</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.90	-----	-----	90.91	34.62	10.37	32.00	0.00	174	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5604.19	57.47	68.20	-10.73	44.61	34.69	10.25	32.08	0.00	174	232	PEAK																																																																																																																								
2 5651.00	56.27	68.94	-12.67	43.47	34.60	10.29	32.09	0.00	174	232	PEAK																																																																																																																								
3 5705.71	57.79	106.90	-49.11	44.82	34.69	10.33	32.05	0.00	174	232	PEAK																																																																																																																								
4 5720.13	57.84	111.19	-53.35	44.87	34.66	10.34	32.03	0.00	174	232	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	103.90	-----	-----	90.91	34.62	10.37	32.00	0.00	174	232	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>93.99</td><td>-----</td><td>-----</td><td>81.00</td><td>34.62</td><td>10.37</td><td>32.00</td><td>0.00</td><td>174</td><td>232</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	93.99	-----	-----	81.00	34.62	10.37	32.00	0.00	174	232	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	93.99	-----	-----	81.00	34.62	10.37	32.00	0.00	174	232	AVERAGE																																																																																																																								




Mode	48																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.74</td><td>111.26</td><td>-55.52</td><td>42.32</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>56.95</td><td>105.70</td><td>-48.75</td><td>43.48</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>56.55</td><td>68.31</td><td>-11.76</td><td>42.92</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5948.44</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>44.26</td><td>35.19</td><td>10.54</td><td>32.01</td><td>0.00</td><td>174</td><td>232</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	55.74	111.26	-55.52	42.32	34.91	10.45	31.94	0.00	174	232	PEAK	2	5873.56	56.95	105.70	-48.75	43.48	34.95	10.47	31.95	0.00	174	232	PEAK	3	5924.85	56.55	68.31	-11.76	42.92	35.10	10.52	31.99	0.00	174	232	PEAK	4	5948.44	57.98	68.20	-10.22	44.26	35.19	10.54	32.01	0.00	174	232	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.84	55.74	111.26	-55.52	42.32	34.91	10.45	31.94	0.00	174	232	PEAK																																																																																			
2	5873.56	56.95	105.70	-48.75	43.48	34.95	10.47	31.95	0.00	174	232	PEAK																																																																																			
3	5924.85	56.55	68.31	-11.76	42.92	35.10	10.52	31.99	0.00	174	232	PEAK																																																																																			
4	5948.44	57.98	68.20	-10.22	44.26	35.19	10.54	32.01	0.00	174	232	PEAK																																																																																			





Mode	48																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																							
ANT	CDD 3+4																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.00</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>44.29</td><td>34.64</td><td>10.27</td><td>32.09</td><td>0.00</td><td>300 340 PEAK</td></tr><tr><td>2 5650.53</td><td>55.98</td><td>68.59</td><td>-12.61</td><td>43.19</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300 340 PEAK</td></tr><tr><td>3 5711.29</td><td>60.91</td><td>108.46</td><td>-47.55</td><td>47.94</td><td>34.68</td><td>10.33</td><td>32.04</td><td>0.00</td><td>300 340 PEAK</td></tr><tr><td>4 5720.13</td><td>59.47</td><td>111.19</td><td>-51.72</td><td>46.50</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300 340 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5631.00	57.11	68.20	-11.09	44.29	34.64	10.27	32.09	0.00	300 340 PEAK	2 5650.53	55.98	68.59	-12.61	43.19	34.60	10.28	32.09	0.00	300 340 PEAK	3 5711.29	60.91	108.46	-47.55	47.94	34.68	10.33	32.04	0.00	300 340 PEAK	4 5720.13	59.47	111.19	-51.72	46.50	34.66	10.34	32.03	0.00	300 340 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>108.91</td><td>-----</td><td>-----</td><td>95.90</td><td>34.63</td><td>10.38</td><td>32.00</td><td>0.00</td><td>300 340 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	108.91	-----	-----	95.90	34.63	10.38	32.00	0.00	300 340 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5631.00	57.11	68.20	-11.09	44.29	34.64	10.27	32.09	0.00	300 340 PEAK																																																																																																															
2 5650.53	55.98	68.59	-12.61	43.19	34.60	10.28	32.09	0.00	300 340 PEAK																																																																																																															
3 5711.29	60.91	108.46	-47.55	47.94	34.68	10.33	32.04	0.00	300 340 PEAK																																																																																																															
4 5720.13	59.47	111.19	-51.72	46.50	34.66	10.34	32.03	0.00	300 340 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5755.00	108.91	-----	-----	95.90	34.63	10.38	32.00	0.00	300 340 PEAK																																																																																																															
Avg	Blank					 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>99.11</td><td>-----</td><td>-----</td><td>86.15</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>300 340 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	99.11	-----	-----	86.15	34.60	10.37	32.01	0.00	300 340 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5755.00	99.11	-----	-----	86.15	34.60	10.37	32.01	0.00	300 340 AVERAGE																																																																																																															






Mode	48																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>57.27</td><td>111.26</td><td>-53.99</td><td>43.85</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>56.97</td><td>105.32</td><td>-48.35</td><td>43.50</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr><tr><td>3</td><td>5922.51</td><td>56.52</td><td>70.04</td><td>-13.52</td><td>42.91</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>5931.67</td><td>57.99</td><td>68.20</td><td>-10.21</td><td>44.34</td><td>35.13</td><td>10.52</td><td>32.00</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	57.27	111.26	-53.99	43.85	34.91	10.45	31.94	0.00	300	340	PEAK	2	5874.93	56.97	105.32	-48.35	43.50	34.95	10.47	31.95	0.00	300	340	PEAK	3	5922.51	56.52	70.04	-13.52	42.91	35.09	10.51	31.99	0.00	300	340	PEAK	4	5931.67	57.99	68.20	-10.21	44.34	35.13	10.52	32.00	0.00	300	340	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	57.27	111.26	-53.99	43.85	34.91	10.45	31.94	0.00	300	340	PEAK																																																																									
2	5874.93	56.97	105.32	-48.35	43.50	34.95	10.47	31.95	0.00	300	340	PEAK																																																																									
3	5922.51	56.52	70.04	-13.52	42.91	35.09	10.51	31.99	0.00	300	340	PEAK																																																																									
4	5931.67	57.99	68.20	-10.21	44.34	35.13	10.52	32.00	0.00	300	340	PEAK																																																																									




Mode	48																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.77</td><td>38.22</td><td>14.92</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	47.06	74.00	-26.94	54.77	38.22	14.92	60.85	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>53.79</td><td>38.22</td><td>14.92</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.08	74.00	-27.92	53.79	38.22	14.92	60.85	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11510.00	47.06	74.00	-26.94	54.77	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11510.00	46.08	74.00	-27.92	53.79	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																										






Mode	49																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																							
ANT	CDD 3+4																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5605.46</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>43.74</td><td>34.69</td><td>10.25</td><td>32.08</td><td>0.00</td><td>300 227 PEAK</td></tr><tr><td>2 5650.70</td><td>56.55</td><td>68.72</td><td>-12.17</td><td>43.75</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>300 227 PEAK</td></tr><tr><td>3 5700.43</td><td>55.29</td><td>105.42</td><td>-50.13</td><td>42.32</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>300 227 PEAK</td></tr><tr><td>4 5720.12</td><td>56.42</td><td>111.17</td><td>-54.75</td><td>43.45</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300 227 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5605.46	56.60	68.20	-11.60	43.74	34.69	10.25	32.08	0.00	300 227 PEAK	2 5650.70	56.55	68.72	-12.17	43.75	34.60	10.29	32.09	0.00	300 227 PEAK	3 5700.43	55.29	105.42	-50.13	42.32	34.70	10.32	32.05	0.00	300 227 PEAK	4 5720.12	56.42	111.17	-54.75	43.45	34.66	10.34	32.03	0.00	300 227 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>102.41</td><td>-----</td><td>-----</td><td>89.27</td><td>34.70</td><td>10.41</td><td>31.97</td><td>0.00</td><td>300 227 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	102.41	-----	-----	89.27	34.70	10.41	31.97	0.00	300 227 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5605.46	56.60	68.20	-11.60	43.74	34.69	10.25	32.08	0.00	300 227 PEAK																																																																																																															
2 5650.70	56.55	68.72	-12.17	43.75	34.60	10.29	32.09	0.00	300 227 PEAK																																																																																																															
3 5700.43	55.29	105.42	-50.13	42.32	34.70	10.32	32.05	0.00	300 227 PEAK																																																																																																															
4 5720.12	56.42	111.17	-54.75	43.45	34.66	10.34	32.03	0.00	300 227 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5795.00	102.41	-----	-----	89.27	34.70	10.41	31.97	0.00	300 227 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>93.41</td><td>-----</td><td>-----</td><td>80.29</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>300 227 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	93.41	-----	-----	80.29	34.69	10.40	31.97	0.00	300 227 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5795.00	93.41	-----	-----	80.29	34.69	10.40	31.97	0.00	300 227 AVERAGE																																																																																																															




Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>58.13</td><td>110.93</td><td>-52.80</td><td>44.71</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5872.50</td><td>56.58</td><td>106.00</td><td>-49.42</td><td>43.12</td><td>34.94</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>5924.27</td><td>56.64</td><td>68.74</td><td>-12.10</td><td>43.02</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>4</td><td>5949.38</td><td>58.23</td><td>68.20</td><td>-9.97</td><td>44.50</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	58.13	110.93	-52.80	44.71	34.91	10.45	31.94	0.00	300	227	PEAK	2	5872.50	56.58	106.00	-49.42	43.12	34.94	10.47	31.95	0.00	300	227	PEAK	3	5924.27	56.64	68.74	-12.10	43.02	35.10	10.51	31.99	0.00	300	227	PEAK	4	5949.38	58.23	68.20	-9.97	44.50	35.20	10.54	32.01	0.00	300	227	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	58.13	110.93	-52.80	44.71	34.91	10.45	31.94	0.00	300	227	PEAK																																																																									
2	5872.50	56.58	106.00	-49.42	43.12	34.94	10.47	31.95	0.00	300	227	PEAK																																																																									
3	5924.27	56.64	68.74	-12.10	43.02	35.10	10.51	31.99	0.00	300	227	PEAK																																																																									
4	5949.38	58.23	68.20	-9.97	44.50	35.20	10.54	32.01	0.00	300	227	PEAK																																																																									







Mode	49																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																							
ANT	CDD 3+4																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5616.77</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>44.34</td><td>34.67</td><td>10.26</td><td>32.09</td><td>0.00</td><td>300 348 PEAK</td></tr><tr><td>2 5650.12</td><td>55.23</td><td>68.29</td><td>-13.06</td><td>42.44</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300 348 PEAK</td></tr><tr><td>3 5701.79</td><td>57.26</td><td>105.80</td><td>-48.54</td><td>44.28</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300 348 PEAK</td></tr><tr><td>4 5720.51</td><td>56.14</td><td>112.06</td><td>-55.92</td><td>43.17</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300 348 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5616.77	57.18	68.20	-11.02	44.34	34.67	10.26	32.09	0.00	300 348 PEAK	2 5650.12	55.23	68.29	-13.06	42.44	34.60	10.28	32.09	0.00	300 348 PEAK	3 5701.79	57.26	105.80	-48.54	44.28	34.70	10.33	32.05	0.00	300 348 PEAK	4 5720.51	56.14	112.06	-55.92	43.17	34.66	10.34	32.03	0.00	300 348 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>107.45</td><td>-----</td><td>-----</td><td>94.35</td><td>34.68</td><td>10.40</td><td>31.98</td><td>0.00</td><td>300 348 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	107.45	-----	-----	94.35	34.68	10.40	31.98	0.00	300 348 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5616.77	57.18	68.20	-11.02	44.34	34.67	10.26	32.09	0.00	300 348 PEAK																																																																																																															
2 5650.12	55.23	68.29	-13.06	42.44	34.60	10.28	32.09	0.00	300 348 PEAK																																																																																																															
3 5701.79	57.26	105.80	-48.54	44.28	34.70	10.33	32.05	0.00	300 348 PEAK																																																																																																															
4 5720.51	56.14	112.06	-55.92	43.17	34.66	10.34	32.03	0.00	300 348 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5795.00	107.45	-----	-----	94.35	34.68	10.40	31.98	0.00	300 348 PEAK																																																																																																															
Avg	Blank					 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.64</td><td>-----</td><td>-----</td><td>85.54</td><td>34.68</td><td>10.40</td><td>31.98</td><td>0.00</td><td>300 348 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	98.64	-----	-----	85.54	34.68	10.40	31.98	0.00	300 348 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5795.00	98.64	-----	-----	85.54	34.68	10.40	31.98	0.00	300 348 AVERAGE																																																																																																															





Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>58.01</td><td>111.64</td><td>-53.63</td><td>44.59</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>348</td><td>PEAK</td></tr><tr><td>2</td><td>5874.52</td><td>59.07</td><td>105.44</td><td>-46.37</td><td>45.60</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>348</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>55.75</td><td>68.28</td><td>-12.53</td><td>42.12</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>348</td><td>PEAK</td></tr><tr><td>4</td><td>5938.22</td><td>59.38</td><td>68.20</td><td>-8.82</td><td>45.70</td><td>35.15</td><td>10.53</td><td>32.00</td><td>0.00</td><td>300</td><td>348</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.68	58.01	111.64	-53.63	44.59	34.91	10.45	31.94	0.00	300	348	PEAK	2	5874.52	59.07	105.44	-46.37	45.60	34.95	10.47	31.95	0.00	300	348	PEAK	3	5924.89	55.75	68.28	-12.53	42.12	35.10	10.52	31.99	0.00	300	348	PEAK	4	5938.22	59.38	68.20	-8.82	45.70	35.15	10.53	32.00	0.00	300	348	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.68	58.01	111.64	-53.63	44.59	34.91	10.45	31.94	0.00	300	348	PEAK																																																																									
2	5874.52	59.07	105.44	-46.37	45.60	34.95	10.47	31.95	0.00	300	348	PEAK																																																																									
3	5924.89	55.75	68.28	-12.53	42.12	35.10	10.52	31.99	0.00	300	348	PEAK																																																																									
4	5938.22	59.38	68.20	-8.82	45.70	35.15	10.53	32.00	0.00	300	348	PEAK																																																																									






Mode	49																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																										
ANT	CDD 3+4																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>53.74</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 11590.00	46.29	74.00	-27.71	53.74	38.38	14.98	60.81	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>53.02</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 11590.00	45.57	74.00	-28.43	53.02	38.38	14.98	60.81	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																		
1 11590.00	46.29	74.00	-27.71	53.74	38.38	14.98	60.81	0.00	--- PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																		
1 11590.00	45.57	74.00	-28.43	53.02	38.38	14.98	60.81	0.00	--- PEAK																																																																																		
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 3800.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>53.74</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 3800.00	46.29	74.00	-27.71	53.74	38.38	14.98	60.81	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 3800.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>53.02</td><td>38.38</td><td>14.98</td><td>60.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 3800.00	45.57	74.00	-28.43	53.02	38.38	14.98	60.81	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																		
1 3800.00	46.29	74.00	-27.71	53.74	38.38	14.98	60.81	0.00	--- PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																		
1 3800.00	45.57	74.00	-28.43	53.02	38.38	14.98	60.81	0.00	--- PEAK																																																																																		




Mode	49																																																																																																																																																																																																					
	LF																																																																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																																																																																					
ANT	CDD 3+4																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																															
Peak QP																																																																																																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.93</td><td>40.00</td><td>-19.07</td><td>28.20</td><td>24.57</td><td>0.46</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>146.40</td><td>24.97</td><td>43.50</td><td>-18.53</td><td>38.28</td><td>17.25</td><td>1.61</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>185.20</td><td>23.89</td><td>43.50</td><td>-19.61</td><td>39.28</td><td>14.95</td><td>1.83</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>332.64</td><td>21.73</td><td>46.00</td><td>-24.27</td><td>31.50</td><td>19.97</td><td>2.46</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>661.47</td><td>27.08</td><td>46.00</td><td>-18.92</td><td>29.36</td><td>26.55</td><td>3.48</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>977.69</td><td>33.27</td><td>54.00</td><td>-20.73</td><td>28.96</td><td>30.78</td><td>4.22</td><td>30.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	20.93	40.00	-19.07	28.20	24.57	0.46	32.30	---	---	Peak	2	146.40	24.97	43.50	-18.53	38.28	17.25	1.61	32.17	---	---	Peak	3	185.20	23.89	43.50	-19.61	39.28	14.95	1.83	32.17	---	---	Peak	4	332.64	21.73	46.00	-24.27	31.50	19.97	2.46	32.20	---	---	Peak	5	661.47	27.08	46.00	-18.92	29.36	26.55	3.48	32.31	---	---	Peak	6	977.69	33.27	54.00	-20.73	28.96	30.78	4.22	30.69	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>27.96</td><td>40.00</td><td>-12.04</td><td>36.29</td><td>23.51</td><td>0.49</td><td>32.33</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>29.89</td><td>40.00</td><td>-10.11</td><td>48.93</td><td>12.65</td><td>0.80</td><td>32.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>186.17</td><td>21.34</td><td>43.50</td><td>-22.16</td><td>36.75</td><td>14.92</td><td>1.84</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>296.75</td><td>20.84</td><td>46.00</td><td>-25.16</td><td>31.34</td><td>19.34</td><td>2.33</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>734.22</td><td>28.70</td><td>46.00</td><td>-17.30</td><td>29.51</td><td>27.73</td><td>3.66</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>999.03</td><td>32.40</td><td>54.00</td><td>-21.60</td><td>27.99</td><td>30.61</td><td>4.27</td><td>30.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	32.91	27.96	40.00	-12.04	36.29	23.51	0.49	32.33	---	---	Peak	2	57.16	29.89	40.00	-10.11	48.93	12.65	0.80	32.49	---	---	Peak	3	186.17	21.34	43.50	-22.16	36.75	14.92	1.84	32.17	---	---	Peak	4	296.75	20.84	46.00	-25.16	31.34	19.34	2.33	32.17	---	---	Peak	5	734.22	28.70	46.00	-17.30	29.51	27.73	3.66	32.20	---	---	Peak	6	999.03	32.40	54.00	-21.60	27.99	30.61	4.27	30.47	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	30.97	20.93	40.00	-19.07	28.20	24.57	0.46	32.30	---	---	Peak																																																																																																																																																																																											
2	146.40	24.97	43.50	-18.53	38.28	17.25	1.61	32.17	---	---	Peak																																																																																																																																																																																											
3	185.20	23.89	43.50	-19.61	39.28	14.95	1.83	32.17	---	---	Peak																																																																																																																																																																																											
4	332.64	21.73	46.00	-24.27	31.50	19.97	2.46	32.20	---	---	Peak																																																																																																																																																																																											
5	661.47	27.08	46.00	-18.92	29.36	26.55	3.48	32.31	---	---	Peak																																																																																																																																																																																											
6	977.69	33.27	54.00	-20.73	28.96	30.78	4.22	30.69	---	---	Peak																																																																																																																																																																																											
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	32.91	27.96	40.00	-12.04	36.29	23.51	0.49	32.33	---	---	Peak																																																																																																																																																																																											
2	57.16	29.89	40.00	-10.11	48.93	12.65	0.80	32.49	---	---	Peak																																																																																																																																																																																											
3	186.17	21.34	43.50	-22.16	36.75	14.92	1.84	32.17	---	---	Peak																																																																																																																																																																																											
4	296.75	20.84	46.00	-25.16	31.34	19.34	2.33	32.17	---	---	Peak																																																																																																																																																																																											
5	734.22	28.70	46.00	-17.30	29.51	27.73	3.66	32.20	---	---	Peak																																																																																																																																																																																											
6	999.03	32.40	54.00	-21.60	27.99	30.61	4.27	30.47	---	---	Peak																																																																																																																																																																																											






		50																																																																																																																																	
Mode		Band Edge - L																																																																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																	
ANT		CDD 3+4																																																																																																																																	
Pol.		Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.98</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>44.60</td><td>34.69</td><td>10.24</td><td>32.08</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>2 5651.00</td><td>56.54</td><td>69.54</td><td>-13.00</td><td>43.74</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>3 5702.90</td><td>56.91</td><td>106.11</td><td>-49.20</td><td>43.94</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>4 5721.63</td><td>58.78</td><td>114.61</td><td>-55.83</td><td>45.81</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.98	57.45	68.20	-10.75	44.60	34.69	10.24	32.08	0.00	300	227	PEAK	2 5651.00	56.54	69.54	-13.00	43.74	34.60	10.29	32.09	0.00	300	227	PEAK	3 5702.90	56.91	106.11	-49.20	43.94	34.69	10.33	32.05	0.00	300	227	PEAK	4 5721.63	58.78	114.61	-55.83	45.81	34.66	10.34	32.03	0.00	300	227	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.45</td><td>-----</td><td>-----</td><td>87.38</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.45	-----	-----	87.38	34.66	10.39	31.98	0.00	300	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5602.98	57.45	68.20	-10.75	44.60	34.69	10.24	32.08	0.00	300	227	PEAK																																																																																																																								
2 5651.00	56.54	69.54	-13.00	43.74	34.60	10.29	32.09	0.00	300	227	PEAK																																																																																																																								
3 5702.90	56.91	106.11	-49.20	43.94	34.69	10.33	32.05	0.00	300	227	PEAK																																																																																																																								
4 5721.63	58.78	114.61	-55.83	45.81	34.66	10.34	32.03	0.00	300	227	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	100.45	-----	-----	87.38	34.66	10.39	31.98	0.00	300	227	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>91.15</td><td>-----</td><td>-----</td><td>78.00</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>300</td><td>227</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	91.15	-----	-----	78.00	34.66	10.39	31.98	0.00	300	227	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	91.15	-----	-----	78.00	34.66	10.39	31.98	0.00	300	227	AVERAGE																																																																																																																								




Mode	50																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																													
ANT	CDD 3+4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>56.06</td><td>112.15</td><td>-56.09</td><td>42.64</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>58.46</td><td>105.86</td><td>-47.40</td><td>44.99</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>56.10</td><td>68.61</td><td>-12.51</td><td>42.47</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>4</td><td>5948.78</td><td>57.39</td><td>68.20</td><td>-10.81</td><td>43.66</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	56.06	112.15	-56.09	42.64	34.91	10.45	31.94	0.00	300	227	PEAK	2	5873.00	58.46	105.86	-47.40	44.99	34.95	10.47	31.95	0.00	300	227	PEAK	3	5924.45	56.10	68.61	-12.51	42.47	35.10	10.52	31.99	0.00	300	227	PEAK	4	5948.78	57.39	68.20	-10.81	43.66	35.20	10.54	32.01	0.00	300	227	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.45	56.06	112.15	-56.09	42.64	34.91	10.45	31.94	0.00	300	227	PEAK																																																																																		
2	5873.00	58.46	105.86	-47.40	44.99	34.95	10.47	31.95	0.00	300	227	PEAK																																																																																		
3	5924.45	56.10	68.61	-12.51	42.47	35.10	10.52	31.99	0.00	300	227	PEAK																																																																																		
4	5948.78	57.39	68.20	-10.81	43.66	35.20	10.54	32.01	0.00	300	227	PEAK																																																																																		





		50																																																																																																																												
Mode		Band Edge - L																																																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																												
ANT		CDD 3+4																																																																																																																												
Pol.		Vertical					Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.58</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>45.11</td><td>34.64</td><td>10.27</td><td>32.09</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr><tr><td>2 5650.23</td><td>55.81</td><td>68.37</td><td>-12.56</td><td>43.02</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr><tr><td>3 5705.70</td><td>59.19</td><td>106.90</td><td>-47.71</td><td>46.22</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr><tr><td>4 5720.40</td><td>60.22</td><td>111.81</td><td>-51.59</td><td>47.25</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.58	57.93	68.20	-10.27	45.11	34.64	10.27	32.09	0.00	300	305 PEAK	2 5650.23	55.81	68.37	-12.56	43.02	34.60	10.28	32.09	0.00	300	305 PEAK	3 5705.70	59.19	106.90	-47.71	46.22	34.69	10.33	32.05	0.00	300	305 PEAK	4 5720.40	60.22	111.81	-51.59	47.25	34.66	10.34	32.03	0.00	300	305 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>106.88</td><td>-----</td><td>-----</td><td>93.87</td><td>34.63</td><td>10.38</td><td>32.00</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	106.88	-----	-----	93.87	34.63	10.38	32.00	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5629.58	57.93	68.20	-10.27	45.11	34.64	10.27	32.09	0.00	300	305 PEAK																																																																																																																				
2 5650.23	55.81	68.37	-12.56	43.02	34.60	10.28	32.09	0.00	300	305 PEAK																																																																																																																				
3 5705.70	59.19	106.90	-47.71	46.22	34.69	10.33	32.05	0.00	300	305 PEAK																																																																																																																				
4 5720.40	60.22	111.81	-51.59	47.25	34.66	10.34	32.03	0.00	300	305 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	106.88	-----	-----	93.87	34.63	10.38	32.00	0.00	300	305 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.25</td><td>-----</td><td>-----</td><td>83.20</td><td>34.65</td><td>10.39</td><td>31.99</td><td>0.00</td><td>300</td><td>305 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.25	-----	-----	83.20	34.65	10.39	31.99	0.00	300	305 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	96.25	-----	-----	83.20	34.65	10.39	31.99	0.00	300	305 AVERAGE																																																																																																																				






Mode	50																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																													
ANT	CDD 3+4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>66.13</td><td>112.55</td><td>-46.42</td><td>52.71</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>59.03</td><td>105.47</td><td>-46.44</td><td>45.56</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.84</td><td>68.35</td><td>-11.51</td><td>43.21</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>5949.83</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>45.16</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.28	66.13	112.55	-46.42	52.71	34.91	10.45	31.94	0.00	300	305	PEAK	2	5874.40	59.03	105.47	-46.44	45.56	34.95	10.47	31.95	0.00	300	305	PEAK	3	5924.80	56.84	68.35	-11.51	43.21	35.10	10.52	31.99	0.00	300	305	PEAK	4	5949.83	58.89	68.20	-9.31	45.16	35.20	10.54	32.01	0.00	300	305	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.28	66.13	112.55	-46.42	52.71	34.91	10.45	31.94	0.00	300	305	PEAK																																																																																		
2	5874.40	59.03	105.47	-46.44	45.56	34.95	10.47	31.95	0.00	300	305	PEAK																																																																																		
3	5924.80	56.84	68.35	-11.51	43.21	35.10	10.52	31.99	0.00	300	305	PEAK																																																																																		
4	5949.83	58.89	68.20	-9.31	45.16	35.20	10.54	32.01	0.00	300	305	PEAK																																																																																		






Mode	50																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>53.41</td><td>38.30</td><td>14.95</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.83	74.00	-28.17	53.41	38.30	14.95	60.83	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>53.89</td><td>38.30</td><td>14.95</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.31	74.00	-27.69	53.89	38.30	14.95	60.83	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11550.00	45.83	74.00	-28.17	53.41	38.30	14.95	60.83	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11550.00	46.31	74.00	-27.69	53.89	38.30	14.95	60.83	0.00	---	---	PEAK																																																																																										






Mode	51																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 26/0_5745MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5639.59 53.21 68.20 -14.99</td><td>40.41</td><td>34.62</td><td>10.28</td><td>32.10</td><td>0.00</td><td>307</td><td>343</td><td>PEAK</td></tr><tr><td>2 5650.03 52.00 68.22 -16.22</td><td>39.21</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>307</td><td>343</td><td>PEAK</td></tr><tr><td>3 5700.05 52.21 105.31 -53.10</td><td>39.24</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>307</td><td>343</td><td>PEAK</td></tr><tr><td>4 5720.35 52.71 111.70 -58.99</td><td>39.74</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>307</td><td>343</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5639.59 53.21 68.20 -14.99	40.41	34.62	10.28	32.10	0.00	307	343	PEAK	2 5650.03 52.00 68.22 -16.22	39.21	34.60	10.28	32.09	0.00	307	343	PEAK	3 5700.05 52.21 105.31 -53.10	39.24	34.70	10.32	32.05	0.00	307	343	PEAK	4 5720.35 52.71 111.70 -58.99	39.74	34.66	10.34	32.03	0.00	307	343	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5745.00 104.67 -----</td><td>91.71</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>307</td><td>343</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5745.00 104.67 -----	91.71	34.62	10.36	32.02	0.00	307	343	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																	
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5639.59 53.21 68.20 -14.99	40.41	34.62	10.28	32.10	0.00	307	343	PEAK																																																																																													
2 5650.03 52.00 68.22 -16.22	39.21	34.60	10.28	32.09	0.00	307	343	PEAK																																																																																													
3 5700.05 52.21 105.31 -53.10	39.24	34.70	10.32	32.05	0.00	307	343	PEAK																																																																																													
4 5720.35 52.71 111.70 -58.99	39.74	34.66	10.34	32.03	0.00	307	343	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																	
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5745.00 104.67 -----	91.71	34.62	10.36	32.02	0.00	307	343	PEAK																																																																																													
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5745.00 95.39 -----</td><td>82.43</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>307</td><td>343</td><td>AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5745.00 95.39 -----	82.43	34.63	10.35	32.02	0.00	307	343	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																	
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5745.00 95.39 -----	82.43	34.63	10.35	32.02	0.00	307	343	AVERAGE																																																																																													






Mode	51																																																																																																																																																					
	Band Edge																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 26/0_5745MHz																																																																																																																																																					
ANT	CDD 3+4																																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.79</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>41.57</td><td>34.63</td><td>10.27</td><td>32.10</td><td>0.00</td><td>313</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5653.65</td><td>53.70</td><td>70.92</td><td>-17.22</td><td>40.89</td><td>34.61</td><td>10.29</td><td>32.09</td><td>0.00</td><td>313</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>5702.37</td><td>52.39</td><td>105.96</td><td>-53.57</td><td>39.41</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>313</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>50.73</td><td>111.04</td><td>-60.31</td><td>37.76</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>313</td><td>305</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.79	54.37	68.20	-13.83	41.57	34.63	10.27	32.10	0.00	313	305	PEAK	2	5653.65	53.70	70.92	-17.22	40.89	34.61	10.29	32.09	0.00	313	305	PEAK	3	5702.37	52.39	105.96	-53.57	39.41	34.70	10.33	32.05	0.00	313	305	PEAK	4	5720.06	50.73	111.04	-60.31	37.76	34.66	10.34	32.03	0.00	313	305	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.00</td><td>-----</td><td>-----</td><td>98.04</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>313</td><td>305</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.00	-----	-----	98.04	34.63	10.35	32.02	0.00	313	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5633.79	54.37	68.20	-13.83	41.57	34.63	10.27	32.10	0.00	313	305	PEAK																																																																																																																																										
2	5653.65	53.70	70.92	-17.22	40.89	34.61	10.29	32.09	0.00	313	305	PEAK																																																																																																																																										
3	5702.37	52.39	105.96	-53.57	39.41	34.70	10.33	32.05	0.00	313	305	PEAK																																																																																																																																										
4	5720.06	50.73	111.04	-60.31	37.76	34.66	10.34	32.03	0.00	313	305	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	111.00	-----	-----	98.04	34.63	10.35	32.02	0.00	313	305	PEAK																																																																																																																																										
Avg	Blank																																																																																																																																																					
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.87</td><td>-----</td><td>-----</td><td>89.91</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>313</td><td>305</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.87	-----	-----	89.91	34.63	10.35	32.02	0.00	313	305	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	102.87	-----	-----	89.91	34.63	10.35	32.02	0.00	313	305	AVERAGE																																																																																																																																										





Mode	52																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 26/8_5825MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>52.35</td><td>111.18</td><td>-58.83</td><td>38.93</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>108</td><td>84 PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>55.10</td><td>105.75</td><td>-50.65</td><td>41.63</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>108</td><td>84 PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>55.26</td><td>69.31</td><td>-14.05</td><td>41.65</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>108</td><td>84 PEAK</td></tr><tr><td>4</td><td>5941.25</td><td>56.03</td><td>68.20</td><td>-12.17</td><td>42.33</td><td>35.17</td><td>10.53</td><td>32.00</td><td>0.00</td><td>108</td><td>84 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	52.35	111.18	-58.83	38.93	34.91	10.45	31.94	0.00	108	84 PEAK	2	5873.38	55.10	105.75	-50.65	41.63	34.95	10.47	31.95	0.00	108	84 PEAK	3	5923.50	55.26	69.31	-14.05	41.65	35.09	10.51	31.99	0.00	108	84 PEAK	4	5941.25	56.03	68.20	-12.17	42.33	35.17	10.53	32.00	0.00	108	84 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.10</td><td>-----</td><td>-----</td><td>90.76</td><td>34.84</td><td>10.44</td><td>31.94</td><td>0.00</td><td>108</td><td>84 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.10	-----	-----	90.76	34.84	10.44	31.94	0.00	108	84 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.88	52.35	111.18	-58.83	38.93	34.91	10.45	31.94	0.00	108	84 PEAK																																																																																																																														
2	5873.38	55.10	105.75	-50.65	41.63	34.95	10.47	31.95	0.00	108	84 PEAK																																																																																																																														
3	5923.50	55.26	69.31	-14.05	41.65	35.09	10.51	31.99	0.00	108	84 PEAK																																																																																																																														
4	5941.25	56.03	68.20	-12.17	42.33	35.17	10.53	32.00	0.00	108	84 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.10	-----	-----	90.76	34.84	10.44	31.94	0.00	108	84 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.22</td><td>-----</td><td>-----</td><td>81.88</td><td>34.84</td><td>10.44</td><td>31.94</td><td>0.00</td><td>108</td><td>84 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.22	-----	-----	81.88	34.84	10.44	31.94	0.00	108	84 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	95.22	-----	-----	81.88	34.84	10.44	31.94	0.00	108	84 AVERAGE																																																																																																																														





Mode	52																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 26/8_5825MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>53.28</td><td>111.47</td><td>-58.19</td><td>39.86</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>53.84</td><td>105.61</td><td>-51.77</td><td>40.37</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>39.47</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>5943.25</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>40.68</td><td>35.17</td><td>10.53</td><td>32.01</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	53.28	111.47	-58.19	39.86	34.91	10.45	31.94	0.00	300	326	PEAK	2	5873.88	53.84	105.61	-51.77	40.37	34.95	10.47	31.95	0.00	300	326	PEAK	3	5925.00	53.10	68.20	-15.10	39.47	35.10	10.52	31.99	0.00	300	326	PEAK	4	5943.25	54.37	68.20	-13.83	40.68	35.17	10.53	32.01	0.00	300	326	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.56</td><td>-----</td><td>-----</td><td>98.22</td><td>34.84</td><td>10.44</td><td>31.94</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.56	-----	-----	98.22	34.84	10.44	31.94	0.00	300	326	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.75	53.28	111.47	-58.19	39.86	34.91	10.45	31.94	0.00	300	326	PEAK																																																																																																																													
2	5873.88	53.84	105.61	-51.77	40.37	34.95	10.47	31.95	0.00	300	326	PEAK																																																																																																																													
3	5925.00	53.10	68.20	-15.10	39.47	35.10	10.52	31.99	0.00	300	326	PEAK																																																																																																																													
4	5943.25	54.37	68.20	-13.83	40.68	35.17	10.53	32.01	0.00	300	326	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	111.56	-----	-----	98.22	34.84	10.44	31.94	0.00	300	326	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.30</td><td>-----</td><td>-----</td><td>88.96</td><td>34.84</td><td>10.44</td><td>31.94</td><td>0.00</td><td>300</td><td>326</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.30	-----	-----	88.96	34.84	10.44	31.94	0.00	300	326	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	102.30	-----	-----	88.96	34.84	10.44	31.94	0.00	300	326	AVERAGE																																																																																																																													






		53																																																																																														
Mode		Band Edge																																																																																														
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 52/37_5745MHz																																																																																														
ANT		CDD 3+4																																																																																														
Pol.		Fundamental																																																																																														
Peak	Horizontal																																																																																															
	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with several peaks. A red line indicates the limit. The peaks are labeled 1, 2, 3, and 4. The limit is labeled U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.54</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>41.59</td><td>34.63</td><td>10.27</td><td>32.10</td><td>0.00</td><td>300</td><td>74</td><td>PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>51.94</td><td>69.41</td><td>-17.47</td><td>39.14</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>300</td><td>74</td><td>PEAK</td></tr><tr><td>3</td><td>5700.92</td><td>52.79</td><td>105.56</td><td>-52.77</td><td>39.81</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>300</td><td>74</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>51.63</td><td>111.37</td><td>-59.74</td><td>38.66</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>74</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.54	54.39	68.20	-13.81	41.59	34.63	10.27	32.10	0.00	300	74	PEAK	2	5651.62	51.94	69.41	-17.47	39.14	34.60	10.29	32.09	0.00	300	74	PEAK	3	5700.92	52.79	105.56	-52.77	39.81	34.70	10.33	32.05	0.00	300	74	PEAK	4	5720.21	51.63	111.37	-59.74	38.66	34.66	10.34	32.03	0.00	300	74
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5636.54	54.39	68.20	-13.81	41.59	34.63	10.27	32.10	0.00	300	74	PEAK																																																																																				
2	5651.62	51.94	69.41	-17.47	39.14	34.60	10.29	32.09	0.00	300	74	PEAK																																																																																				
3	5700.92	52.79	105.56	-52.77	39.81	34.70	10.33	32.05	0.00	300	74	PEAK																																																																																				
4	5720.21	51.63	111.37	-59.74	38.66	34.66	10.34	32.03	0.00	300	74	PEAK																																																																																				
Avg	Blank																																																																																															
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a single sharp peak at 5745 MHz. A red line indicates the limit. The peak is labeled 1. The limit is labeled U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.21</td><td>-----</td><td>-----</td><td>83.25</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>300</td><td>74</td><td>AVERAGE</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.21	-----	-----	83.25	34.62	10.36	32.02	0.00	300	74	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	96.21	-----	-----	83.25	34.62	10.36	32.02	0.00	300	74	AVERAGE																																																																																				






Mode	53																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 52/37_5745MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5607.11</td><td>53.34</td><td>68.20</td><td>-14.86</td><td>40.48</td><td>34.69</td><td>10.25</td><td>32.08</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>52.31</td><td>68.76</td><td>-16.45</td><td>39.51</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr><tr><td>3</td><td>5705.56</td><td>54.02</td><td>106.86</td><td>-52.84</td><td>41.05</td><td>34.69</td><td>10.33</td><td>32.05</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>51.98</td><td>111.04</td><td>-59.06</td><td>39.01</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5607.11	53.34	68.20	-14.86	40.48	34.69	10.25	32.08	0.00	296	303	PEAK	2	5650.75	52.31	68.76	-16.45	39.51	34.60	10.29	32.09	0.00	296	303	PEAK	3	5705.56	54.02	106.86	-52.84	41.05	34.69	10.33	32.05	0.00	296	303	PEAK	4	5720.06	51.98	111.04	-59.06	39.01	34.66	10.34	32.03	0.00	296	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5607.11	53.34	68.20	-14.86	40.48	34.69	10.25	32.08	0.00	296	303	PEAK																																																																																									
2	5650.75	52.31	68.76	-16.45	39.51	34.60	10.29	32.09	0.00	296	303	PEAK																																																																																									
3	5705.56	54.02	106.86	-52.84	41.05	34.69	10.33	32.05	0.00	296	303	PEAK																																																																																									
4	5720.06	51.98	111.04	-59.06	39.01	34.66	10.34	32.03	0.00	296	303	PEAK																																																																																									
Avg	Blank																																																																																																				
																																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>102.55</td><td>-----</td><td>-----</td><td>89.59</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>296</td><td>303</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	102.55	-----	-----	89.59	34.62	10.36	32.02	0.00	296	303	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	102.55	-----	-----	89.59	34.62	10.36	32.02	0.00	296	303	AVERAGE																																																																																									






Mode	54																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 52/40_5825MHz																																																																																																																																			
ANT	CDD 3+4																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>53.17</td><td>111.75</td><td>-58.58</td><td>39.75</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>189</td><td>229 PEAK</td></tr><tr><td>2 5874.25</td><td>54.37</td><td>105.51</td><td>-51.14</td><td>40.90</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>189</td><td>229 PEAK</td></tr><tr><td>3 5924.88</td><td>53.11</td><td>68.29</td><td>-15.18</td><td>39.48</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>189</td><td>229 PEAK</td></tr><tr><td>4 5930.38</td><td>54.51</td><td>68.20</td><td>-13.69</td><td>40.87</td><td>35.12</td><td>10.52</td><td>32.00</td><td>0.00</td><td>189</td><td>229 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	53.17	111.75	-58.58	39.75	34.91	10.45	31.94	0.00	189	229 PEAK	2 5874.25	54.37	105.51	-51.14	40.90	34.95	10.47	31.95	0.00	189	229 PEAK	3 5924.88	53.11	68.29	-15.18	39.48	35.10	10.52	31.99	0.00	189	229 PEAK	4 5930.38	54.51	68.20	-13.69	40.87	35.12	10.52	32.00	0.00	189	229 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.70</td><td>-----</td><td>-----</td><td>92.39</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>189</td><td>229 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.70	-----	-----	92.39	34.82	10.43	31.94	0.00	189	229 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.63	53.17	111.75	-58.58	39.75	34.91	10.45	31.94	0.00	189	229 PEAK																																																																																																																										
2 5874.25	54.37	105.51	-51.14	40.90	34.95	10.47	31.95	0.00	189	229 PEAK																																																																																																																										
3 5924.88	53.11	68.29	-15.18	39.48	35.10	10.52	31.99	0.00	189	229 PEAK																																																																																																																										
4 5930.38	54.51	68.20	-13.69	40.87	35.12	10.52	32.00	0.00	189	229 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	105.70	-----	-----	92.39	34.82	10.43	31.94	0.00	189	229 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.01</td><td>-----</td><td>-----</td><td>83.70</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>189</td><td>229 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.01	-----	-----	83.70	34.82	10.43	31.94	0.00	189	229 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.01	-----	-----	83.70	34.82	10.43	31.94	0.00	189	229 AVERAGE																																																																																																																										






Mode	54																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 52/40_5825MHz																																																																																																																																		
ANT	CDD 3+4																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>53.17</td><td>111.75</td><td>-58.58</td><td>39.75</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>343</td><td>PEAK</td></tr><tr><td>2 5873.50</td><td>54.87</td><td>105.72</td><td>-50.85</td><td>41.40</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>343</td><td>PEAK</td></tr><tr><td>3 5923.38</td><td>56.04</td><td>69.40</td><td>-13.36</td><td>42.43</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>343</td><td>PEAK</td></tr><tr><td>4 5939.13</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>41.46</td><td>35.16</td><td>10.53</td><td>32.00</td><td>0.00</td><td>300</td><td>343</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	53.17	111.75	-58.58	39.75	34.91	10.45	31.94	0.00	300	343	PEAK	2 5873.50	54.87	105.72	-50.85	41.40	34.95	10.47	31.95	0.00	300	343	PEAK	3 5923.38	56.04	69.40	-13.36	42.43	35.09	10.51	31.99	0.00	300	343	PEAK	4 5939.13	55.15	68.20	-13.05	41.46	35.16	10.53	32.00	0.00	300	343	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.27</td><td>-----</td><td>-----</td><td>96.93</td><td>34.84</td><td>10.44</td><td>31.94</td><td>0.00</td><td>300</td><td>343</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	110.27	-----	-----	96.93	34.84	10.44	31.94	0.00	300	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.63	53.17	111.75	-58.58	39.75	34.91	10.45	31.94	0.00	300	343	PEAK																																																																																																																								
2 5873.50	54.87	105.72	-50.85	41.40	34.95	10.47	31.95	0.00	300	343	PEAK																																																																																																																								
3 5923.38	56.04	69.40	-13.36	42.43	35.09	10.51	31.99	0.00	300	343	PEAK																																																																																																																								
4 5939.13	55.15	68.20	-13.05	41.46	35.16	10.53	32.00	0.00	300	343	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	110.27	-----	-----	96.93	34.84	10.44	31.94	0.00	300	343	PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.36</td><td>-----</td><td>-----</td><td>89.05</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>300</td><td>343</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.36	-----	-----	89.05	34.82	10.43	31.94	0.00	300	343	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	102.36	-----	-----	89.05	34.82	10.43	31.94	0.00	300	343	AVERAGE																																																																																																																								






Mode	55																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 106/53_5745MHz																																																																																																																																										
ANT	CDD 3+4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.59</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>40.57</td><td>34.66</td><td>10.26</td><td>32.09</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>50.76</td><td>68.65</td><td>-17.89</td><td>37.97</td><td>34.60</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr><tr><td>3</td><td>5700.05</td><td>52.70</td><td>105.31</td><td>-52.61</td><td>39.73</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>53.81</td><td>112.03</td><td>-58.22</td><td>40.84</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.59	53.40	68.20	-14.80	40.57	34.66	10.26	32.09	0.00	300	75	PEAK	2	5650.61	50.76	68.65	-17.89	37.97	34.60	10.28	32.09	0.00	300	75	PEAK	3	5700.05	52.70	105.31	-52.61	39.73	34.70	10.32	32.05	0.00	300	75	PEAK	4	5720.50	53.81	112.03	-58.22	40.84	34.66	10.34	32.03	0.00	300	75	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.05</td><td>-----</td><td>-----</td><td>92.09</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>300</td><td>75</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.05	-----	-----	92.09	34.62	10.36	32.02	0.00	300	75	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5620.59	53.40	68.20	-14.80	40.57	34.66	10.26	32.09	0.00	300	75	PEAK																																																																																																																															
2	5650.61	50.76	68.65	-17.89	37.97	34.60	10.28	32.09	0.00	300	75	PEAK																																																																																																																															
3	5700.05	52.70	105.31	-52.61	39.73	34.70	10.32	32.05	0.00	300	75	PEAK																																																																																																																															
4	5720.50	53.81	112.03	-58.22	40.84	34.66	10.34	32.03	0.00	300	75	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.05	-----	-----	92.09	34.62	10.36	32.02	0.00	300	75	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.93</td><td>-----</td><td>-----</td><td>82.97</td><td>34.62</td><td>10.36</td><td>32.02</td><td>0.00</td><td>300</td><td>75</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.93	-----	-----	82.97	34.62	10.36	32.02	0.00	300	75	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	95.93	-----	-----	82.97	34.62	10.36	32.02	0.00	300	75	AVERAGE																																																																																																																															






		55																																																																																																																														
Mode		Band Edge																																																																																																																														
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU 106/53_5745MHz																																																																																																																														
ANT		CDD 3+4																																																																																																																														
Pol.		Fundamental																																																																																																																														
Peak	Vertical	Fundamental																																																																																																																														
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.27</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>41.12</td><td>34.63</td><td>10.27</td><td>32.10</td><td>0.00</td><td>308</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>51.64</td><td>68.76</td><td>-17.12</td><td>38.84</td><td>34.60</td><td>10.29</td><td>32.09</td><td>0.00</td><td>308</td><td>306</td><td>PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>52.15</td><td>105.72</td><td>-53.57</td><td>39.17</td><td>34.70</td><td>10.33</td><td>32.05</td><td>0.00</td><td>308</td><td>306</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.43</td><td>111.04</td><td>-58.61</td><td>39.46</td><td>34.66</td><td>10.34</td><td>32.03</td><td>0.00</td><td>308</td><td>306</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.27	53.92	68.20	-14.28	41.12	34.63	10.27	32.10	0.00	308	306	PEAK	2	5650.75	51.64	68.76	-17.12	38.84	34.60	10.29	32.09	0.00	308	306	PEAK	3	5701.50	52.15	105.72	-53.57	39.17	34.70	10.33	32.05	0.00	308	306	PEAK	4	5720.06	52.43	111.04	-58.61	39.46	34.66	10.34	32.03	0.00	308	306	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.15</td><td>-----</td><td>-----</td><td>97.19</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>308</td><td>306</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.15	-----	-----	97.19	34.63	10.35	32.02	0.00	308	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5637.27	53.92	68.20	-14.28	41.12	34.63	10.27	32.10	0.00	308	306	PEAK																																																																																																																				
2	5650.75	51.64	68.76	-17.12	38.84	34.60	10.29	32.09	0.00	308	306	PEAK																																																																																																																				
3	5701.50	52.15	105.72	-53.57	39.17	34.70	10.33	32.05	0.00	308	306	PEAK																																																																																																																				
4	5720.06	52.43	111.04	-58.61	39.46	34.66	10.34	32.03	0.00	308	306	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	110.15	-----	-----	97.19	34.63	10.35	32.02	0.00	308	306	PEAK																																																																																																																				
Avg	Blank	Fundamental																																																																																																																														
		 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.46</td><td>-----</td><td>-----</td><td>89.50</td><td>34.63</td><td>10.35</td><td>32.02</td><td>0.00</td><td>308</td><td>306</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.46	-----	-----	89.50	34.63	10.35	32.02	0.00	308	306	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	102.46	-----	-----	89.50	34.63	10.35	32.02	0.00	308	306	AVERAGE																																																																																																																				







	56																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 106/54_5825MHz																																																																																																																																				
ANT	CDD 3+4																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.15</td><td>111.18</td><td>-59.03</td><td>38.73</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>376</td><td>337</td><td>PEAK</td></tr><tr><td>2 5874.88</td><td>54.40</td><td>105.33</td><td>-50.93</td><td>40.93</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>376</td><td>337</td><td>PEAK</td></tr><tr><td>3 5924.88</td><td>52.99</td><td>68.29</td><td>-15.30</td><td>39.36</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>376</td><td>337</td><td>PEAK</td></tr><tr><td>4 5944.75</td><td>54.53</td><td>68.20</td><td>-13.67</td><td>40.83</td><td>35.18</td><td>10.53</td><td>32.01</td><td>0.00</td><td>376</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.88	52.15	111.18	-59.03	38.73	34.91	10.45	31.94	0.00	376	337	PEAK	2 5874.88	54.40	105.33	-50.93	40.93	34.95	10.47	31.95	0.00	376	337	PEAK	3 5924.88	52.99	68.29	-15.30	39.36	35.10	10.52	31.99	0.00	376	337	PEAK	4 5944.75	54.53	68.20	-13.67	40.83	35.18	10.53	32.01	0.00	376	337	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.34</td><td>-----</td><td>-----</td><td>91.03</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>376</td><td>337</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.34	-----	-----	91.03	34.82	10.43	31.94	0.00	376	337	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.88	52.15	111.18	-59.03	38.73	34.91	10.45	31.94	0.00	376	337	PEAK																																																																																																																										
2 5874.88	54.40	105.33	-50.93	40.93	34.95	10.47	31.95	0.00	376	337	PEAK																																																																																																																										
3 5924.88	52.99	68.29	-15.30	39.36	35.10	10.52	31.99	0.00	376	337	PEAK																																																																																																																										
4 5944.75	54.53	68.20	-13.67	40.83	35.18	10.53	32.01	0.00	376	337	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	104.34	-----	-----	91.03	34.82	10.43	31.94	0.00	376	337	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.29</td><td>-----</td><td>-----</td><td>82.98</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>376</td><td>337</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.29	-----	-----	82.98	34.82	10.43	31.94	0.00	376	337	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	96.29	-----	-----	82.98	34.82	10.43	31.94	0.00	376	337	AVERAGE																																																																																																																										



Mode	56																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU 106/54_5825MHz																																																																																																																																			
ANT	CDD 3+4																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a red limit line and a blue measured signal line. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.75</td><td>54.55</td><td>111.47</td><td>-56.92</td><td>41.13</td><td>34.91</td><td>10.45</td><td>31.94</td><td>0.00</td><td>288</td><td>305 PEAK</td></tr><tr><td>2 5873.75</td><td>54.76</td><td>105.65</td><td>-50.89</td><td>41.29</td><td>34.95</td><td>10.47</td><td>31.95</td><td>0.00</td><td>288</td><td>305 PEAK</td></tr><tr><td>3 5924.25</td><td>54.11</td><td>68.75</td><td>-14.64</td><td>40.49</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>288</td><td>305 PEAK</td></tr><tr><td>4 5930.13</td><td>54.50</td><td>68.20</td><td>-13.70</td><td>40.86</td><td>35.12</td><td>10.52</td><td>32.00</td><td>0.00</td><td>288</td><td>305 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.75	54.55	111.47	-56.92	41.13	34.91	10.45	31.94	0.00	288	305 PEAK	2 5873.75	54.76	105.65	-50.89	41.29	34.95	10.47	31.95	0.00	288	305 PEAK	3 5924.25	54.11	68.75	-14.64	40.49	35.10	10.51	31.99	0.00	288	305 PEAK	4 5930.13	54.50	68.20	-13.70	40.86	35.12	10.52	32.00	0.00	288	305 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal line. A single sharp peak is visible at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.91</td><td>-----</td><td>-----</td><td>98.60</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>288</td><td>305 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.91	-----	-----	98.60	34.82	10.43	31.94	0.00	288	305 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.75	54.55	111.47	-56.92	41.13	34.91	10.45	31.94	0.00	288	305 PEAK																																																																																																																										
2 5873.75	54.76	105.65	-50.89	41.29	34.95	10.47	31.95	0.00	288	305 PEAK																																																																																																																										
3 5924.25	54.11	68.75	-14.64	40.49	35.10	10.51	31.99	0.00	288	305 PEAK																																																																																																																										
4 5930.13	54.50	68.20	-13.70	40.86	35.12	10.52	32.00	0.00	288	305 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	111.91	-----	-----	98.60	34.82	10.43	31.94	0.00	288	305 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal line. A single sharp peak is visible at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.71</td><td>-----</td><td>-----</td><td>89.40</td><td>34.82</td><td>10.43</td><td>31.94</td><td>0.00</td><td>288</td><td>305 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.71	-----	-----	89.40	34.82	10.43	31.94	0.00	288	305 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	102.71	-----	-----	89.40	34.82	10.43	31.94	0.00	288	305 AVERAGE																																																																																																																										







Mode	57																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.54</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>40.65</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>282</td><td>70 PEAK</td></tr><tr><td>2</td><td>5463.40</td><td>52.63</td><td>68.20</td><td>-15.57</td><td>39.89</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>282</td><td>70 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.54	53.38	74.00	-20.62	40.65	34.70	10.02	31.99	0.00	282	70 PEAK	2	5463.40	52.63	68.20	-15.57	39.89	34.70	10.03	31.99	0.00	282	70 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.24</td><td>-----</td><td>-----</td><td>85.45</td><td>34.62</td><td>10.27</td><td>32.10</td><td>0.00</td><td>282</td><td>70 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.24	-----	-----	85.45	34.62	10.27	32.10	0.00	282	70 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5458.54	53.38	74.00	-20.62	40.65	34.70	10.02	31.99	0.00	282	70 PEAK																																																																																																			
2	5463.40	52.63	68.20	-15.57	39.89	34.70	10.03	31.99	0.00	282	70 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	98.24	-----	-----	85.45	34.62	10.27	32.10	0.00	282	70 PEAK																																																																																																			
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.54</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>29.46</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>282</td><td>70 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.54	42.19	54.00	-11.81	29.46	34.70	10.02	31.99	0.00	282	70 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.66</td><td>-----</td><td>-----</td><td>76.81</td><td>34.67</td><td>10.26</td><td>32.08</td><td>0.00</td><td>282</td><td>70 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.66	-----	-----	76.81	34.67	10.26	32.08	0.00	282	70 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5458.54	42.19	54.00	-11.81	29.46	34.70	10.02	31.99	0.00	282	70 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	89.66	-----	-----	76.81	34.67	10.26	32.08	0.00	282	70 AVERAGE																																																																																																			



Mode	57																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																											
ANT	CDD 3+4																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5747.38</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>41.30</td><td>34.61</td><td>10.36</td><td>32.01</td><td>0.00</td><td>282</td><td>70 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5747.38	54.26	68.20	-13.94	41.30	34.61	10.36	32.01	0.00	282	70 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5747.38	54.26	68.20	-13.94	41.30	34.61	10.36	32.01	0.00	282	70 PEAK																																	





Mode	57																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																																
ANT	CDD 3+4																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>44.45</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>296</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>5464.66</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>47.07</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>296</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	57.18	74.00	-16.82	44.45	34.70	10.02	31.99	0.00	296	306	PEAK	2	5464.66	59.81	68.20	-8.39	47.07	34.70	10.03	31.99	0.00	296	306	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>107.78</td><td>-----</td><td>-----</td><td>94.92</td><td>34.70</td><td>10.24</td><td>32.08</td><td>0.00</td><td>296</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	107.78	-----	-----	94.92	34.70	10.24	32.08	0.00	296	306	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.12	57.18	74.00	-16.82	44.45	34.70	10.02	31.99	0.00	296	306	PEAK																																																																																																					
2	5464.66	59.81	68.20	-8.39	47.07	34.70	10.03	31.99	0.00	296	306	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	107.78	-----	-----	94.92	34.70	10.24	32.08	0.00	296	306	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>32.32</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>296</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	45.06	54.00	-8.94	32.32	34.70	10.03	31.99	0.00	296	306	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.08</td><td>-----</td><td>-----</td><td>83.22</td><td>34.70</td><td>10.24</td><td>32.08</td><td>0.00</td><td>296</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.08	-----	-----	83.22	34.70	10.24	32.08	0.00	296	306	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.00	45.06	54.00	-8.94	32.32	34.70	10.03	31.99	0.00	296	306	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	96.08	-----	-----	83.22	34.70	10.24	32.08	0.00	296	306	AVERAGE																																																																																																					



Mode	57																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																													
ANT	CDD 3+4																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.76</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>44.61</td><td>34.65</td><td>10.35</td><td>32.03</td><td>0.00</td><td>296</td><td>306 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5725.76	57.58	68.20	-10.62	44.61	34.65	10.35	32.03	0.00	296	306 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.76	57.58	68.20	-10.62	44.61	34.65	10.35	32.03	0.00	296	306 PEAK																																			







Mode	57																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																																																																	
ANT	CDD 3+4																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>53.89</td><td>38.10</td><td>14.72</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	45.84	74.00	-28.16	53.89	38.10	14.72	60.87								0.00	---									deg									---									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>54.06</td><td>38.10</td><td>14.72</td><td>60.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	46.01	74.00	-27.99	54.06	38.10	14.72	60.87								0.00	---									deg									---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																										
1	11220.00	45.84	74.00	-28.16	53.89	38.10	14.72	60.87																																																																																																																																										
							0.00	---																																																																																																																																										
								deg																																																																																																																																										

								PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																										
1	11220.00	46.01	74.00	-27.99	54.06	38.10	14.72	60.87																																																																																																																																										
							0.00	---																																																																																																																																										
								deg																																																																																																																																										

								PEAK																																																																																																																																										







Mode	58																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																												
ANT	CDD 3+4																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.14</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>42.62</td><td>34.70</td><td>9.97</td><td>31.97</td><td>0.00</td><td>252</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>5469.46</td><td>55.50</td><td>68.20</td><td>-12.70</td><td>42.76</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>252</td><td>87</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.14	55.32	74.00	-18.68	42.62	34.70	9.97	31.97	0.00	252	87	PEAK	2	5469.46	55.50	68.20	-12.70	42.76	34.70	10.04	32.00	0.00	252	87	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>95.91</td><td>-----</td><td>-----</td><td>83.16</td><td>34.62</td><td>10.18</td><td>32.05</td><td>0.00</td><td>252</td><td>87</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.91	-----	-----	83.16	34.62	10.18	32.05	0.00	252	87	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5424.14	55.32	74.00	-18.68	42.62	34.70	9.97	31.97	0.00	252	87	PEAK																																																																																																																	
2	5469.46	55.50	68.20	-12.70	42.76	34.70	10.04	32.00	0.00	252	87	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5570.00	95.91	-----	-----	83.16	34.62	10.18	32.05	0.00	252	87	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.42</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>32.74</td><td>34.70</td><td>10.01</td><td>31.99</td><td>0.00</td><td>252</td><td>87</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.42	45.46	54.00	-8.54	32.74	34.70	10.01	31.99	0.00	252	87	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>86.27</td><td>-----</td><td>-----</td><td>73.52</td><td>34.62</td><td>10.18</td><td>32.05</td><td>0.00</td><td>252</td><td>87</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	86.27	-----	-----	73.52	34.62	10.18	32.05	0.00	252	87	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5451.42	45.46	54.00	-8.54	32.74	34.70	10.01	31.99	0.00	252	87	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5570.00	86.27	-----	-----	73.52	34.62	10.18	32.05	0.00	252	87	AVERAGE																																																																																																																	




Mode	58																																				
	Band Edge - R																																				
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																				
ANT	CDD 3+4																																				
Pol.	Horizontal	Fundamental																																			
Peak	Level (dBuV/m) U-NII-1-U-NII-2A-U-NII-2C Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5740.43</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>42.06</td><td>34.62</td><td>10.36</td><td>32.02</td></tr></tbody></table> Blank		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5740.43	55.02	68.20	-13.18	42.06	34.62	10.36	32.02
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1	5740.43	55.02	68.20	-13.18	42.06	34.62	10.36	32.02																													



Mode	58																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																			
ANT	CDD 3+4																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.42</td><td>62.28</td><td>74.00</td><td>-11.72</td><td>49.56</td><td>34.70</td><td>10.00</td><td>31.98</td><td>0.00</td><td>285</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5460.22</td><td>59.79</td><td>68.20</td><td>-8.41</td><td>47.05</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>285</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.42	62.28	74.00	-11.72	49.56	34.70	10.00	31.98	0.00	285	305	PEAK	2	5460.22	59.79	68.20	-8.41	47.05	34.70	10.03	31.99	0.00	285	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5440.42	62.28	74.00	-11.72	49.56	34.70	10.00	31.98	0.00	285	305	PEAK																																																								
2	5460.22	59.79	68.20	-8.41	47.05	34.70	10.03	31.99	0.00	285	305	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>37.95</td><td>34.70</td><td>9.98</td><td>31.97</td><td>0.00</td><td>285</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.00	50.66	54.00	-3.34	37.95	34.70	9.98	31.97	0.00	285	305	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5430.00	50.66	54.00	-3.34	37.95	34.70	9.98	31.97	0.00	285	305	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.04</td><td>-----</td><td>-----</td><td>90.30</td><td>34.65</td><td>10.12</td><td>32.03</td><td>0.00</td><td>285</td><td>305</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.04	-----	-----	90.30	34.65	10.12	32.03	0.00	285	305	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	103.04	-----	-----	90.30	34.65	10.12	32.03	0.00	285	305	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>92.07</td><td>-----</td><td>-----</td><td>79.32</td><td>34.62</td><td>10.18</td><td>32.05</td><td>0.00</td><td>285</td><td>305</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.07	-----	-----	79.32	34.62	10.18	32.05	0.00	285	305	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	92.07	-----	-----	79.32	34.62	10.18	32.05	0.00	285	305	AVERAGE																																																								





Mode	58																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																					
ANT	CDD 3+4																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5732.63</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>47.94</td><td>34.63</td><td>10.35</td><td>32.02</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5732.63	60.90	68.20	-7.30	47.94	34.63	10.35	32.02	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5732.63	60.90	68.20	-7.30	47.94	34.63	10.35	32.02																														



Mode	58										
	Harmonic										
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz										
ANT	CDD 3+4										
Pol.	Horizontal						Vertical				
Peak Avg											





		59																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																							
ANT		CDD 3+4																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>54.15</td><td>38.20</td><td>14.87</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.36	74.00	-27.64	54.15	38.20	14.87	60.86	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	46.36	74.00	-27.64	54.15	38.20	14.87	60.86	0.00	---	---	PEAK																																													
																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>54.92</td><td>38.20</td><td>14.87</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.13	74.00	-26.87	54.92	38.20	14.87	60.86	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	47.13	74.00	-26.87	54.92	38.20	14.87	60.86	0.00	---	---	PEAK																																													





Mode	60																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_5720MHz																																																																																																																																																															
ANT	CDD 3+4																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>53.60</td><td>38.20</td><td>14.87</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	45.81	74.00	-28.19	53.60	38.20	14.87	60.86								0.00									cm	deg								---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>54.83</td><td>38.20</td><td>14.87</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	47.04	74.00	-26.96	54.83	38.20	14.87	60.86								0.00									cm	deg								---	---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																								
1	11440.00	45.81	74.00	-28.19	53.60	38.20	14.87	60.86																																																																																																																																																								
							0.00																																																																																																																																																									
							cm	deg																																																																																																																																																								
							---	---																																																																																																																																																								
								PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																								
1	11440.00	47.04	74.00	-26.96	54.83	38.20	14.87	60.86																																																																																																																																																								
							0.00																																																																																																																																																									
							cm	deg																																																																																																																																																								
							---	---																																																																																																																																																								
								PEAK																																																																																																																																																								







Mode	61																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_5710MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>53.94</td><td>38.20</td><td>14.86</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.14	74.00	-27.86	53.94	38.20	14.86	60.86	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>53.93</td><td>38.20</td><td>14.86</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.13	74.00	-27.87	53.93	38.20	14.86	60.86	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11420.00	46.14	74.00	-27.86	53.94	38.20	14.86	60.86	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11420.00	46.13	74.00	-27.87	53.93	38.20	14.86	60.86	0.00	---	---	PEAK																																																																																										





Mode	62																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_5690MHz																																																																																																																																													
ANT	CDD 3+4																																																																																																																																													
Pol.	Horizontal												Vertical																																																																																																																																	
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11380.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>54.01</td><td>38.18</td><td>14.83</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.00	46.16	74.00	-27.84	54.01	38.18	14.83	60.86								0.00	---								---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11380.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>54.41</td><td>38.18</td><td>14.83</td><td>60.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.00	46.56	74.00	-27.44	54.41	38.18	14.83	60.86								0.00	---								---	---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11380.00	46.16	74.00	-27.84	54.01	38.18	14.83	60.86																																																																																																																																						
							0.00	---																																																																																																																																						
							---	---																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11380.00	46.56	74.00	-27.44	54.41	38.18	14.83	60.86																																																																																																																																						
							0.00	---																																																																																																																																						
							---	---																																																																																																																																						
								PEAK																																																																																																																																						







Mode	63																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																				
ANT	CDD 3+4																																																																																																																				
Pol.	Horizontal					Fundamental																																																																																																															
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5146.16</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>43.86</td><td>34.20</td><td>9.78</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>204</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5146.16	56.04	74.00	-17.96	43.86	34.20	9.78	31.00								0.00	204									0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5290.00</td><td>102.43</td><td>-----</td><td>-----</td><td>90.00</td><td>34.44</td><td>9.86</td><td>31.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>204</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	102.43	-----	-----	90.00	34.44	9.86	31.87								0.00	204								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5146.16	56.04	74.00	-17.96	43.86	34.20	9.78	31.00																																																																																																													
							0.00	204																																																																																																													
								0 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	102.43	-----	-----	90.00	34.44	9.86	31.87																																																																																																													
							0.00	204																																																																																																													
								0 PEAK																																																																																																													
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5149.35</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>32.47</td><td>34.20</td><td>9.79</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>204</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.35	44.66	54.00	-9.34	32.47	34.20	9.79	31.00								0.00	204									0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5290.00</td><td>92.38</td><td>-----</td><td>-----</td><td>79.84</td><td>34.54</td><td>9.88</td><td>31.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>204</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	92.38	-----	-----	79.84	34.54	9.88	31.88								0.00	204								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5149.35	44.66	54.00	-9.34	32.47	34.20	9.79	31.00																																																																																																													
							0.00	204																																																																																																													
								0 AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1	5290.00	92.38	-----	-----	79.84	34.54	9.88	31.88																																																																																																													
							0.00	204																																																																																																													
								0 AVERAGE																																																																																																													



Mode	63																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																					
ANT	CDD 3+4																																																					
Pol.	Horizontal																																																					
Peak	Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.14</td><td>62.43</td><td>74.00</td><td>-11.57</td><td>49.88</td><td>34.56</td><td>9.92</td><td>31.93</td><td>0.00</td><td>204</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.14	62.43	74.00	-11.57	49.88	34.56	9.92	31.93	0.00	204	0 PEAK	Fundamental
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5365.14	62.43	74.00	-11.57	49.88	34.56	9.92	31.93	0.00	204	0 PEAK																																											
	Blank																																																					
Avg	Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.09</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>36.14</td><td>34.52</td><td>9.91</td><td>31.93</td><td>0.00</td><td>204</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.09	48.64	54.00	-5.36	36.14	34.52	9.91	31.93	0.00	204	0 AVERAGE	Fundamental
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.09	48.64	54.00	-5.36	36.14	34.52	9.91	31.93	0.00	204	0 AVERAGE																																											
	Blank																																																					





Mode	63																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.61</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>44.62</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>265</td><td>307</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.61	56.80	74.00	-17.20	44.62	34.20	9.78	31.80	0.00	265	307	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.61</td><td>-----</td><td>-----</td><td>90.11</td><td>34.51</td><td>9.87</td><td>31.88</td><td>0.00</td><td>265</td><td>307</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.61	-----	-----	90.11	34.51	9.87	31.88	0.00	265	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.61	56.80	74.00	-17.20	44.62	34.20	9.78	31.80	0.00	265	307	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	102.61	-----	-----	90.11	34.51	9.87	31.88	0.00	265	307	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.13</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>32.57</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>265</td><td>307</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.13	44.75	54.00	-9.25	32.57	34.20	9.78	31.80	0.00	265	307	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.84</td><td>-----</td><td>-----</td><td>81.29</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>265</td><td>307</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.84	-----	-----	81.29	34.56	9.88	31.89	0.00	265	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.13	44.75	54.00	-9.25	32.57	34.20	9.78	31.80	0.00	265	307	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	93.84	-----	-----	81.29	34.56	9.88	31.89	0.00	265	307	AVERAGE																																																																																																			







Mode	63										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz										
ANT	CDD 3+4										
Pol.	Vertical										
Peak	Level (dBuV/m) </										





		63																														
Mode		Harmonic																														
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																														
ANT		CDD 3+4																														
Pol.		Horizontal																														
Peak Avg																																
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	46.72	68.20	-21.48	55.47	37.86	14.28	60.89	0.00	---	---
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																						
1 10580.00	46.72	68.20	-21.48	55.47	37.86	14.28	60.89	0.00	---	---	PEAK																					
		Vertical																														
Peak Avg																																
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	46.65	68.20	-21.55	55.40	37.86	14.28	60.89	0.00	---	---
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																						
1 10580.00	46.65	68.20	-21.55	55.40	37.86	14.28	60.89	0.00	---	---	PEAK																					







<Co-location>

		64																																																																																																																				
Mode		Band Edge - L																																																																																																																				
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																				
ANT		CDD 3+4																																																																																																																				
Pol.		Horizontal					Fundamental																																																																																																															
Peak																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5015.66</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>42.34</td><td>34.13</td><td>9.67</td><td>31.73</td><td>0.00</td><td>115</td><td>340</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5015.66	54.41	74.00	-19.59	42.34	34.13	9.67	31.73	0.00	115	340	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>93.21</td><td>-----</td><td>87.22</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>115</td><td>340</td><td>Peak</td></tr><tr><td>2</td><td>3616.00</td><td>107.22</td><td>-----</td><td>97.75</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>115</td><td>340</td><td>Peak</td></tr><tr><td>3</td><td>5290.00</td><td>99.66</td><td>-----</td><td>87.11</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>115</td><td>340</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	93.21	-----	87.22	32.21	6.62	32.84	0.00	115	340	Peak	2	3616.00	107.22	-----	97.75	33.23	8.26	32.02	0.00	115	340	Peak	3	5290.00	99.66	-----	87.11	34.56	9.88	31.89	0.00	115	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5015.66	54.41	74.00	-19.59	42.34	34.13	9.67	31.73	0.00	115	340	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2402.00	93.21	-----	87.22	32.21	6.62	32.84	0.00	115	340	Peak																																																																																																											
2	3616.00	107.22	-----	97.75	33.23	8.26	32.02	0.00	115	340	Peak																																																																																																											
3	5290.00	99.66	-----	87.11	34.56	9.88	31.89	0.00	115	340	Peak																																																																																																											
Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.52</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>30.70</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>115</td><td>340</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.52	42.88	54.00	-11.12	30.70	34.20	9.78	31.80	0.00	115	340	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>89.18</td><td>-----</td><td>83.19</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>115</td><td>340</td><td>Average</td></tr><tr><td>2</td><td>3616.00</td><td>89.77</td><td>-----</td><td>80.30</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>115</td><td>340</td><td>Average</td></tr><tr><td>3</td><td>5290.00</td><td>90.63</td><td>-----</td><td>78.08</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>115</td><td>340</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	89.18	-----	83.19	32.21	6.62	32.84	0.00	115	340	Average	2	3616.00	89.77	-----	80.30	33.23	8.26	32.02	0.00	115	340	Average	3	5290.00	90.63	-----	78.08	34.56	9.88	31.89	0.00	115	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5141.52	42.88	54.00	-11.12	30.70	34.20	9.78	31.80	0.00	115	340	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2402.00	89.18	-----	83.19	32.21	6.62	32.84	0.00	115	340	Average																																																																																																											
2	3616.00	89.77	-----	80.30	33.23	8.26	32.02	0.00	115	340	Average																																																																																																											
3	5290.00	90.63	-----	78.08	34.56	9.88	31.89	0.00	115	340	Average																																																																																																											





Mode	64																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																							
ANT	CDD 3+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.78</td><td>58.53</td><td>74.00</td><td>-15.47</td><td>45.98</td><td>34.56</td><td>9.92</td><td>31.93</td><td>0.00</td><td>115</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5363.78	58.53	74.00	-15.47	45.98	34.56	9.92	31.93	0.00	115	340	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5363.78	58.53	74.00	-15.47	45.98	34.56	9.92	31.93	0.00	115	340	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.94</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>34.56</td><td>34.52</td><td>9.91</td><td>31.93</td><td>0.00</td><td>115</td><td>340</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.94	47.06	54.00	-6.94	34.56	34.52	9.91	31.93	0.00	115	340	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5354.94	47.06	54.00	-6.94	34.56	34.52	9.91	31.93	0.00	115	340	AVERAGE																																												





Mode	64																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																										
ANT	CDD 3+4																																																																																																																										
Pol.	Vertical					Fundamental																																																																																																																					
Peak																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5052.78</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>42.04</td><td>34.20</td><td>9.70</td><td>31.74</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5052.78	54.20	74.00	-19.80	42.04	34.20	9.70	31.74	0.00	296	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>93.41</td><td>-----</td><td>-----</td><td>87.42</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>296</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>3616.00</td><td>113.48</td><td>-----</td><td>-----</td><td>104.01</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>296</td><td>303</td><td>Peak</td></tr><tr><td>3</td><td>5290.00</td><td>104.27</td><td>-----</td><td>-----</td><td>91.72</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>296</td><td>303</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	93.41	-----	-----	87.42	32.21	6.62	32.84	0.00	296	303	Peak	2	3616.00	113.48	-----	-----	104.01	33.23	8.26	32.02	0.00	296	303	Peak	3	5290.00	104.27	-----	-----	91.72	34.56	9.88	31.89	0.00	296	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5052.78	54.20	74.00	-19.80	42.04	34.20	9.70	31.74	0.00	296	303	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2402.00	93.41	-----	-----	87.42	32.21	6.62	32.84	0.00	296	303	Peak																																																																																																															
2	3616.00	113.48	-----	-----	104.01	33.23	8.26	32.02	0.00	296	303	Peak																																																																																																															
3	5290.00	104.27	-----	-----	91.72	34.56	9.88	31.89	0.00	296	303	Peak																																																																																																															
Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.45</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>31.16</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>296</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.45	43.34	54.00	-10.66	31.16	34.20	9.78	31.80	0.00	296	303	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>89.30</td><td>-----</td><td>-----</td><td>83.31</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>296</td><td>303</td><td>Average</td></tr><tr><td>2</td><td>3616.00</td><td>112.75</td><td>-----</td><td>-----</td><td>103.28</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>296</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>5290.00</td><td>95.10</td><td>-----</td><td>-----</td><td>82.55</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>296</td><td>303</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	89.30	-----	-----	83.31	32.21	6.62	32.84	0.00	296	303	Average	2	3616.00	112.75	-----	-----	103.28	33.23	8.26	32.02	0.00	296	303	Average	3	5290.00	95.10	-----	-----	82.55	34.56	9.88	31.89	0.00	296	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5146.45	43.34	54.00	-10.66	31.16	34.20	9.78	31.80	0.00	296	303	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	2402.00	89.30	-----	-----	83.31	32.21	6.62	32.84	0.00	296	303	Average																																																																																																															
2	3616.00	112.75	-----	-----	103.28	33.23	8.26	32.02	0.00	296	303	Average																																																																																																															
3	5290.00	95.10	-----	-----	82.55	34.56	9.88	31.89	0.00	296	303	Average																																																																																																															



Mode	64																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.56</td><td>62.37</td><td>74.00</td><td>-11.63</td><td>49.81</td><td>34.58</td><td>9.92</td><td>31.94</td><td>0.00</td><td>296</td><td>303</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.56	62.37	74.00	-11.63	49.81	34.58	9.92	31.94	0.00	296	303	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5369.56	62.37	74.00	-11.63	49.81	34.58	9.92	31.94	0.00	296	303	PEAK																																											
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.85</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>38.36</td><td>34.54</td><td>9.92</td><td>31.93</td><td>0.00</td><td>296</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.85	50.89	54.00	-3.11	38.36	34.54	9.92	31.93	0.00	296	303	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.85	50.89	54.00	-3.11	38.36	34.54	9.92	31.93	0.00	296	303	AVERAGE																																											







		64																																																																													
Mode		Harmonic																																																																													
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																													
ANT		CDD 3+4																																																																													
Pol.		Horizontal						Vertical																																																																							
Peak Avg																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7055.00</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>62.04</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>54.61</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>52.98</td><td>---</td><td>---</td><td>61.50</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7055.00	49.10	68.20	-19.10	62.04	35.61	11.53	60.08	0.00	---	Peak	2	10580.00	45.86	68.20	-22.34	54.61	37.86	14.28	60.89	0.00	---	PEAK	3	10850.00	52.98	---	---	61.50	37.90	14.46	60.88	0.00	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7055.00	49.10	68.20	-19.10	62.04	35.61	11.53	60.08	0.00	---	Peak																																																																				
2	10580.00	45.86	68.20	-22.34	54.61	37.86	14.28	60.89	0.00	---	PEAK																																																																				
3	10850.00	52.98	---	---	61.50	37.90	14.46	60.88	0.00	---	Peak																																																																				
																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7055.00</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>60.49</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>54.48</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>47.44</td><td>---</td><td>---</td><td>55.96</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7055.00	47.55	68.20	-20.65	60.49	35.61	11.53	60.08	0.00	---	Peak	2	10580.00	45.73	68.20	-22.47	54.48	37.86	14.28	60.89	0.00	---	PEAK	3	10850.00	47.44	---	---	55.96	37.90	14.46	60.88	0.00	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7055.00	47.55	68.20	-20.65	60.49	35.61	11.53	60.08	0.00	---	Peak																																																																				
2	10580.00	45.73	68.20	-22.47	54.48	37.86	14.28	60.89	0.00	---	PEAK																																																																				
3	10850.00	47.44	---	---	55.96	37.90	14.46	60.88	0.00	---	Peak																																																																				





Mode	64																																																						
	Band Edge - L																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																						
ANT	2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.42</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>43.13</td><td>31.91</td><td>6.59</td><td>32.88</td><td>6.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.42	54.75	74.00	-19.25	43.13	31.91	6.59	32.88	6.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2379.42	54.75	74.00	-19.25	43.13	31.91	6.59	32.88	6.00	100	103	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.73</td><td>-----</td><td>-----</td><td>87.74</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.73	-----	-----	87.74	32.21	6.62	32.84	6.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	99.73	-----	-----	87.74	32.21	6.62	32.84	6.00	100	103	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>32.79</td><td>32.02</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	44.55	54.00	-9.45	32.79	32.02	6.60	32.86	6.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.22	44.55	54.00	-9.45	32.79	32.02	6.60	32.86	6.00	100	103	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.52</td><td>-----</td><td>-----</td><td>85.53</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.52	-----	-----	85.53	32.21	6.62	32.84	6.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	97.52	-----	-----	85.53	32.21	6.62	32.84	6.00	100	103	AVERAGE																																											







Mode	64																																																																																																																															
	Band Edge - L																																																																																																																															
	2400-2483.5 Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																																															
ANT	2																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2315.46</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>43.53</td><td>31.78</td><td>6.49</td><td>32.98</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2315.46	54.82	74.00	-19.18	43.53	31.78	6.49	32.98								dB	cm									deg										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>97.40</td><td>-----</td><td>-----</td><td>85.41</td><td>32.21</td><td>6.62</td><td>32.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	97.40	-----	-----	85.41	32.21	6.62	32.84								dB	cm									deg									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	2315.46	54.82	74.00	-19.18	43.53	31.78	6.49	32.98																																																																																																																								
							dB	cm																																																																																																																								
								deg																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	2402.00	97.40	-----	-----	85.41	32.21	6.62	32.84																																																																																																																								
							dB	cm																																																																																																																								
								deg																																																																																																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2388.78</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>32.79</td><td>32.04</td><td>6.00</td><td>32.06</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2388.78	44.57	54.00	-9.43	32.79	32.04	6.00	32.06								dB	cm									deg										<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>95.03</td><td>-----</td><td>-----</td><td>83.04</td><td>32.21</td><td>6.62</td><td>32.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	95.03	-----	-----	83.04	32.21	6.62	32.84								dB	cm									deg									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	2388.78	44.57	54.00	-9.43	32.79	32.04	6.00	32.06																																																																																																																								
							dB	cm																																																																																																																								
								deg																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	2402.00	95.03	-----	-----	83.04	32.21	6.62	32.84																																																																																																																								
							dB	cm																																																																																																																								
								deg																																																																																																																								





Mode	64																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																																																									
ANT	2																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>59.38</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.31	74.00	-32.69	59.38	34.20	9.44	61.71								0.00	---								---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>59.08</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.01	74.00	-32.99	59.08	34.20	9.44	61.71								0.00	---								---	---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	4804.00	41.31	74.00	-32.69	59.38	34.20	9.44	61.71																																																																																																																																		
							0.00	---																																																																																																																																		
							---	---																																																																																																																																		
								PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	4804.00	41.01	74.00	-32.99	59.08	34.20	9.44	61.71																																																																																																																																		
							0.00	---																																																																																																																																		
							---	---																																																																																																																																		
								PEAK																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>59.38</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.31	74.00	-32.69	59.38	34.20	9.44	61.71								0.00	---								---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>59.08</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	41.01	74.00	-32.99	59.08	34.20	9.44	61.71								0.00	---								---	---									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	4804.00	41.31	74.00	-32.69	59.38	34.20	9.44	61.71																																																																																																																																		
							0.00	---																																																																																																																																		
							---	---																																																																																																																																		
								PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																		
1	4804.00	41.01	74.00	-32.99	59.08	34.20	9.44	61.71																																																																																																																																		
							0.00	---																																																																																																																																		
							---	---																																																																																																																																		
								PEAK																																																																																																																																		







Mode	65																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																	
ANT	3																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5098.60</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>41.90</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>286</td><td>26</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5098.60	54.07	74.00	-19.93	41.90	34.20	9.74	31.77	0.00	286	26	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.55</td><td>-----</td><td>90.56</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>286</td><td>26</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>100.28</td><td>-----</td><td>93.78</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>286</td><td>26</td><td>Peak</td></tr><tr><td>3</td><td>3616.00</td><td>111.01</td><td>-----</td><td>101.54</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>286</td><td>26</td><td>Peak</td></tr><tr><td>4</td><td>5290.00</td><td>98.55</td><td>-----</td><td>86.00</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>286</td><td>26</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	96.55	-----	90.56	32.21	6.62	32.84	0.00	286	26	Peak	2	2452.00	100.28	-----	93.78	32.52	6.69	32.71	0.00	286	26	Peak	3	3616.00	111.01	-----	101.54	33.23	8.26	32.02	0.00	286	26	Peak	4	5290.00	98.55	-----	86.00	34.56	9.88	31.89	0.00	286	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5098.60	54.07	74.00	-19.93	41.90	34.20	9.74	31.77	0.00	286	26	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2402.00	96.55	-----	90.56	32.21	6.62	32.84	0.00	286	26	Peak																																																																																																																							
2	2452.00	100.28	-----	93.78	32.52	6.69	32.71	0.00	286	26	Peak																																																																																																																							
3	3616.00	111.01	-----	101.54	33.23	8.26	32.02	0.00	286	26	Peak																																																																																																																							
4	5290.00	98.55	-----	86.00	34.56	9.88	31.89	0.00	286	26	Peak																																																																																																																							
Avg																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.82</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>30.34</td><td>34.20</td><td>9.77</td><td>31.79</td><td>0.00</td><td>286</td><td>26</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5132.82	42.52	54.00	-11.48	30.34	34.20	9.77	31.79	0.00	286	26	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>92.36</td><td>-----</td><td>86.37</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>286</td><td>26</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>88.29</td><td>-----</td><td>81.79</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>286</td><td>26</td><td>Average</td></tr><tr><td>3</td><td>3616.00</td><td>108.32</td><td>-----</td><td>98.85</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>286</td><td>26</td><td>Average</td></tr><tr><td>4</td><td>5290.00</td><td>89.64</td><td>-----</td><td>77.09</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>286</td><td>26</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	92.36	-----	86.37	32.21	6.62	32.84	0.00	286	26	Average	2	2452.00	88.29	-----	81.79	32.52	6.69	32.71	0.00	286	26	Average	3	3616.00	108.32	-----	98.85	33.23	8.26	32.02	0.00	286	26	Average	4	5290.00	89.64	-----	77.09	34.56	9.88	31.89	0.00	286	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5132.82	42.52	54.00	-11.48	30.34	34.20	9.77	31.79	0.00	286	26	AVERAGE																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2402.00	92.36	-----	86.37	32.21	6.62	32.84	0.00	286	26	Average																																																																																																																							
2	2452.00	88.29	-----	81.79	32.52	6.69	32.71	0.00	286	26	Average																																																																																																																							
3	3616.00	108.32	-----	98.85	33.23	8.26	32.02	0.00	286	26	Average																																																																																																																							
4	5290.00	89.64	-----	77.09	34.56	9.88	31.89	0.00	286	26	Average																																																																																																																							



Mode	65																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																				
ANT	3																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.01</td><td>58.85</td><td>74.00</td><td>-15.15</td><td>46.36</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>286</td><td>26 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	58.85	74.00	-15.15	46.36	34.50	9.91	31.92	0.00	286	26 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.01	58.85	74.00	-15.15	46.36	34.50	9.91	31.92	0.00	286	26 PEAK																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.01</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>33.91</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>286</td><td>26 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	46.40	54.00	-7.60	33.91	34.50	9.91	31.92	0.00	286	26 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.01	46.40	54.00	-7.60	33.91	34.50	9.91	31.92	0.00	286	26 AVERAGE																																										



Mode	65																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																			
ANT	3																																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5108.17</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>42.50</td><td>34.20</td><td>9.75</td><td>31.78</td><td>0.00</td><td>300</td><td>286</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5108.17	54.67	74.00	-19.33	42.50	34.20	9.75	31.78	0.00	300	286	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>91.57</td><td>-----</td><td>85.58</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>80.21</td><td>-----</td><td>73.71</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr><tr><td>3</td><td>3616.00</td><td>119.24</td><td>-----</td><td>109.77</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr><tr><td>4</td><td>5290.00</td><td>102.43</td><td>-----</td><td>89.88</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	91.57	-----	85.58	32.21	6.62	32.84	0.00	300	286	Peak	2	2452.00	80.21	-----	73.71	32.52	6.69	32.71	0.00	300	286	Peak	3	3616.00	119.24	-----	109.77	33.23	8.26	32.02	0.00	300	286	Peak	4	5290.00	102.43	-----	89.88	34.56	9.88	31.89	0.00	300	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5108.17	54.67	74.00	-19.33	42.50	34.20	9.75	31.78	0.00	300	286	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	2402.00	91.57	-----	85.58	32.21	6.62	32.84	0.00	300	286	Peak																																																																																																																									
2	2452.00	80.21	-----	73.71	32.52	6.69	32.71	0.00	300	286	Peak																																																																																																																									
3	3616.00	119.24	-----	109.77	33.23	8.26	32.02	0.00	300	286	Peak																																																																																																																									
4	5290.00	102.43	-----	89.88	34.56	9.88	31.89	0.00	300	286	Peak																																																																																																																									
Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.06</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>30.69</td><td>34.20</td><td>9.79</td><td>31.80</td><td>0.00</td><td>300</td><td>286</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.06	42.88	54.00	-11.12	30.69	34.20	9.79	31.80	0.00	300	286	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>87.65</td><td>-----</td><td>81.66</td><td>32.21</td><td>6.62</td><td>32.84</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>72.36</td><td>-----</td><td>65.86</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr><tr><td>3</td><td>3616.00</td><td>114.33</td><td>-----</td><td>104.86</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr><tr><td>4</td><td>5290.00</td><td>92.89</td><td>-----</td><td>80.34</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	87.65	-----	81.66	32.21	6.62	32.84	0.00	300	286	Average	2	2452.00	72.36	-----	65.86	32.52	6.69	32.71	0.00	300	286	Average	3	3616.00	114.33	-----	104.86	33.23	8.26	32.02	0.00	300	286	Average	4	5290.00	92.89	-----	80.34	34.56	9.88	31.89	0.00	300	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5149.06	42.88	54.00	-11.12	30.69	34.20	9.79	31.80	0.00	300	286	AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	2402.00	87.65	-----	81.66	32.21	6.62	32.84	0.00	300	286	Average																																																																																																																									
2	2452.00	72.36	-----	65.86	32.52	6.69	32.71	0.00	300	286	Average																																																																																																																									
3	3616.00	114.33	-----	104.86	33.23	8.26	32.02	0.00	300	286	Average																																																																																																																									
4	5290.00	92.89	-----	80.34	34.56	9.88	31.89	0.00	300	286	Average																																																																																																																									



Mode	65																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																						
ANT	3																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.95</td><td>63.96</td><td>74.00</td><td>-10.04</td><td>51.41</td><td>34.56</td><td>9.92</td><td>31.93</td><td>0.00</td><td>300</td><td>286</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.95	63.96	74.00	-10.04	51.41	34.56	9.92	31.93	0.00	300	286	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5363.95	63.96	74.00	-10.04	51.41	34.56	9.92	31.93	0.00	300	286	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>38.09</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>300</td><td>286</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	50.58	54.00	-3.42	38.09	34.50	9.91	31.92	0.00	300	286	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.01	50.58	54.00	-3.42	38.09	34.50	9.91	31.92	0.00	300	286	AVERAGE																																											