




- 1) Polarity Indicator
- 2) Model Number of Product
- 3) Revision of Product
- 4) CE Logo
- 5) 6-Digit MAC ID (last 6 #'s of MAC ID)
- 6) 2D Bar Code of full 12 Digit MAC ID (Datamatrix)

Blank Label	Laird Part Number	1400-00140
	8.1mm x 6.5mm	
Material:	Polyimide	
	(Must withstand 260 degree's C)	
Adhesive	Typically Acrylic but any permanent adhesive capable of withstanding 260 degree's C is acceptable.	
Color:	Glossy White	
Text:	Black (if printed)	
Corners:	Max radius acceptable	1.1mm



All Dimension in Inches unless otherwise shown. Tolerance;
 .X +/- 0.1
 .XX +/- 0.01
 .XXX +/- 0.005
 Angle +/- 1 deg.



Laird
TECHNOLOGIES®

Title **BT800 rev XX Label**

Dwg. No.	2100-00124	Rev	2
Drawn by	drk	Date	6-27-13
		Sheet	1/1

Notes:

- 1) Polarity Indicator
- 2) Model Number of Product
- 3) Revision of Product
- 4) CE Logo
- 5) 6-Digit MAC ID (last 6 #'s of MAC ID)
- 6) 2D Bar Code of full 12 Digit MAC ID (Datamatrix)

Base Material (Blank Label Material Specification)

Blank Label Laird Part Number 1400-00140
 8.1mm x 6.5mm



Material: Polyimide
 (Must withstand 260 degree's C)

Adhesive Typically Acrylic but any permanent
 adhesive capable of withstanding 260
 degree's C is acceptable.

Color: Glossy White

Text: Black (if printed)

Corners: Max radius acceptable 1mm



All Dimension in Inches unless
 otherwise shown. Tolerance;
 .X +/- 0.1
 .XX +/- 0.01
 .XXX +/- 0.005
 Angle +/- 1 deg.






Title **BT810 rev XX Label**

Dwg. No. **2100-00125** Rev **2**

Drawn by **drk** Date **6-27-13** Sheet **1/1**

- 1) Polarity Indicator
- 2) Model Number of Product
- 3) Revision of Product
- 4) CE Logo
- 5) 6-Digit MAC ID (last 6 #'s of MAC ID)
- 6) 2D Bar Code of full 12 Digit MAC ID (Datamatrix)

Blank Label	Laird Part Number	1400-00140
	8.1mm x 6.5mm	
Material:	Polyimide	
	(Must withstand 260 degree's C)	
Adhesive	Typically Acrylic but any permanent adhesive capable of withstanding 260 degree's C is acceptable.	
Color:	Glossy White	
Text:	Black (if printed)	
Corners:	Max radius acceptable	1.1mm



Laird
TECHNOLOGIES®

Sheet 1/1

