



Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+ Preview Result 1-PK+ PK.74 Final_Result AVG Critical_Freqs AVG AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5795
Channel No.:159

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)




Frequency Range: 3GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5775

Channel No.:155




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT80)




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 3GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)



Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT80)


AC Power line Conducted Emission

A "reference path loss" Corr.(dB) is established and the $L_{\text{cable}} + \text{ATT} + \text{VDF}$ is the attenuation of "reference path loss", and including the cable loss, the attenuation of the attenuator, the voltage division factor of AMN.

The measurement results are obtained as described below:

$$P_{\text{result}} = P_{\text{mea}} + \text{Corr. (dB)}$$

Sample calculation: $(41.58 \text{ dB}\mu\text{V}) = (11.9 \text{ dB}\mu\text{V}) + (29.6 \text{ dB})$, the corresponding frequency is 0.158529MHz.



L+N Line

MEASUREMENT RESULT:

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)	Pmea QuasiPeak (dBμV)	Pmea Average (dBμV)
0.158529	41.58	---	65.54	23.96	N	29.6	11.98	---
0.294986	---	24.78	50.38	25.60	N	29.6	---	-4.82
0.529521	---	27.49	46.00	18.51	N	29.6	---	-2.11
0.529521	39.28	---	56.00	16.72	L1	29.6	9.68	---
0.977271	---	19.54	46.00	26.46	N	29.7	---	-10.16
1.326943	37.59	---	56.00	18.41	N	29.7	7.89	---
4.213864	---	30.41	46.00	15.59	N	29.7	---	0.71
4.299150	35.40	---	56.00	20.60	N	29.7	5.7	---
5.736214	40.60	---	60.00	19.40	N	29.7	10.9	---
8.371543	---	32.27	50.00	17.73	N	29.8	---	2.47
12.550543	40.16	---	60.00	19.84	N	29.8	10.36	---
12.648621	---	32.91	50.00	17.09	N	29.8	---	3.11

---The end of the test report---