



LTE Band 2

Low channel:

Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18607	1850.7	1.005	1.1024	18615	1851.5	2.7140	2.7049
Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18607	1850.7	1.288	1.293	18615	1851.5	3.002	2.996

Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18625	1852.5	4.5208	4.5099	18650	1855.0	8.9781	8.9907
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18625	1852.5	5.024	4.986	18650	1855.0	9.831	9.818

Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18675	1857.5	13.422	13.464	18700	1860.0	17.904	17.955
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18675	1857.5	14.62	14.71	18700	1860.0	19.35	19.38

**Middle channel:**

Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	1.0977	1.1032	18900	1880.0	2.7105	2.7075
Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	1.299	1.296	18900	1880.0	2.986	2.995

Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	4.5312	4.5197	18900	1880.0	9.0104	9.0038
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	5.018	5.032	18900	1880.0	9.864	9.862

Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	13.434	13.448	18900	1880.0	17.839	17.864
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
18900	1880.0	14.70	14.69	18900	1880.0	19.35	19.44

**High channel:**

Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19192	1909.2	1.1101	1.1008	19184	1908.4	2.7078	2.7033
Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19192	1909.2	1.288	1.282	19184	1908.4	3.008	2.997

Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19175	1907.5	4.5130	4.5138	19150	1905.0	8.9779	8.9772
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19175	1907.5	4.977	4.954	19150	1905.0	9.861	9.895

Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	99% Bandwidth (MHz)		Channel	Frequency (MHz)	99% Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19125	1902.5	13.449	13.453	19100	1900.0	17.934	17.910
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)		Channel	Frequency (MHz)	26dB Bandwidth(MHz)	
		QPSK	16QAM			QPSK	16QAM
19125	1902.5	14.70	14.54	19100	1900.0	19.64	19.35





Low channel:

Spectrum Plot of Worst Value

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK


3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK



10MHz/16QAM







Spectrum Plot of Worst Value

15MHz/QPSK



15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK

20MHz/16QAM







Middle channel:

Spectrum Plot of Worst Value

1.4MHz/QPSK




1.4MHz/16QAM




Spectrum Plot of Worst Value

3MHz/QPSK




3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM



Spectrum Plot of Worst Value

10MHz/QPSK




10MHz/16QAM






Spectrum Plot of Worst Value

15MHz/QPSK




15MHz/16QAM




Spectrum Plot of Worst Value

20MHz/QPSK



20MHz/16QAM







High channel:

Spectrum Plot of Worst Value

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK


3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK



10MHz/16QAM







Spectrum Plot of Worst Value

15MHz/QPSK



15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK

20MHz/16QAM



2. Frequency Stability


1.2.1 Requirement

According to FCC section 2.1055 and FCC section 24.238 and 27.54, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. According to FCC section 2.1055, the test conditions are:

- (a) The temperature is varied from -30°C to +50°C at intervals of not more than 10°C.
- (b) For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

1.2.2 Test Description

Test Setup:



The EUT, which is powered by the DC Power Supply directly, is located in the Temperature Chamber. The EUT is commanded by the System Simulator (SS) to operate at the maximum output power. A call is established between the EUT and the SS via a Common Antenna.

Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Rohde& Schwarz	CMW500	1201.0002k 50/124534/ wk	2014.02.26	2015.02.2 5
DC Power Supply	Good Will	GPS-3030DD	EF920938	2014.02.26	2015.02.2 5
Temperature Chamber	YinHe Experimental Equip.	HL4003T	(n.a.)	2014.02.26	2015.02.2 5

1.2.3 Test Verdict

The nominal, highest and lowest extreme voltages are separately 3.8VDC, 4.35VDC and 3.6VDC, which are specified by the applicant; the normal temperature here used is 20°C. The frequency deviation limit is ± 2.5 ppm.



The testing was performed using one RB and Bandwidth setting for each band.

TE Band 7 – QPSK - Channel 21100 – Frequency 2535MHz – RB 25/0				
Limit: 2535MHz*2.5ppm=6337.5Hz				
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Result
100	3.8	-30	5.31	<u>PASS</u>
100		-20	-5.74	
100		-10	-5.78	
100		0	-4.68	
100		+10	-4.41	
100		+20	5.55	
100		+30	-5.41	
100		+40	4.60	
100		+50	-6.18	
115	4.35	+20	-6.47	
85	3.6	+20	-5.59	

LTE Band 4 – QPSK - Channel 20175 – Frequency 1732.5MHz – RB 6/0				
Limit: 1732.5MHz*2.5ppm=4331.25Hz				
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Result
100	3.8	-30	12.56	<u>PASS</u>
100		-20	11.66	
100		-10	10.50	
100		0	11.74	
100		+10	11.56	
100		+20	9.48	
100		+30	-10.89	
100		+40	10.83	
100		+50	12.62	
115	4.35	+20	11.12	
85	3.6	+20	12.52	



LTE Band 2 – QPSK - Channel 18900 – Frequency 1880.0MHz – RB 6/0				
Limit: 1880.0MHz*1ppm=1880.0Hz				
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Result
100	3.8	-30	9.81	PASS
100		-20	15.16	
100		-10	9.73	
100		0	8.62	
100		+10	10.47	
100		+20	9.38	
100		+30	-9.81	
100		+40	9.87	
100		+50	11.76	
115	4.35	+20	13.05	
85	3.6	+20	13.12	



3. Peak to Average Ratio

1.3.1 Requirement

According to FCC section 24.235 and 27.50(d) (5), the peak to average ratio (PAR) of the transmission may not exceed 13dB.

1.3.2 Test Description

See section 2.1.2 of this report.

1.3.3 Test Result

Record the maximum PAPR level associated with a probability of 0.1%.

LTE Band 4:

Low channel:



Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
19957	1710.7	5.83	6.51	19965	1771.5	5.71	6.54
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
19975	1712.5	5.75	6.49	20000	1715.0	4.61	6.07
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20025	1717.5	5.74	6.76	20050	1720.0	6.42	7.14



Spectrum Plot of Worst Value (Low channel)

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK

3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK



10MHz/16QAM







Spectrum Plot of Worst Value

15MHz/QPSK



15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK

20MHz/16QAM



**Middle channel:**



Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20175	1732.5	5.88	6.90	20175	1732.5	5.94	6.76
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20175	1732.5	5.88	6.63	20175	1732.5	4.62	6.11
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20175	1732.5	5.74	6.66	20175	1732.5	6.45	7.03



Spectrum Plot of Worst Value

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK

3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK



10MHz/16QAM







Spectrum Plot of Worst Value

15MHz/QPSK



15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK

20MHz/16QAM





High channel:



Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20392	1754.2	5.70	6.55	20384	1753.4	5.75	6.57
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20375	1752.5	5.78	6.53	20350	1750.0	4.63	6.18
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
20325	1747.5	5.74	6.71	20300	1745.0	6.44	6.93



Spectrum Plot of Worst Value

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK

3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK



10MHz/16QAM







Spectrum Plot of Worst Value

15MHz/QPSK



15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK

20MHz/16QAM



**LTE Band 2:****Low channel:**



Channel Bandwidth: 1.4MHz				Channel Bandwidth: 3MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
18607	1850.7	5.25	6.32	18615	1851.5	5.31	6.18
Channel Bandwidth: 5MHz				Channel Bandwidth: 10MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
18625	1852.5	5.54	6.28	18650	1855.0	4.81	6.05
Channel Bandwidth: 15MHz				Channel Bandwidth: 20MHz			
Channel	Frequency (MHz)	Peak to Average Ratio (dB)		Channel	Frequency (MHz)	Peak to Average Ratio (dB)	
		QPSK	16QAM			QPSK	16QAM
18675	1857.5	5.74	6.77	18700	1860.0	5.74	6.67



Spectrum Plot of Worst Value (Low channel)

1.4MHz/QPSK



1.4MHz/16QAM



Spectrum Plot of Worst Value

3MHz/QPSK


3MHz/16QAM






Spectrum Plot of Worst Value

5MHz/QPSK




5MHz/16QAM




Spectrum Plot of Worst Value

10MHz/QPSK




10MHz/16QAM






Spectrum Plot of Worst Value

15MHz/QPSK




15MHz/16QAM



Spectrum Plot of Worst Value

20MHz/QPSK



20MHz/16QAM

