




Fig.69




Fig.70



Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	814.7	26697	1.4	1	0	Fig.1
26	QPSK	814.7	26697	1.4	1	5	Fig.2
26	QPSK	814.7	26697	1.4	6	0	Fig.3
26	QPSK	814.7	26697	1.4	6	0	Fig.4
26	QPSK	823.3	26783	1.4	1	0	Fig.5
26	QPSK	823.3	26783	1.4	1	5	Fig.6
26	QPSK	823.3	26783	1.4	6	0	Fig.7
26	QPSK	823.3	26783	1.4	6	0	Fig.8
26	QPSK	815.5	26705	3	1	0	Fig.9
26	QPSK	815.5	26705	3	1	14	Fig.10
26	QPSK	815.5	26705	3	15	0	Fig.11
26	QPSK	815.5	26705	3	15	0	Fig.12
26	QPSK	822.5	26775	3	1	0	Fig.13
26	QPSK	822.5	26775	3	1	14	Fig.14
26	QPSK	822.5	26775	3	15	0	Fig.15
26	QPSK	822.5	26775	3	15	0	Fig.16
26	QPSK	816.5	26715	5	1	0	Fig.17
26	QPSK	816.5	26715	5	1	24	Fig.18
26	QPSK	816.5	26715	5	25	0	Fig.19
26	QPSK	816.5	26715	5	25	0	Fig.20
26	QPSK	821.5	26765	5	1	0	Fig.21
26	QPSK	821.5	26765	5	1	24	Fig.22
26	QPSK	821.5	26765	5	25	0	Fig.23
26	QPSK	821.5	26765	5	25	0	Fig.24
26	QPSK	819	26740	10	1	0	Fig.25
26	QPSK	819	26740	10	1	49	Fig.26
26	QPSK	819	26740	10	50	0	Fig.27
26	QPSK	819	26740	10	50	0	Fig.28
26	QPSK	819	26740	10	1	0	Fig.29
26	QPSK	819	26740	10	1	49	Fig.30
26	QPSK	819	26740	10	50	0	Fig.31
26	QPSK	819	26740	10	50	0	Fig.32

Test Mode: QPSK




Fig.1




Fig.2




Fig.3



Fig.4




Fig.5




Fig.6




Fig.7



Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) Low Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.043	0.032	0.049	0.040
0	NV	0.034	0.050	0.043	0.046
+10	NV	0.046	0.030	0.043	0.031
+30	NV	-0.050	-0.025	-0.032	-0.043
+40	NV	-0.044	-0.058	-0.043	-0.005
+55	NV	0.004	-0.033	-0.030	-0.040
+20	LV	-0.021	-0.058	-0.054	-0.041
+20	HV	-0.089	-0.040	-0.014	-0.063

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) High Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.031	0.028	0.034	0.030
0	NV	0.036	-0.007	0.053	0.049
+10	NV	0.057	0.034	0.022	0.006
+30	NV	-0.025	-0.021	-0.047	-0.034
+40	NV	-0.018	-0.021	-0.052	-0.012
+55	NV	-0.051	-0.022	-0.035	-0.026
+20	LV	-0.040	-0.049	-0.028	-0.032
+20	HV	-0.037	-0.039	-0.036	-0.049

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	814.7	26697	1.4	1	0	23.57	18.02	0.063
16QAM	814.7	26697	1.4	1	3	23.40	17.85	0.061
16QAM	814.7	26697	1.4	1	5	23.63	18.08	0.064
16QAM	814.7	26697	1.4	3	0	23.09	17.54	0.057
16QAM	814.7	26697	1.4	3	1	23.03	17.48	0.056
16QAM	814.7	26697	1.4	3	3	22.99	17.44	0.055
16QAM	814.7	26697	1.4	6	0	22.28	16.73	0.047
16QAM	819	26740	1.4	1	0	23.50	17.95	0.062
16QAM	819	26740	1.4	1	3	23.63	18.08	0.064
16QAM	819	26740	1.4	1	5	23.47	17.92	0.062
16QAM	819	26740	1.4	3	0	23.15	17.60	0.058
16QAM	819	26740	1.4	3	1	22.95	17.40	0.055
16QAM	819	26740	1.4	3	3	23.06	17.51	0.056
16QAM	819	26740	1.4	6	0	22.10	16.55	0.045
16QAM	823.3	26783	1.4	1	0	23.61	18.06	0.064
16QAM	823.3	26783	1.4	1	3	23.67	18.12	0.065
16QAM	823.3	26783	1.4	1	5	23.71	18.16	0.065
16QAM	823.3	26783	1.4	3	0	23.28	17.73	0.059
16QAM	823.3	26783	1.4	3	1	23.26	17.71	0.059
16QAM	823.3	26783	1.4	3	3	23.18	17.63	0.058
16QAM	823.3	26783	1.4	6	0	22.26	16.71	0.047
64QAM	814.7	26697	1.4	1	0	22.49	16.94	0.049
64QAM	814.7	26697	1.4	1	3	22.59	17.04	0.051
64QAM	814.7	26697	1.4	1	5	22.67	17.12	0.052
64QAM	814.7	26697	1.4	3	0	21.96	16.41	0.044
64QAM	814.7	26697	1.4	3	1	21.93	16.38	0.043
64QAM	814.7	26697	1.4	3	3	21.87	16.32	0.043
64QAM	814.7	26697	1.4	6	0	21.39	15.84	0.038
64QAM	819	26740	1.4	1	0	22.47	16.92	0.049
64QAM	819	26740	1.4	1	3	22.67	17.12	0.052
64QAM	819	26740	1.4	1	5	22.62	17.07	0.051
64QAM	819	26740	1.4	3	0	22.07	16.52	0.045
64QAM	819	26740	1.4	3	1	22.03	16.48	0.044
64QAM	819	26740	1.4	3	3	22.14	16.59	0.046
64QAM	819	26740	1.4	6	0	20.98	15.43	0.035
64QAM	823.3	26783	1.4	1	0	22.62	17.07	0.051
64QAM	823.3	26783	1.4	1	3	23.41	17.86	0.061
64QAM	823.3	26783	1.4	1	5	22.66	17.11	0.051
64QAM	823.3	26783	1.4	3	0	22.49	16.94	0.049
64QAM	823.3	26783	1.4	3	1	22.23	16.68	0.047
64QAM	823.3	26783	1.4	3	3	22.22	16.67	0.046
64QAM	823.3	26783	1.4	6	0	21.27	15.72	0.037

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	814.7	26697	1.4	1	0	23.98	18.43	0.070
QPSK	814.7	26697	1.4	1	3	23.91	18.36	0.069
QPSK	814.7	26697	1.4	1	5	23.96	18.41	0.069
QPSK	814.7	26697	1.4	3	0	23.48	17.93	0.062
QPSK	814.7	26697	1.4	3	1	23.38	17.83	0.061
QPSK	814.7	26697	1.4	3	3	23.45	17.90	0.062
QPSK	814.7	26697	1.4	6	0	22.94	17.39	0.055
QPSK	819	26740	1.4	1	0	24.03	18.48	0.070
QPSK	819	26740	1.4	1	3	24.01	18.46	0.070
QPSK	819	26740	1.4	1	5	23.94	18.39	0.069
QPSK	819	26740	1.4	3	0	23.40	17.85	0.061
QPSK	819	26740	1.4	3	1	23.46	17.91	0.062
QPSK	819	26740	1.4	3	3	23.40	17.85	0.061
QPSK	819	26740	1.4	6	0	22.97	17.42	0.055
QPSK	823.3	26783	1.4	1	0	23.88	18.33	0.068
QPSK	823.3	26783	1.4	1	3	23.87	18.32	0.068
QPSK	823.3	26783	1.4	1	5	23.93	18.38	0.069
QPSK	823.3	26783	1.4	3	0	23.60	18.05	0.064
QPSK	823.3	26783	1.4	3	1	23.47	17.92	0.062
QPSK	823.3	26783	1.4	3	3	23.50	17.95	0.062
QPSK	823.3	26783	1.4	6	0	23.00	17.45	0.056

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	815.5	26705	3	1	0	24.00	18.45	0.070
16QAM	815.5	26705	3	1	8	24.04	18.49	0.071
16QAM	815.5	26705	3	1	14	23.90	18.35	0.068
16QAM	815.5	26705	3	8	0	21.90	16.35	0.043
16QAM	815.5	26705	3	8	4	21.97	16.42	0.044
16QAM	815.5	26705	3	8	7	22.05	16.50	0.045
16QAM	815.5	26705	3	15	0	22.18	16.63	0.046
16QAM	819	26740	3	1	0	24.17	18.62	0.073
16QAM	819	26740	3	1	8	24.37	18.82	0.076
16QAM	819	26740	3	1	14	24.35	18.80	0.076
16QAM	819	26740	3	8	0	22.21	16.66	0.046
16QAM	819	26740	3	8	4	22.24	16.69	0.047
16QAM	819	26740	3	8	7	22.20	16.65	0.046
16QAM	819	26740	3	15	0	22.12	16.57	0.045
16QAM	822.5	26775	3	1	0	24.16	18.61	0.073
16QAM	822.5	26775	3	1	8	24.26	18.71	0.074
16QAM	822.5	26775	3	1	14	24.30	18.75	0.075
16QAM	822.5	26775	3	8	0	22.59	17.04	0.051
16QAM	822.5	26775	3	8	4	22.40	16.85	0.048
16QAM	822.5	26775	3	8	7	22.35	16.80	0.048
16QAM	822.5	26775	3	15	0	22.24	16.69	0.047
64QAM	815.5	26705	3	1	0	22.30	16.75	0.047
64QAM	815.5	26705	3	1	8	22.15	16.60	0.046
64QAM	815.5	26705	3	1	14	22.35	16.80	0.048
64QAM	815.5	26705	3	8	0	21.46	15.91	0.039
64QAM	815.5	26705	3	8	4	21.30	15.75	0.038
64QAM	815.5	26705	3	8	7	21.00	15.45	0.035
64QAM	815.5	26705	3	15	0	21.31	15.76	0.038
64QAM	819	26740	3	1	0	22.95	17.40	0.055
64QAM	819	26740	3	1	8	22.97	17.42	0.055
64QAM	819	26740	3	1	14	23.30	17.75	0.060
64QAM	819	26740	3	8	0	20.95	15.40	0.035
64QAM	819	26740	3	8	4	20.89	15.34	0.034
64QAM	819	26740	3	8	7	20.89	15.34	0.034
64QAM	819	26740	3	15	0	21.12	15.57	0.036
64QAM	822.5	26775	3	1	0	23.34	17.79	0.060
64QAM	822.5	26775	3	1	8	23.19	17.64	0.058
64QAM	822.5	26775	3	1	14	23.18	17.63	0.058
64QAM	822.5	26775	3	8	0	21.43	15.88	0.039
64QAM	822.5	26775	3	8	4	21.11	15.56	0.036
64QAM	822.5	26775	3	8	7	21.07	15.52	0.036
64QAM	822.5	26775	3	15	0	21.14	15.59	0.036

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	815.5	26705	3	1	0	24.12	18.57	0.072
QPSK	815.5	26705	3	1	8	24.05	18.50	0.071
QPSK	815.5	26705	3	1	14	24.12	18.57	0.072
QPSK	815.5	26705	3	8	0	23.01	17.46	0.056
QPSK	815.5	26705	3	8	4	22.90	17.35	0.054
QPSK	815.5	26705	3	8	7	23.01	17.46	0.056
QPSK	815.5	26705	3	15	0	22.98	17.43	0.055
QPSK	819	26740	3	1	0	23.93	18.38	0.069
QPSK	819	26740	3	1	8	24.01	18.46	0.070
QPSK	819	26740	3	1	14	24.02	18.47	0.070
QPSK	819	26740	3	8	0	22.95	17.40	0.055
QPSK	819	26740	3	8	4	22.82	17.27	0.053
QPSK	819	26740	3	8	7	22.97	17.42	0.055
QPSK	819	26740	3	15	0	22.90	17.35	0.054
QPSK	822.5	26775	3	1	0	23.99	18.44	0.070
QPSK	822.5	26775	3	1	8	24.12	18.57	0.072
QPSK	822.5	26775	3	1	14	24.09	18.54	0.071
QPSK	822.5	26775	3	8	0	22.98	17.43	0.055
QPSK	822.5	26775	3	8	4	23.03	17.48	0.056
QPSK	822.5	26775	3	8	7	22.98	17.43	0.055
QPSK	822.5	26775	3	15	0	22.99	17.44	0.055

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	816.5	26715	5	1	0	22.95	17.40	0.055
16QAM	816.5	26715	5	1	12	22.93	17.38	0.055
16QAM	816.5	26715	5	1	24	22.87	17.32	0.054
16QAM	816.5	26715	5	12	0	21.80	16.25	0.042
16QAM	816.5	26715	5	12	7	21.82	16.27	0.042
16QAM	816.5	26715	5	12	13	21.82	16.27	0.042
16QAM	816.5	26715	5	25	0	22.01	16.46	0.044
16QAM	819	26740	5	1	0	24.14	18.59	0.072
16QAM	819	26740	5	1	12	24.07	18.52	0.071
16QAM	819	26740	5	1	24	24.10	18.55	0.072
16QAM	819	26740	5	12	0	21.94	16.39	0.044
16QAM	819	26740	5	12	7	22.01	16.46	0.044
16QAM	819	26740	5	12	13	22.36	16.81	0.048
16QAM	819	26740	5	25	0	21.96	16.41	0.044
16QAM	821.5	26765	5	1	0	23.51	17.96	0.063
16QAM	821.5	26765	5	1	12	23.38	17.83	0.061
16QAM	821.5	26765	5	1	24	23.49	17.94	0.062
16QAM	821.5	26765	5	12	0	22.33	16.78	0.048
16QAM	821.5	26765	5	12	7	22.36	16.81	0.048
16QAM	821.5	26765	5	12	13	22.08	16.53	0.045
16QAM	821.5	26765	5	25	0	22.37	16.82	0.048
64QAM	816.5	26715	5	1	0	21.93	16.38	0.043
64QAM	816.5	26715	5	1	12	21.97	16.42	0.044
64QAM	816.5	26715	5	1	24	21.94	16.39	0.044
64QAM	816.5	26715	5	12	0	21.02	15.47	0.035
64QAM	816.5	26715	5	12	7	21.06	15.51	0.036
64QAM	816.5	26715	5	12	13	21.13	15.58	0.036
64QAM	816.5	26715	5	25	0	20.99	15.44	0.035
64QAM	819	26740	5	1	0	23.58	18.03	0.064
64QAM	819	26740	5	1	12	23.48	17.93	0.062
64QAM	819	26740	5	1	24	23.97	18.42	0.070
64QAM	819	26740	5	12	0	20.88	15.33	0.034
64QAM	821.5	26765	5	1	0	22.50	16.95	0.050
64QAM	821.5	26765	5	1	12	22.95	17.40	0.055
64QAM	821.5	26765	5	1	24	22.62	17.07	0.051
64QAM	821.5	26765	5	12	0	21.36	15.81	0.038
64QAM	821.5	26765	5	12	7	21.32	15.77	0.038
64QAM	821.5	26765	5	12	13	21.09	15.54	0.036
64QAM	821.5	26765	5	25	0	21.55	16.00	0.040
64QAM	819	26740	5	12	7	21.02	15.47	0.035
64QAM	819	26740	5	12	13	21.45	15.90	0.039
64QAM	819	26740	5	25	0	21.18	15.63	0.037

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	816.5	26715	5	1	0	23.92	18.37	0.069
QPSK	816.5	26715	5	1	12	23.92	18.37	0.069
QPSK	816.5	26715	5	1	24	24.00	18.45	0.070
QPSK	816.5	26715	5	12	0	22.83	17.28	0.053
QPSK	816.5	26715	5	12	7	23.03	17.48	0.056
QPSK	816.5	26715	5	12	13	22.78	17.23	0.053
QPSK	816.5	26715	5	25	0	22.88	17.33	0.054
QPSK	819	26740	5	1	0	23.89	18.34	0.068
QPSK	819	26740	5	1	12	23.86	18.31	0.068
QPSK	819	26740	5	1	24	23.95	18.40	0.069
QPSK	819	26740	5	12	0	23.02	17.47	0.056
QPSK	819	26740	5	12	7	23.00	17.45	0.056
QPSK	819	26740	5	12	13	23.02	17.47	0.056
QPSK	819	26740	5	25	0	22.96	17.41	0.055
QPSK	821.5	26765	5	1	0	23.85	18.30	0.068
QPSK	821.5	26765	5	1	12	24.09	18.54	0.071
QPSK	821.5	26765	5	1	24	24.24	18.69	0.074
QPSK	821.5	26765	5	12	0	23.09	17.54	0.057
QPSK	821.5	26765	5	12	7	23.00	17.45	0.056
QPSK	821.5	26765	5	12	13	23.02	17.47	0.056
QPSK	821.5	26765	5	25	0	22.95	17.40	0.055

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	819	26740	10	1	0	24.10	18.55	0.072
16QAM	819	26740	10	1	25	23.40	17.85	0.061
16QAM	819	26740	10	1	49	23.40	17.85	0.061
16QAM	819	26740	10	25	0	22.40	16.85	0.048
16QAM	819	26740	10	25	12	22.41	16.86	0.049
16QAM	819	26740	10	25	25	22.46	16.91	0.049
16QAM	819	26740	10	50	0	22.48	16.93	0.049
16QAM	819	26740	10	1	0	24.06	18.51	0.071
16QAM	819	26740	10	1	25	24.06	18.51	0.071
16QAM	819	26740	10	1	49	24.08	18.53	0.071
16QAM	819	26740	10	25	0	22.50	16.95	0.050
16QAM	819	26740	10	25	12	22.48	16.93	0.049
16QAM	819	26740	10	25	25	22.84	17.29	0.054
16QAM	819	26740	10	50	0	22.55	17.00	0.050
16QAM	819	26740	10	1	0	24.25	18.70	0.074
16QAM	819	26740	10	1	25	24.28	18.73	0.075
16QAM	819	26740	10	1	49	24.30	18.75	0.075
16QAM	819	26740	10	25	0	22.55	17.00	0.050
16QAM	819	26740	10	25	12	22.52	16.97	0.050
16QAM	819	26740	10	25	25	22.90	17.35	0.054
16QAM	819	26740	10	50	0	22.57	17.02	0.050
64QAM	819	26740	10	1	0	22.90	17.35	0.054
64QAM	819	26740	10	1	25	23.02	17.47	0.056
64QAM	819	26740	10	1	49	22.96	17.41	0.055
64QAM	819	26740	10	25	0	21.31	15.76	0.038
64QAM	819	26740	10	25	12	21.44	15.89	0.039
64QAM	819	26740	10	25	25	21.49	15.94	0.039
64QAM	819	26740	10	50	0	21.46	15.91	0.039
64QAM	819	26740	10	1	0	22.20	16.65	0.046
64QAM	819	26740	10	1	25	22.19	16.64	0.046
64QAM	819	26740	10	1	49	22.19	16.64	0.046
64QAM	819	26740	10	25	0	21.69	16.14	0.041
64QAM	819	26740	10	25	12	21.64	16.09	0.041
64QAM	819	26740	10	25	25	22.00	16.45	0.044
64QAM	819	26740	10	50	0	21.48	15.93	0.039
64QAM	819	26740	10	1	0	23.06	17.51	0.056
64QAM	819	26740	10	1	25	22.99	17.44	0.055
64QAM	819	26740	10	1	49	23.05	17.50	0.056
64QAM	819	26740	10	25	0	21.60	16.05	0.040
64QAM	819	26740	10	25	12	21.50	15.95	0.039
64QAM	819	26740	10	25	25	21.74	16.19	0.042
64QAM	819	26740	10	50	0	21.54	15.99	0.040

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	10	1	0	24.01	18.46	0.070
QPSK	819	26740	10	1	25	23.97	18.42	0.070
QPSK	819	26740	10	1	49	23.97	18.42	0.070
QPSK	819	26740	10	25	0	23.36	17.81	0.060
QPSK	819	26740	10	25	12	23.40	17.85	0.061
QPSK	819	26740	10	25	25	23.34	17.79	0.060
QPSK	819	26740	10	50	0	23.45	17.90	0.062
QPSK	819	26740	10	1	0	24.26	18.71	0.074
QPSK	819	26740	10	1	25	24.19	18.64	0.073
QPSK	819	26740	10	1	49	24.14	18.59	0.072
QPSK	819	26740	10	25	0	23.47	17.92	0.062
QPSK	819	26740	10	25	12	23.50	17.95	0.062
QPSK	819	26740	10	25	25	23.43	17.88	0.061
QPSK	819	26740	10	50	0	23.51	17.96	0.063
QPSK	819	26740	10	1	0	24.09	18.54	0.071
QPSK	819	26740	10	1	25	24.04	18.49	0.071
QPSK	819	26740	10	1	49	24.08	18.53	0.071
QPSK	819	26740	10	25	0	23.55	18.00	0.063
QPSK	819	26740	10	25	12	23.45	17.90	0.062
QPSK	819	26740	10	25	25	23.54	17.99	0.063
QPSK	819	26740	10	50	0	23.49	17.94	0.062