




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot QPSK
2	1860	18700	20	1	0	Fig.1
2	1880	18900	20	1	0	Fig.2
2	1900	19100	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
2	QPSK	1850.7	18607	1.4	1	0	Fig.1
2	QPSK	1850.7	18607	1.4	6	0	Fig.2
2	QPSK	1909.3	19193	1.4	1	5	Fig.3
2	QPSK	1909.3	19193	1.4	6	0	Fig.4
2	QPSK	1851.5	18615	3	1	0	Fig.5
2	QPSK	1851.5	18615	3	15	0	Fig.6
2	QPSK	1908.5	19185	3	1	14	Fig.7
2	QPSK	1908.5	19185	3	15	0	Fig.8
2	QPSK	1852.5	18625	5	1	0	Fig.9
2	QPSK	1852.5	18625	5	25	0	Fig.10
2	QPSK	1907.5	19175	5	1	24	Fig.11
2	QPSK	1907.5	19175	5	25	0	Fig.12
2	QPSK	1855	18650	10	1	0	Fig.13
2	QPSK	1855	18650	10	50	0	Fig.14
2	QPSK	1905	19150	10	1	49	Fig.15
2	QPSK	1905	19150	10	50	0	Fig.16
2	QPSK	1857.5	18675	15	1	0	Fig.17
2	QPSK	1857.5	18675	15	75	0	Fig.18
2	QPSK	1902.5	19125	15	1	74	Fig.19
2	QPSK	1902.5	19125	15	75	0	Fig.20
2	QPSK	1860	18700	20	1	0	Fig.21
2	QPSK	1860	18700	20	100	0	Fig.22
2	QPSK	1900	19100	20	1	99	Fig.23
2	QPSK	1900	19100	20	100	0	Fig.24

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 2 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.008	-0.008	-0.003	-0.002	-0.005	-0.002
0	NV	-0.010	-0.006	-0.003	-0.006	-0.004	-0.004
+10	NV	-0.008	-0.003	-0.005	-0.002	-0.003	-0.003
+20	NV	-0.007	-0.003	-0.003	-0.003	-0.004	-0.001
+30	NV	-0.007	-0.006	-0.003	-0.001	-0.002	-0.003
+40	NV	-0.008	-0.002	-0.004	-0.006	-0.003	-0.005
+50	NV	-0.006	-0.002	-0.008	-0.001	-0.008	0.001
+55	NV	-0.009	-0.010	-0.007	-0.004	-0.003	-0.003
+20	LV	-0.010	-0.005	-0.007	0.000	-0.003	0.000
+20	HV	-0.006	-0.008	-0.003	-0.004	0.003	-0.002

Temperature(°C)	Voltage	Test Result (ppm) Band 2 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.005	-0.003	-0.004	-0.004	-0.002	-0.004
0	NV	-0.007	-0.008	-0.005	-0.006	-0.003	-0.004
+10	NV	-0.003	0.004	-0.004	-0.002	-0.003	0.001
+20	NV	-0.007	0.000	0.002	-0.006	-0.004	-0.005
+30	NV	-0.003	-0.010	-0.005	-0.003	-0.005	-0.005
+40	NV	-0.004	-0.004	-0.005	-0.002	-0.001	-0.007
+50	NV	-0.005	-0.005	-0.004	-0.007	-0.006	-0.004
+55	NV	-0.007	-0.006	-0.007	-0.005	-0.003	-0.003
+20	LV	-0.003	-0.004	-0.001	-0.005	-0.003	-0.003
+20	HV	-0.002	-0.004	-0.004	-0.005	-0.001	-0.007

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1850.7	18607	1.4	1	0	23.77	26.14	0.411
QPSK	1850.7	18607	1.4	1	3	23.83	26.20	0.417
QPSK	1850.7	18607	1.4	1	5	23.64	26.01	0.399
QPSK	1850.7	18607	1.4	3	0	23.85	26.22	0.419
QPSK	1850.7	18607	1.4	3	1	23.79	26.16	0.413
QPSK	1850.7	18607	1.4	3	3	23.75	26.12	0.409
QPSK	1850.7	18607	1.4	6	0	22.73	25.10	0.324
QPSK	1880	18900	1.4	1	0	23.69	26.06	0.404
QPSK	1880	18900	1.4	1	3	23.70	26.07	0.405
QPSK	1880	18900	1.4	1	5	23.63	26.00	0.398
QPSK	1880	18900	1.4	3	0	23.67	26.04	0.402
QPSK	1880	18900	1.4	3	1	23.82	26.19	0.416
QPSK	1880	18900	1.4	3	3	23.71	26.08	0.406
QPSK	1880	18900	1.4	6	0	22.68	25.05	0.320
QPSK	1909.3	19193	1.4	1	0	23.40	25.77	0.378
QPSK	1909.3	19193	1.4	1	3	23.45	25.82	0.382
QPSK	1909.3	19193	1.4	1	5	23.24	25.61	0.364
QPSK	1909.3	19193	1.4	3	0	23.48	25.85	0.385
QPSK	1909.3	19193	1.4	3	1	23.49	25.86	0.385
QPSK	1909.3	19193	1.4	3	3	23.42	25.79	0.379
QPSK	1909.3	19193	1.4	6	0	22.47	24.84	0.305

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1850.7	18607	1.4	1	0	22.78	25.15	0.327
16QAM	1850.7	18607	1.4	1	3	22.99	25.36	0.344
16QAM	1850.7	18607	1.4	1	5	22.65	25.02	0.318
16QAM	1850.7	18607	1.4	3	0	22.79	25.16	0.328
16QAM	1850.7	18607	1.4	3	1	22.83	25.20	0.331
16QAM	1850.7	18607	1.4	3	3	22.67	25.04	0.319
16QAM	1850.7	18607	1.4	6	0	21.82	24.19	0.262
16QAM	1880	18900	1.4	1	0	22.51	24.88	0.308
16QAM	1880	18900	1.4	1	3	22.99	25.36	0.344
16QAM	1880	18900	1.4	1	5	22.46	24.83	0.304
16QAM	1880	18900	1.4	3	0	22.83	25.20	0.331
16QAM	1880	18900	1.4	3	1	22.99	25.36	0.344
16QAM	1880	18900	1.4	3	3	22.61	24.98	0.315
16QAM	1880	18900	1.4	6	0	21.92	24.29	0.269
16QAM	1909.3	19193	1.4	1	0	22.81	25.18	0.330
16QAM	1909.3	19193	1.4	1	3	23.21	25.58	0.361
16QAM	1909.3	19193	1.4	1	5	22.52	24.89	0.308
16QAM	1909.3	19193	1.4	3	0	22.46	24.83	0.304
16QAM	1909.3	19193	1.4	3	1	22.48	24.85	0.305
16QAM	1909.3	19193	1.4	3	3	22.24	24.61	0.289
16QAM	1909.3	19193	1.4	6	0	21.61	23.98	0.250
64QAM	1850.7	18607	1.4	1	0	22.01	24.38	0.274
64QAM	1850.7	18607	1.4	1	3	21.90	24.27	0.267
64QAM	1850.7	18607	1.4	1	5	21.62	23.99	0.251
64QAM	1850.7	18607	1.4	3	0	21.69	24.06	0.255
64QAM	1850.7	18607	1.4	3	1	21.90	24.27	0.267
64QAM	1850.7	18607	1.4	3	3	21.69	24.06	0.255
64QAM	1850.7	18607	1.4	6	0	20.83	23.20	0.209
64QAM	1880	18900	1.4	1	0	21.65	24.02	0.252
64QAM	1880	18900	1.4	1	3	22.05	24.42	0.277
64QAM	1880	18900	1.4	1	5	21.72	24.09	0.256
64QAM	1880	18900	1.4	3	0	21.82	24.19	0.262
64QAM	1880	18900	1.4	3	1	21.74	24.11	0.258
64QAM	1880	18900	1.4	3	3	21.91	24.28	0.268
64QAM	1880	18900	1.4	6	0	20.73	23.10	0.204
64QAM	1909.3	19193	1.4	1	0	21.59	23.96	0.249
64QAM	1909.3	19193	1.4	1	3	21.61	23.98	0.250
64QAM	1909.3	19193	1.4	1	5	21.58	23.95	0.248
64QAM	1909.3	19193	1.4	3	0	21.56	23.93	0.247
64QAM	1909.3	19193	1.4	3	1	21.39	23.76	0.238
64QAM	1909.3	19193	1.4	3	3	21.47	23.84	0.242
64QAM	1909.3	19193	1.4	6	0	20.35	22.72	0.187

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1851.5	18615	3	1	0	23.76	26.13	0.410
QPSK	1851.5	18615	3	1	8	23.72	26.09	0.406
QPSK	1851.5	18615	3	1	14	23.79	26.16	0.413
QPSK	1851.5	18615	3	8	0	22.81	25.18	0.330
QPSK	1851.5	18615	3	8	4	22.88	25.25	0.335
QPSK	1851.5	18615	3	8	7	22.83	25.20	0.331
QPSK	1851.5	18615	3	15	0	22.82	25.19	0.330
QPSK	1880	18900	3	1	0	23.73	26.10	0.407
QPSK	1880	18900	3	1	8	23.92	26.29	0.426
QPSK	1880	18900	3	1	14	23.73	26.10	0.407
QPSK	1880	18900	3	8	0	22.81	25.18	0.330
QPSK	1880	18900	3	8	4	22.79	25.16	0.328
QPSK	1880	18900	3	8	7	22.66	25.03	0.318
QPSK	1880	18900	3	15	0	22.73	25.10	0.324
QPSK	1908.5	19185	3	1	0	23.39	25.76	0.377
QPSK	1908.5	19185	3	1	8	23.43	25.80	0.380
QPSK	1908.5	19185	3	1	14	23.39	25.76	0.377
QPSK	1908.5	19185	3	8	0	22.46	24.83	0.304
QPSK	1908.5	19185	3	8	4	22.56	24.93	0.311
QPSK	1908.5	19185	3	8	7	22.39	24.76	0.299
QPSK	1908.5	19185	3	15	0	22.52	24.89	0.308

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1851.5	18615	3	1	0	23.04	25.41	0.348
16QAM	1851.5	18615	3	1	8	23.01	25.38	0.345
16QAM	1851.5	18615	3	1	14	22.83	25.20	0.331
16QAM	1851.5	18615	3	8	0	21.78	24.15	0.260
16QAM	1851.5	18615	3	8	4	21.87	24.24	0.265
16QAM	1851.5	18615	3	8	7	21.76	24.13	0.259
16QAM	1851.5	18615	3	15	0	21.73	24.10	0.257
16QAM	1880	18900	3	1	0	22.92	25.29	0.338
16QAM	1880	18900	3	1	8	23.02	25.39	0.346
16QAM	1880	18900	3	1	14	23.15	25.52	0.356
16QAM	1880	18900	3	8	0	21.77	24.14	0.259
16QAM	1880	18900	3	8	4	21.86	24.23	0.265
16QAM	1880	18900	3	8	7	21.79	24.16	0.261
16QAM	1880	18900	3	15	0	21.91	24.28	0.268
16QAM	1908.5	19185	3	1	0	22.52	24.89	0.308
16QAM	1908.5	19185	3	1	8	22.42	24.79	0.301
16QAM	1908.5	19185	3	1	14	23.01	25.38	0.345
16QAM	1908.5	19185	3	8	0	21.40	23.77	0.238
16QAM	1908.5	19185	3	8	4	21.40	23.77	0.238
16QAM	1908.5	19185	3	8	7	21.57	23.94	0.248
16QAM	1908.5	19185	3	15	0	21.51	23.88	0.244
64QAM	1851.5	18615	3	1	0	21.95	24.32	0.270
64QAM	1851.5	18615	3	1	8	21.98	24.35	0.272
64QAM	1851.5	18615	3	1	14	22.12	24.49	0.281
64QAM	1851.5	18615	3	8	0	20.92	23.29	0.213
64QAM	1851.5	18615	3	8	4	21.01	23.38	0.218
64QAM	1851.5	18615	3	8	7	20.92	23.29	0.213
64QAM	1851.5	18615	3	15	0	20.91	23.28	0.213
64QAM	1880	18900	3	1	0	21.95	24.32	0.270
64QAM	1880	18900	3	1	8	21.78	24.15	0.260
64QAM	1880	18900	3	1	14	22.09	24.46	0.279
64QAM	1880	18900	3	8	0	20.78	23.15	0.207
64QAM	1880	18900	3	8	4	20.88	23.25	0.211
64QAM	1880	18900	3	8	7	20.81	23.18	0.208
64QAM	1880	18900	3	15	0	20.72	23.09	0.204
64QAM	1908.5	19185	3	1	0	21.38	23.75	0.237
64QAM	1908.5	19185	3	1	8	21.85	24.22	0.264
64QAM	1908.5	19185	3	1	14	21.55	23.92	0.247
64QAM	1908.5	19185	3	8	0	20.62	22.99	0.199
64QAM	1908.5	19185	3	8	4	20.69	23.06	0.202
64QAM	1908.5	19185	3	8	7	20.36	22.73	0.187
64QAM	1908.5	19185	3	15	0	20.62	22.99	0.199

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1852.5	18625	5	1	0	23.66	26.03	0.401
QPSK	1852.5	18625	5	1	12	23.83	26.20	0.417
QPSK	1852.5	18625	5	1	24	23.55	25.92	0.391
QPSK	1852.5	18625	5	12	0	22.68	25.05	0.320
QPSK	1852.5	18625	5	12	7	22.88	25.25	0.335
QPSK	1852.5	18625	5	12	13	22.84	25.21	0.332
QPSK	1852.5	18625	5	25	0	22.86	25.23	0.333
QPSK	1880	18900	5	1	0	23.60	25.97	0.395
QPSK	1880	18900	5	1	12	23.94	26.31	0.428
QPSK	1880	18900	5	1	24	23.59	25.96	0.394
QPSK	1880	18900	5	12	0	22.74	25.11	0.324
QPSK	1880	18900	5	12	7	22.82	25.19	0.330
QPSK	1880	18900	5	12	13	22.68	25.05	0.320
QPSK	1880	18900	5	25	0	22.73	25.10	0.324
QPSK	1907.5	19175	5	1	0	23.35	25.72	0.373
QPSK	1907.5	19175	5	1	12	23.83	26.20	0.417
QPSK	1907.5	19175	5	1	24	23.28	25.65	0.367
QPSK	1907.5	19175	5	12	0	22.56	24.93	0.311
QPSK	1907.5	19175	5	12	7	22.50	24.87	0.307
QPSK	1907.5	19175	5	12	13	22.37	24.74	0.298
QPSK	1907.5	19175	5	25	0	22.53	24.90	0.309

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1852.5	18625	5	1	0	22.89	25.26	0.336
16QAM	1852.5	18625	5	1	12	23.18	25.55	0.359
16QAM	1852.5	18625	5	1	24	22.94	25.31	0.340
16QAM	1852.5	18625	5	12	0	21.75	24.12	0.258
16QAM	1852.5	18625	5	12	7	21.65	24.02	0.252
16QAM	1852.5	18625	5	12	13	21.88	24.25	0.266
16QAM	1852.5	18625	5	25	0	21.79	24.16	0.261
16QAM	1880	18900	5	1	0	22.54	24.91	0.310
16QAM	1880	18900	5	1	12	22.90	25.27	0.337
16QAM	1880	18900	5	1	24	23.09	25.46	0.352
16QAM	1880	18900	5	12	0	21.73	24.10	0.257
16QAM	1880	18900	5	12	7	21.77	24.14	0.259
16QAM	1880	18900	5	12	13	21.85	24.22	0.264
16QAM	1880	18900	5	25	0	21.80	24.17	0.261
16QAM	1907.5	19175	5	1	0	22.82	25.19	0.330
16QAM	1907.5	19175	5	1	12	22.69	25.06	0.321
16QAM	1907.5	19175	5	1	24	22.56	24.93	0.311
16QAM	1907.5	19175	5	12	0	21.65	24.02	0.252
16QAM	1907.5	19175	5	12	7	21.51	23.88	0.244
16QAM	1907.5	19175	5	12	13	21.50	23.87	0.244
16QAM	1907.5	19175	5	25	0	21.44	23.81	0.240
64QAM	1852.5	18625	5	1	0	21.90	24.27	0.267
64QAM	1852.5	18625	5	1	12	21.99	24.36	0.273
64QAM	1852.5	18625	5	1	24	21.75	24.12	0.258
64QAM	1852.5	18625	5	12	0	20.74	23.11	0.205
64QAM	1852.5	18625	5	12	7	20.82	23.19	0.208
64QAM	1852.5	18625	5	12	13	20.86	23.23	0.210
64QAM	1852.5	18625	5	25	0	20.83	23.20	0.209
64QAM	1880	18900	5	1	0	21.55	23.92	0.247
64QAM	1880	18900	5	1	12	21.85	24.22	0.264
64QAM	1880	18900	5	1	24	21.74	24.11	0.258
64QAM	1880	18900	5	12	0	20.87	23.24	0.211
64QAM	1880	18900	5	12	7	20.96	23.33	0.215
64QAM	1880	18900	5	12	13	20.76	23.13	0.206
64QAM	1880	18900	5	25	0	20.89	23.26	0.212
64QAM	1907.5	19175	5	1	0	21.26	23.63	0.231
64QAM	1907.5	19175	5	1	12	21.98	24.35	0.272
64QAM	1907.5	19175	5	1	24	21.57	23.94	0.248
64QAM	1907.5	19175	5	12	0	20.54	22.91	0.195
64QAM	1907.5	19175	5	12	7	20.73	23.10	0.204
64QAM	1907.5	19175	5	12	13	20.65	23.02	0.200
64QAM	1907.5	19175	5	25	0	20.59	22.96	0.198

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1855	18650	10	1	0	23.75	26.12	0.409
QPSK	1855	18650	10	1	25	23.82	26.19	0.416
QPSK	1855	18650	10	1	49	23.63	26.00	0.398
QPSK	1855	18650	10	25	0	22.72	25.09	0.323
QPSK	1855	18650	10	25	12	22.70	25.07	0.321
QPSK	1855	18650	10	25	25	22.91	25.28	0.337
QPSK	1855	18650	10	50	0	22.78	25.15	0.327
QPSK	1880	18900	10	1	0	23.94	26.31	0.428
QPSK	1880	18900	10	1	25	23.91	26.28	0.425
QPSK	1880	18900	10	1	49	23.59	25.96	0.394
QPSK	1880	18900	10	25	0	22.84	25.21	0.332
QPSK	1880	18900	10	25	12	22.71	25.08	0.322
QPSK	1880	18900	10	25	25	22.73	25.10	0.324
QPSK	1880	18900	10	50	0	22.79	25.16	0.328
QPSK	1905	19150	10	1	0	23.40	25.77	0.378
QPSK	1905	19150	10	1	25	23.80	26.17	0.414
QPSK	1905	19150	10	1	49	23.43	25.80	0.380
QPSK	1905	19150	10	25	0	22.55	24.92	0.310
QPSK	1905	19150	10	25	12	22.56	24.93	0.311
QPSK	1905	19150	10	25	25	22.43	24.80	0.302
QPSK	1905	19150	10	50	0	22.48	24.85	0.305

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1855	18650	10	1	0	22.92	25.29	0.338
16QAM	1855	18650	10	1	25	23.36	25.73	0.374
16QAM	1855	18650	10	1	49	22.78	25.15	0.327
16QAM	1855	18650	10	25	0	21.66	24.03	0.253
16QAM	1855	18650	10	25	12	21.86	24.23	0.265
16QAM	1855	18650	10	25	25	21.73	24.10	0.257
16QAM	1855	18650	10	50	0	21.78	24.15	0.260
16QAM	1880	18900	10	1	0	22.93	25.30	0.339
16QAM	1880	18900	10	1	25	22.91	25.28	0.337
16QAM	1880	18900	10	1	49	23.33	25.70	0.372
16QAM	1880	18900	10	25	0	21.73	24.10	0.257
16QAM	1880	18900	10	25	12	21.73	24.10	0.257
16QAM	1880	18900	10	25	25	21.67	24.04	0.254
16QAM	1880	18900	10	50	0	21.70	24.07	0.255
16QAM	1905	19150	10	1	0	22.67	25.04	0.319
16QAM	1905	19150	10	1	25	22.28	24.65	0.292
16QAM	1905	19150	10	1	49	22.65	25.02	0.318
16QAM	1905	19150	10	25	0	21.65	24.02	0.252
16QAM	1905	19150	10	25	12	21.50	23.87	0.244
16QAM	1905	19150	10	25	25	21.44	23.81	0.240
16QAM	1905	19150	10	50	0	21.61	23.98	0.250
64QAM	1855	18650	10	1	0	22.09	24.46	0.279
64QAM	1855	18650	10	1	25	21.56	23.93	0.247
64QAM	1855	18650	10	1	49	21.61	23.98	0.250
64QAM	1855	18650	10	25	0	20.63	23.00	0.200
64QAM	1855	18650	10	25	12	20.93	23.30	0.214
64QAM	1855	18650	10	25	25	20.86	23.23	0.210
64QAM	1855	18650	10	50	0	20.89	23.26	0.212
64QAM	1880	18900	10	1	0	21.78	24.15	0.260
64QAM	1880	18900	10	1	25	21.82	24.19	0.262
64QAM	1880	18900	10	1	49	21.94	24.31	0.270
64QAM	1880	18900	10	25	0	20.79	23.16	0.207
64QAM	1880	18900	10	25	12	20.74	23.11	0.205
64QAM	1880	18900	10	25	25	20.80	23.17	0.207
64QAM	1880	18900	10	50	0	20.75	23.12	0.205
64QAM	1905	19150	10	1	0	21.73	24.10	0.257
64QAM	1905	19150	10	1	25	21.63	24.00	0.251
64QAM	1905	19150	10	1	49	21.50	23.87	0.244
64QAM	1905	19150	10	25	0	20.74	23.11	0.205
64QAM	1905	19150	10	25	12	20.71	23.08	0.203
64QAM	1905	19150	10	25	25	20.52	22.89	0.195
64QAM	1905	19150	10	50	0	20.60	22.97	0.198

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1857.5	18675	15	1	0	23.78	26.15	0.412
QPSK	1857.5	18675	15	1	37	23.83	26.20	0.417
QPSK	1857.5	18675	15	1	74	23.57	25.94	0.393
QPSK	1857.5	18675	15	36	0	22.67	25.04	0.319
QPSK	1857.5	18675	15	36	29	22.78	25.15	0.327
QPSK	1857.5	18675	15	36	30	22.81	25.18	0.330
QPSK	1857.5	18675	15	75	0	22.72	25.09	0.323
QPSK	1880	18900	15	1	0	23.73	26.10	0.407
QPSK	1880	18900	15	1	37	23.71	26.08	0.406
QPSK	1880	18900	15	1	74	23.61	25.98	0.396
QPSK	1880	18900	15	36	0	22.78	25.15	0.327
QPSK	1880	18900	15	36	29	22.85	25.22	0.333
QPSK	1880	18900	15	36	30	22.73	25.10	0.324
QPSK	1880	18900	15	75	0	22.76	25.13	0.326
QPSK	1902.5	19125	15	1	0	23.47	25.84	0.384
QPSK	1902.5	19125	15	1	37	23.45	25.82	0.382
QPSK	1902.5	19125	15	1	74	23.50	25.87	0.386
QPSK	1902.5	19125	15	36	0	22.62	24.99	0.316
QPSK	1902.5	19125	15	36	29	22.55	24.92	0.310
QPSK	1902.5	19125	15	36	30	22.52	24.89	0.308
QPSK	1902.5	19125	15	75	0	22.64	25.01	0.317

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1857.5	18675	15	1	0	22.95	25.32	0.340
16QAM	1857.5	18675	15	1	37	23.11	25.48	0.353
16QAM	1857.5	18675	15	1	74	23.03	25.40	0.347
16QAM	1857.5	18675	15	36	0	21.62	23.99	0.251
16QAM	1857.5	18675	15	36	29	21.81	24.18	0.262
16QAM	1857.5	18675	15	36	30	21.77	24.14	0.259
16QAM	1857.5	18675	15	75	0	21.82	24.19	0.262
16QAM	1880	18900	15	1	0	23.09	25.46	0.352
16QAM	1880	18900	15	1	37	23.38	25.75	0.376
16QAM	1880	18900	15	1	74	22.85	25.22	0.333
16QAM	1880	18900	15	36	0	21.88	24.25	0.266
16QAM	1880	18900	15	36	29	21.85	24.22	0.264
16QAM	1880	18900	15	36	30	21.83	24.20	0.263
16QAM	1880	18900	15	75	0	21.71	24.08	0.256
16QAM	1902.5	19125	15	1	0	22.19	24.56	0.286
16QAM	1902.5	19125	15	1	37	22.87	25.24	0.334
16QAM	1902.5	19125	15	1	74	22.60	24.97	0.314
16QAM	1902.5	19125	15	36	0	21.68	24.05	0.254
16QAM	1902.5	19125	15	36	29	21.59	23.96	0.249
16QAM	1902.5	19125	15	36	30	21.60	23.97	0.249
16QAM	1902.5	19125	15	75	0	21.64	24.01	0.252
64QAM	1857.5	18675	15	1	0	21.90	24.27	0.267
64QAM	1857.5	18675	15	1	37	21.60	23.97	0.249
64QAM	1857.5	18675	15	1	74	21.99	24.36	0.273
64QAM	1857.5	18675	15	36	0	20.82	23.19	0.208
64QAM	1857.5	18675	15	36	29	20.76	23.13	0.206
64QAM	1857.5	18675	15	36	30	20.83	23.20	0.209
64QAM	1857.5	18675	15	75	0	20.80	23.17	0.207
64QAM	1880	18900	15	1	0	21.74	24.11	0.258
64QAM	1880	18900	15	1	37	22.25	24.62	0.290
64QAM	1880	18900	15	1	74	21.74	24.11	0.258
64QAM	1880	18900	15	36	0	20.79	23.16	0.207
64QAM	1880	18900	15	36	29	20.82	23.19	0.208
64QAM	1880	18900	15	36	30	20.75	23.12	0.205
64QAM	1880	18900	15	75	0	20.76	23.13	0.206
64QAM	1902.5	19125	15	1	0	21.30	23.67	0.233
64QAM	1902.5	19125	15	1	37	21.45	23.82	0.241
64QAM	1902.5	19125	15	1	74	21.78	24.15	0.260
64QAM	1902.5	19125	15	36	0	20.66	23.03	0.201
64QAM	1902.5	19125	15	36	29	20.68	23.05	0.202
64QAM	1902.5	19125	15	36	30	20.57	22.94	0.197
64QAM	1902.5	19125	15	75	0	20.58	22.95	0.197

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1860	18700	20	1	0	23.52	25.89	0.388
QPSK	1860	18700	20	1	49	23.96	26.33	0.430
QPSK	1860	18700	20	1	99	23.54	25.91	0.390
QPSK	1860	18700	20	50	0	22.72	25.09	0.323
QPSK	1860	18700	20	50	24	22.83	25.20	0.331
QPSK	1860	18700	20	50	50	22.87	25.24	0.334
QPSK	1860	18700	20	100	0	22.68	25.05	0.320
QPSK	1880	18900	20	1	0	23.54	25.91	0.390
QPSK	1880	18900	20	1	49	23.85	26.22	0.419
QPSK	1880	18900	20	1	99	23.49	25.86	0.385
QPSK	1880	18900	20	50	0	22.89	25.26	0.336
QPSK	1880	18900	20	50	24	22.76	25.13	0.326
QPSK	1880	18900	20	50	50	22.71	25.08	0.322
QPSK	1880	18900	20	100	0	22.69	25.06	0.321
QPSK	1900	19100	20	1	0	23.34	25.71	0.372
QPSK	1900	19100	20	1	49	23.64	26.01	0.399
QPSK	1900	19100	20	1	99	23.36	25.73	0.374
QPSK	1900	19100	20	50	0	22.60	24.97	0.314
QPSK	1900	19100	20	50	24	22.66	25.03	0.318
QPSK	1900	19100	20	50	50	22.53	24.90	0.309
QPSK	1900	19100	20	100	0	22.58	24.95	0.313

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1860	18700	20	1	0	22.46	24.83	0.304
16QAM	1860	18700	20	1	49	22.61	24.98	0.315
16QAM	1860	18700	20	1	99	22.49	24.86	0.306
16QAM	1860	18700	20	50	0	21.53	23.90	0.245
16QAM	1860	18700	20	50	24	21.78	24.15	0.260
16QAM	1860	18700	20	50	50	21.78	24.15	0.260
16QAM	1860	18700	20	100	0	21.67	24.04	0.254
16QAM	1880	18900	20	1	0	22.75	25.12	0.325
16QAM	1880	18900	20	1	49	23.09	25.46	0.352
16QAM	1880	18900	20	1	99	22.33	24.70	0.295
16QAM	1880	18900	20	50	0	21.78	24.15	0.260
16QAM	1880	18900	20	50	24	21.80	24.17	0.261
16QAM	1880	18900	20	50	50	21.74	24.11	0.258
16QAM	1880	18900	20	100	0	21.82	24.19	0.262
16QAM	1900	19100	20	1	0	22.96	25.33	0.341
16QAM	1900	19100	20	1	49	22.69	25.06	0.321
16QAM	1900	19100	20	1	99	22.67	25.04	0.319
16QAM	1900	19100	20	50	0	21.65	24.02	0.252
16QAM	1900	19100	20	50	24	21.59	23.96	0.249
16QAM	1900	19100	20	50	50	21.42	23.79	0.239
16QAM	1900	19100	20	100	0	21.52	23.89	0.245
64QAM	1860	18700	20	1	0	21.79	24.16	0.261
64QAM	1860	18700	20	1	49	21.69	24.06	0.255
64QAM	1860	18700	20	1	99	21.75	24.12	0.258
64QAM	1860	18700	20	50	0	20.68	23.05	0.202
64QAM	1860	18700	20	50	24	20.82	23.19	0.208
64QAM	1860	18700	20	50	50	20.79	23.16	0.207
64QAM	1860	18700	20	100	0	20.74	23.11	0.205
64QAM	1880	18900	20	1	0	21.25	23.62	0.230
64QAM	1880	18900	20	1	49	22.07	24.44	0.278
64QAM	1880	18900	20	1	99	21.79	24.16	0.261
64QAM	1880	18900	20	50	0	20.83	23.20	0.209
64QAM	1880	18900	20	50	24	20.75	23.12	0.205
64QAM	1880	18900	20	50	50	20.71	23.08	0.203
64QAM	1880	18900	20	100	0	20.77	23.14	0.206
64QAM	1900	19100	20	1	0	21.03	23.40	0.219
64QAM	1900	19100	20	1	49	21.79	24.16	0.261
64QAM	1900	19100	20	1	99	21.35	23.72	0.236
64QAM	1900	19100	20	50	0	20.74	23.11	0.205
64QAM	1900	19100	20	50	24	20.70	23.07	0.203
64QAM	1900	19100	20	50	50	20.51	22.88	0.194
64QAM	1900	19100	20	100	0	20.58	22.95	0.197

ReportEnd