

SRD 40M_Ant1_2452.5_0~Reference



SRD 40M_Ant1_2452.5_30~1000



SRD 40M_Ant1_2452.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant0_2432.5_0~Reference



SRD 60M_Ant0_2432.5_30~1000



SRD 60M_Ant0_2432.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant1_2432.5_0~Reference



SRD 60M_Ant1_2432.5_30~1000



SRD 60M_Ant1_2432.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant0_2437.5_0~Reference



SRD 60M_Ant0_2437.5_30~1000



SRD 60M_Ant0_2437.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant1_2437.5_0~Reference



SRD 60M_Ant1_2437.5_30~1000



SRD 60M_Ant1_2437.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant0_2442.5_0~Reference



SRD 60M_Ant0_2442.5_30~1000



SRD 60M_Ant0_2442.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



SRD 60M_Ant1_2442.5_0~Reference



SRD 60M_Ant1_2442.5_30~1000



SRD 60M_Ant1_2442.5_1000~26500

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.7. APPENDIX G: DUTY CYCLE

11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
SRD 10M	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
SRD 20M	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
SRD 40M	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
SRD 60M	100.00	100.00	1.0000	100.00	0.00	0.01	0.01

Note:
Duty Cycle Correction Factor=10log (1/x).
Where: x is Duty Cycle (Linear)
Where: T is On Time
If that calculated VBW is not available on the analyzer then the next higher value should be used.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

11.7.2. Test Graphs

SRD 10M_Ant0_2407.5



SRD 20M_Ant0_2412.5

SRD 40M_Ant0_2422.5

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

SRD 60M_Ant0_2432.5

END OF REPORT

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.