







SRD 60M_Ant0_5220




SRD 60M_Ant1_5220




SRD 60M_Ant0_5755.5




SRD 60M_Ant1_5755.5




SRD 60M_Ant0_5787.5




SRD 60M_Ant1_5787.5




SRD 60M_Ant0_5819.5




SRD 60M_Ant1_5819.5




SRD 80M_Ant0_5190




SRD 80M_Ant1_5190




SRD 80M_Ant0_5195




SRD 80M_Ant1_5195




SRD 80M_Ant0_5200




SRD 80M_Ant1_5200




SRD 80M_Ant0_5210




SRD 80M_Ant1_5210




SRD 80M_Ant0_5765.5




SRD 80M_Ant1_5765.5




SRD 80M_Ant0_5787.5



SRD 80M_Ant1_5787.5



SRD 80M_Ant0_5809.5





11.3. APPENDIX C: MIN EMISSION BANDWIDTH

11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
SRD 10M	Ant0	5730.5	9.04	5725.98	5735.02	≥0.5	PASS
	Ant1	5730.5	9.00	5726.02	5735.02	≥0.5	PASS
	Ant0	5787.5	9.00	5783.02	5792.02	≥0.5	PASS
	Ant1	5787.5	9.04	5782.98	5792.02	≥0.5	PASS
	Ant0	5844.5	9.00	5840.02	5849.02	≥0.5	PASS
	Ant1	5844.5	9.04	5839.98	5849.02	≥0.5	PASS
SRD 20M	Ant0	5735.5	17.68	5726.74	5744.42	≥0.5	PASS
	Ant1	5735.5	17.72	5726.74	5744.46	≥0.5	PASS
	Ant0	5787.5	17.76	5778.58	5796.34	≥0.5	PASS
	Ant1	5787.5	17.68	5778.58	5796.26	≥0.5	PASS
	Ant0	5839.5	17.88	5830.58	5848.46	≥0.5	PASS
	Ant1	5839.5	17.72	5830.62	5848.34	≥0.5	PASS
SRD 40M	Ant0	5745.5	25.84	5732.46	5758.30	≥0.5	PASS
	Ant1	5745.5	24.32	5733.66	5757.98	≥0.5	PASS
	Ant0	5769.5	25.76	5756.54	5782.30	≥0.5	PASS
	Ant1	5769.5	24.40	5757.66	5782.06	≥0.5	PASS
	Ant0	5787.5	25.76	5774.46	5800.22	≥0.5	PASS
	Ant1	5787.5	23.92	5776.06	5799.98	≥0.5	PASS
	Ant0	5804.5	24.48	5792.82	5817.30	≥0.5	PASS
	Ant1	5804.5	25.60	5791.46	5817.06	≥0.5	PASS
SRD 60M	Ant0	5829.5	26.00	5816.30	5842.30	≥0.5	PASS
	Ant1	5829.5	23.12	5817.74	5840.86	≥0.5	PASS
	Ant0	5755.5	39.04	5735.34	5774.38	≥0.5	PASS
	Ant1	5755.5	39.84	5735.18	5775.02	≥0.5	PASS
	Ant0	5787.5	39.52	5767.50	5807.02	≥0.5	PASS
	Ant1	5787.5	38.88	5767.18	5806.06	≥0.5	PASS
SRD 80M	Ant0	5819.5	38.72	5799.66	5838.38	≥0.5	PASS
	Ant1	5819.5	38.40	5799.66	5838.06	≥0.5	PASS
	Ant0	5765.5	39.84	5745.02	5784.86	≥0.5	PASS
	Ant1	5765.5	40.96	5744.86	5785.82	≥0.5	PASS
	Ant0	5787.5	42.24	5766.70	5808.94	≥0.5	PASS
	Ant1	5787.5	40.80	5767.34	5808.14	≥0.5	PASS
	Ant0	5809.5	41.28	5787.90	5829.18	≥0.5	PASS
	Ant1	5809.5	38.08	5790.30	5828.38	≥0.5	PASS

11.3.2. Test Graphs







SRD 10M_Ant1_5787.5




SRD 10M_Ant0_5844.5




SRD 10M_Ant1_5844.5




SRD 20M_Ant0_5735.5




SRD 20M_Ant1_5735.5




SRD 20M_Ant0_5787.5




SRD 20M_Ant1_5787.5




SRD 20M_Ant0_5839.5




SRD 20M_Ant1_5839.5




SRD 40M_Ant0_5745.5




SRD 40M_Ant1_5745.5




SRD 40M_Ant0_5769.5




SRD 40M_Ant1_5769.5




SRD 40M_Ant0_5787.5




SRD 40M_Ant1_5787.5




SRD 40M_Ant0_5804.5




SRD 40M_Ant1_5804.5




SRD 40M_Ant0_5829.5




SRD 40M_Ant1_5829.5




SRD 60M_Ant0_5755.5




SRD 60M_Ant1_5755.5




SRD 60M_Ant0_5787.5




SRD 60M_Ant1_5787.5




SRD 60M_Ant0_5819.5




SRD 60M_Ant1_5819.5




SRD 80M_Ant0_5765.5




SRD 80M_Ant1_5765.5




SRD 80M_Ant0_5787.5



SRD 80M_Ant1_5787.5



SRD 80M_Ant0_5809.5



11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	Verdict
SRD 10M	Ant0	5157	2.32	≤23.98	PASS
	Ant1	5157	1.65	≤23.98	PASS
	total	5157	5.01	≤23.98	PASS
	Ant0	5160	5.82	≤23.98	PASS
	Ant1	5160	5.21	≤23.98	PASS
	total	5160	8.54	≤23.98	PASS
	Ant0	5163	10.01	≤23.98	PASS
	Ant1	5163	9.38	≤23.98	PASS
	total	5163	12.72	≤23.98	PASS
	Ant0	5167	12.59	≤23.98	PASS
	Ant1	5167	13.35	≤23.98	PASS
	total	5167	16.00	≤23.98	PASS
	Ant0	5169	14.15	≤23.98	PASS
	Ant1	5169	14.82	≤23.98	PASS
	total	5169	17.51	≤23.98	PASS
	Ant0	5201	14.53	≤23.98	PASS
	Ant1	5201	15.35	≤23.98	PASS
	total	5201	17.97	≤23.98	PASS
	Ant0	5245	14.73	≤23.98	PASS
	Ant1	5245	15.93	≤23.98	PASS
	total	5245	18.38	≤23.98	PASS
	Ant0	5730.5	26.33	≤30.00	PASS
	Ant1	5730.5	25.12	≤30.00	PASS
	total	5730.5	28.78	≤30.00	PASS
	Ant0	5787.5	25.99	≤30.00	PASS
	Ant1	5787.5	25.58	≤30.00	PASS
	total	5787.5	28.80	≤30.00	PASS
	Ant0	5844.5	26.13	≤30.00	PASS
	Ant1	5844.5	25.45	≤30.00	PASS
	total	5844.5	28.81	≤30.00	PASS
SRD 20M	Ant0	5161	3.56	≤23.98	PASS
	Ant1	5161	4.27	≤23.98	PASS
	total	5161	6.94	≤23.98	PASS
	Ant0	5167	10.26	≤23.98	PASS
	Ant1	5167	10.50	≤23.98	PASS
	total	5167	13.39	≤23.98	PASS
	Ant0	5171	14.88	≤23.98	PASS
	Ant1	5171	15.62	≤23.98	PASS
	total	5171	18.28	≤23.98	PASS
	Ant0	5201	15.38	≤23.98	PASS
	Ant1	5201	14.30	≤23.98	PASS
	total	5201	17.88	≤23.98	PASS
	Ant0	5240	15.50	≤23.98	PASS
	Ant1	5240	15.73	≤23.98	PASS
	total	5240	18.63	≤23.98	PASS
	Ant0	5735.5	26.52	≤30.00	PASS
	Ant1	5735.5	25.12	≤30.00	PASS
	total	5735.5	28.89	≤30.00	PASS
	Ant0	5787.5	25.83	≤30.00	PASS
	Ant1	5787.5	24.73	≤30.00	PASS
	total	5787.5	28.33	≤30.00	PASS
	Ant0	5839.5	25.71	≤30.00	PASS
	Ant1	5839.5	25.12	≤30.00	PASS
	total	5839.5	28.44	≤30.00	PASS
SRD 40M	Ant0	5170	6.47	≤23.98	PASS

	Ant1	5170	6.53	≤23.98	PASS
	total	5170	9.51	≤23.98	PASS
	Ant0	5173	11.20	≤23.98	PASS
	Ant1	5173	10.56	≤23.98	PASS
	total	5173	13.90	≤23.98	PASS
	Ant0	5187	15.08	≤23.98	PASS
	Ant1	5187	14.49	≤23.98	PASS
	total	5187	17.81	≤23.98	PASS
	Ant0	5200	15.22	≤23.98	PASS
	Ant1	5200	14.73	≤23.98	PASS
	total	5200	17.99	≤23.98	PASS
	Ant0	5230	14.75	≤23.98	PASS
	Ant1	5230	15.25	≤23.98	PASS
	total	5230	18.02	≤23.98	PASS
	Ant0	5745.5	22.83	≤30.00	PASS
	Ant1	5745.5	20.96	≤30.00	PASS
	total	5745.5	25.01	≤30.00	PASS
	Ant0	5769.5	24.42	≤30.00	PASS
	Ant1	5769.5	22.98	≤30.00	PASS
	total	5769.5	26.77	≤30.00	PASS
	Ant0	5787.5	24.32	≤30.00	PASS
	Ant1	5787.5	23.44	≤30.00	PASS
	total	5787.5	26.91	≤30.00	PASS
	Ant0	5804.5	22.56	≤30.00	PASS
	Ant1	5804.5	22.36	≤30.00	PASS
	total	5804.5	25.47	≤30.00	PASS
	Ant0	5829.5	21.80	≤30.00	PASS
	Ant1	5829.5	20.76	≤30.00	PASS
	total	5829.5	24.32	≤30.00	PASS
SRD 60M	Ant0	5180	8.55	≤23.98	PASS
	Ant1	5180	7.91	≤23.98	PASS
	total	5180	11.25	≤23.98	PASS
	Ant0	5186	11.53	≤23.98	PASS
	Ant1	5186	11.25	≤23.98	PASS
	total	5186	14.40	≤23.98	PASS
	Ant0	5191	12.92	≤23.98	PASS
	Ant1	5191	12.34	≤23.98	PASS
	total	5191	15.65	≤23.98	PASS
	Ant0	5195	15.75	≤23.98	PASS
	Ant1	5195	15.18	≤23.98	PASS
	total	5195	18.48	≤23.98	PASS
	Ant0	5200	16.26	≤23.98	PASS
	Ant1	5200	16.10	≤23.98	PASS
	total	5200	19.19	≤23.98	PASS
	Ant0	5220	15.82	≤23.98	PASS
	Ant1	5220	15.61	≤23.98	PASS
	total	5220	18.73	≤23.98	PASS
	Ant0	5755.5	23.52	≤30.00	PASS
	Ant1	5755.5	21.87	≤30.00	PASS
	total	5755.5	25.78	≤30.00	PASS
	Ant0	5787.5	23.68	≤30.00	PASS
	Ant1	5787.5	22.73	≤30.00	PASS
	total	5787.5	26.24	≤30.00	PASS
	Ant0	5819.5	23.30	≤30.00	PASS
	Ant1	5819.5	22.56	≤30.00	PASS
	total	5819.5	25.96	≤30.00	PASS
SRD 80M	Ant0	5190	10.34	≤23.98	PASS
	Ant1	5190	9.82	≤23.98	PASS
	total	5190	13.10	≤23.98	PASS
	Ant0	5195	13.59	≤23.98	PASS

	Ant1	5195	13.09	≤ 23.98	PASS
	total	5195	16.36	≤ 23.98	PASS
	Ant0	5200	14.53	≤ 23.98	PASS
	Ant1	5200	14.12	≤ 23.98	PASS
	total	5200	17.34	≤ 23.98	PASS
	Ant0	5210	16.01	≤ 23.98	PASS
	Ant1	5210	15.68	≤ 23.98	PASS
	total	5210	18.86	≤ 23.98	PASS
	Ant0	5765.5	22.11	≤ 30.00	PASS
	Ant1	5765.5	19.91	≤ 30.00	PASS
	total	5765.5	24.16	≤ 30.00	PASS
	Ant0	5787.5	23.17	≤ 30.00	PASS
	Ant1	5787.5	22.10	≤ 30.00	PASS
	total	5787.5	25.68	≤ 30.00	PASS
	Ant0	5809.5	21.69	≤ 30.00	PASS
	Ant1	5809.5	20.74	≤ 30.00	PASS
	total	5809.5	24.25	≤ 30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	Verdict
SRD 10M	Ant0	5157	1.96	≤23.98	PASS
	Ant3	5157	1.22	≤23.98	PASS
	total	5157	4.62	≤23.98	PASS
	Ant0	5160	5.29	≤23.98	PASS
	Ant3	5160	4.54	≤23.98	PASS
	total	5160	7.94	≤23.98	PASS
	Ant0	5163	9.36	≤23.98	PASS
	Ant3	5163	8.80	≤23.98	PASS
	total	5163	12.10	≤23.98	PASS
	Ant0	5167	11.91	≤23.98	PASS
	Ant3	5167	12.89	≤23.98	PASS
	total	5167	15.44	≤23.98	PASS
	Ant0	5169	13.58	≤23.98	PASS
	Ant3	5169	14.45	≤23.98	PASS
	total	5169	17.05	≤23.98	PASS
	Ant0	5201	14.03	≤23.98	PASS
	Ant3	5201	14.67	≤23.98	PASS
	total	5201	17.37	≤23.98	PASS
	Ant0	5245	14.04	≤23.98	PASS
	Ant3	5245	15.37	≤23.98	PASS
	total	5245	17.77	≤23.98	PASS
	Ant0	5730.5	25.76	≤30.00	PASS
	Ant3	5730.5	24.66	≤30.00	PASS
	total	5730.5	28.26	≤30.00	PASS
	Ant0	5787.5	25.61	≤30.00	PASS
	Ant3	5787.5	24.93	≤30.00	PASS
	total	5787.5	28.29	≤30.00	PASS
	Ant0	5844.5	25.69	≤30.00	PASS
	Ant3	5844.5	25.01	≤30.00	PASS
	total	5844.5	28.37	≤30.00	PASS
SRD 20M	Ant0	5161	3.12	≤23.98	PASS
	Ant3	5161	3.64	≤23.98	PASS
	total	5161	6.40	≤23.98	PASS
	Ant0	5167	9.74	≤23.98	PASS
	Ant3	5167	9.83	≤23.98	PASS
	total	5167	12.80	≤23.98	PASS
	Ant0	5171	14.52	≤23.98	PASS
	Ant3	5171	15.04	≤23.98	PASS
	total	5171	17.80	≤23.98	PASS
	Ant0	5201	14.52	≤23.98	PASS
	Ant3	5201	15.04	≤23.98	PASS
	total	5201	17.42	≤23.98	PASS
	Ant0	5240	14.93	≤23.98	PASS
	Ant3	5240	15.32	≤23.98	PASS
	total	5240	18.14	≤23.98	PASS
	Ant0	5735.5	26.04	≤30.00	PASS
	Ant3	5735.5	24.45	≤30.00	PASS
	total	5735.5	28.33	≤30.00	PASS
	Ant0	5787.5	25.36	≤30.00	PASS
	Ant3	5787.5	24.41	≤30.00	PASS
	total	5787.5	27.92	≤30.00	PASS
SRD 40M	Ant0	5170	6.08	≤23.98	PASS
	Ant3	5170	5.94	≤23.98	PASS
	total	5170	9.02	≤23.98	PASS
	Ant0	5173	10.87	≤23.98	PASS
	Ant3	5173	10.01	≤23.98	PASS

	total	5173	13.47	≤23.98	PASS
	Ant0	5187	14.52	≤23.98	PASS
	Ant3	5187	13.81	≤23.98	PASS
	total	5187	17.19	≤23.98	PASS
	Ant0	5200	14.81	≤23.98	PASS
	Ant3	5200	14.04	≤23.98	PASS
	total	5200	17.45	≤23.98	PASS
	Ant0	5230	14.42	≤23.98	PASS
	Ant3	5230	14.68	≤23.98	PASS
	total	5230	17.56	≤23.98	PASS
	Ant0	5745.5	22.19	≤30.00	PASS
	Ant3	5745.5	20.61	≤30.00	PASS
	total	5745.5	24.48	≤30.00	PASS
	Ant0	5769.5	23.83	≤30.00	PASS
	Ant3	5769.5	22.44	≤30.00	PASS
	total	5769.5	26.20	≤30.00	PASS
	Ant0	5787.5	23.67	≤30.00	PASS
	Ant3	5787.5	22.83	≤30.00	PASS
	total	5787.5	26.28	≤30.00	PASS
	Ant0	5804.5	22.08	≤30.00	PASS
	Ant3	5804.5	22.02	≤30.00	PASS
	total	5804.5	25.06	≤30.00	PASS
	Ant0	5829.5	21.25	≤30.00	PASS
	Ant3	5829.5	20.08	≤30.00	PASS
	total	5829.5	23.71	≤30.00	PASS
SRD 60M	Ant0	5180	8.24	≤23.98	PASS
	Ant3	5180	7.25	≤23.98	PASS
	total	5180	10.78	≤23.98	PASS
	Ant0	5186	10.98	≤23.98	PASS
	Ant3	5186	10.86	≤23.98	PASS
	total	5186	13.93	≤23.98	PASS
	Ant0	5191	12.34	≤23.98	PASS
	Ant3	5191	11.64	≤23.98	PASS
	total	5191	15.01	≤23.98	PASS
	Ant0	5195	15.34	≤23.98	PASS
	Ant3	5195	14.62	≤23.98	PASS
	total	5195	18.01	≤23.98	PASS
	Ant0	5200	15.68	≤23.98	PASS
	Ant3	5200	15.50	≤23.98	PASS
	total	5200	18.60	≤23.98	PASS
	Ant0	5220	15.42	≤23.98	PASS
	Ant3	5220	15.27	≤23.98	PASS
	total	5220	18.36	≤23.98	PASS
	Ant0	5755.5	22.83	≤30.00	PASS
	Ant3	5755.5	21.26	≤30.00	PASS
	total	5755.5	25.13	≤30.00	PASS
	Ant0	5787.5	23.38	≤30.00	PASS
	Ant3	5787.5	22.29	≤30.00	PASS
	total	5787.5	25.88	≤30.00	PASS
SRD 80M	Ant0	5819.5	22.85	≤30.00	PASS
	Ant3	5819.5	22.07	≤30.00	PASS
	total	5819.5	25.49	≤30.00	PASS
	Ant0	5190	9.87	≤23.98	PASS
	Ant3	5190	9.12	≤23.98	PASS
	total	5190	12.52	≤23.98	PASS
	Ant0	5195	13.16	≤23.98	PASS
	Ant3	5195	12.61	≤23.98	PASS
	total	5195	15.90	≤23.98	PASS
	Ant0	5200	13.93	≤23.98	PASS
	Ant3	5200	13.71	≤23.98	PASS

	total	5200	16.83	≤ 23.98	PASS
	Ant0	5210	15.45	≤ 23.98	PASS
	Ant3	5210	15.32	≤ 23.98	PASS
	total	5210	18.40	≤ 23.98	PASS
	Ant0	5765.5	21.71	≤ 30.00	PASS
	Ant3	5765.5	19.55	≤ 30.00	PASS
	total	5765.5	23.77	≤ 30.00	PASS
	Ant0	5787.5	1.96	≤ 30.00	PASS
	Ant3	5787.5	1.22	≤ 30.00	PASS
	total	5787.5	4.62	≤ 30.00	PASS
	Ant0	5809.5	5.29	≤ 30.00	PASS
	Ant3	5809.5	4.54	≤ 30.00	PASS
	total	5809.5	7.94	≤ 30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	Verdict
SRD 10M	Ant1	5157	1.75	≤23.98	PASS
	Ant2	5157	0.99	≤23.98	PASS
	total	5157	4.40	≤23.98	PASS
	Ant1	5160	5.18	≤23.98	PASS
	Ant2	5160	4.80	≤23.98	PASS
	total	5160	8.00	≤23.98	PASS
	Ant1	5163	9.59	≤23.98	PASS
	Ant2	5163	8.78	≤23.98	PASS
	total	5163	12.21	≤23.98	PASS
	Ant1	5167	12.25	≤23.98	PASS
	Ant2	5167	13.00	≤23.98	PASS
	total	5167	15.65	≤23.98	PASS
	Ant1	5169	13.63	≤23.98	PASS
	Ant2	5169	14.37	≤23.98	PASS
	total	5169	17.03	≤23.98	PASS
	Ant1	5201	14.04	≤23.98	PASS
	Ant2	5201	14.75	≤23.98	PASS
	total	5201	17.42	≤23.98	PASS
	Ant1	5245	14.11	≤23.98	PASS
	Ant2	5245	15.55	≤23.98	PASS
	total	5245	17.90	≤23.98	PASS
	Ant1	5730.5	25.76	≤30.00	PASS
	Ant2	5730.5	24.67	≤30.00	PASS
	total	5730.5	28.26	≤30.00	PASS
	Ant1	5787.5	25.54	≤30.00	PASS
	Ant2	5787.5	25.28	≤30.00	PASS
	total	5787.5	28.42	≤30.00	PASS
	Ant1	5844.5	25.43	≤30.00	PASS
	Ant2	5844.5	25.12	≤30.00	PASS
	total	5844.5	28.29	≤30.00	PASS
SRD 20M	Ant1	5161	2.89	≤23.98	PASS
	Ant2	5161	3.93	≤23.98	PASS
	total	5161	6.45	≤23.98	PASS
	Ant1	5167	9.89	≤23.98	PASS
	Ant2	5167	10.20	≤23.98	PASS
	total	5167	13.06	≤23.98	PASS
	Ant1	5171	14.48	≤23.98	PASS
	Ant2	5171	15.31	≤23.98	PASS
	total	5171	17.93	≤23.98	PASS
	Ant1	5201	14.48	≤23.98	PASS
	Ant2	5201	15.31	≤23.98	PASS
	total	5201	17.44	≤23.98	PASS
	Ant1	5240	14.91	≤23.98	PASS
	Ant2	5240	15.37	≤23.98	PASS
	total	5240	18.16	≤23.98	PASS
	Ant1	5735.5	25.84	≤30.00	PASS
	Ant2	5735.5	24.79	≤30.00	PASS
	total	5735.5	28.36	≤30.00	PASS
	Ant1	5787.5	25.25	≤30.00	PASS
	Ant2	5787.5	24.38	≤30.00	PASS
	total	5787.5	27.85	≤30.00	PASS
	Ant1	5839.5	25.25	≤30.00	PASS
	Ant2	5839.5	24.82	≤30.00	PASS
	total	5839.5	28.05	≤30.00	PASS
SRD 40M	Ant1	5170	6.03	≤23.98	PASS
	Ant2	5170	5.99	≤23.98	PASS
	total	5170	9.02	≤23.98	PASS
	Ant1	5173	10.54	≤23.98	PASS
	Ant2	5173	9.90	≤23.98	PASS

	total	5173	13.24	≤23.98	PASS
	Ant1	5187	14.50	≤23.98	PASS
	Ant2	5187	13.83	≤23.98	PASS
	total	5187	17.19	≤23.98	PASS
	Ant1	5200	14.58	≤23.98	PASS
	Ant2	5200	14.28	≤23.98	PASS
	total	5200	17.44	≤23.98	PASS
	Ant1	5230	14.12	≤23.98	PASS
	Ant2	5230	14.79	≤23.98	PASS
	total	5230	17.48	≤23.98	PASS
	Ant1	5745.5	22.47	≤30.00	PASS
	Ant2	5745.5	20.39	≤30.00	PASS
	total	5745.5	24.56	≤30.00	PASS
	Ant1	5769.5	24.06	≤30.00	PASS
	Ant2	5769.5	22.66	≤30.00	PASS
	total	5769.5	26.43	≤30.00	PASS
	Ant1	5787.5	23.91	≤30.00	PASS
	Ant2	5787.5	22.84	≤30.00	PASS
	total	5787.5	26.42	≤30.00	PASS
	Ant1	5804.5	22.20	≤30.00	PASS
	Ant2	5804.5	21.73	≤30.00	PASS
	total	5804.5	24.98	≤30.00	PASS
	Ant1	5829.5	21.16	≤30.00	PASS
	Ant2	5829.5	20.14	≤30.00	PASS
	total	5829.5	23.69	≤30.00	PASS
SRD 60M	Ant1	5180	8.12	≤23.98	PASS
	Ant2	5180	7.34	≤23.98	PASS
	total	5180	10.76	≤23.98	PASS
	Ant1	5186	11.06	≤23.98	PASS
	Ant2	5186	10.60	≤23.98	PASS
	total	5186	13.85	≤23.98	PASS
	Ant1	5191	12.27	≤23.98	PASS
	Ant2	5191	11.67	≤23.98	PASS
	total	5191	14.99	≤23.98	PASS
	Ant1	5195	15.43	≤23.98	PASS
	Ant2	5195	14.76	≤23.98	PASS
	total	5195	18.12	≤23.98	PASS
	Ant1	5200	15.75	≤23.98	PASS
	Ant2	5200	15.44	≤23.98	PASS
	total	5200	18.61	≤23.98	PASS
	Ant1	5220	15.47	≤23.98	PASS
	Ant2	5220	15.26	≤23.98	PASS
	total	5220	18.38	≤23.98	PASS
	Ant1	5755.5	22.89	≤30.00	PASS
	Ant2	5755.5	21.41	≤30.00	PASS
	total	5755.5	25.22	≤30.00	PASS
	Ant1	5787.5	23.10	≤30.00	PASS
	Ant2	5787.5	22.42	≤30.00	PASS
	total	5787.5	25.78	≤30.00	PASS
SRD 80M	Ant1	5819.5	22.82	≤30.00	PASS
	Ant2	5819.5	22.02	≤30.00	PASS
	total	5819.5	25.45	≤30.00	PASS
	Ant1	5190	9.92	≤23.98	PASS
	Ant2	5190	9.25	≤23.98	PASS
	total	5190	12.61	≤23.98	PASS
	Ant1	5195	12.96	≤23.98	PASS
	Ant2	5195	12.78	≤23.98	PASS
	total	5195	15.88	≤23.98	PASS
	Ant1	5200	14.12	≤23.98	PASS
	Ant2	5200	13.57	≤23.98	PASS

	total	5200	16.86	≤ 23.98	PASS
	Ant1	5210	15.46	≤ 23.98	PASS
	Ant2	5210	15.28	≤ 23.98	PASS
	total	5210	18.38	≤ 23.98	PASS
	Ant1	5765.5	21.45	≤ 30.00	PASS
	Ant2	5765.5	19.34	≤ 30.00	PASS
	total	5765.5	23.53	≤ 30.00	PASS
	Ant1	5787.5	1.75	≤ 30.00	PASS
	Ant2	5787.5	0.99	≤ 30.00	PASS
	total	5787.5	4.40	≤ 30.00	PASS
	Ant1	5809.5	5.18	≤ 30.00	PASS
	Ant2	5809.5	4.80	≤ 30.00	PASS
	total	5809.5	8.00	≤ 30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	Verdict
SRD 10M	Ant2	5157	1.86	≤23.98	PASS
	Ant3	5157	1.28	≤23.98	PASS
	total	5157	4.59	≤23.98	PASS
	Ant2	5160	5.44	≤23.98	PASS
	Ant3	5160	4.69	≤23.98	PASS
	total	5160	8.09	≤23.98	PASS
	Ant2	5163	9.36	≤23.98	PASS
	Ant3	5163	8.75	≤23.98	PASS
	total	5163	12.08	≤23.98	PASS
	Ant2	5167	12.27	≤23.98	PASS
	Ant3	5167	12.93	≤23.98	PASS
	total	5167	15.62	≤23.98	PASS
	Ant2	5169	13.50	≤23.98	PASS
	Ant3	5169	14.14	≤23.98	PASS
	total	5169	16.84	≤23.98	PASS
	Ant2	5201	13.84	≤23.98	PASS
	Ant3	5201	14.90	≤23.98	PASS
	total	5201	17.41	≤23.98	PASS
	Ant2	5245	14.16	≤23.98	PASS
	Ant3	5245	15.42	≤23.98	PASS
	total	5245	17.85	≤23.98	PASS
	Ant2	5730.5	25.72	≤30.00	PASS
	Ant3	5730.5	24.53	≤30.00	PASS
	total	5730.5	28.18	≤30.00	PASS
	Ant2	5787.5	25.64	≤30.00	PASS
	Ant3	5787.5	25.26	≤30.00	PASS
	total	5787.5	28.46	≤30.00	PASS
	Ant2	5844.5	25.43	≤30.00	PASS
	Ant3	5844.5	24.81	≤30.00	PASS
	total	5844.5	28.14	≤30.00	PASS
SRD 20M	Ant2	5161	3.04	≤23.98	PASS
	Ant3	5161	3.70	≤23.98	PASS
	total	5161	6.39	≤23.98	PASS
	Ant2	5167	9.65	≤23.98	PASS
	Ant3	5167	10.16	≤23.98	PASS
	total	5167	12.92	≤23.98	PASS
	Ant2	5171	14.31	≤23.98	PASS
	Ant3	5171	15.15	≤23.98	PASS
	total	5171	17.76	≤23.98	PASS
	Ant2	5201	14.31	≤23.98	PASS
	Ant3	5201	15.15	≤23.98	PASS
	total	5201	17.51	≤23.98	PASS
	Ant2	5240	14.99	≤23.98	PASS
	Ant3	5240	15.25	≤23.98	PASS
	total	5240	18.13	≤23.98	PASS
	Ant2	5735.5	25.98	≤30.00	PASS
	Ant3	5735.5	24.82	≤30.00	PASS
	total	5735.5	28.45	≤30.00	PASS
	Ant2	5787.5	25.24	≤30.00	PASS
	Ant3	5787.5	24.06	≤30.00	PASS
	total	5787.5	27.70	≤30.00	PASS
	Ant2	5839.5	25.39	≤30.00	PASS
	Ant3	5839.5	24.57	≤30.00	PASS
	total	5839.5	28.01	≤30.00	PASS
SRD 40M	Ant2	5170	5.93	≤23.98	PASS
	Ant3	5170	6.06	≤23.98	PASS
	total	5170	9.01	≤23.98	PASS
	Ant2	5173	10.73	≤23.98	PASS
	Ant3	5173	9.97	≤23.98	PASS

	total	5173	13.38	≤23.98	PASS
	Ant2	5187	14.63	≤23.98	PASS
	Ant3	5187	14.17	≤23.98	PASS
	total	5187	17.42	≤23.98	PASS
	Ant2	5200	14.60	≤23.98	PASS
	Ant3	5200	14.34	≤23.98	PASS
	total	5200	17.48	≤23.98	PASS
	Ant2	5230	14.33	≤23.98	PASS
	Ant3	5230	14.61	≤23.98	PASS
	total	5230	17.48	≤23.98	PASS
	Ant2	5745.5	22.23	≤30.00	PASS
	Ant3	5745.5	20.26	≤30.00	PASS
	total	5745.5	24.37	≤30.00	PASS
	Ant2	5769.5	24.09	≤30.00	PASS
	Ant3	5769.5	22.60	≤30.00	PASS
	total	5769.5	26.42	≤30.00	PASS
	Ant2	5787.5	23.85	≤30.00	PASS
	Ant3	5787.5	23.09	≤30.00	PASS
	total	5787.5	26.50	≤30.00	PASS
	Ant2	5804.5	21.95	≤30.00	PASS
	Ant3	5804.5	21.98	≤30.00	PASS
	total	5804.5	24.98	≤30.00	PASS
	Ant2	5829.5	21.45	≤30.00	PASS
	Ant3	5829.5	20.17	≤30.00	PASS
	total	5829.5	23.87	≤30.00	PASS
SRD 60M	Ant2	5180	7.88	≤23.98	PASS
	Ant3	5180	7.55	≤23.98	PASS
	total	5180	10.73	≤23.98	PASS
	Ant2	5186	11.07	≤23.98	PASS
	Ant3	5186	10.60	≤23.98	PASS
	total	5186	13.85	≤23.98	PASS
	Ant2	5191	12.24	≤23.98	PASS
	Ant3	5191	11.64	≤23.98	PASS
	total	5191	14.96	≤23.98	PASS
	Ant2	5195	15.41	≤23.98	PASS
	Ant3	5195	14.51	≤23.98	PASS
	total	5195	17.99	≤23.98	PASS
	Ant2	5200	15.90	≤23.98	PASS
	Ant3	5200	15.51	≤23.98	PASS
	total	5200	18.72	≤23.98	PASS
	Ant2	5220	15.31	≤23.98	PASS
	Ant3	5220	15.03	≤23.98	PASS
	total	5220	18.18	≤23.98	PASS
	Ant2	5755.5	23.01	≤30.00	PASS
	Ant3	5755.5	21.30	≤30.00	PASS
	total	5755.5	25.25	≤30.00	PASS
	Ant2	5787.5	23.34	≤30.00	PASS
	Ant3	5787.5	22.28	≤30.00	PASS
	total	5787.5	25.85	≤30.00	PASS
SRD 80M	Ant2	5819.5	22.70	≤30.00	PASS
	Ant3	5819.5	21.87	≤30.00	PASS
	total	5819.5	25.32	≤30.00	PASS
	Ant2	5190	9.75	≤23.98	PASS
	Ant3	5190	9.13	≤23.98	PASS
	total	5190	12.46	≤23.98	PASS
	Ant2	5195	12.94	≤23.98	PASS
	Ant3	5195	12.58	≤23.98	PASS
	total	5195	15.77	≤23.98	PASS
	Ant2	5200	13.98	≤23.98	PASS
	Ant3	5200	13.69	≤23.98	PASS

	total	5200	16.85	≤ 23.98	PASS
	Ant2	5210	15.60	≤ 23.98	PASS
	Ant3	5210	15.18	≤ 23.98	PASS
	total	5210	18.41	≤ 23.98	PASS
	Ant2	5765.5	21.61	≤ 30.00	PASS
	Ant3	5765.5	19.60	≤ 30.00	PASS
	total	5765.5	23.73	≤ 30.00	PASS
	Ant2	5787.5	1.86	≤ 30.00	PASS
	Ant3	5787.5	1.28	≤ 30.00	PASS
	total	5787.5	4.59	≤ 30.00	PASS
	Ant2	5809.5	5.44	≤ 30.00	PASS
	Ant3	5809.5	4.69	≤ 30.00	PASS
	total	5809.5	8.09	≤ 30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
SRD 10M	Ant0	5157	-6.58	≤11.00	-5.08	---	PASS
	Ant1	5157	-7.20	≤11.00	-5.70	---	PASS
	total	5157	-3.87	≤11.00	0.64	---	PASS
	Ant0	5160	-2.99	≤11.00	-1.49	---	PASS
	Ant1	5160	-3.77	≤11.00	-2.27	---	PASS
	total	5160	-0.35	≤11.00	4.16	---	PASS
	Ant0	5163	1.08	≤11.00	2.58	---	PASS
	Ant1	5163	0.65	≤11.00	2.15	---	PASS
	total	5163	3.88	≤11.00	8.39	---	PASS
	Ant0	5167	3.84	≤11.00	5.34	---	PASS
	Ant1	5167	4.44	≤11.00	5.94	---	PASS
	total	5167	7.16	≤11.00	11.67	---	PASS
	Ant0	5169	5.24	≤11.00	6.74	---	PASS
	Ant1	5169	6.30	≤11.00	7.80	---	PASS
	total	5169	8.81	≤11.00	13.32	---	PASS
	Ant0	5201	5.64	≤11.00	7.14	---	PASS
	Ant1	5201	6.43	≤11.00	7.93	---	PASS
	total	5201	9.06	≤11.00	13.57	---	PASS
	Ant0	5245	5.92	≤11.00	7.42	---	PASS
	Ant1	5245	6.98	≤11.00	8.48	---	PASS
	total	5245	9.49	≤11.00	14.00	---	PASS
	Ant0	5730.5	14.73	≤30.00	16.23	---	PASS
	Ant1	5730.5	13.69	≤30.00	15.19	---	PASS
	total	5730.5	17.25	≤30.00	21.76	---	PASS
	Ant0	5787.5	14.30	≤30.00	15.80	---	PASS
	Ant1	5787.5	13.90	≤30.00	15.40	---	PASS
	total	5787.5	17.11	≤30.00	21.62	---	PASS
	Ant0	5844.5	14.33	≤30.00	15.83	---	PASS
	Ant1	5844.5	13.77	≤30.00	15.27	---	PASS
	total	5844.5	17.07	≤30.00	21.58	---	PASS
SRD 20M	Ant0	5161	-8.09	≤11.00	-6.59	---	PASS
	Ant1	5161	-7.37	≤11.00	-5.87	---	PASS
	total	5161	-4.70	≤11.00	-3.20	---	PASS
	Ant0	5167	-1.41	≤11.00	0.09	---	PASS
	Ant1	5167	-0.91	≤11.00	0.59	---	PASS
	total	5167	1.86	≤11.00	3.36	---	PASS
	Ant0	5171	3.48	≤11.00	4.98	---	PASS
	Ant1	5171	4.27	≤11.00	5.77	---	PASS
	total	5171	6.90	≤11.00	8.40	---	PASS
	Ant0	5201	4.02	≤11.00	5.52	---	PASS
	Ant1	5201	2.80	≤11.00	4.30	---	PASS
	total	5201	6.46	≤11.00	7.96	---	PASS
	Ant0	5240	4.08	≤11.00	5.58	---	PASS
	Ant1	5240	4.38	≤11.00	5.88	---	PASS
	total	5240	7.24	≤11.00	8.74	---	PASS
	Ant0	5735.5	12.37	≤30.00	13.87	---	PASS
	Ant1	5735.5	10.80	≤30.00	12.30	---	PASS
	total	5735.5	14.67	≤30.00	16.17	---	PASS
	Ant0	5787.5	11.79	≤30.00	13.29	---	PASS
	Ant1	5787.5	10.96	≤30.00	12.46	---	PASS
	total	5787.5	14.41	≤30.00	15.91	---	PASS
SRD 40M	Ant0	5839.5	11.57	≤30.00	13.07	---	PASS
	Ant1	5839.5	10.92	≤30.00	12.42	---	PASS
	total	5839.5	14.27	≤30.00	15.77	---	PASS
SRD 40M	Ant0	5170	-8.13	≤11.00	-6.63	---	PASS


	Ant1	5170	-7.91	≤11.00	-6.41	---	PASS
	total	5170	-5.01	≤11.00	-3.51	---	PASS
	Ant0	5173	-3.13	≤11.00	-1.63	---	PASS
	Ant1	5173	-3.79	≤11.00	-2.29	---	PASS
	total	5173	-0.44	≤11.00	1.06	---	PASS
	Ant0	5187	0.69	≤11.00	2.19	---	PASS
	Ant1	5187	0.27	≤11.00	1.77	---	PASS
	total	5187	3.50	≤11.00	5.00	---	PASS
	Ant0	5200	0.96	≤11.00	2.46	---	PASS
	Ant1	5200	0.22	≤11.00	1.72	---	PASS
	total	5200	3.62	≤11.00	5.12	---	PASS
	Ant0	5230	0.20	≤11.00	1.70	---	PASS
	Ant1	5230	0.85	≤11.00	2.35	---	PASS
	total	5230	3.55	≤11.00	5.05	---	PASS
	Ant0	5745.5	7.20	≤30.00	8.70	---	PASS
	Ant1	5745.5	5.27	≤30.00	6.77	---	PASS
	total	5745.5	9.35	≤30.00	10.85	---	PASS
	Ant0	5769.5	9.12	≤30.00	10.62	---	PASS
	Ant1	5769.5	7.45	≤30.00	8.95	---	PASS
	total	5769.5	11.38	≤30.00	12.88	---	PASS
	Ant0	5787.5	8.95	≤30.00	10.45	---	PASS
	Ant1	5787.5	7.76	≤30.00	9.26	---	PASS
	total	5787.5	11.41	≤30.00	12.91	---	PASS
	Ant0	5804.5	6.91	≤30.00	8.41	---	PASS
	Ant1	5804.5	6.78	≤30.00	8.28	---	PASS
	total	5804.5	9.86	≤30.00	11.36	---	PASS
	Ant0	5829.5	6.39	≤30.00	7.89	---	PASS
	Ant1	5829.5	5.30	≤30.00	6.80	---	PASS
	total	5829.5	8.89	≤30.00	10.39	---	PASS
SRD 60M	Ant0	5180	-7.50	≤11.00	-6.00	---	PASS
	Ant1	5180	-8.21	≤11.00	-6.71	---	PASS
	total	5180	-4.83	≤11.00	-3.33	---	PASS
	Ant0	5186	-4.31	≤11.00	-2.81	---	PASS
	Ant1	5186	-4.68	≤11.00	-3.18	---	PASS
	total	5186	-1.48	≤11.00	0.02	---	PASS
	Ant0	5191	-3.18	≤11.00	-1.68	---	PASS
	Ant1	5191	-3.35	≤11.00	-1.85	---	PASS
	total	5191	-0.25	≤11.00	1.25	---	PASS
	Ant0	5195	1.36	≤11.00	2.86	---	PASS
	Ant1	5195	0.54	≤11.00	2.04	---	PASS
	total	5195	3.98	≤11.00	5.48	---	PASS
	Ant0	5200	1.49	≤11.00	2.99	---	PASS
	Ant1	5200	1.31	≤11.00	2.81	---	PASS
	total	5200	4.41	≤11.00	5.91	---	PASS
	Ant0	5220	0.95	≤11.00	2.45	---	PASS
	Ant1	5220	0.99	≤11.00	2.49	---	PASS
	total	5220	3.98	≤11.00	5.48	---	PASS
	Ant0	5755.5	5.93	≤30.00	7.43	---	PASS
	Ant1	5755.5	4.51	≤30.00	6.01	---	PASS
	total	5755.5	8.29	≤30.00	9.79	---	PASS
	Ant0	5787.5	6.32	≤30.00	7.82	---	PASS
	Ant1	5787.5	5.36	≤30.00	6.86	---	PASS
	total	5787.5	8.88	≤30.00	10.38	---	PASS
	Ant0	5819.5	5.88	≤30.00	7.38	---	PASS
	Ant1	5819.5	4.82	≤30.00	6.32	---	PASS
	total	5819.5	8.39	≤30.00	9.89	---	PASS
SRD 80M	Ant0	5190	-6.64	≤11.00	-5.14	---	PASS
	Ant1	5190	-7.15	≤11.00	-5.65	---	PASS
	total	5190	-3.88	≤11.00	-2.38	---	PASS
	Ant0	5195	-3.29	≤11.00	-1.79	---	PASS


	Ant1	5195	-3.83	≤11.00	-2.33	---	PASS
	total	5195	-0.54	≤11.00	0.96	---	PASS
	Ant0	5200	-2.68	≤11.00	-1.18	---	PASS
	Ant1	5200	-2.87	≤11.00	-1.37	---	PASS
	total	5200	0.24	≤11.00	1.74	---	PASS
	Ant0	5210	1.02	≤11.00	2.52	---	PASS
	Ant1	5210	0.75	≤11.00	2.25	---	PASS
	total	5210	3.90	≤11.00	5.40	---	PASS
	Ant0	5765.5	3.17	≤30.00	4.67	---	PASS
	Ant1	5765.5	0.89	≤30.00	2.39	---	PASS
	total	5765.5	5.19	≤30.00	6.69	---	PASS
	Ant0	5787.5	5.18	≤30.00	6.68	---	PASS
	Ant1	5787.5	4.11	≤30.00	5.61	---	PASS
	total	5787.5	7.69	≤30.00	9.19	---	PASS
	Ant0	5809.5	4.43	≤30.00	5.93	---	PASS
	Ant1	5809.5	2.94	≤30.00	4.44	---	PASS
	total	5809.5	6.76	≤30.00	8.26	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs







SRD 10M_Ant1_5160




SRD 10M_Ant0_5163




SRD 10M_Ant1_5163




SRD 10M_Ant0_5167




SRD 10M_Ant1_5167




SRD 10M_Ant0_5169




SRD 10M_Ant1_5169




SRD 10M_Ant0_5201




SRD 10M_Ant1_5201




SRD 10M_Ant0_5245




SRD 10M_Ant1_5245




SRD 10M_Ant0_5730.5




SRD 10M_Ant1_5730.5




SRD 10M_Ant0_5787.5




SRD 10M_Ant1_5787.5




SRD 10M_Ant0_5844.5




SRD 10M_Ant1_5844.5




SRD 20M_Ant0_5161




SRD 20M_Ant1_5161




SRD 20M_Ant0_5167




SRD 20M_Ant1_5167




SRD 20M_Ant0_5171




SRD 20M_Ant1_5171




SRD 20M_Ant0_5201




SRD 20M_Ant1_5201




SRD 20M_Ant0_5240




SRD 20M_Ant1_5240




SRD 20M_Ant0_5735.5




SRD 20M_Ant1_5735.5




SRD 20M_Ant0_5787.5







SRD 40M_Ant0_5170




SRD 40M_Ant1_5170




SRD 40M_Ant0_5173







SRD 40M_Ant0_5200



SRD 40M_Ant1_5200




SRD 40M_Ant0_5230




SRD 40M_Ant1_5230




SRD 40M_Ant0_5745.5




SRD 40M_Ant1_5745.5




SRD 40M_Ant0_5769.5




SRD 40M_Ant1_5769.5




SRD 40M_Ant0_5787.5



SRD 40M_Ant1_5787.5



SRD 40M_Ant0_5804.5



SRD 40M_Ant1_5804.5