







SRD 40M_Ant1_2432.5




SRD 40M_Ant0_2435.5




SRD 40M_Ant1_2435.5




SRD 40M_Ant0_2437.5




SRD 40M_Ant1_2437.5




SRD 40M_Ant0_2452.5




SRD 40M_Ant1_2452.5




SRD 60M_Ant0_2432.5




SRD 60M_Ant1_2432.5




SRD 60M_Ant0_2433.5




SRD 60M_Ant1_2433.5




SRD 60M_Ant0_2435.5




SRD 60M_Ant1_2435.5




SRD 60M_Ant0_2437.5



SRD 60M_Ant1_2437.5



SRD 60M_Ant0_2442.5



SRD 60M_Ant1_2442.5

11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER

11.3.1. Test Result

Mode	Channel	Conducted power(dBm)			Limit
		Ant0	Ant1	Total	
SRD 10M	2407.5	19.82	20.32	23.09	30.00
	2409.5	21.60	21.69	24.66	30.00
	2410.5	23.32	23.34	26.34	30.00
	2437.5	25.11	25.37	28.25	30.00
	2467.5	24.15	24.21	27.19	30.00
SRD 20M	2412.5	21.50	21.64	24.58	30.00
	2414.5	22.83	23.46	26.17	30.00
	2437.5	25.28	25.51	28.41	30.00
	2462.5	24.63	25.22	27.95	30.00
SRD 40M	2422.5	20.50	20.66	23.59	30.00
	2432.5	22.10	21.95	25.04	30.00
	2435.5	23.39	23.64	26.53	30.00
	2437.5	24.99	25.30	28.16	30.00
	2452.5	24.07	24.32	27.21	30.00
SRD 60M	2432.5	19.91	19.69	22.81	30.00
	2433.5	21.23	21.05	24.15	30.00
	2435.5	21.90	22.11	25.02	30.00
	2437.5	23.30	23.96	26.65	30.00
	2442.5	22.97	23.29	26.14	30.00

Mode	Channel	Conducted power(dBm)			Limit
		ANT0	ANT3	Total	
SRD 10M	2407.5	19.30	19.90	22.62	30.00
	2409.5	21.17	21.23	24.21	30.00
	2410.5	22.68	22.74	25.72	30.00
	2437.5	24.75	25.06	27.92	30.00
	2467.5	23.76	23.88	26.83	30.00
SRD 20M	2412.5	21.04	21.19	24.13	30.00
	2414.5	22.22	23.16	25.73	30.00
	2437.5	24.61	24.94	27.79	30.00
	2462.5	24.23	24.56	27.41	30.00
SRD 40M	2422.5	20.10	20.32	23.22	30.00
	2432.5	21.53	21.25	24.40	30.00
	2435.5	22.83	22.95	25.90	30.00
	2437.5	24.48	24.81	27.66	30.00
	2452.5	23.47	24.00	26.75	30.00
SRD 60M	2432.5	19.61	19.00	22.33	30.00
	2433.5	20.72	20.59	23.67	30.00
	2435.5	21.20	21.63	24.43	30.00
	2437.5	22.91	23.41	26.18	30.00
	2442.5	22.53	22.83	25.69	30.00

Mode	Channel	Conducted power(dBm)			Limit
		Ant1	Ant2	Total	
SRD 10M	2407.5	19.20	19.62	22.43	30.00
	2409.5	21.26	21.21	24.25	30.00
	2410.5	22.63	23.00	25.83	30.00
	2437.5	24.44	24.71	27.59	30.00
	2467.5	23.63	23.91	26.78	30.00
SRD 20M	2412.5	21.12	21.09	24.12	30.00
	2414.5	22.47	22.88	25.69	30.00
	2437.5	24.89	25.05	27.98	30.00
	2462.5	23.99	24.83	27.44	30.00
SRD 40M	2422.5	20.00	20.10	23.06	30.00
	2432.5	21.75	21.57	24.67	30.00
	2435.5	22.86	23.12	26.00	30.00
	2437.5	24.64	24.86	27.76	30.00
	2452.5	23.69	24.00	26.86	30.00
SRD 60M	2432.5	19.31	18.99	22.16	30.00
	2433.5	20.58	20.62	23.61	30.00
	2435.5	21.44	21.71	24.59	30.00
	2437.5	22.85	23.55	26.22	30.00
	2442.5	22.53	22.72	25.64	30.00

Mode	Channel	Conducted power(dBm)			Limit
		Ant2	Ant3	Total	
SRD 10M	2407.5	19.48	19.77	22.64	30.00
	2409.5	21.04	21.07	24.07	30.00
	2410.5	22.98	23.02	26.01	30.00
	2437.5	24.57	24.72	27.66	30.00
	2467.5	23.83	23.70	26.78	30.00
SRD 20M	2412.5	21.09	21.23	24.17	30.00
	2414.5	22.27	23.06	25.69	30.00
	2437.5	24.94	24.84	27.90	30.00
	2462.5	23.93	24.62	27.30	30.00
SRD 40M	2422.5	19.90	20.21	23.07	30.00
	2432.5	21.76	21.53	24.66	30.00
	2435.5	22.93	23.33	26.14	30.00
	2437.5	24.36	24.71	27.55	30.00
	2452.5	23.42	23.91	26.68	30.00
SRD 60M	2432.5	19.41	19.14	22.29	30.00
	2433.5	20.59	20.62	23.62	30.00
	2435.5	21.58	21.81	24.71	30.00
	2437.5	22.60	23.42	26.04	30.00
	2442.5	22.66	22.86	25.77	30.00

Note: 1. Conducted Power=Meas. Level+ Correction Factor
2. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY


11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
SRD 10M	Ant0	2407.5	-6.98	≤8.00	PASS
	Ant1	2407.5	-2.03	≤8.00	PASS
	total	2407.5	-0.82	≤8.00	PASS
	Ant0	2409.5	-6.35	≤8.00	PASS
	Ant1	2409.5	-1.96	≤8.00	PASS
	total	2409.5	-0.61	≤8.00	PASS
	Ant0	2410.5	-5.27	≤8.00	PASS
	Ant1	2410.5	-2.07	≤8.00	PASS
	total	2410.5	-0.37	≤8.00	PASS
	Ant0	2437.5	-3.52	≤8.00	PASS
	Ant1	2437.5	-1.64	≤8.00	PASS
	total	2437.5	0.53	≤8.00	PASS
	Ant0	2467.5	-3.31	≤8.00	PASS
	Ant1	2467.5	-1.44	≤8.00	PASS
	total	2467.5	0.74	≤8.00	PASS
SRD 20M	Ant0	2412.5	-3.84	≤8.00	PASS
	Ant1	2412.5	-1.52	≤8.00	PASS
	total	2412.5	0.48	≤8.00	PASS
	Ant0	2414.5	1.03	≤8.00	PASS
	Ant1	2414.5	0.65	≤8.00	PASS
	total	2414.5	3.85	≤8.00	PASS
	Ant0	2437.5	3.73	≤8.00	PASS
	Ant1	2437.5	1.99	≤8.00	PASS
	total	2437.5	5.96	≤8.00	PASS
	Ant0	2462.5	2.33	≤8.00	PASS
	Ant1	2462.5	5.59	≤8.00	PASS
	total	2462.5	7.27	≤8.00	PASS
SRD 40M	Ant0	2422.5	-6.27	≤8.00	PASS
	Ant1	2422.5	-11.39	≤8.00	PASS
	total	2422.5	-5.11	≤8.00	PASS
	Ant0	2432.5	-7.68	≤8.00	PASS
	Ant1	2432.5	-7.80	≤8.00	PASS
	total	2432.5	-4.73	≤8.00	PASS
	Ant0	2435.5	-5.53	≤8.00	PASS
	Ant1	2435.5	-2.44	≤8.00	PASS
	total	2435.5	-0.71	≤8.00	PASS
	Ant0	2437.5	-3.47	≤8.00	PASS
	Ant1	2437.5	-2.62	≤8.00	PASS
	total	2437.5	-0.01	≤8.00	PASS
	Ant0	2452.5	-1.40	≤8.00	PASS
	Ant1	2452.5	-3.82	≤8.00	PASS
	total	2452.5	0.57	≤8.00	PASS
SRD 60M	Ant0	2432.5	-9.98	≤8.00	PASS
	Ant1	2432.5	-10.55	≤8.00	PASS
	total	2432.5	-7.25	≤8.00	PASS
	Ant0	2433.5	-10.91	≤8.00	PASS
	Ant1	2433.5	-12.80	≤8.00	PASS
	total	2433.5	-8.74	≤8.00	PASS
	Ant0	2435.5	-12.31	≤8.00	PASS
	Ant1	2435.5	-12.05	≤8.00	PASS
	total	2435.5	-9.17	≤8.00	PASS
	Ant0	2437.5	-6.29	≤8.00	PASS
	Ant1	2437.5	-3.82	≤8.00	PASS

	total	2437.5	-1.87	≤8.00	PASS
	Ant0	2442.5	-7.41	≤8.00	PASS
	Ant1	2442.5	-8.39	≤8.00	PASS
	total	2442.5	-4.86	≤8.00	PASS


Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

11.4.2. Test Graphs







SRD 10M_Ant1_2409.5




SRD 10M_Ant0_2410.5




SRD 10M_Ant1_2410.5




SRD 10M_Ant0_2437.5




SRD 10M_Ant1_2437.5




SRD 10M_Ant0_2467.5




SRD 10M_Ant1_2467.5




SRD 20M_Ant0_2412.5




SRD 20M_Ant1_2412.5







SRD 20M_Ant1_2437.5




SRD 20M_Ant0_2462.5




SRD 20M_Ant1_2462.5




SRD 40M_Ant0_2422.5




SRD 40M_Ant1_2422.5




SRD 40M_Ant0_2432.5




SRD 40M_Ant1_2432.5




SRD 40M_Ant0_2435.5




SRD 40M_Ant1_2435.5




SRD 40M_Ant0_2437.5




SRD 40M_Ant1_2437.5




SRD 40M_Ant0_2452.5




SRD 40M_Ant1_2452.5




SRD 60M_Ant0_2432.5




SRD 60M_Ant1_2432.5




SRD 60M_Ant0_2433.5




SRD 60M_Ant1_2433.5




SRD 60M_Ant0_2435.5




SRD 60M_Ant1_2435.5



SRD 60M_Ant0_2437.5



SRD 60M_Ant1_2437.5





11.5. APPENDIX E: BAND EDGE MEASUREMENTS

11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
SRD 10M	Ant0	Low	2407.5	10.63	-20.54	≤-19.37	PASS
	Ant1	Low	2407.5	10.03	-21.1	≤-19.97	PASS
	Ant0	Low	2409.5	12.00	-20.2	≤-18	PASS
	Ant1	Low	2409.5	12.42	-18.73	≤-17.58	PASS
	Ant0	Low	2410.5	14.02	-17.28	≤-15.98	PASS
	Ant1	Low	2410.5	13.28	-17.85	≤-16.72	PASS
	Ant0	High	2467.5	14.36	-36.7	≤-15.64	PASS
	Ant1	High	2467.5	14.45	-37.27	≤-15.55	PASS
SRD 20M	Ant0	Low	2412.5	8.68	-24.83	≤-21.32	PASS
	Ant1	Low	2412.5	8.94	-25.86	≤-21.06	PASS
	Ant0	Low	2414.5	11.68	-18.81	≤-18.32	PASS
	Ant1	Low	2414.5	11.26	-20.44	≤-18.74	PASS
	Ant0	High	2462.5	12.84	-35.98	≤-17.16	PASS
	Ant1	High	2462.5	13.29	-36.51	≤-16.71	PASS
SRD 40M	Ant0	Low	2422.5	6.48	-31.1	≤-23.52	PASS
	Ant1	Low	2422.5	7.11	-33.24	≤-22.89	PASS
	Ant0	Low	2432.5	9.40	-33.38	≤-20.6	PASS
	Ant1	Low	2432.5	9.84	-33.03	≤-20.16	PASS
	Ant0	Low	2435.5	10.37	-32.85	≤-19.63	PASS
	Ant1	Low	2435.5	11.44	-34.46	≤-18.56	PASS
	Ant0	High	2452.5	11.04	-36.02	≤-18.96	PASS
	Ant1	High	2452.5	11.13	-36.49	≤-18.87	PASS
SRD 60M	Ant0	Low	2432.5	4.38	-26.93	≤-25.62	PASS
	Ant1	Low	2432.5	4.40	-28.17	≤-25.6	PASS
	Ant0	Low	2433.5	5.63	-25.4	≤-24.37	PASS
	Ant1	Low	2433.5	6.45	-24.61	≤-23.55	PASS
	Ant0	Low	2435.5	6.48	-25.64	≤-23.52	PASS
	Ant1	Low	2435.5	7.40	-24.86	≤-22.6	PASS
	Ant0	High	2442.5	9.06	-36.37	≤-20.94	PASS
	Ant1	High	2442.5	8.89	-35.83	≤-21.11	PASS

11.5.2. Test Graphs







SRD 10M_Ant1_Low_2409.5




SRD 10M_Ant0_Low_2410.5




SRD 10M_Ant1_Low_2410.5




SRD 10M_Ant0_High_2467.5




SRD 10M_Ant1_High_2467.5




SRD 20M_Ant0_Low_2412.5




SRD 20M_Ant1_Low_2412.5




SRD 20M_Ant0_Low_2414.5




SRD 20M_Ant1_Low_2414.5




SRD 20M_Ant0_High_2462.5




SRD 20M_Ant1_High_2462.5




SRD 40M_Ant0_Low_2422.5




SRD 40M_Ant1_Low_2422.5




SRD 40M_Ant0_Low_2432.5




SRD 40M_Ant1_Low_2432.5




SRD 40M_Ant0_Low_2435.5




SRD 40M_Ant1_Low_2435.5




SRD 40M_Ant0_High_2452.5




SRD 40M_Ant1_High_2452.5




SRD 60M_Ant0_Low_2432.5




SRD 60M_Ant1_Low_2432.5




SRD 60M Ant0 Low 2433.5




SRD 60M Ant1 Low 2433.5




SRD 60M Ant0 Low 2435.5



SRD 60M_Ant1_Low_2435.5



SRD 60M_Ant0_High_2442.5



SRD 60M_Ant1_High_2442.5


11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION


11.6.1. Test Result


Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
SRD 10M	Ant0	2407.5	Reference	11.63	---	PASS
			30~1000	-45.59	≤-18.37	PASS
			1000~26500	-41.08	≤-18.37	PASS
	Ant1	2407.5	Reference	11.88	---	PASS
			30~1000	-45.83	≤-18.12	PASS
			1000~26500	-40.42	≤-18.12	PASS
	Ant0	2409.5	Reference	12.40	---	PASS
			30~1000	-45.26	≤-17.6	PASS
			1000~26500	-40.13	≤-17.6	PASS
	Ant1	2409.5	Reference	12.27	---	PASS
			30~1000	-45.87	≤-17.73	PASS
			1000~26500	-40.68	≤-17.73	PASS
	Ant0	2410.5	Reference	13.96	---	PASS
			30~1000	-45.66	≤-16.04	PASS
			1000~26500	-40.31	≤-16.04	PASS
	Ant1	2410.5	Reference	14.07	---	PASS
			30~1000	-45.58	≤-15.93	PASS
			1000~26500	-39.57	≤-15.93	PASS
	Ant0	2437.5	Reference	13.77	---	PASS
			30~1000	-45.73	≤-16.23	PASS
			1000~26500	-40.09	≤-16.23	PASS
	Ant1	2437.5	Reference	14.58	---	PASS
			30~1000	-45.54	≤-15.42	PASS
			1000~26500	-40.63	≤-15.42	PASS
	Ant0	2467.5	Reference	14.13	---	PASS
			30~1000	-45.18	≤-15.87	PASS
			1000~26500	-40.35	≤-15.87	PASS
	Ant1	2467.5	Reference	14.41	---	PASS
			30~1000	-45.59	≤-15.59	PASS
			1000~26500	-40.21	≤-15.59	PASS
SRD 20M	Ant0	2412.5	Reference	8.64	---	PASS
			30~1000	-45.55	≤-21.36	PASS
			1000~26500	-40.36	≤-21.36	PASS
	Ant1	2412.5	Reference	9.37	---	PASS
			30~1000	-45.94	≤-20.63	PASS
			1000~26500	-39.71	≤-20.63	PASS
	Ant0	2414.5	Reference	12.51	---	PASS
			30~1000	-45.44	≤-17.49	PASS
			1000~26500	-39.88	≤-17.49	PASS
	Ant1	2414.5	Reference	13.33	---	PASS
			30~1000	-45.19	≤-16.67	PASS
			1000~26500	-40.39	≤-16.67	PASS
	Ant0	2437.5	Reference	13.70	---	PASS
			30~1000	-45.82	≤-16.3	PASS
			1000~26500	-40.25	≤-16.3	PASS
	Ant1	2437.5	Reference	13.42	---	PASS
			30~1000	-45.19	≤-16.58	PASS
			1000~26500	-40.32	≤-16.58	PASS
	Ant0	2462.5	Reference	12.98	---	PASS
			30~1000	-45.12	≤-17.02	PASS
			1000~26500	-40.29	≤-17.02	PASS
	Ant1	2462.5	Reference	13.15	---	PASS
			30~1000	-45.27	≤-16.85	PASS
			1000~26500	-40.41	≤-16.85	PASS
SRD 40M	Ant0	2422.5	Reference	6.78	---	PASS


			30~1000	-45.95	≤ -23.22	PASS
			1000~26500	-40.56	≤ -23.22	PASS
	Ant1	2422.5	Reference	7.84	---	PASS
			30~1000	-45.35	≤ -22.16	PASS
			1000~26500	-40.29	≤ -22.16	PASS
	Ant0	2432.5	Reference	9.00	---	PASS
			30~1000	-44.61	≤ -21	PASS
			1000~26500	-40	≤ -21	PASS
	Ant1	2432.5	Reference	9.50	---	PASS
			30~1000	-45.78	≤ -20.5	PASS
			1000~26500	-40.01	≤ -20.5	PASS
	Ant0	2435.5	Reference	10.79	---	PASS
			30~1000	-44.96	≤ -19.21	PASS
			1000~26500	-40.55	≤ -19.21	PASS
	Ant1	2435.5	Reference	10.96	---	PASS
			30~1000	-45.04	≤ -19.04	PASS
			1000~26500	-39.72	≤ -19.04	PASS
	Ant0	2437.5	Reference	11.23	---	PASS
			30~1000	-45.99	≤ -18.77	PASS
			1000~26500	-40.41	≤ -18.77	PASS
	Ant1	2437.5	Reference	12.17	---	PASS
			30~1000	-45.36	≤ -17.83	PASS
			1000~26500	-40.42	≤ -17.83	PASS
	Ant0	2452.5	Reference	10.98	---	PASS
			30~1000	-44.9	≤ -19.02	PASS
			1000~26500	-40.58	≤ -19.02	PASS
	Ant1	2452.5	Reference	11.71	---	PASS
			30~1000	-45.51	≤ -18.29	PASS
			1000~26500	-40.44	≤ -18.29	PASS
SRD 60M	Ant0	2432.5	Reference	6.73	---	PASS
			30~1000	-45.81	≤ -23.27	PASS
			1000~26500	-40.29	≤ -23.27	PASS
	Ant1	2432.5	Reference	6.77	---	PASS
			30~1000	-45.37	≤ -23.23	PASS
			1000~26500	-40.35	≤ -23.23	PASS
	Ant0	2433.5	Reference	6.29	---	PASS
			30~1000	-45.94	≤ -23.71	PASS
			1000~26500	-41.02	≤ -23.71	PASS
	Ant1	2433.5	Reference	6.95	---	PASS
			30~1000	-45.42	≤ -23.05	PASS
			1000~26500	-40.26	≤ -23.05	PASS
	Ant0	2435.5	Reference	6.67	---	PASS
			30~1000	-45.46	≤ -23.33	PASS
			1000~26500	-40.43	≤ -23.33	PASS
	Ant1	2435.5	Reference	7.63	---	PASS
			30~1000	-45.56	≤ -22.37	PASS
			1000~26500	-40.76	≤ -22.37	PASS
	Ant0	2437.5	Reference	9.14	---	PASS
			30~1000	-45.46	≤ -20.86	PASS
			1000~26500	-40.24	≤ -20.86	PASS
	Ant1	2437.5	Reference	9.54	---	PASS
			30~1000	-44.92	≤ -20.46	PASS
			1000~26500	-40.45	≤ -20.46	PASS
	Ant0	2442.5	Reference	9.28	---	PASS
			30~1000	-45.26	≤ -20.72	PASS
			1000~26500	-40.24	≤ -20.72	PASS
	Ant1	2442.5	Reference	9.62	---	PASS
			30~1000	-45.78	≤ -20.38	PASS
			1000~26500	-39.92	≤ -20.38	PASS


11.6.2. Test Graphs

















SRD 10M_Ant1_2410.5_0~Reference




SRD 10M_Ant1_2410.5_30~1000




SRD 10M_Ant1_2410.5_1000~26500



SRD 10M_Ant0_2437.5_0~Reference



SRD 10M_Ant0_2437.5_30~1000



SRD 10M_Ant0_2437.5_1000~26500