


EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.500000	---	111.29	---	---	100.0	H	44.0	14.0
5786.500000	120.67	---	---	---	100.0	H	44.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.000000	109.85	---	---	---	100.0	V	85.0	14.0
5786.500000	---	101.49	---	---	100.0	V	265.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11556.708333	---	37.94	54.00	16.06	100.0	H	126.0	13.5
11571.458333	46.59	---	74.00	27.41	100.0	H	150.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11557.691667	---	37.91	54.00	16.09	100.0	V	288.0	13.5
11587.683333	47.06	---	74.00	26.94	100.0	V	300.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	111.21	---	---	100.0	H	1.0	14.2
5846.500000	119.44	---	---	---	100.0	H	1.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	103.14	---	---	100.0	V	268.0	14.2
5846.500000	112.67	---	---	---	100.0	V	268.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11681.100000	46.33	---	74.00	27.67	100.0	H	181.0	13.3
11687.491667	---	38.27	54.00	15.73	100.0	H	46.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11657.008333	---	38.61	54.00	15.39	100.0	V	14.0	13.3
11687.983333	47.07	---	74.00	26.93	100.0	V	84.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5970.355556	57.66	68.20	10.54	100.0	H	25.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5973.038889	57.37	68.20	10.83	100.0	V	333.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	---	111.67	---	---	100.0	H	42.0	13.9
5730.500000	120.04	---	---	---	100.0	H	42.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.000000	---	103.47	---	---	100.0	V	76.0	13.9
5730.500000	113.99	---	---	---	100.0	V	76.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11459.850000	46.44	---	74.00	27.56	100.0	H	2.0	13.5
11464.275000	---	37.48	54.00	16.52	100.0	H	2.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11435.758333	46.53	---	74.00	27.47	100.0	V	160.0	13.2
11460.833333	---	38.29	54.00	15.71	100.0	V	338.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5627.500000	55.76	68.20	12.44	100.0	H	11.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.244445	55.26	68.20	12.94	100.0	V	126.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.000000	120.80	---	---	---	100.0	H	34.0	14.0
5788.500000	---	111.14	---	---	100.0	H	34.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.500000	---	101.68	---	---	100.0	V	68.0	14.0
5788.500000	111.28	---	---	---	100.0	V	68.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11577.850000	46.75	---	74.00	27.25	100.0	H	264.0	13.4
11592.600000	---	39.14	54.00	14.86	100.0	H	179.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11539.991667	46.58	---	74.00	27.42	100.0	V	86.0	13.5
11599.483333	---	38.28	54.00	15.72	100.0	V	214.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.000000	119.39	---	---	---	100.0	H	215.0	14.2
5848.500000	---	110.19	---	---	100.0	H	353.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.500000	---	102.08	---	---	100.0	V	268.0	14.2
5848.500000	110.29	---	---	---	100.0	V	268.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11682.083333	---	38.18	54.00	15.82	100.0	H	90.0	13.3
11694.866667	46.92	---	74.00	27.08	100.0	H	117.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11673.725000	46.91	---	74.00	27.09	100.0	V	208.0	13.3
11688.475000	---	37.93	54.00	16.07	100.0	V	129.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.988889	57.79	68.20	10.41	100.0	H	40.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5958.216667	57.57	68.20	10.63	100.0	V	253.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5733.000000	121.32	---	---	---	100.0	H	1.0	13.9
5731.000000	---	112.26	---	---	100.0	H	41.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_10M_5730.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	101.92	---	---	100.0	V	56.0	13.9
5728.000000	111.18	---	---	---	100.0	V	69.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11467.716667	46.85	---	74.00	27.15	100.0	H	92.0	13.6
11482.466667	---	38.16	54.00	15.84	100.0	H	29.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11446.575000	46.84	---	74.00	27.16	100.0	V	258.0	13.3
11460.833333	---	37.73	54.00	16.27	100.0	V	331.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.838889	58.67	68.20	9.53	100.0	H	0.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.750000	55.86	68.20	12.34	100.0	V	4.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.000000	---	111.03	---	---	100.0	H	40.0	14.0
5791.000000	120.39	---	---	---	100.0	H	40.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.000000	---	102.38	---	---	100.0	V	74.0	14.0
5784.500000	111.27	---	---	---	100.0	V	74.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11548.350000	47.64	---	74.00	26.36	100.0	H	207.0	13.5
11579.816667	---	37.85	54.00	16.15	100.0	H	278.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_10M_5787.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11556.708333	---	38.00	54.00	16.00	100.0	V	0.0	13.5
11579.325000	45.91	---	74.00	28.09	100.0	V	82.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_10M_5844.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5843.500000	120.44	---	---	---	100.0	H	6.0	14.1
5845.500000	---	110.41	---	---	100.0	H	6.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
 Model: QFP2AS
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168348142/A003244725-014
 Test Voltage: DC 26.4V From DC Source
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5845.500000	---	101.99	---	---	100.0	V	261.0	14.2
5846.000000	112.32	---	---	---	100.0	V	281.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11653.566667	48.42	---	74.00	25.58	100.0	H	120.0	13.3
11662.416667	---	38.17	54.00	15.83	100.0	H	343.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11653.566667	47.19	---	74.00	26.81	100.0	V	162.0	13.3
11693.391667	---	38.05	54.00	15.95	100.0	V	198.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5935.088889	58.51	68.20	9.69	100.0	H	33.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5943.905556	57.80	68.20	10.40	100.0	V	0.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5742.000000	---	109.28	---	---	100.0	H	2.0	13.9
5730.500000	119.22	---	---	---	100.0	H	35.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.500000	---	102.54	---	---	100.0	V	76.0	13.9
5737.000000	111.75	---	---	---	100.0	V	76.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11472.141667	46.75	---	74.00	27.25	100.0	H	284.0	13.6
11484.433333	---	37.97	54.00	16.03	100.0	H	0.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11464.766667	---	38.52	54.00	15.48	100.0	V	235.0	13.5
11479.025000	47.30	---	74.00	26.70	100.0	V	90.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5646.933333	58.42	68.20	9.78	100.0	H	56.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.161111	56.67	68.20	11.53	100.0	V	81.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5794.000000	121.63	---	---	---	100.0	H	43.0	14.0
5780.000000	---	109.19	---	---	100.0	H	65.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5780.500000	110.11	---	---	---	100.0	V	71.0	14.0
5781.500000	---	101.00	---	---	100.0	V	71.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.475000	---	37.61	54.00	16.39	100.0	H	98.0	13.4
11602.925000	47.25	---	74.00	26.75	100.0	H	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11579.816667	46.41	---	74.00	27.59	100.0	V	325.0	13.4
11581.291667	---	37.87	54.00	16.13	100.0	V	345.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5845.500000	119.39	---	---	---	100.0	H	0.0	14.2
5834.000000	---	106.85	---	---	100.0	H	352.0	14.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5847.500000	---	96.85	---	---	100.0	V	252.0	14.2
5840.000000	106.93	---	---	---	100.0	V	259.0	14.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11660.941667	---	38.02	54.00	15.98	100.0	H	89.0	13.3
11664.875000	46.10	---	74.00	27.90	100.0	H	42.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11676.183333	---	38.58	54.00	15.42	100.0	V	318.0	13.3
11677.166667	47.29	---	74.00	26.71	100.0	V	259.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5954.127778	58.46	68.20	9.74	100.0	H	63.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5952.786111	57.74	68.20	10.46	100.0	V	51.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5735.000000	117.46	---	---	---	100.0	H	31.0	13.9
5742.000000	---	104.58	---	---	100.0	H	346.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.000000	---	97.43	---	---	100.0	V	62.0	13.9
5747.000000	108.60	---	---	---	100.0	V	68.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11480.500000	47.48	---	74.00	26.52	100.0	H	13.0	13.7
11484.925000	---	37.59	54.00	16.41	100.0	H	26.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11486.891667	47.08	---	74.00	26.92	100.0	V	147.0	13.7
11500.166667	---	38.25	54.00	15.75	100.0	V	358.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5652.188889	63.56	69.82	6.26	100.0	H	0.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5650.722222	58.47	68.74	10.26	100.0	V	72.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5780.500000	---	107.17	---	---	100.0	H	30.0	14.0
5782.000000	119.80	---	---	---	100.0	H	30.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI O3 Air Unit
Model: QFP2AS
Test Mode: SDR 5.8G_40M_5787.5MHz
Order No/Sample No: 168348142/A003244725-014
Test Voltage: DC 26.4V From DC Source
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5774.500000	109.32	---	---	---	100.0	V	72.0	14.0
5777.000000	---	98.98	---	---	100.0	V	72.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11554.250000	46.92	---	74.00	27.08	100.0	H	0.0	13.5
11571.950000	---	37.56	54.00	16.44	100.0	H	0.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11565.066667	46.52	---	74.00	27.48	100.0	V	337.0	13.4
11571.950000	---	37.33	54.00	16.67	100.0	V	195.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5838.500000	118.04	---	---	---	100.0	H	51.0	14.1
5826.500000	---	104.68	---	---	100.0	H	356.0	14.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5816.500000	107.28	---	---	---	100.0	V	324.0	14.1
5828.000000	---	94.81	---	---	100.0	V	324.0	14.1

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11646.683333	46.52	---	74.00	27.48	100.0	H	358.0	13.3
11654.550000	---	38.26	54.00	15.74	100.0	H	87.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11633.408333	---	37.94	54.00	16.06	100.0	V	341.0	13.3
11633.900000	47.50	---	74.00	26.50	100.0	V	188.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5935.280556	65.09	68.20	3.11	100.0	H	33.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI O3 Air Unit
Model:	QFP2AS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168348142/A003244725-014
Test Voltage:	DC 26.4V From DC Source
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5942.627778	58.16	68.20	10.04	100.0	V	0.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---