



Appendix A: Test Results of Bluetooth BR & EDR

APPENDIX A: TEST RESULTS OF BLUETOOTH BR & EDR.....	1
APPENDIX A.1: TEST RESULTS OF 99% BANDWIDTH	2
APPENDIX A.2: TEST RESULTS OF 20dB BANDWIDTH	5
APPENDIX A.3: TEST RESULTS OF CARRIER FREQUENCY SEPARATION	8
APPENDIX A.4: TEST RESULTS OF NUMBER OF HOPPING FREQUENCY	9
APPENDIX A.5: TEST RESULTS OF TIME OF OCCUPANCY	10
APPENDIX A.6: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 kHz BANDWIDTH	15
Band Edge	15
Conducted Spurious Emission.....	19
APPENDIX A.7: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	26
30 MHz - 1GHz.....	26
1GHz - 18GHz	28
APPENDIX A.8: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	40

Appendix A.1: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.84431	2401.5605	2402.4048	---	PASS
		2441	0.84907	2440.5532	2441.4023	---	PASS
		2480	0.83629	2479.5608	2480.3971	---	PASS
3DH5	Ant1	2402	1.2165	2401.3660	2402.5825	---	PASS
		2441	1.1939	2440.3806	2441.5745	---	PASS
		2480	1.2113	2479.3678	2480.5791	---	PASS






Appendix A.2: Test Results of 20dB Bandwidth

TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.888	2401.526	2402.414	---	PASS
		2441	0.858	2440.529	2441.387	---	PASS
		2480	0.855	2479.532	2480.387	---	PASS
3DH5	Ant1	2402	1.275	2401.331	2402.606	---	PASS
		2441	1.272	2440.334	2441.606	---	PASS
		2480	1.281	2479.331	2480.612	---	PASS






Appendix A.3: Test Results of Carrier Frequency Separation

TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.016	≥ 0.888	PASS
3DH5	Ant1	Hop	1.044	≥ 0.854	PASS




Appendix A.4: Test Results of Number of Hopping Frequency

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS



Appendix A.5: Test Results of Time of Occupancy

TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.380	320	0.122	≤0.4	PASS
DH3	Ant1	Hop	1.637	170	0.278	≤0.4	PASS
DH5	Ant1	Hop	2.884	104	0.3	≤0.4	PASS
3DH1	Ant1	Hop	0.386	319	0.123	≤0.4	PASS
3DH3	Ant1	Hop	1.638	159	0.26	≤0.4	PASS
3DH5	Ant1	Hop	2.888	114	0.329	≤0.4	PASS





DH5 Ant1 Hop




3DH1 Ant1 Hop







3DH5 Ant1 Hop



Appendix A.6: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Band Edge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	0.10	-43.39	≤-19.90	PASS
DH5	Ant1	High	2480	0.40	-42.08	≤-19.60	PASS
3DH5	Ant1	Low	2402	-2.99	-42.71	≤-22.99	PASS
3DH5	Ant1	High	2480	-2.48	-42.19	≤-22.48	PASS
DH5	Ant1	Hopping	2402	-1.62	-43.84	≤-21.62	PASS
DH5	Ant1	Hopping	2480	-0.30	-43.44	≤-20.30	PASS
3DH5	Ant1	Hopping	2402	-3.36	-44.19	≤-23.36	PASS
3DH5	Ant1	Hopping	2480	-6.09	-44.58	≤-26.09	PASS





DH5 Ant1 Hopping 2402



DH5 Ant1 Hopping 2480



3DH5 Ant1 Hopping 2402




3DH5_Ant1_Hopping 2480






Conducted Spurious Emission


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-0.49	-0.49	---	PASS
			30~1000	-0.49	-41.27	≤-20.49	PASS
			1000~26500	-0.49	-31.94	≤-20.49	PASS
		2441	Reference	1.55	1.55	---	PASS
			30~1000	1.55	-41.76	≤-18.45	PASS
			1000~26500	1.55	-32.39	≤-18.45	PASS
		2480	Reference	0.17	0.17	---	PASS
			30~1000	0.17	-41.93	≤-19.83	PASS
			1000~26500	0.17	-32.37	≤-19.83	PASS
3DH5	Ant1	2402	Reference	-5.28	-5.28	---	PASS
			30~1000	-5.28	-41.62	≤-25.28	PASS
			1000~26500	-5.28	-32.75	≤-25.28	PASS
		2441	Reference	-2.97	-2.97	---	PASS
			30~1000	-2.97	-41.48	≤-22.97	PASS
			1000~26500	-2.97	-32.98	≤-22.97	PASS
		2480	Reference	-2.37	-2.37	---	PASS
			30~1000	-2.37	-42.28	≤-22.37	PASS
			1000~26500	-2.37	-32.71	≤-22.37	PASS













Appendix A.7: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.937692	22.30	40.00	17.70	100.0	H	58.0	-18.8
62.495000	19.68	40.00	20.32	100.0	H	126.0	-19.9
99.989231	20.91	43.50	22.59	100.0	H	284.0	-19.3
141.065000	17.51	43.50	25.99	100.0	H	209.0	-22.6
276.193462	15.99	46.00	30.01	100.0	H	344.0	-17.1
500.002308	25.49	46.00	20.51	100.0	H	262.0	-12.2

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.035000	28.38	40.00	11.62	100.0	V	227.0	-19.2
59.062692	24.50	40.00	15.50	100.0	V	219.0	-19.2
99.989231	28.29	43.50	15.21	100.0	V	76.0	-19.3
300.033077	14.48	46.00	31.52	100.0	V	250.0	-16.6
500.002308	25.99	46.00	20.01	100.0	V	61.0	-12.2
750.001154	25.04	46.00	20.96	100.0	V	0.0	-7.6

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.500000	---	39.69	54.00	14.31	150.0	H	144.0	11.8
4850.500000	50.84	---	74.00	23.16	150.0	H	80.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4806.500000	50.65	---	74.00	23.35	150.0	V	125.0	11.8
4809.500000	---	39.46	54.00	14.54	150.0	V	231.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7202.508333	---	34.98	54.00	19.02	150.0	H	190.0	8.8
7217.750000	43.41	---	74.00	30.59	150.0	H	224.0	8.7
12684.591667	49.89	---	74.00	24.11	150.0	H	340.0	15.1
12696.883333	---	40.49	54.00	13.51	150.0	H	0.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7453.750000	---	34.96	54.00	19.04	150.0	V	301.0	8.5
7460.141667	43.54	---	74.00	30.46	150.0	V	107.0	8.5
12184.566667	---	40.50	54.00	13.50	150.0	V	252.0	14.6
12204.725000	49.46	---	74.00	24.54	150.0	V	337.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4898.000000	50.72	---	74.00	23.28	150.0	H	139.0	11.8
4903.500000	---	39.50	54.00	14.50	150.0	H	0.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4900.500000	---	39.41	54.00	14.59	150.0	V	194.0	11.8
4911.000000	51.00	---	74.00	23.00	150.0	V	227.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7451.291667	---	34.49	54.00	19.51	150.0	H	148.0	8.5
7460.633333	43.56	---	74.00	30.44	150.0	H	171.0	8.5
12651.650000	49.98	---	74.00	24.02	150.0	H	136.0	15.0
12672.300000	---	40.73	54.00	13.27	150.0	H	327.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7252.658333	44.02	---	74.00	29.98	150.0	V	340.0	8.5
7333.291667	---	34.42	54.00	19.58	150.0	V	76.0	8.1
12660.008333	49.78	---	74.00	24.22	150.0	V	159.0	15.0
12690.000000	---	40.96	54.00	13.04	150.0	V	26.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4957.000000	---	39.81	54.00	14.19	150.0	H	333.0	11.8
4968.500000	51.40	---	74.00	22.60	150.0	H	314.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4902.000000	51.61	---	74.00	22.39	150.0	V	257.0	11.8
4904.000000	---	39.88	54.00	14.12	150.0	V	216.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7395.241667	44.03	---	74.00	29.97	150.0	H	314.0	8.3
7417.858333	---	34.52	54.00	19.48	150.0	H	278.0	8.3
13213.133333	50.32	---	74.00	23.68	150.0	H	0.0	15.5
13231.816667	---	41.81	54.00	12.19	150.0	H	278.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7452.766667	---	35.13	54.00	18.87	150.0	V	50.0	8.5
7468.991667	43.84	---	74.00	30.16	150.0	V	354.0	8.6
12616.741667	---	40.59	54.00	13.41	150.0	V	134.0	14.9
12625.100000	50.74	---	74.00	23.26	150.0	V	74.0	14.9


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.8: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2345.485294	49.02	---	74.00	24.98	150.0	H	134.0	6.9
2346.132353	---	39.19	54.00	14.81	150.0	H	0.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2342.029412	---	38.69	54.00	15.31	150.0	V	107.0	6.8
2342.117647	49.70	---	74.00	24.30	150.0	V	52.0	6.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.422794	---	39.58	54.00	14.42	150.0	H	9.0	7.4
2484.613971	51.41	---	74.00	22.59	150.0	H	4.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Controller
Model:	RC520
Test Mode:	BR_DH5_High channel
Order No/Sample No:	168484699/A003743309-003
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.698530	---	40.11	54.00	13.89	150.0	V	321.0	7.4
2490.080882	51.07	---	74.00	22.93	150.0	V	208.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---