


EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2434.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7302.808333	---	31.84	54.00	22.16	100.0	H	151.0	8.3
7303.300000	41.50	---	74.00	32.50	100.0	H	151.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2434.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7302.808333	48.54	---	74.00	25.46	100.0	V	282.0	8.3
7303.791667	---	38.73	54.00	15.27	100.0	V	282.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4922.500000	50.14	---	74.00	23.86	100.0	H	306.0	11.8
4926.500000	---	39.16	54.00	14.84	100.0	H	359.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4916.000000	50.42	---	74.00	23.58	100.0	V	203.0	11.8
4928.000000	---	39.21	54.00	14.79	100.0	V	118.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7383.441667	---	35.00	54.00	19.00	100.0	H	150.0	8.2
7384.425000	44.24	---	74.00	29.76	100.0	H	150.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7383.933333	---	36.64	54.00	17.36	100.0	V	349.0	8.2
7384.425000	46.86	---	74.00	27.14	100.0	V	321.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	54.49	---	74.00	19.51	100.0	H	13.0	7.4
2484.200000	---	45.92	54.00	8.08	100.0	H	44.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M_2461.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	---	47.06	54.00	6.94	100.0	V	334.0	7.4
2483.900000	56.64	---	74.00	17.36	100.0	V	0.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4812.000000	---	39.56	54.00	14.44	100.0	H	242.0	11.8
4814.500000	50.51	---	74.00	23.49	100.0	H	104.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.500000	50.53	---	74.00	23.47	100.0	V	261.0	11.8
4822.500000	---	39.53	54.00	14.47	100.0	V	16.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7239.383333	---	36.65	54.00	17.35	100.0	H	155.0	8.6
7240.858333	46.96	---	74.00	27.04	100.0	H	155.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7262.000000	---	31.48	54.00	22.52	100.0	V	352.0	8.5
7274.291667	40.98	---	74.00	33.02	100.0	V	0.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.300000	54.22	---	74.00	19.78	100.0	H	237.0	7.0
2389.000000	---	45.18	54.00	8.82	100.0	H	15.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2413.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.700000	53.55	---	74.00	20.45	100.0	V	334.0	7.0
2389.000000	---	45.55	54.00	8.45	100.0	V	273.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2437.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.000000	---	39.22	54.00	14.78	100.0	H	161.0	11.8
4874.500000	50.32	---	74.00	23.68	100.0	H	176.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2437.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4895.000000	51.21	---	74.00	22.79	100.0	V	337.0	11.8
4897.000000	---	39.46	54.00	14.54	100.0	V	306.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2437.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.641667	43.54	---	74.00	30.46	100.0	H	159.0	8.2
7312.641667	---	34.42	54.00	19.58	100.0	H	159.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2437.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7311.166667	50.37	---	74.00	23.63	100.0	V	175.0	8.2
7312.150000	---	39.95	54.00	14.05	100.0	V	133.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4925.500000	50.47	---	74.00	23.53	100.0	H	341.0	11.8
4947.000000	---	39.32	54.00	14.68	100.0	H	282.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4910.000000	50.95	---	74.00	23.05	100.0	V	316.0	11.8
4928.500000	---	39.09	54.00	14.91	100.0	V	261.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7392.291667	---	36.10	54.00	17.90	100.0	H	157.0	8.3
7393.275000	45.71	---	74.00	28.29	100.0	H	157.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7392.291667	---	40.33	54.00	13.67	100.0	V	176.0	8.3
7392.783333	50.53	---	74.00	23.47	100.0	V	176.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	54.40	---	74.00	19.60	100.0	H	220.0	7.4
2484.600000	---	45.65	54.00	8.35	100.0	H	220.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	---	47.16	54.00	6.84	100.0	V	58.0	7.4
2484.300000	56.15	---	74.00	17.85	100.0	V	58.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4808.000000	---	39.49	54.00	14.51	100.0	H	200.0	11.8
4810.500000	50.75	---	74.00	23.25	100.0	H	355.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	---	39.31	54.00	14.69	100.0	V	258.0	11.8
4820.500000	50.41	---	74.00	23.59	100.0	V	199.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7212.341667	---	32.55	54.00	21.45	100.0	H	227.0	8.7
7232.500000	41.54	---	74.00	32.46	100.0	H	243.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7212.341667	42.58	---	74.00	31.42	100.0	V	307.0	8.7
7216.766667	---	32.58	54.00	21.42	100.0	V	167.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2370.600000	---	43.85	54.00	10.15	100.0	H	0.0	6.9
2370.600000	54.18	---	74.00	19.82	100.0	H	0.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2405.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2346.000000	53.71	---	74.00	20.29	100.0	V	62.0	6.9
2388.800000	---	43.96	54.00	10.04	100.0	V	0.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2440.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4858.000000	51.10	---	74.00	22.90	100.0	H	359.0	11.8
4866.000000	---	39.26	54.00	14.74	100.0	H	348.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2440.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4899.500000	51.11	---	74.00	22.89	100.0	V	345.0	11.8
4899.500000	---	39.61	54.00	14.39	100.0	V	345.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2440.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7329.358333	41.29	---	74.00	32.71	100.0	H	254.0	8.1
7333.783333	---	32.13	54.00	21.87	100.0	H	296.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2440.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7315.100000	41.05	---	74.00	32.95	100.0	V	0.0	8.2
7319.033333	---	31.66	54.00	22.34	100.0	V	270.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2455.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	54.44	---	74.00	19.56	100.0	H	2.0	7.4
2484.500000	---	44.35	54.00	9.65	100.0	H	35.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2455.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.500000	52.81	---	74.00	21.19	100.0	V	89.0	7.4
2486.500000	---	44.49	54.00	9.51	100.0	V	328.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2456.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.900000	---	44.10	54.00	9.90	100.0	V	356.0	7.4
2485.500000	53.58	---	74.00	20.42	100.0	V	292.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2457.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.600000	---	44.24	54.00	9.76	100.0	V	0.0	7.4
2486.200000	53.21	---	74.00	20.79	100.0	V	64.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2460.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.600000	53.94	---	74.00	20.06	100.0	V	144.0	7.4
2487.100000	---	44.89	54.00	9.11	100.0	V	165.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2465.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	53.49	---	74.00	20.51	100.0	V	152.0	7.4
2487.600000	---	44.54	54.00	9.46	100.0	V	111.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2470.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	53.20	---	74.00	20.80	100.0	V	56.0	7.4
2484.200000	---	44.60	54.00	9.40	100.0	V	214.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.000000	---	39.42	54.00	14.58	100.0	H	233.0	11.8
4955.500000	51.01	---	74.00	22.99	100.0	H	41.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4953.000000	---	39.72	54.00	14.28	100.0	V	244.0	11.8
4958.000000	50.57	---	74.00	23.43	100.0	V	2.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7453.750000	---	32.39	54.00	21.61	100.0	H	184.0	8.5
7469.975000	42.06	---	74.00	31.94	100.0	H	359.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.983333	42.37	---	74.00	31.63	100.0	V	251.0	8.4
7450.308333	---	32.37	54.00	21.63	100.0	V	140.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.500000	---	44.67	54.00	9.33	100.0	H	122.0	7.4
2485.400000	53.42	---	74.00	20.58	100.0	H	317.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_10M_2476.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	53.19	---	74.00	20.81	100.0	V	31.0	7.4
2484.700000	---	44.67	54.00	9.33	100.0	V	143.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_20M_2410.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	---	39.74	54.00	14.26	100.0	H	135.0	11.8
4815.000000	51.03	---	74.00	22.97	100.0	H	359.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2410.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.500000	---	39.37	54.00	14.63	100.0	V	183.0	11.8
4825.000000	49.85	---	74.00	24.15	100.0	V	355.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2410.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7237.416667	41.23	---	74.00	32.77	100.0	H	230.0	8.6
7251.675000	---	32.21	54.00	21.79	100.0	H	0.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2410.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7235.941667	41.96	---	74.00	32.04	100.0	V	322.0	8.6
7235.941667	---	32.03	54.00	21.97	100.0	V	322.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2410.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2373.800000	---	43.47	54.00	10.53	100.0	H	52.0	6.9
2373.800000	55.09	---	74.00	18.91	100.0	H	52.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2410.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	61.25	---	74.00	12.75	100.0	V	1.0	7.0
2389.800000	---	48.33	54.00	5.67	100.0	V	15.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2441.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4896.500000	52.12	---	74.00	21.88	100.0	H	248.0	11.8
4898.500000	---	39.35	54.00	14.65	100.0	H	27.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2441.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4887.000000	51.30	---	74.00	22.70	100.0	V	271.0	11.8
4889.500000	---	39.25	54.00	14.75	100.0	V	208.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2441.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.150000	---	32.15	54.00	21.85	100.0	H	161.0	8.2
7320.508333	41.79	---	74.00	32.21	100.0	H	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2441.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7317.066667	42.00	---	74.00	32.00	100.0	V	94.0	8.2
7322.475000	---	32.57	54.00	21.43	100.0	V	264.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2446.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.500000	53.34	---	74.00	20.66	100.0	H	315.0	7.4
2485.800000	---	44.00	54.00	10.00	100.0	H	205.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2446.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.100000	---	44.64	54.00	9.36	100.0	V	212.0	7.4
2487.000000	54.06	---	74.00	19.94	100.0	V	112.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2450.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	52.87	---	74.00	21.13	100.0	H	96.0	7.4
2485.700000	---	44.49	54.00	9.51	100.0	H	135.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2450.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	53.43	---	74.00	20.57	100.0	V	15.0	7.4
2484.900000	---	43.96	54.00	10.04	100.0	V	292.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	44.30	54.00	9.70	100.0	V	176.0	7.4
2484.300000	53.92	---	74.00	20.08	100.0	V	354.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2455.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.400000	---	44.38	54.00	9.62	100.0	V	329.0	7.4
2490.400000	54.07	---	74.00	19.93	100.0	V	220.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2460.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	---	44.25	54.00	9.75	100.0	V	275.0	7.4
2485.400000	53.10	---	74.00	20.90	100.0	V	326.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2465.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.800000	53.90	---	74.00	20.10	100.0	V	248.0	7.4
2489.200000	---	44.38	54.00	9.62	100.0	V	151.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2468.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.800000	---	44.40	54.00	9.60	100.0	V	118.0	7.4
2485.200000	53.10	---	74.00	20.90	100.0	V	60.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.500000	---	39.72	54.00	14.28	100.0	H	2.0	11.8
4968.500000	52.75	---	74.00	21.25	100.0	H	22.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4950.000000	50.79	---	74.00	23.21	100.0	V	178.0	11.8
4952.500000	---	39.41	54.00	14.59	100.0	V	91.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7454.733333	---	32.84	54.00	21.16	100.0	H	309.0	8.5
7466.533333	42.59	---	74.00	31.41	100.0	H	251.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7410.483333	---	32.78	54.00	21.22	100.0	V	281.0	8.3
7417.858333	41.90	---	74.00	32.10	100.0	V	211.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	44.25	54.00	9.75	100.0	H	162.0	7.4
2484.100000	53.06	---	74.00	20.94	100.0	H	333.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_20M_2472.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	54.78	---	74.00	19.22	100.0	V	330.0	7.4
2484.700000	---	44.22	54.00	9.78	100.0	V	28.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 40MHz BW

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4851.000000	---	39.60	54.00	14.40	100.0	H	167.0	11.8
4852.500000	50.57	---	74.00	23.43	100.0	H	340.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2422.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4816.000000	---	39.73	54.00	14.27	100.0	V	215.0	11.8
4831.000000	50.81	---	74.00	23.19	100.0	V	159.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2422.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7263.966667	41.65	---	74.00	32.35	100.0	H	0.0	8.5
7283.633333	---	32.48	54.00	21.52	100.0	H	309.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2422.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7269.375000	40.76	---	74.00	33.24	100.0	V	317.0	8.5
7276.750000	---	32.12	54.00	21.88	100.0	V	304.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2422.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.300000	56.71	---	74.00	17.29	100.0	H	73.0	7.0
2389.800000	---	46.63	54.00	7.37	100.0	H	273.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2422.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.800000	67.98	---	74.00	6.02	100.0	V	91.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.972450	51.64	54.00	2.36	100.0	V	257.0	7.0

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2437.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4863.000000	50.88	---	74.00	23.12	100.0	H	280.0	11.8
4876.500000	---	39.60	54.00	14.40	100.0	H	4.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2437.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.000000	51.14	---	74.00	22.86	100.0	V	256.0	11.8
4870.500000	---	39.76	54.00	14.24	100.0	V	306.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2437.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7327.391667	---	32.08	54.00	21.92	100.0	H	29.0	8.1
7329.358333	42.55	---	74.00	31.45	100.0	H	98.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2437.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7303.791667	---	31.97	54.00	22.03	100.0	V	54.0	8.3
7307.725000	41.07	---	74.00	32.93	100.0	V	276.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4901.500000	---	39.46	54.00	14.54	100.0	H	217.0	11.8
4906.000000	51.00	---	74.00	23.00	100.0	H	60.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4909.500000	50.97	---	74.00	23.03	100.0	V	281.0	11.8
4911.000000	---	39.32	54.00	14.68	100.0	V	209.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7358.366667	41.38	---	74.00	32.62	100.0	H	9.0	8.1
7366.233333	---	32.08	54.00	21.92	100.0	H	275.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7353.941667	42.47	---	74.00	31.53	100.0	V	78.0	8.1
7386.391667	---	31.97	54.00	22.03	100.0	V	162.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.900000	53.77	---	74.00	20.23	100.0	H	35.0	7.4
2485.400000	---	45.04	54.00	8.96	100.0	H	35.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: SDR 2.4G_40M_2452.5MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.900000	68.64	---	74.00	5.36	100.0	V	0.0	7.4


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.380300	50.92	54.00	3.08	100.0	V	-2.0	7.4

Appendix B.6: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name: DJI Goggles 2
Order No: 168344875 130
Model: RCDS18
Test Mode: Normal Operation
Test Voltage: AC 120V/60Hz
Test By: Kevin Zhou
Review By: Gary Chen
Remark: SR1



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.150000	50.99	---	66.00	15.01	L1	9.6
0.158000	---	29.53	55.57	26.04	L1	9.6
0.500000	42.15	---	56.00	13.85	L1	9.7
0.529500	---	30.34	46.00	15.66	L1	9.7
4.740000	---	25.51	46.00	20.49	L1	10.0
4.740000	37.13	---	56.00	18.87	L1	10.0
5.464000	35.41	---	60.00	24.59	L1	10.0
5.468000	---	24.32	50.00	25.68	L1	10.0
10.468000	34.82	---	60.00	25.18	L1	10.0
10.480000	---	23.08	50.00	26.92	L1	10.0
14.340000	38.86	---	60.00	21.14	L1	10.2
15.540000	---	23.38	50.00	26.62	L1	10.2

Final_Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	40.48	---	56.00	15.52	1000.0	9.000	L1	9.7
0.529500	---	22.57	46.00	23.43	1000.0	9.000	L1	9.7

EUT Information

EUT Name: DJI Goggles 2
Order No: 168344875 130
Model: RCDS18
Test Mode: Normal Operation
Test Voltage: AC 120V/60Hz
Test By: Kevin Zhou
Review By: Gary Chen
Remark: SR1



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.154000	---	34.38	55.78	21.40	N	9.6
0.154000	52.95	---	65.78	12.84	N	9.6
0.500000	---	34.34	46.00	11.66	N	9.7
0.521500	42.35	---	56.00	13.65	N	9.7
2.932000	35.57	---	56.00	20.43	N	9.9
2.992000	---	23.63	46.00	22.37	N	9.9
4.556000	37.09	---	56.00	18.91	N	10.0
4.652000	---	26.56	46.00	19.44	N	10.0
10.224000	33.21	---	60.00	26.79	N	10.0
10.696000	---	22.83	50.00	27.17	N	10.1
15.432000	38.67	---	60.00	21.33	N	10.2
15.440000	---	24.76	50.00	25.24	N	10.2

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	---	33.59	46.00	12.41	1000.0	9.000	N	9.7
0.521500	36.11	---	56.00	19.89	1000.0	9.000	N	9.7