























Band Edge

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	4.50	-39.1	≤-25.5	PASS
		High	2462	3.91	-50.24	≤-26.09	PASS
11G	Ant1	Low	2412	1.24	-38.02	≤-28.76	PASS
		High	2462	3.14	-47.01	≤-26.86	PASS
11N20SISO	Ant1	Low	2412	1.93	-34.07	≤-28.08	PASS
		High	2462	2.67	-47.12	≤-27.34	PASS
11N40SISO	Ant1	Low	2422	-2.67	-37.33	≤-32.67	PASS
		High	2452	-1.85	-41.87	≤-31.85	PASS


11B Ant1 Low 2412



11B Ant1 High 2462




11G Ant1 Low 2412



11G Ant1 High 2462



11N20SISO Ant1 Low 2412



11N20SISO Ant1 High 2462



11N40SISO Ant1 Low 2422



11N40SISO Ant1 High 2452




Note: 1. Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported. 2. This testing was carried out on different modulations, but only the worst case was presented in this report.

Appendix C.5: Test Results of Radiated Spurious Emissions 30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11b_Low channel
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.829500	22.01	40.00	17.99	100.0	H	164.0	-18.5
108.279000	18.42	43.50	25.08	100.0	H	326.0	-19.0
200.283500	22.51	43.50	20.99	100.0	H	267.0	-18.9
631.206000	30.97	46.00	15.03	100.0	H	359.0	-9.4

Final_Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 5G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
39.797000	25.76	40.00	14.24	100.0	V	20.0	-20.2
51.388500	26.31	40.00	13.69	100.0	V	313.0	-18.3
109.055000	20.13	43.50	23.37	100.0	V	77.0	-19.0
395.690000	24.59	46.00	21.41	100.0	V	338.0	-13.7
950.966500	35.99	46.00	10.01	100.0	V	206.0	-4.4

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 2.4G_11b_Low channel
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4808.500000	51.22	---	74.00	22.78	100.0	H	252.0	11.8
4818.000000	---	39.34	54.00	14.66	100.0	H	281.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4818.500000	---	39.59	54.00	14.41	100.0	V	359.0	11.8
4843.500000	50.87	---	74.00	23.13	100.0	V	356.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7220.208333	---	32.75	54.00	21.25	100.0	H	160.0	8.7
7245.283333	42.24	---	74.00	31.76	100.0	H	262.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.566667	41.69	---	74.00	32.31	100.0	V	271.0	8.6
7232.008333	---	32.20	54.00	21.80	100.0	V	330.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Mid channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.500000	50.42	---	74.00	23.58	100.0	H	192.0	11.8
4896.000000	---	39.39	54.00	14.61	100.0	H	352.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Mid channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4853.500000	51.39	---	74.00	22.61	100.0	V	128.0	11.8
4868.500000	---	39.52	54.00	14.48	100.0	V	121.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Mid channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7291.991667	---	32.46	54.00	21.54	100.0	H	0.0	8.3
7304.283333	41.59	---	74.00	32.41	100.0	H	1.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Mid channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7304.775000	---	32.41	54.00	21.59	100.0	V	73.0	8.3
7311.658333	41.04	---	74.00	32.96	100.0	V	247.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4900.000000	---	39.63	54.00	14.37	100.0	H	91.0	11.8
4925.500000	50.26	---	74.00	23.74	100.0	H	185.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4919.000000	50.56	---	74.00	23.44	100.0	V	307.0	11.8
4941.000000	---	39.42	54.00	14.58	100.0	V	359.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7405.566667	42.29	---	74.00	31.71	100.0	H	358.0	8.3
7407.041667	---	32.97	54.00	21.03	100.0	H	153.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7397.208333	---	31.76	54.00	22.24	100.0	V	3.0	8.3
7423.758333	41.73	---	74.00	32.27	100.0	V	352.0	8.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix C.6: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2360.000000	48.84	---	74.00	25.16	100.0	H	324.0	6.9
2361.700000	---	39.47	54.00	14.53	100.0	H	333.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2359.400000	---	39.81	54.00	14.19	100.0	V	62.0	6.9
2362.500000	49.30	---	74.00	24.70	100.0	V	101.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	---	40.92	54.00	13.08	100.0	H	191.0	7.4
2485.200000	49.88	---	74.00	24.12	100.0	H	149.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.200000	---	40.31	54.00	13.69	100.0	V	195.0	7.4
2487.500000	49.92	---	74.00	24.08	100.0	V	185.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2342.100000	49.49	---	74.00	24.51	100.0	H	336.0	6.8
2353.200000	---	39.78	54.00	14.22	100.0	H	327.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.100000	49.11	---	74.00	24.89	100.0	V	92.0	6.8
2348.100000	---	39.76	54.00	14.24	100.0	V	55.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	41.13	54.00	12.87	100.0	H	133.0	7.4
2484.000000	50.06	---	74.00	23.94	100.0	H	199.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11b_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.600000	---	40.52	54.00	13.48	100.0	V	294.0	7.4
2488.800000	50.03	---	74.00	23.97	100.0	V	179.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	---	42.64	54.00	11.36	100.0	H	187.0	7.0
2389.400000	54.97	---	74.00	19.03	100.0	H	176.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	51.27	---	74.00	22.73	100.0	V	70.0	7.0
2389.700000	---	41.10	54.00	12.90	100.0	V	70.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	56.94	---	74.00	17.06	100.0	H	142.0	7.4
2484.100000	---	44.63	54.00	9.37	100.0	H	161.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	53.02	---	74.00	20.98	100.0	V	277.0	7.4
2484.000000	---	42.24	54.00	11.76	100.0	V	267.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	---	43.83	54.00	10.17	100.0	H	155.0	7.0
2390.000000	58.12	---	74.00	15.88	100.0	H	174.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.200000	---	40.97	54.00	13.03	100.0	V	48.0	7.0
2389.200000	51.23	---	74.00	22.77	100.0	V	48.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	58.88	---	74.00	15.12	100.0	H	192.0	7.4
2484.600000	---	45.35	54.00	8.65	100.0	H	163.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11g_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.700000	---	41.03	54.00	12.97	100.0	V	354.0	7.4
2484.900000	52.74	---	74.00	21.27	100.0	V	60.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2384.500000	56.91	---	74.00	17.09	100.0	H	202.0	7.0
2389.800000	---	45.08	54.00	8.92	100.0	H	192.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.100000	53.12	---	74.00	20.88	100.0	V	240.0	7.0
2389.400000	---	41.80	54.00	12.20	100.0	V	39.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	45.02	54.00	8.98	100.0	H	167.0	7.4
2484.400000	56.23	---	74.00	17.77	100.0	H	167.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	53.38	---	74.00	20.62	100.0	V	50.0	7.4
2483.900000	---	42.84	54.00	11.16	100.0	V	50.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.400000	55.68	---	74.00	18.32	100.0	H	205.0	7.0
2389.800000	---	45.29	54.00	8.71	100.0	H	154.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_2417MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	---	41.85	54.00	12.15	100.0	V	50.0	7.0
2389.000000	50.93	---	74.00	23.07	100.0	V	50.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	46.38	54.00	7.62	100.0	H	189.0	7.4
2484.000000	61.07	---	74.00	12.93	100.0	H	169.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n20_2457MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	41.73	54.00	12.27	100.0	V	344.0	7.4
2484.400000	53.36	---	74.00	20.64	100.0	V	354.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.200000	---	49.78	54.00	4.22	100.0	H	161.0	7.0
2388.300000	62.07	---	74.00	11.93	100.0	H	219.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_Low channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	---	45.69	54.00	8.31	100.0	V	44.0	7.0
2389.000000	58.29	---	74.00	15.71	100.0	V	44.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	66.89	---	74.00	7.11	100.0	H	91.0	7.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.950700	43.76	54.00	10.24	100.0	H	86.0	7.4

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_High channel
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	62.98	---	74.00	11.02	100.0	V	244.0	7.4
2484.500000	---	49.24	54.00	4.76	100.0	V	41.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_2427MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.200000	---	50.76	54.00	3.24	100.0	H	188.0	7.0
2389.300000	60.52	---	74.00	13.48	100.0	H	188.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_2427MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.700000	54.96	---	74.00	19.04	100.0	V	56.0	7.0
2389.700000	---	45.05	54.00	8.95	100.0	V	56.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_2447MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	48.90	54.00	5.10	100.0	H	189.0	7.4
2485.600000	64.06	---	74.00	9.94	100.0	H	189.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
Model: RCDS18
Test Mode: WIFI 2.4G_11n40_2447MHz
Order No/Sample No: 168344875/A003185055-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	59.21	---	74.00	14.79	100.0	V	72.0	7.4
2484.500000	---	47.72	54.00	6.28	100.0	V	354.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix C.7: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name: DJI Goggles 2
Order No: 168344875 130
Model: RCDS18
Test Mode: Normal Operation
Test Voltage: AC 120V/60Hz
Test By: Kevin Zhou
Review By: Gary Chen
Remark: SR1



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.150000	50.99	---	66.00	15.01	L1	9.6
0.158000	---	29.53	55.57	26.04	L1	9.6
0.500000	42.15	---	56.00	13.85	L1	9.7
0.529500	---	30.34	46.00	15.66	L1	9.7
4.740000	---	25.51	46.00	20.49	L1	10.0
4.740000	37.13	---	56.00	18.87	L1	10.0
5.464000	35.41	---	60.00	24.59	L1	10.0
5.468000	---	24.32	50.00	25.68	L1	10.0
10.468000	34.82	---	60.00	25.18	L1	10.0
10.480000	---	23.08	50.00	26.92	L1	10.0
14.340000	38.86	---	60.00	21.14	L1	10.2
15.540000	---	23.38	50.00	26.62	L1	10.2

Final_Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	40.48	---	56.00	15.52	1000.0	9.000	L1	9.7
0.529500	---	22.57	46.00	23.43	1000.0	9.000	L1	9.7

EUT Information

EUT Name: DJI Goggles 2
Order No: 168344875 130
Model: RCDS18
Test Mode: Normal Operation
Test Voltage: AC 120V/60Hz
Test By: Kevin Zhou
Review By: Gary Chen
Remark: SR1



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.154000	---	34.38	55.78	21.40	N	9.6
0.154000	52.95	---	65.78	12.84	N	9.6
0.500000	---	34.34	46.00	11.66	N	9.7
0.521500	42.35	---	56.00	13.65	N	9.7
2.932000	35.57	---	56.00	20.43	N	9.9
2.992000	---	23.63	46.00	22.37	N	9.9
4.556000	37.09	---	56.00	18.91	N	10.0
4.652000	---	26.56	46.00	19.44	N	10.0
10.224000	33.21	---	60.00	26.79	N	10.0
10.696000	---	22.83	50.00	27.17	N	10.1
15.432000	38.67	---	60.00	21.33	N	10.2
15.440000	---	24.76	50.00	25.24	N	10.2

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	---	33.59	46.00	12.41	1000.0	9.000	N	9.7
0.521500	36.11	---	56.00	19.89	1000.0	9.000	N	9.7