

















## Appendix A.5: Test Results of 6dB Bandwidth

| TestMode   | Antenna | Channel | 6db EBW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|------------|---------|---------|---------------|----------|----------|------------|---------|
| 11A        | Ant1    | 5745    | 16.280        | 5736.880 | 5753.160 | 0.5        | PASS    |
|            |         | 5785    | 16.400        | 5776.800 | 5793.200 | 0.5        | PASS    |
|            |         | 5825    | 16.360        | 5816.840 | 5833.200 | 0.5        | PASS    |
| 11N20SISO  | Ant1    | 5745    | 17.640        | 5736.200 | 5753.840 | 0.5        | PASS    |
|            |         | 5785    | 17.320        | 5776.480 | 5793.800 | 0.5        | PASS    |
|            |         | 5825    | 16.720        | 5816.680 | 5833.400 | 0.5        | PASS    |
| 11N40SISO  | Ant1    | 5755    | 35.360        | 5737.560 | 5772.920 | 0.5        | PASS    |
|            |         | 5795    | 35.120        | 5777.480 | 5812.600 | 0.5        | PASS    |
| 11AC20SISO | Ant1    | 5745    | 17.560        | 5736.240 | 5753.800 | 0.5        | PASS    |
|            |         | 5785    | 17.600        | 5776.200 | 5793.800 | 0.5        | PASS    |
|            |         | 5825    | 16.920        | 5816.600 | 5833.520 | 0.5        | PASS    |
| 11AC40SISO | Ant1    | 5755    | 35.680        | 5737.480 | 5773.160 | 0.5        | PASS    |
|            |         | 5795    | 35.680        | 5777.160 | 5812.840 | 0.5        | PASS    |
| 11AC80SISO | Ant1    | 5775    | 72.640        | 5739.960 | 5812.600 | 0.5        | PASS    |


11A Ant1 5745



11A Ant1 5785



## 11A\_Ant1\_5825




## 11N20SISO\_Ant1\_5745




## 11N20SISO\_Ant1\_5785




## 11N20SISO Ant1 5825




## 11N40SISO Ant1 5755




## 11N40SISO Ant1 5795



## 11AC20SISO\_Ant1\_5745




## 11AC20SISO\_Ant1\_5785




## 11AC20SISO\_Ant1\_5825




## 11AC40SISO\_Ant1\_5755



## 11AC40SISO\_Ant1\_5795



## 11AC80SISO\_Ant1\_5775




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

## Appendix A.6: Test Results of Radiated Spurious Emissions

30MHz - 1GHz (Worst case)  
5.2GHz Wi-Fi

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch36         |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 50.079000       | 19.87            | 40.00          | 20.13       | 100.0       | H   | 0.0           | -18.3        |
| 94.505000       | 18.99            | 43.50          | 24.51       | 100.0       | H   | 15.0          | -19.9        |
| 266.825500      | 22.53            | 46.00          | 23.47       | 100.0       | H   | 0.0           | -17.0        |
| 891.360000      | 35.55            | 46.00          | 10.45       | 100.0       | H   | 0.0           | -5.1         |

### Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 51.679500       | 28.85            | 40.00          | 11.15       | 100.0       | V   | 284.0         | -18.4        |
| 102.750000      | 18.19            | 43.50          | 25.31       | 100.0       | V   | 47.0          | -18.9        |
| 239.471500      | 21.38            | 46.00          | 24.62       | 100.0       | V   | 213.0         | -17.7        |
| 500.013500      | 28.45            | 46.00          | 17.55       | 100.0       | V   | 249.0         | -11.8        |
| 943.352000      | 35.53            | 46.00          | 10.47       | 100.0       | V   | 7.0           | -4.5         |


## Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         | --- | ---           | ---          |

## 5.8GHz Wi-Fi

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch165        |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 56.432500       | 19.86            | 40.00          | 20.14       | 100.0       | H   | 167.0         | -18.6        |
| 108.958000      | 17.82            | 43.50          | 25.68       | 100.0       | H   | 7.0           | -19.0        |
| 204.842500      | 21.06            | 43.50          | 22.44       | 100.0       | H   | 45.0          | -18.9        |
| 908.771500      | 34.07            | 46.00          | 11.93       | 100.0       | H   | 272.0         | -4.9         |

### Final\_Result

| Frequency (MHz) | QuasiPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 55.753500       | 27.83            | 40.00          | 12.17       | 100.0       | V   | 192.0         | -18.5        |
| 107.988000      | 17.73            | 43.50          | 25.77       | 100.0       | V   | 112.0         | -18.9        |
| 250.432500      | 22.00            | 46.00          | 24.00       | 100.0       | V   | 297.0         | -17.4        |
| 500.013500      | 28.53            | 46.00          | 17.47       | 100.0       | V   | 246.0         | -11.8        |
| 881.757000      | 34.01            | 46.00          | 11.99       | 100.0       | V   | 129.0         | -5.1         |

## Final Result

| Frequency (MHz) | QuasiPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         |     | ---           | ---          |


## 1GHz - 18GHz

Note: The highest waveform in the figure is 5GHz Wi-Fi Fundamental.

## 5.2GHz Wi-Fi

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch36         |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5179.000000     | 102.96           | ---              | ---            | ---         | 100.0       | H   | 168.0         | 12.6         |
| 5179.000000     | ---              | 93.61            | ---            | ---         | 100.0       | H   | 168.0         | 12.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5177.500000     | 104.07           | ---              | ---            | ---         | 100.0       | V   | 112.0         | 12.6         |
| 5181.000000     | ---              | 95.55            | ---            | ---         | 100.0       | V   | 112.0         | 12.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10340.325000    | 45.75            | ---              | 74.00          | 28.25       | 100.0       | H   | 285.0         | 11.7         |
| 10342.783333    | ---              | 35.49            | 54.00          | 18.51       | 100.0       | H   | 187.0         | 11.7         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10339.833333    | 45.22            | ---              | 74.00          | 28.78       | 100.0       | V   | 23.0          | 11.7         |
| 10359.991667    | ---              | 35.21            | 54.00          | 18.79       | 100.0       | V   | 9.0           | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5146.908333     | 63.15            | ---              | 74.00          | 10.85       | 100.0       | H   | 165.0         | 12.4         |
| 5149.741667     | ---              | 48.67            | 54.00          | 5.33        | 100.0       | H   | 165.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5148.750000     | 62.17            | ---              | 74.00          | 11.83       | 100.0       | V   | 122.0         | 12.4         |
| 5149.812500     | ---              | 48.08            | 54.00          | 5.92        | 100.0       | V   | 241.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5198.000000     | 102.52           | ---              | ---            | ---         | 100.0       | H   | 163.0         | 12.6         |
| 5201.500000     | ---              | 94.02            | ---            | ---         | 100.0       | H   | 163.0         | 12.7         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5198.000000     | 103.68           | ---              | ---            | ---         | 100.0       | V   | 118.0         | 12.6         |
| 5198.500000     | ---              | 95.38            | ---            | ---         | 100.0       | V   | 118.0         | 12.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10384.575000    | 45.47            | ---              | 74.00          | 28.53       | 100.0       | H   | 189.0         | 11.9         |
| 10405.716667    | ---              | 35.77            | 54.00          | 18.23       | 100.0       | H   | 293.0         | 11.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10407.191667    | 44.52            | ---              | 74.00          | 29.48       | 100.0       | V   | 236.0         | 11.9         |
| 10418.991667    | ---              | 35.07            | 54.00          | 18.93       | 100.0       | V   | 278.0         | 11.9         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5241.500000     | ---              | 94.88            | ---            | ---         | 100.0       | H   | 102.0         | 12.8         |
| 5241.000000     | 103.49           | ---              | ---            | ---         | 100.0       | H   | 160.0         | 12.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5238.500000     | 106.54           | ---              | ---            | ---         | 100.0       | V   | 119.0         | 12.8         |
| 5241.000000     | ---              | 97.93            | ---            | ---         | 100.0       | V   | 119.0         | 12.8         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10478.975000    | ---              | 35.20            | 54.00          | 18.80       | 100.0       | H   | 80.0          | 12.0         |
| 10494.216667    | 45.62            | ---              | 74.00          | 28.38       | 100.0       | H   | 168.0         | 12.0         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10468.158333    | 45.15            | ---              | 74.00          | 28.85       | 100.0       | V   | 32.0          | 12.0         |
| 10477.991667    | ---              | 35.13            | 54.00          | 18.87       | 100.0       | V   | 128.0         | 12.0         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5360.333333     | 51.61            | ---              | 74.00          | 22.39       | 100.0       | H   | 16.0          | 13.3         |
| 5361.344445     | ---              | 40.95            | 54.00          | 13.05       | 100.0       | H   | 54.0          | 13.3         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch48         |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5358.311111     | 53.53            | ---              | 74.00          | 20.47       | 100.0       | V   | 268.0         | 13.3         |
| 5359.177778     | ---              | 41.39            | 54.00          | 12.61       | 100.0       | V   | 286.0         | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5144.075000     | 64.11            | ---              | 74.00          | 9.89        | 100.0       | H   | 177.0         | 12.4         |
| 5149.458333     | ---              | 50.22            | 54.00          | 3.78        | 100.0       | H   | 177.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch36  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5147.404167     | ---              | 50.26            | 54.00          | 3.74        | 100.0       | V   | 113.0         | 12.4         |
| 5148.041667     | 64.47            | ---              | 74.00          | 9.53        | 100.0       | V   | 219.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5199.000000     | 101.54           | ---              | ---            | ---         | 100.0       | H   | 175.0         | 12.6         |
| 5201.000000     | ---              | 92.49            | ---            | ---         | 100.0       | H   | 168.0         | 12.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5199.000000     | ---              | 94.94            | ---            | ---         | 100.0       | V   | 121.0         | 12.6         |
| 5201.000000     | 103.15           | ---              | ---            | ---         | 100.0       | V   | 121.0         | 12.7         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10418.008333    | 45.86            | ---              | 74.00          | 28.14       | 100.0       | H   | 111.0         | 11.9         |
| 10423.416667    | ---              | 35.42            | 54.00          | 18.58       | 100.0       | H   | 215.0         | 11.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch40  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10422.433333    | 44.95            | ---              | 74.00          | 29.05       | 100.0       | V   | 242.0         | 11.9         |
| 10448.000000    | ---              | 35.99            | 54.00          | 18.01       | 100.0       | V   | 112.0         | 11.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5363.222222     | 52.90            | ---              | 74.00          | 21.10       | 100.0       | H   | 228.0         | 13.3         |
| 5364.016667     | ---              | 41.03            | 54.00          | 12.97       | 100.0       | H   | 354.0         | 13.3         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac20\_Ch48  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5354.266667     | 52.68            | ---              | 74.00          | 21.32       | 100.0       | V   | 178.0         | 13.3         |
| 5360.622222     | ---              | 41.10            | 54.00          | 12.90       | 100.0       | V   | 144.0         | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch38  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5149.387500     | 65.07            | ---              | 74.00          | 8.93        | 100.0       | H   | 175.0         | 12.4         |
| 5149.387500     | ---              | 50.33            | 54.00          | 3.67        | 100.0       | H   | 175.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11n40_Ch38       |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5148.183333     | 65.86            | ---              | 74.00          | 8.14        | 100.0       | V   | 119.0         | 12.4         |
| 5148.891667     | ---              | 51.34            | 54.00          | 2.66        | 100.0       | V   | 108.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch46  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5228.000000     | ---              | 92.05            | ---            | ---         | 100.0       | H   | 173.0         | 12.8         |
| 5228.500000     | 100.33           | ---              | ---            | ---         | 100.0       | H   | 173.0         | 12.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11n40_Ch46       |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5226.000000     | 102.70           | ---              | ---            | ---         | 100.0       | V   | 119.0         | 12.8         |
| 5232.000000     | ---              | 94.16            | ---            | ---         | 100.0       | V   | 119.0         | 12.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch46  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10487.333333    | ---              | 35.39            | 54.00          | 18.61       | 100.0       | H   | 92.0          | 12.0         |
| 10487.825000    | 44.99            | ---              | 74.00          | 29.01       | 100.0       | H   | 0.0           | 12.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch46  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10434.233333    | ---              | 35.29            | 54.00          | 18.71       | 100.0       | V   | 160.0         | 11.9         |
| 10451.441667    | 44.69            | ---              | 74.00          | 29.31       | 100.0       | V   | 173.0         | 11.9         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch46  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5361.488889     | 53.06            | ---              | 74.00          | 20.94       | 100.0       | H   | 178.0         | 13.3         |
| 5361.922222     | ---              | 41.75            | 54.00          | 12.25       | 100.0       | H   | 186.0         | 13.3         |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch46  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5351.522222     | ---              | 43.84            | 54.00          | 10.16       | 100.0       | V   | 142.0         | 13.3         |
| 5351.594445     | 55.90            | ---              | 74.00          | 18.10       | 100.0       | V   | 123.0         | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5212.000000     | ---              | 87.80            | ---            | ---         | 100.0       | H   | 166.0         | 12.7         |
| 5221.000000     | 97.15            | ---              | ---            | ---         | 100.0       | H   | 173.0         | 12.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5215.000000     | 98.22            | ---              | ---            | ---         | 100.0       | V   | 121.0         | 12.7         |
| 5221.500000     | ---              | 89.43            | ---            | ---         | 100.0       | V   | 121.0         | 12.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10415.058333    | 46.03            | ---              | 74.00          | 27.97       | 100.0       | H   | 128.0         | 11.9         |
| 10421.450000    | ---              | 35.04            | 54.00          | 18.96       | 100.0       | H   | 30.0          | 11.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 10425.875000    | ---              | 35.04            | 54.00          | 18.96       | 100.0       | V   | 274.0         | 11.9         |
| 10445.050000    | 44.84            | ---              | 74.00          | 29.16       | 100.0       | V   | 189.0         | 11.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5146.625000     | 61.78            | ---              | 74.00          | 12.22       | 100.0       | H   | 173.0         | 12.4         |
| 5149.600000     | ---              | 49.29            | 54.00          | 4.71        | 100.0       | H   | 164.0         | 12.4         |

## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch42  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5148.537500     | 63.66            | ---              | 74.00          | 10.34       | 100.0       | V   | 124.0         | 12.4         |
| 5149.245833     | ---              | 51.32            | 54.00          | 2.68        | 100.0       | V   | 124.0         | 12.4         |


## Final Result

| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## 5.8GHz Wi-Fi

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch149        |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5744.500000     | ---              | 99.28            | ---            | ---         | 100.0       | H   | 212.0         | 13.9         |
| 5744.500000     | 107.68           | ---              | ---            | ---         | 100.0       | H   | 212.0         | 13.9         |

### Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch149  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5744.000000     | 104.77           | ---              | ---            | ---         | 100.0       | V   | 56.0          | 13.9         |
| 5746.000000     | ---              | 96.02            | ---            | ---         | 100.0       | V   | 56.0          | 13.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch149  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11485.908333    | 46.69            | ---              | 74.00          | 27.31       | 100.0       | H   | 285.0         | 13.7         |
| 11510.491667    | ---              | 37.48            | 54.00          | 16.52       | 100.0       | H   | 243.0         | 13.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch149  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11480.991667    | ---              | 37.02            | 54.00          | 16.98       | 100.0       | V   | 271.0         | 13.7         |
| 11499.675000    | 46.74            | ---              | 74.00          | 27.26       | 100.0       | V   | 114.0         | 13.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11a_Ch149        |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5626.277778     | 53.24            | 68.20          | 14.96       | 100.0       | H   | 316.0         | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch149  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5634.711111     | 54.62            | 68.20          | 13.58       | 100.0       | V   | 266.0         | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5782.500000     | 107.38           | ---              | ---            | ---         | 100.0       | H   | 192.0         | 14.0         |
| 5783.500000     | ---              | 98.36            | ---            | ---         | 100.0       | H   | 192.0         | 14.0         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5784.000000     | ---              | 96.76            | ---            | ---         | 100.0       | V   | 65.0          | 14.0         |
| 5784.000000     | 105.44           | ---              | ---            | ---         | 100.0       | V   | 65.0          | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11556.708333    | 46.52            | ---              | 74.00          | 27.48       | 100.0       | H   | 268.0         | 13.5         |
| 11597.516667    | ---              | 37.01            | 54.00          | 16.99       | 100.0       | H   | 0.0           | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11575.883333    | ---              | 37.20            | 54.00          | 16.80       | 100.0       | V   | 199.0         | 13.4         |
| 11596.041667    | 46.97            | ---              | 74.00          | 27.03       | 100.0       | V   | 86.0          | 13.3         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5826.500000     | ---              | 97.09            | ---            | ---         | 100.0       | H   | 194.0         | 14.1         |
| 5827.000000     | 105.93           | ---              | ---            | ---         | 100.0       | H   | 194.0         | 14.1         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5826.000000     | ---              | 96.29            | ---            | ---         | 100.0       | V   | 66.0          | 14.1         |
| 5826.500000     | 105.45           | ---              | ---            | ---         | 100.0       | V   | 66.0          | 14.1         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11616.200000    | 47.78            | ---              | 74.00          | 26.22       | 100.0       | H   | 263.0         | 13.3         |
| 11618.658333    | ---              | 37.05            | 54.00          | 16.95       | 100.0       | H   | 19.0          | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11638.816667    | 46.83            | ---              | 74.00          | 27.17       | 100.0       | V   | 87.0          | 13.3         |
| 11660.450000    | ---              | 37.10            | 54.00          | 16.90       | 100.0       | V   | 185.0         | 13.3         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5944.672222     | 54.54            | 68.20          | 13.66       | 100.0       | H   | 66.0          | 14.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11a\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5940.391667     | 54.69            | 68.20          | 13.51       | 100.0       | V   | 10.0          | 14.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch149  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5640.027778     | 53.21            | 68.20          | 14.99       | 100.0       | H   | 330.0         | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Goggles 2            |
| Model:              | RCDS18                   |
| Test Mode:          | WIFI 5G_11n20_Ch149      |
| Order No/Sample No: | 168344875/A003185055-002 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5647.850000     | 53.30            | 68.20          | 14.90       | 100.0       | V   | 0.0           | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5784.000000     | ---              | 96.72            | ---            | ---         | 100.0       | H   | 187.0         | 14.0         |
| 5783.500000     | 105.63           | ---              | ---            | ---         | 100.0       | H   | 194.0         | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5783.000000     | ---              | 94.63            | ---            | ---         | 100.0       | V   | 71.0          | 14.0         |
| 5784.000000     | 103.16           | ---              | ---            | ---         | 100.0       | V   | 71.0          | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11574.900000    | 46.78            | ---              | 74.00          | 27.22       | 100.0       | H   | 324.0         | 13.4         |
| 11585.716667    | ---              | 36.66            | 54.00          | 17.34       | 100.0       | H   | 218.0         | 13.3         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch157  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11543.925000    | ---              | 36.62            | 54.00          | 17.38       | 100.0       | V   | 262.0         | 13.5         |
| 11572.441667    | 46.81            | ---              | 74.00          | 27.19       | 100.0       | V   | 116.0         | 13.4         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5938.027778     | 54.97            | 68.20          | 13.23       | 100.0       | H   | 91.0          | 14.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n20\_Ch165  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5942.691667     | 54.65            | 68.20          | 13.55       | 100.0       | V   | 357.0         | 14.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: WIFI 5G\_11n40\_Ch151  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5756.500000     | 102.62           | ---              | ---            | ---         | 100.0       | H   | 190.0         | 13.9         |
| 5758.000000     | ---              | 93.83            | ---            | ---         | 100.0       | H   | 190.0         | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch151  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5757.000000     | ---              | 91.06            | ---            | ---         | 100.0       | V   | 66.0          | 14.0         |
| 5757.500000     | 99.79            | ---              | ---            | ---         | 100.0       | V   | 74.0          | 14.0         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch151  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11503.608333    | ---              | 36.95            | 54.00          | 17.05       | 100.0       | H   | 269.0         | 13.7         |
| 11541.466667    | 46.33            | ---              | 74.00          | 27.67       | 100.0       | H   | 297.0         | 13.5         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch151  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11510.983333    | ---              | 37.21            | 54.00          | 16.79       | 100.0       | V   | 195.0         | 13.6         |
| 11513.441667    | 46.50            | ---              | 74.00          | 27.50       | 100.0       | V   | 139.0         | 13.6         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch151  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5645.894445     | 54.98            | 68.20          | 13.22       | 100.0       | H   | 215.0         | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch151  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5644.000000     | 54.94            | 68.20          | 13.26       | 100.0       | V   | 65.0          | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch159  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5932.916667     | 53.37            | 68.20          | 14.83       | 100.0       | H   | 88.0          | 14.7         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11n40\_Ch159  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5947.163889     | 54.48            | 68.20          | 13.72       | 100.0       | V   | 291.0         | 14.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5779.500000     | ---              | 90.56            | ---            | ---         | 100.0       | H   | 189.0         | 14.0         |
| 5782.000000     | 99.81            | ---              | ---            | ---         | 100.0       | H   | 189.0         | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5773.500000     | ---              | 89.39            | ---            | ---         | 100.0       | V   | 59.0          | 14.0         |
| 5777.500000     | 98.45            | ---              | ---            | ---         | 100.0       | V   | 59.0          | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11559.658333    | ---              | 37.10            | 54.00          | 16.90       | 100.0       | H   | 208.0         | 13.4         |
| 11573.916667    | 46.62            | ---              | 74.00          | 27.38       | 100.0       | H   | 0.0           | 13.4         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11517.375000    | 46.59            | ---              | 74.00          | 27.41       | 100.0       | V   | 1.0           | 13.6         |
| 11563.591667    | ---              | 36.69            | 54.00          | 17.31       | 100.0       | V   | 1.0           | 13.4         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5643.144445     | 59.31            | 68.20          | 8.89        | 100.0       | H   | 202.0         | 13.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI Goggles 2  
Model: RCDS18  
Test Mode: WIFI 5G\_11ac80\_Ch155  
Order No/Sample No: 168344875/A003185055-002  
Test Voltage:: Battery  
Remark: Temp 23 Humi:56%  
Test Standard: FCC 15.407  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5641.188889     | 57.70            | 68.20          | 10.50       | 100.0       | V   | 69.0          | 13.8         |


## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## Appendix A.7: Test Results of Conducted Emission on AC Mains

### EUT Information

EUT Name: DJI Goggles 2  
Order No: 168344875 130  
Model: RCDS18  
Test Mode: Normal Operation  
Test Voltage: AC 120V/60Hz  
Test By: Kevin Zhou  
Review By: Gary Chen  
Remark: SR1



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.150000        | 50.99          | ---            | 66.00        | 15.01       | L1   | 9.6        |
| 0.158000        | ---            | 29.53          | 55.57        | 26.04       | L1   | 9.6        |
| 0.500000        | 42.15          | ---            | 56.00        | 13.85       | L1   | 9.7        |
| 0.529500        | ---            | 30.34          | 46.00        | 15.66       | L1   | 9.7        |
| 4.740000        | ---            | 25.51          | 46.00        | 20.49       | L1   | 10.0       |
| 4.740000        | 37.13          | ---            | 56.00        | 18.87       | L1   | 10.0       |
| 5.464000        | 35.41          | ---            | 60.00        | 24.59       | L1   | 10.0       |
| 5.468000        | ---            | 24.32          | 50.00        | 25.68       | L1   | 10.0       |
| 10.468000       | 34.82          | ---            | 60.00        | 25.18       | L1   | 10.0       |
| 10.480000       | ---            | 23.08          | 50.00        | 26.92       | L1   | 10.0       |
| 14.340000       | 38.86          | ---            | 60.00        | 21.14       | L1   | 10.2       |
| 15.540000       | ---            | 23.38          | 50.00        | 26.62       | L1   | 10.2       |

### Final\_Result

| Frequency (MHz) | QuasiPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Corr. (dB) |
|-----------------|------------------|----------------|--------------|-------------|-----------------|-----------------|------|------------|
| 0.500000        | 40.48            | ---            | 56.00        | 15.52       | 1000.0          | 9.000           | L1   | 9.7        |
| 0.529500        | ---              | 22.57          | 46.00        | 23.43       | 1000.0          | 9.000           | L1   | 9.7        |

## EUT Information

EUT Name: DJI Goggles 2  
Order No: 168344875 130  
Model: RCDS18  
Test Mode: Normal Operation  
Test Voltage: AC 120V/60Hz  
Test By: Kevin Zhou  
Review By: Gary Chen  
Remark: SR1



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.154000        | ---            | 34.38          | 55.78        | 21.40       | N    | 9.6        |
| 0.154000        | 52.95          | ---            | 65.78        | 12.84       | N    | 9.6        |
| 0.500000        | ---            | 34.34          | 46.00        | 11.66       | N    | 9.7        |
| 0.521500        | 42.35          | ---            | 56.00        | 13.65       | N    | 9.7        |
| 2.932000        | 35.57          | ---            | 56.00        | 20.43       | N    | 9.9        |
| 2.992000        | ---            | 23.63          | 46.00        | 22.37       | N    | 9.9        |
| 4.556000        | 37.09          | ---            | 56.00        | 18.91       | N    | 10.0       |
| 4.652000        | ---            | 26.56          | 46.00        | 19.44       | N    | 10.0       |
| 10.224000       | 33.21          | ---            | 60.00        | 26.79       | N    | 10.0       |
| 10.696000       | ---            | 22.83          | 50.00        | 27.17       | N    | 10.1       |
| 15.432000       | 38.67          | ---            | 60.00        | 21.33       | N    | 10.2       |
| 15.440000       | ---            | 24.76          | 50.00        | 25.24       | N    | 10.2       |

## Final Result

| Frequency (MHz) | QuasiPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Corr. (dB) |
|-----------------|------------------|----------------|--------------|-------------|-----------------|-----------------|------|------------|
| 0.500000        | ---              | 33.59          | 46.00        | 12.41       | 1000.0          | 9.000           | N    | 9.7        |
| 0.521500        | 36.11            | ---            | 56.00        | 19.89       | 1000.0          | 9.000           | N    | 9.7        |