

Appendix B: Test Results of Radiated Spurious Emissions

Band Edges, 2.31GHz ~ 2.9GHz

<ANT 0>


1.4 MHz

2403.5 MHz (Horizontal) Peak

2403.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2352.83	52.73	15.51	37.22	74.00	-21.27		100	201	Peak	Horizontal	
2 *	2403.50	110.14	72.84	37.30	74.00	36.14		100	201	Peak	Horizontal	
3	2595.88	54.83	17.01	37.82	74.00	-19.17		100	201	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	58.75	21.48	37.27	74.00	-15.25		226	102	Peak	Vertical	
2 *	2403.50	122.28	84.98	37.30	74.00	48.28		226	102	Peak	Vertical	
3	2877.82	54.65	16.64	38.01	74.00	-19.35		226	102	Peak	Vertical	

1.4 MHz

2403.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2398.00	48.34	3.07	37.27	54.00	-13.66	100	201	Average	Horizontal	
2 *	2403.50	102.00	64.78	37.30	54.00	48.00	100	201	Average	Horizontal	
3	2794.74	42.19	4.10	38.09	54.00	-11.81	100	201	Average	Horizontal	

2403.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	45.94	8.67	37.27	54.00	-8.06	226	102	Average	Vertical	
2 *	2403.50	113.35	76.05	37.30	54.00	59.35	226	102	Average	Vertical	
3	2486.76	42.48	4.77	37.71	54.00	-11.52	226	102	Average	Vertical	


1.4 MHz

2477.5 MHz (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.35	52.64	15.39	37.25	74.00	-21.36	102	198	Peak	Horizontal	
2 *	2477.50	110.75	73.10	37.65	74.00	36.75	102	198	Peak	Horizontal	
3	2826.37	54.95	16.82	38.13	74.00	-19.05	102	198	Peak	Horizontal	


2477.5 MHz (Vertical) Peak




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2326.52	52.93	15.88	37.05	74.00	-21.07	209	102	Peak	Vertical	
2 *	2477.50	123.34	85.69	37.65	74.00	49.34	209	102	Peak	Vertical	
3	2484.52	63.44	25.74	37.70	74.00	-10.56	209	102	Peak	Vertical	

1.4 MHz

2477.5 MHz (Horizontal) Average



2477.5 MHz (Vertical) Average




3 MHz

2405.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2329.71	52.87	15.79	37.08	74.00	-21.13	100	202	Peak	Horizontal	
2 *	2405.50	110.20	72.90	37.30	74.00	36.20	100	202	Peak	Horizontal	
3	2879.70	54.55	16.55	38.00	74.00	-19.45	100	202	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2309.65	59.54	22.27	37.27	74.00	-14.46	228	103	Peak	Vertical	
2 *	2405.50	121.62	84.32	37.30	74.00	47.62	228	103	Peak	Vertical	
3	2807.84	54.41	16.30	38.11	74.00	-19.59	228	103	Peak	Vertical	

3 MHz

2405.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	40.41	3.14	37.27	54.00	-13.59	100	202	Average	Horizontal	
2 *	2405.50	99.01	61.71	37.30	54.00	45.01	100	202	Average	Horizontal	
3	2826.13	41.94	3.81	38.13	54.00	-12.06	100	202	Average	Horizontal	

2405.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	44.70	7.43	37.27	54.00	-9.30	228	103	Average	Vertical	
2 *	2405.50	110.56	73.26	37.30	54.00	56.56	228	103	Average	Vertical	
3	2814.45	42.34	4.22	38.12	54.00	-11.66	228	103	Average	Vertical	

3 MHz

2474.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.71	52.95	15.70	37.25	74.00	-21.05	102	198	Peak	Horizontal		
2 *	2474.50	109.68	72.05	37.63	74.00	35.68	102	198	Peak	Horizontal		
3	2802.06	54.74	16.63	38.11	74.00	-19.26	102	198	Peak	Horizontal		

2474.5 MHz (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.94	53.61	16.34	37.27	74.00	-20.39	219	99	Peak	Vertical		
2 *	2474.50	121.47	83.84	37.63	74.00	47.47	219	99	Peak	Vertical		
3	2484.99	60.12	22.42	37.70	74.00	-13.88	219	99	Peak	Vertical		

3 MHz

2474.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.18	40.34	3.07	37.27	54.00	-13.66	102	198	Average	Horizontal	
2 *	2474.50	98.77	61.14	37.63	54.00	44.77	102	198	Average	Horizontal	
3	2836.28	41.83	3.69	38.14	54.00	-12.17	102	198	Average	Horizontal	

2474.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	41.60	4.33	37.27	54.00	-12.40	219	99	Average	Vertical	
2 *	2474.50	110.66	73.03	37.63	54.00	56.66	219	99	Average	Vertical	
3 †	2483.50	48.63	10.94	37.69	54.00	-5.37	219	99	Average	Vertical	

10 MHz

2405.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2375.61	52.52	15.27	37.25	74.00	-21.48	100	200	Peak	Horizontal	
2 *	2405.50	100.63	63.33	37.30	74.00	26.63	100	200	Peak	Horizontal	
3	2807.84	54.41	16.30	38.11	74.00	-19.59	100	200	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.94	54.35	17.08	37.27	74.00	-19.65	225	104	Peak	Vertical	
2 *	2405.50	112.35	75.05	37.30	74.00	38.35	225	104	Peak	Vertical	
3	2839.82	54.76	16.62	38.14	74.00	-19.24	225	104	Peak	Vertical	

10 MHz


2405.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz

2407.5 MHz (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



2407.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz

2408.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.65	52.64	15.40	37.24	74.00	-21.36	117	336	Peak	Horizontal	
2 *	2408.50	105.79	68.48	37.31	74.00	31.79	117	336	Peak	Horizontal	
3	2485.70	53.22	15.52	37.70	74.00	-20.78	117	336	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	54.30	17.03	37.27	74.00	-19.70	242	76	Peak	Vertical	
2 *	2408.50	115.00	77.69	37.31	74.00	41.00	242	76	Peak	Vertical	
3	2499.98	53.84	16.03	37.81	74.00	-20.16	242	76	Peak	Vertical	

10 MHz

2408.5 MHz (Horizontal) Average




2408.5 MHz (Vertical) Average




10 MHz

2471.5 MHz (Horizontal) Peak



2471.5 MHz (Vertical) Peak




10 MHz

2471.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2320.74	39.71	2.71	37.00	54.00	-14.29	105	138	Average	Horizontal	
2 *	2471.50	91.15	53.55	37.60	54.00	37.15	105	138	Average	Horizontal	
3	2483.50	41.52	3.83	37.69	54.00	-12.48	105	138	Average	Horizontal	

2471.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.06	40.32	3.05	37.27	54.00	-13.68	202	106	Average	Vertical	
2 *	2471.50	99.82	62.22	37.60	54.00	45.82	202	106	Average	Vertical	
3	2483.58	46.32	8.63	37.69	54.00	-7.68	202	106	Average	Vertical	

10 MHz


2472.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




10 MHz

2472.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2336.31	39.94	2.82	37.12	54.00	-14.06	129	148	Average	Horizontal	
2 *	2472.50	89.18	51.57	37.61	54.00	35.18	129	148	Average	Horizontal	
3	2483.58	41.01	3.32	37.69	54.00	-12.99	129	148	Average	Horizontal	

2472.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2388.59	40.17	2.90	37.27	54.00	-13.83	285	107	Average	Vertical	
2 *	2472.50	97.53	59.92	37.61	54.00	43.53	285	107	Average	Vertical	
3	2483.50	45.07	7.38	37.69	54.00	-8.93	285	107	Average	Vertical	

10 MHz

2475.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.33	52.68	15.34	37.26	74.00	-21.40	125	20	Peak	Horizontal	
2 *	2475.50	94.55	56.92	37.63	74.00	20.55	125	20	Peak	Horizontal	
3	2789.55	54.84	16.77	38.07	74.00	-19.16	125	20	Peak	Horizontal	

2475.5 MHz (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.58	53.15	15.95	37.20	74.00	-20.85	218	102	Peak	Vertical	
2 *	2475.50	105.28	67.65	37.63	74.00	31.28	218	102	Peak	Vertical	
3	2484.52	56.55	18.85	37.70	74.00	-17.45	218	102	Peak	Vertical	

10 MHz

2475.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2369.83	39.71	2.46	37.25	54.00	-14.29	125	20	Average	Horizontal	
2 *	2475.50	81.23	43.60	37.63	54.00	27.23	125	20	Average	Horizontal	
3	2827.78	41.32	3.19	38.13	54.00	-12.68	125	20	Average	Horizontal	

2475.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2369.77	40.27	3.00	37.27	54.00	-13.73	218	102	Average	Vertical	
2 *	2475.50	92.56	54.93	37.63	54.00	38.56	218	102	Average	Vertical	
3	2484.29	44.49	6.79	37.70	54.00	-9.51	218	102	Average	Vertical	

20 MHz

2410.5 MHz (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.84	52.59	15.34	37.25	74.00	-21.41	111	199	Peak	Horizontal	
2 *	2410.50	102.84	65.52	37.32	74.00	28.84	111	199	Peak	Horizontal	
3	2833.45	55.78	17.64	38.14	74.00	-18.22	111	199	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	57.44	20.17	37.27	74.00	-16.56	190	84	Peak	Vertical	
2 *	2410.50	112.92	75.60	37.32	74.00	38.92	190	84	Peak	Vertical	
3	2633.44	55.06	17.19	37.87	74.00	-18.94	190	84	Peak	Vertical	

20 MHz

2410.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.18	40.01	2.74	37.27	54.00	-13.99	111	199	Average	Horizontal	
2 *	2410.50	87.67	50.35	37.32	54.00	33.67	111	199	Average	Horizontal	
3	2801.59	41.38	3.27	38.11	54.00	-12.62	111	199	Average	Horizontal	

2410.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	44.86	7.59	37.27	54.00	-9.14	190	84	Average	Vertical	
2 *	2410.50	90.77	61.45	37.32	54.00	44.77	190	84	Average	Vertical	
3	2814.21	41.35	3.23	38.12	54.00	-12.65	190	84	Average	Vertical	

20 MHz

2413.5 MHz (Horizontal) Peak



2413.5 MHz (Vertical) Peak




20 MHz

2413.5 MHz (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



2413.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




20 MHz

2464.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2363.36	49.75	15.93	33.82	74.00	-24.25	101	199	Peak	Horizontal	
2 *	2464.50	99.24	64.80	34.44	74.00	25.24	101	199	Peak	Horizontal	
3	2612.24	51.19	16.88	34.31	74.00	-22.81	101	199	Peak	Horizontal	

2464.5 MHz (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.27	49.05	15.06	33.99	74.00	-24.95	185	86	Peak	Vertical	
2 *	2464.50	110.56	76.12	34.44	74.00	36.56	185	86	Peak	Vertical	
3	2483.50	55.67	21.16	34.51	74.00	-18.33	185	86	Peak	Vertical	

20 MHz

2464.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.57	36.48	2.42	33.98	54.00	-17.60	101	199	Average	Horizontal	
2 *	2464.50	83.88	49.44	34.44	54.00	29.88	101	199	Average	Horizontal	
3	2856.65	37.78	3.33	34.45	54.00	-16.22	101	199	Average	Horizontal	

2464.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.74	36.91	2.92	33.99	54.00	-17.09	185	86	Average	Vertical	
2 *	2464.50	95.31	60.87	34.44	54.00	41.31	185	86	Average	Vertical	
3	2483.62	42.77	8.26	34.51	54.00	-11.23	185	86	Average	Vertical	


20 MHz

2470.5 MHz (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.74	48.46	14.51	33.95	74.00	-25.54	101	199	Peak	Horizontal	
2 *	2470.50	96.12	61.66	34.46	74.00	22.12	101	199	Peak	Horizontal	
3	2747.35	51.63	17.34	34.29	74.00	-22.37	101	199	Peak	Horizontal	

2470.5 MHz (Vertical) Peak




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2344.28	49.21	15.49	33.72	74.00	-24.79	185	86	Peak	Vertical	
2 *	2470.50	100.78	74.32	34.46	74.00	34.78	185	86	Peak	Vertical	
3	2484.21	57.28	22.76	34.52	74.00	-16.72	185	86	Peak	Vertical	

20 MHz

2470.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.92	36.27	2.29	33.98	54.00	-17.73	181	199	Average	Horizontal	
2 *	2470.50	82.23	47.77	34.46	54.00	28.23	181	199	Average	Horizontal	
3	2699.64	37.77	3.41	34.36	54.00	-16.23	181	199	Average	Horizontal	

2470.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.21	36.82	2.84	33.98	54.00	-17.18	185	86	Average	Vertical	
2 *	2470.50	93.48	59.82	34.46	54.00	39.48	185	86	Average	Vertical	
3	2483.62	43.95	9.44	34.51	54.00	-10.05	185	86	Average	Vertical	

20 MHz


2471.5 MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




20 MHz

2471.5 MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2330.41	39.88	2.72	37.68	54.00	-14.20	100	198	Average	Horizontal	
2 *	2471.50	77.27	39.67	37.68	54.00	23.27	100	198	Average	Horizontal	
3	2806.07	41.23	3.12	38.11	54.00	-12.77	100	198	Average	Horizontal	

2471.5 MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2389.77	40.05	2.78	37.27	54.00	-13.95	219	99	Average	Vertical	
2 *	2471.50	90.12	52.52	37.68	54.00	36.12	219	99	Average	Vertical	
3	2483.50	43.74	6.05	37.69	54.00	-10.26	219	99	Average	Vertical	


40 MHz

2420.5 MHz (Horizontal) Peak

2420.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2346.93	52.85	15.65	37.20	74.00	-21.15	172	27	Peak	Horizontal	
2 *	2420.50	91.43	54.08	37.35	74.00	17.43	172	27	Peak	Horizontal	
3	2629.78	54.79	16.91	37.88	74.00	-19.21	172	27	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	56.03	18.76	37.27	74.00	-17.97	192	86	Peak	Vertical	
2 *	2420.50	103.73	66.38	37.35	74.00	29.73	192	86	Peak	Vertical	
3	2775.75	54.57	16.54	38.03	74.00	-19.43	192	86	Peak	Vertical	