



**2.4GHz SDR, 10MHz BW**

| TestMode | Antenna | Channel | FreqRange<br>[MHz] | RefLevel<br>[dBm] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|----------|---------|---------|--------------------|-------------------|-----------------|----------------|---------|
| 10M      | Ant0    | 2407.5  | Reference          | 13.44             | 13.44           | ---            | PASS    |
|          |         |         | 30~1000            | 13.44             | -61             | ≤-16.56        | PASS    |
|          |         |         | 1000~26500         | 13.44             | -51.55          | ≤-16.56        | PASS    |
|          |         | 2437.5  | Reference          | 13.56             | 13.56           | ---            | PASS    |
|          |         |         | 30~1000            | 13.56             | -59.93          | ≤-16.44        | PASS    |
|          |         |         | 1000~26500         | 13.56             | -51.31          | ≤-16.44        | PASS    |
|          |         | 2467.5  | Reference          | 14.66             | 14.66           | ---            | PASS    |
|          |         |         | 30~1000            | 14.66             | -59.86          | ≤-15.34        | PASS    |
|          |         |         | 1000~26500         | 14.66             | -50.62          | ≤-15.34        | PASS    |

10M Ant0 2407.5 0~Reference



10M Ant0 2407.5 30~1000



10M Ant0 2407.5 1000~26500






10M Ant0 2467.5 0~Reference



10M Ant0 2467.5 30~1000



10M Ant0 2467.5 1000~26500




**2.4GHz SDR, 20MHz BW**

| TestMode | Antenna | Channel | FreqRange<br>[MHz] | RefLevel<br>[dBm] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|----------|---------|---------|--------------------|-------------------|-----------------|----------------|---------|
| 20M      | Ant0    | 2412.5  | Reference          | 9.14              | 9.14            | ---            | PASS    |
|          |         |         | 30~1000            | 9.14              | -60.83          | ≤-20.86        | PASS    |
|          |         |         | 1000~26500         | 9.14              | -51.14          | ≤-20.86        | PASS    |
|          |         | 2437.5  | Reference          | 12.37             | 12.37           | ---            | PASS    |
|          |         |         | 30~1000            | 12.37             | -60.39          | ≤-17.63        | PASS    |
|          |         |         | 1000~26500         | 12.37             | -50.94          | ≤-17.63        | PASS    |
|          |         | 2462.5  | Reference          | 7.65              | 7.65            | ---            | PASS    |
|          |         |         | 30~1000            | 7.65              | -60.56          | ≤-22.35        | PASS    |
|          |         |         | 1000~26500         | 7.65              | -50.91          | ≤-22.35        | PASS    |

20M Ant0 2412.5 0~Reference



20M Ant0 2412.5 30~1000




20M Ant0 2412.5 1000~26500



20M Ant0 2437.5 0~Reference



20M Ant0 2437.5 30~1000




20M Ant0 2437.5 1000~26500



20M Ant0 2462.5 0~Reference



20M Ant0 2462.5 30~1000




20M Ant0 2462.5 1000~26500




**2.4GHz SDR, 40MHz BW**

| TestMode | Antenna | Channel | FreqRange<br>[MHz] | RefLevel<br>[dBm] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|----------|---------|---------|--------------------|-------------------|-----------------|----------------|---------|
| 40M      | Ant0    | 2422.5  | Reference          | 5.57              | 5.57            | ---            | PASS    |
|          |         |         | 30~1000            | 5.57              | -60.33          | ≤-24.43        | PASS    |
|          |         |         | 1000~26500         | 5.57              | -50.76          | ≤-24.43        | PASS    |
|          |         | 2437.5  | Reference          | 8.00              | 8.00            | ---            | PASS    |
|          |         |         | 30~1000            | 8.00              | -47.84          | ≤-22           | PASS    |
|          |         |         | 1000~26500         | 8.00              | -51.47          | ≤-22           | PASS    |
|          |         | 2452.5  | Reference          | 3.22              | 3.22            | ---            | PASS    |
|          |         |         | 30~1000            | 3.22              | -57.82          | ≤-26.78        | PASS    |
|          |         |         | 1000~26500         | 3.22              | -51.4           | ≤-26.78        | PASS    |

40M Ant0 2422.5 0~Reference



40M Ant0 2422.5 30~1000




40M Ant0 2422.5 1000~26500



### 40M Ant0 2437.5 0~Reference



### 40M Ant0 2437.5 30~1000




### 40M Ant0 2437.5 1000~26500



40M Ant0 2452.5 0~Reference



40M Ant0 2452.5 30~1000




40M Ant0 2452.5 1000~26500





## 2.4GHz SDR, 1.4MHz BW Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 1.4M     | Ant0    | Low    | 2403.5  | 13.88          | -43.87       | ≤-16.12     | PASS    |
|          |         | High   | 2469.5  | 13.54          | -48.42       | ≤-16.46     | PASS    |



## 2.4GHz SDR, 1.4MHz BW CA mode Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 1.4MCA   | Ant0    | Low    | 2405.12 | 14.44          | -46.02       | ≤-15.56     | PASS    |
|          |         | High   | 2471.12 | 14.68          | -48.02       | ≤-15.32     | PASS    |



## 2.4GHz SDR, 3MHz BW Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 3M       | Ant0    | Low    | 2405.5  | 9.84           | -47.06       | ≤-20.16     | PASS    |
|          |         | High   | 2468.5  | -15.23         | -47.55       | ≤-45.23     | PASS    |




## 2.4GHz SDR, 3MHz BW CA mode Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 3MCA     | Ant0    | Low    | 2408.2  | 11.44          | -46.98       | ≤-18.56     | PASS    |
|          |         | High   | 2471.2  | 11.82          | -48.66       | ≤-18.19     | PASS    |




## 2.4GHz SDR, 10MHz BW Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 10M      | Ant0    | Low    | 2407.5  | 14.91          | -18.74       | ≤-15.09     | PASS    |
|          |         | High   | 2467.5  | 15.73          | -47.99       | ≤-14.27     | PASS    |



## 2.4GHz SDR, 20MHz BW Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 20M      | Ant0    | Low    | 2412.5  | 8.69           | -28.75       | ≤-21.31     | PASS    |
|          |         | High   | 2462.5  | 8.05           | -48.38       | ≤-21.95     | PASS    |



## 2.4GHz SDR, 40MHz BW Bandedge

| TestMode | Antenna | ChName | Channel | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|---------|----------------|--------------|-------------|---------|
| 40M      | Ant0    | Low    | 2422.5  | 8.48           | -21.81       | ≤-21.54     | PASS    |
|          |         | High   | 2452.5  | 3.56           | -48.15       | ≤-26.44     | PASS    |

