


3 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.300	37.46	74.0	36.54	Peak	118.00	400	Horizontal	Pass
1**	1586.300	28.10	54.0	25.90	AV	118.00	400	Horizontal	Pass
2	2836.800	43.40	74.0	30.60	Peak	11.00	150	Horizontal	Pass
2**	2836.800	33.26	54.0	20.74	AV	11.00	150	Horizontal	Pass
3	4361.200	49.34	74.0	24.66	Peak	246.00	300	Horizontal	Pass
3**	4361.200	39.80	54.0	14.20	AV	246.00	300	Horizontal	Pass
4	7272.838	45.31	74.0	28.69	Peak	132.00	300	Horizontal	Pass
4**	7272.838	35.91	54.0	18.09	AV	132.00	300	Horizontal	Pass
5	12592.162	49.06	74.0	24.94	Peak	360.00	100	Horizontal	Pass
5**	12592.162	40.39	54.0	13.61	AV	360.00	100	Horizontal	Pass
6	15611.513	50.60	74.0	23.40	Peak	302.00	100	Horizontal	Pass
6**	15611.513	39.87	54.0	14.13	AV	302.00	100	Horizontal	Pass

3 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.900	37.11	74.0	36.89	Peak	107.00	400	Vertical	Pass
1**	1510.900	27.95	54.0	26.05	AV	107.00	400	Vertical	Pass
2	2845.800	44.08	74.0	29.92	Peak	265.00	150	Vertical	Pass
2**	2845.800	34.04	54.0	19.96	AV	265.00	150	Vertical	Pass
3	4378.600	49.34	74.0	24.66	Peak	64.00	200	Vertical	Pass
3**	4378.600	40.02	54.0	13.98	AV	64.00	200	Vertical	Pass
4	7643.713	46.71	74.0	27.29	Peak	100.00	200	Vertical	Pass
4**	7643.713	36.54	54.0	17.46	AV	100.00	200	Vertical	Pass
5	11902.162	48.91	74.0	25.09	Peak	249.00	150	Vertical	Pass
5**	11902.162	39.44	54.0	14.56	AV	249.00	150	Vertical	Pass
6	15802.613	51.47	74.0	22.53	Peak	1.00	200	Vertical	Pass
6**	15802.613	42.53	54.0	11.47	AV	1.00	200	Vertical	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.700	37.54	74.0	36.46	Peak	306.00	300	Horizontal	Pass
1**	1477.700	27.88	54.0	26.12	AV	306.00	300	Horizontal	Pass
2	2852.000	43.23	74.0	30.77	Peak	330.00	150	Horizontal	Pass
2**	2852.000	34.47	54.0	19.53	AV	330.00	150	Horizontal	Pass
3	4369.200	49.16	74.0	24.84	Peak	67.00	400	Horizontal	Pass
3**	4369.200	40.46	54.0	13.54	AV	67.00	400	Horizontal	Pass
4	7533.313	45.80	74.0	28.20	Peak	350.00	400	Horizontal	Pass
4**	7533.313	36.35	54.0	17.65	AV	350.00	400	Horizontal	Pass
5	11905.325	49.29	74.0	24.71	Peak	98.00	200	Horizontal	Pass
5**	11905.325	39.17	54.0	14.83	AV	98.00	200	Horizontal	Pass
6	15810.487	51.41	74.0	22.59	Peak	140.00	200	Horizontal	Pass
6**	15810.487	42.25	54.0	11.75	AV	140.00	200	Horizontal	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.000	39.33	74.0	34.67	Peak	213.00	200	Vertical	Pass
1**	1621.000	28.18	54.0	25.82	AV	213.00	200	Vertical	Pass
2	2848.700	43.26	74.0	30.74	Peak	0.00	150	Vertical	Pass
2**	2848.700	34.37	54.0	19.63	AV	0.00	150	Vertical	Pass
3	4367.600	49.27	74.0	24.73	Peak	17.00	200	Vertical	Pass
3**	4367.600	41.47	54.0	12.53	AV	17.00	200	Vertical	Pass
4	7526.987	46.25	74.0	27.75	Peak	97.00	400	Vertical	Pass
4**	7526.987	36.97	54.0	17.03	AV	97.00	400	Vertical	Pass
5	12535.812	48.56	74.0	25.44	Peak	360.00	200	Vertical	Pass
5**	12535.812	38.97	54.0	15.03	AV	360.00	200	Vertical	Pass
6	15813.375	51.06	74.0	22.94	Peak	53.00	200	Vertical	Pass
6**	15813.375	42.45	54.0	11.55	AV	53.00	200	Vertical	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.400	38.12	74.0	35.88	Peak	261.00	100	Horizontal	Pass
1**	1506.400	28.20	54.0	25.80	AV	261.00	100	Horizontal	Pass
2	4370.800	48.82	74.0	25.18	Peak	28.00	300	Horizontal	Pass
2**	4370.800	39.96	54.0	14.04	AV	28.00	300	Horizontal	Pass
3	6933.400	55.09	68.2	13.11	Peak	360.00	150	Horizontal	Pass
3**	6933.400	51.72	--	--	AV	360.00	150	Horizontal	N/A
4	7565.225	45.07	74.0	28.93	Peak	125.00	100	Horizontal	Pass
4**	7565.225	36.14	54.0	17.86	AV	125.00	100	Horizontal	Pass
5	12487.800	49.05	74.0	24.95	Peak	52.00	100	Horizontal	Pass
5**	12487.800	40.14	54.0	13.86	AV	52.00	100	Horizontal	Pass
6	15812.588	50.71	74.0	23.29	Peak	237.00	300	Horizontal	Pass
6**	15812.588	42.11	54.0	11.89	AV	237.00	300	Horizontal	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	37.73	74.0	36.27	Peak	172.00	200	Vertical	Pass
1**	1499.500	27.76	54.0	26.24	AV	172.00	200	Vertical	Pass
2	4367.800	49.22	74.0	24.78	Peak	360.00	400	Vertical	Pass
2**	4367.800	40.15	54.0	13.85	AV	360.00	400	Vertical	Pass
3	4839.000	50.96	74.0	23.04	Peak	207.00	150	Vertical	Pass
3**	4839.000	42.49	54.0	11.51	AV	207.00	150	Vertical	Pass
4	6933.600	56.85	68.2	11.35	Peak	41.00	150	Vertical	Pass
4**	6933.600	53.91	--	--	AV	41.00	150	Vertical	N/A
5	12458.188	48.41	74.0	25.59	Peak	167.00	150	Vertical	Pass
5**	12458.188	40.10	54.0	13.90	AV	167.00	150	Vertical	Pass
6	15805.237	51.64	74.0	22.36	Peak	210.00	150	Vertical	Pass
6**	15805.237	43.11	54.0	10.89	AV	210.00	150	Vertical	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.000	37.98	74.0	36.02	Peak	220.00	100	Horizontal	Pass
1**	1482.000	27.41	54.0	26.59	AV	220.00	100	Horizontal	Pass
2	2849.700	43.30	74.0	30.70	Peak	127.00	150	Horizontal	Pass
2**	2849.700	34.13	54.0	19.87	AV	127.00	150	Horizontal	Pass
3	4368.200	48.93	74.0	25.07	Peak	329.00	400	Horizontal	Pass
3**	4368.200	40.51	54.0	13.49	AV	329.00	400	Horizontal	Pass
4	7530.150	45.34	74.0	28.66	Peak	27.00	300	Horizontal	Pass
4**	7530.150	37.11	54.0	16.89	AV	27.00	300	Horizontal	Pass
5	12478.888	49.26	74.0	24.74	Peak	280.00	200	Horizontal	Pass
5**	12478.888	39.71	54.0	14.29	AV	280.00	200	Horizontal	Pass
6	15842.775	51.15	74.0	22.85	Peak	62.00	300	Horizontal	Pass
6**	15842.775	41.98	54.0	12.02	AV	62.00	300	Horizontal	Pass

5 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.900	38.54	74.0	35.46	Peak	0.00	300	Vertical	Pass
1**	1588.900	27.75	54.0	26.25	AV	0.00	300	Vertical	Pass
2	2855.300	43.35	74.0	30.65	Peak	0.00	150	Vertical	Pass
2**	2855.300	35.09	54.0	18.91	AV	0.00	150	Vertical	Pass
3	4365.800	48.72	74.0	25.28	Peak	310.00	400	Vertical	Pass
3**	4365.800	41.12	54.0	12.88	AV	310.00	400	Vertical	Pass
4	7567.237	46.88	74.0	27.12	Peak	82.00	300	Vertical	Pass
4**	7567.237	36.39	54.0	17.61	AV	82.00	300	Vertical	Pass
5	12465.087	49.06	74.0	24.94	Peak	308.00	100	Vertical	Pass
5**	12465.087	40.62	54.0	13.38	AV	308.00	100	Vertical	Pass
6	15805.237	51.52	74.0	22.48	Peak	75.00	300	Vertical	Pass
6**	15805.237	42.87	54.0	11.13	AV	75.00	300	Vertical	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	38.49	74.0	35.51	Peak	360.00	300	Horizontal	Pass
1**	1440.400	34.01	54.0	19.99	AV	360.00	300	Horizontal	Pass
2	2850.300	42.88	74.0	31.12	Peak	344.00	150	Horizontal	Pass
2**	2850.300	34.53	54.0	19.47	AV	344.00	150	Horizontal	Pass
3	4364.600	49.72	74.0	24.28	Peak	0.00	200	Horizontal	Pass
3**	4364.600	40.69	54.0	13.31	AV	0.00	200	Horizontal	Pass
4	7359.663	45.81	74.0	28.19	Peak	200.00	100	Horizontal	Pass
4**	7359.663	36.80	54.0	17.20	AV	200.00	100	Horizontal	Pass
5	12483.488	48.33	74.0	25.67	Peak	73.00	200	Horizontal	Pass
5**	12483.488	39.61	54.0	14.39	AV	73.00	200	Horizontal	Pass
6	16183.238	50.73	74.0	23.27	Peak	0.00	400	Horizontal	Pass
6**	16183.238	42.05	54.0	11.95	AV	0.00	400	Horizontal	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	37.87	74.0	36.13	Peak	99.00	300	Vertical	Pass
1**	1439.900	30.26	54.0	23.74	AV	99.00	300	Vertical	Pass
2	2849.200	42.79	74.0	31.21	Peak	21.00	150	Vertical	Pass
2**	2849.200	34.84	54.0	19.16	AV	21.00	150	Vertical	Pass
3	4368.400	49.16	74.0	24.84	Peak	329.00	200	Vertical	Pass
3**	4368.400	41.91	54.0	12.09	AV	329.00	200	Vertical	Pass
4	7276.575	45.69	74.0	28.31	Peak	273.00	200	Vertical	Pass
4**	7276.575	36.00	54.0	18.00	AV	273.00	200	Vertical	Pass
5	12485.213	48.49	74.0	25.51	Peak	360.00	150	Vertical	Pass
5**	12485.213	39.00	54.0	15.00	AV	360.00	150	Vertical	Pass
6	15797.625	50.58	74.0	23.42	Peak	222.00	300	Vertical	Pass
6**	15797.625	41.83	54.0	12.17	AV	222.00	300	Vertical	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	37.88	74.0	36.12	Peak	239.00	200	Horizontal	Pass
1**	1440.500	32.95	54.0	21.05	AV	239.00	200	Horizontal	Pass
2	2849.200	43.83	74.0	30.17	Peak	48.00	150	Horizontal	Pass
2**	2849.200	34.65	54.0	19.35	AV	48.00	150	Horizontal	Pass
3	4366.600	48.82	74.0	25.18	Peak	300.00	200	Horizontal	Pass
3**	4366.600	40.87	54.0	13.13	AV	300.00	200	Horizontal	Pass
4	7500.825	45.60	74.0	28.40	Peak	172.00	100	Horizontal	Pass
4**	7500.825	35.82	54.0	18.18	AV	172.00	100	Horizontal	Pass
5	12509.938	48.86	74.0	25.14	Peak	319.00	200	Horizontal	Pass
5**	12509.938	39.90	54.0	14.10	AV	319.00	200	Horizontal	Pass
6	15584.474	50.79	74.0	23.21	Peak	195.00	200	Horizontal	Pass
6**	15584.474	41.04	54.0	12.96	AV	195.00	200	Horizontal	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.600	37.83	74.0	36.17	Peak	61.00	400	Vertical	Pass
1**	1598.600	28.29	54.0	25.71	AV	61.00	400	Vertical	Pass
2	2854.800	43.47	74.0	30.53	Peak	71.00	150	Vertical	Pass
2**	2854.800	35.27	54.0	18.73	AV	71.00	150	Vertical	Pass
3	4372.400	49.57	74.0	24.43	Peak	193.00	200	Vertical	Pass
3**	4372.400	40.69	54.0	13.31	AV	193.00	200	Vertical	Pass
4	7364.550	45.02	74.0	28.98	Peak	272.00	300	Vertical	Pass
4**	7364.550	36.22	54.0	17.78	AV	272.00	300	Vertical	Pass
5	12449.849	49.17	74.0	24.83	Peak	360.00	150	Vertical	Pass
5**	12449.849	39.27	54.0	14.73	AV	360.00	150	Vertical	Pass
6	15800.250	50.46	74.0	23.54	Peak	171.00	200	Vertical	Pass
6**	15800.250	41.93	54.0	12.07	AV	171.00	200	Vertical	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.500	37.92	74.0	36.08	Peak	118.00	200	Horizontal	Pass
1**	1440.500	32.49	54.0	21.51	AV	118.00	200	Horizontal	Pass
2	2850.300	42.94	74.0	31.06	Peak	39.00	150	Horizontal	Pass
2**	2850.300	35.50	54.0	18.50	AV	39.00	150	Horizontal	Pass
3	4368.600	49.90	74.0	24.10	Peak	0.00	400	Horizontal	Pass
3**	4368.600	40.59	54.0	13.41	AV	0.00	400	Horizontal	Pass
4	7325.450	44.87	74.0	29.13	Peak	360.00	100	Horizontal	Pass
4**	7325.450	36.59	54.0	17.41	AV	360.00	100	Horizontal	Pass
5	12501.026	48.33	74.0	25.67	Peak	347.00	200	Horizontal	Pass
5**	12501.026	39.79	54.0	14.21	AV	347.00	200	Horizontal	Pass
6	15734.362	51.00	74.0	23.00	Peak	277.00	200	Horizontal	Pass
6**	15734.362	42.05	54.0	11.95	AV	277.00	200	Horizontal	Pass

10 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.000	37.79	74.0	36.21	Peak	176.00	400	Vertical	Pass
1**	1510.000	28.20	54.0	25.80	AV	176.00	400	Vertical	Pass
2	2849.900	43.00	74.0	31.00	Peak	0.00	150	Vertical	Pass
2**	2849.900	35.17	54.0	18.83	AV	0.00	150	Vertical	Pass
3	4371.000	48.46	74.0	25.54	Peak	185.00	200	Vertical	Pass
3**	4371.000	40.41	54.0	13.59	AV	185.00	200	Vertical	Pass
4	7349.887	45.27	74.0	28.73	Peak	296.00	300	Vertical	Pass
4**	7349.887	35.67	54.0	18.33	AV	296.00	300	Vertical	Pass
5	12481.762	48.74	74.0	25.26	Peak	272.00	100	Vertical	Pass
5**	12481.762	39.70	54.0	14.30	AV	272.00	100	Vertical	Pass
6	15733.838	51.34	74.0	22.66	Peak	332.00	150	Vertical	Pass
6**	15733.838	45.98	54.0	8.02	AV	332.00	150	Vertical	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	38.08	74.0	35.92	Peak	213.00	100	Horizontal	Pass
1**	1440.100	34.02	54.0	19.98	AV	213.00	100	Horizontal	Pass
2	2842.800	42.51	74.0	31.49	Peak	324.00	150	Horizontal	Pass
2**	2842.800	34.07	54.0	19.93	AV	324.00	150	Horizontal	Pass
3	4364.400	49.04	74.0	24.96	Peak	235.00	400	Horizontal	Pass
3**	4364.400	40.52	54.0	13.48	AV	235.00	400	Horizontal	Pass
4	7357.362	45.16	74.0	28.84	Peak	0.00	200	Horizontal	Pass
4**	7357.362	35.75	54.0	18.25	AV	0.00	200	Horizontal	Pass
5	12464.800	49.03	74.0	24.97	Peak	99.00	100	Horizontal	Pass
5**	12464.800	39.40	54.0	14.60	AV	99.00	100	Horizontal	Pass
6	15793.688	51.24	74.0	22.76	Peak	55.00	300	Horizontal	Pass
6**	15793.688	42.20	54.0	11.80	AV	55.00	300	Horizontal	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.900	37.62	74.0	36.38	Peak	133.00	300	Vertical	Pass
1**	1565.900	27.88	54.0	26.12	AV	133.00	300	Vertical	Pass
2	2849.200	43.36	74.0	30.64	Peak	253.00	150	Vertical	Pass
2**	2849.200	34.04	54.0	19.96	AV	253.00	150	Vertical	Pass
3	4364.200	49.44	74.0	24.56	Peak	253.00	300	Vertical	Pass
3**	4364.200	40.55	54.0	13.45	AV	253.00	300	Vertical	Pass
4	7518.650	45.83	74.0	28.17	Peak	272.00	300	Vertical	Pass
4**	7518.650	37.09	54.0	16.91	AV	272.00	300	Vertical	Pass
5	12601.362	48.56	74.0	25.44	Peak	247.00	150	Vertical	Pass
5**	12601.362	38.53	54.0	15.47	AV	247.00	150	Vertical	Pass
6	15807.600	51.06	74.0	22.94	Peak	31.00	100	Vertical	Pass
6**	15807.600	41.45	54.0	12.55	AV	31.00	100	Vertical	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	38.81	74.0	35.19	Peak	39.00	200	Horizontal	Pass
1**	1440.400	34.77	54.0	19.23	AV	39.00	200	Horizontal	Pass
2	2848.000	43.69	74.0	30.31	Peak	360.00	150	Horizontal	Pass
2**	2848.000	34.24	54.0	19.76	AV	360.00	150	Horizontal	Pass
3	4363.800	48.88	74.0	25.12	Peak	207.00	400	Horizontal	Pass
3**	4363.800	40.33	54.0	13.67	AV	207.00	400	Horizontal	Pass
4	7528.425	45.76	74.0	28.24	Peak	27.00	300	Horizontal	Pass
4**	7528.425	36.81	54.0	17.19	AV	27.00	300	Horizontal	Pass
5	12503.037	48.51	74.0	25.49	Peak	249.00	100	Horizontal	Pass
5**	12503.037	39.41	54.0	14.59	AV	249.00	100	Horizontal	Pass
6	15807.337	52.18	74.0	21.82	Peak	56.00	400	Horizontal	Pass
6**	15807.337	41.82	54.0	12.18	AV	56.00	400	Horizontal	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.300	37.60	74.0	36.40	Peak	116.00	400	Vertical	Pass
1**	1489.300	27.74	54.0	26.26	AV	116.00	400	Vertical	Pass
2	2846.800	43.58	74.0	30.42	Peak	329.00	150	Vertical	Pass
2**	2846.800	34.18	54.0	19.82	AV	329.00	150	Vertical	Pass
3	4362.800	49.07	74.0	24.93	Peak	168.00	100	Vertical	Pass
3**	4362.800	39.40	54.0	14.60	AV	168.00	100	Vertical	Pass
4	7329.475	45.56	74.0	28.44	Peak	298.00	300	Vertical	Pass
4**	7329.475	36.00	54.0	18.00	AV	298.00	300	Vertical	Pass
5	12433.175	48.54	74.0	25.46	Peak	26.00	150	Vertical	Pass
5**	12433.175	38.54	54.0	15.46	AV	26.00	150	Vertical	Pass
6	15805.500	51.43	74.0	22.57	Peak	304.00	200	Vertical	Pass
6**	15805.500	41.59	54.0	12.41	AV	304.00	200	Vertical	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.100	37.92	74.0	36.08	Peak	167.00	400	Horizontal	Pass
1**	1490.100	28.30	54.0	25.70	AV	167.00	400	Horizontal	Pass
2	2851.300	43.31	74.0	30.69	Peak	212.00	150	Horizontal	Pass
2**	2851.300	34.71	54.0	19.29	AV	212.00	150	Horizontal	Pass
3	4368.000	49.38	74.0	24.62	Peak	191.00	100	Horizontal	Pass
3**	4368.000	40.67	54.0	13.33	AV	191.00	100	Horizontal	Pass
4	7572.987	45.61	74.0	28.39	Peak	294.00	200	Horizontal	Pass
4**	7572.987	37.06	54.0	16.94	AV	294.00	200	Horizontal	Pass
5	12515.112	48.58	74.0	25.42	Peak	0.00	100	Horizontal	Pass
5**	12515.112	40.97	54.0	13.03	AV	0.00	100	Horizontal	Pass
6	15730.688	50.47	74.0	23.53	Peak	278.00	400	Horizontal	Pass
6**	15730.688	41.25	54.0	12.75	AV	278.00	400	Horizontal	Pass

20 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.300	37.62	74.0	36.38	Peak	360.00	300	Vertical	Pass
1**	1511.300	28.27	54.0	25.73	AV	360.00	300	Vertical	Pass
2	2847.100	43.08	74.0	30.92	Peak	293.00	150	Vertical	Pass
2**	2847.100	34.66	54.0	19.34	AV	293.00	150	Vertical	Pass
3	4372.200	48.84	74.0	25.16	Peak	174.00	200	Vertical	Pass
3**	4372.200	40.50	54.0	13.50	AV	174.00	200	Vertical	Pass
4	7536.187	46.24	74.0	27.76	Peak	174.00	100	Vertical	Pass
4**	7536.187	35.86	54.0	18.14	AV	174.00	100	Vertical	Pass
5	12568.300	48.81	74.0	25.19	Peak	76.00	200	Vertical	Pass
5**	12568.300	39.19	54.0	14.81	AV	76.00	200	Vertical	Pass
6	15723.338	52.60	74.0	21.40	Peak	277.00	200	Vertical	Pass
6**	15723.338	43.95	54.0	10.05	AV	277.00	200	Vertical	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	38.08	74.0	35.92	Peak	360.00	200	Horizontal	Pass
1**	1440.200	32.70	54.0	21.30	AV	360.00	200	Horizontal	Pass
2	2771.100	43.58	74.0	30.42	Peak	245.00	150	Horizontal	Pass
2**	2771.100	33.81	54.0	20.19	AV	245.00	150	Horizontal	Pass
3	4369.600	48.90	74.0	25.10	Peak	18.00	300	Horizontal	Pass
3**	4369.600	40.22	54.0	13.78	AV	18.00	300	Horizontal	Pass
4	7609.500	45.41	74.0	28.59	Peak	0.00	400	Horizontal	Pass
4**	7609.500	35.69	54.0	18.31	AV	0.00	400	Horizontal	Pass
5	12562.838	48.71	74.0	25.29	Peak	149.00	200	Horizontal	Pass
5**	12562.838	39.66	54.0	14.34	AV	149.00	200	Horizontal	Pass
6	15791.325	50.90	74.0	23.10	Peak	0.00	400	Horizontal	Pass
6**	15791.325	41.99	54.0	12.01	AV	0.00	400	Horizontal	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.600	37.72	74.0	36.28	Peak	47.00	400	Vertical	Pass
1**	1457.600	29.06	54.0	24.94	AV	47.00	400	Vertical	Pass
2	2849.600	43.71	74.0	30.29	Peak	358.00	150	Vertical	Pass
2**	2849.600	33.89	54.0	20.11	AV	358.00	150	Vertical	Pass
3	4366.000	48.94	74.0	25.06	Peak	64.00	300	Vertical	Pass
3**	4366.000	40.64	54.0	13.36	AV	64.00	300	Vertical	Pass
4	7381.800	45.79	74.0	28.21	Peak	74.00	100	Vertical	Pass
4**	7381.800	36.38	54.0	17.62	AV	74.00	100	Vertical	Pass
5	12478.312	49.15	74.0	24.85	Peak	297.00	150	Vertical	Pass
5**	12478.312	39.85	54.0	14.15	AV	297.00	150	Vertical	Pass
6	15833.850	50.83	74.0	23.17	Peak	332.00	300	Vertical	Pass
6**	15833.850	42.07	54.0	11.93	AV	332.00	300	Vertical	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	38.33	74.0	35.67	Peak	125.00	200	Horizontal	Pass
1**	1440.200	34.49	54.0	19.51	AV	125.00	200	Horizontal	Pass
2	2854.200	43.55	74.0	30.45	Peak	125.00	150	Horizontal	Pass
2**	2854.200	35.62	54.0	18.38	AV	125.00	150	Horizontal	Pass
3	4366.800	49.47	74.0	24.53	Peak	78.00	400	Horizontal	Pass
3**	4366.800	41.01	54.0	12.99	AV	78.00	400	Horizontal	Pass
4	7532.738	45.71	74.0	28.29	Peak	50.00	200	Horizontal	Pass
4**	7532.738	36.98	54.0	17.02	AV	50.00	200	Horizontal	Pass
5	12487.800	48.77	74.0	25.23	Peak	98.00	200	Horizontal	Pass
5**	12487.800	40.24	54.0	13.76	AV	98.00	200	Horizontal	Pass
6	15810.750	50.75	74.0	23.25	Peak	304.00	300	Horizontal	Pass
6**	15810.750	42.18	54.0	11.82	AV	304.00	300	Horizontal	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.800	37.77	74.0	36.23	Peak	72.00	100	Vertical	Pass
1**	1482.800	27.75	54.0	26.25	AV	72.00	100	Vertical	Pass
2	2772.000	43.32	74.0	30.68	Peak	0.00	150	Vertical	Pass
2**	2772.000	33.59	54.0	20.41	AV	0.00	150	Vertical	Pass
3	4367.400	48.43	74.0	25.57	Peak	237.00	400	Vertical	Pass
3**	4367.400	41.28	54.0	12.72	AV	237.00	400	Vertical	Pass
4	7320.275	45.43	74.0	28.57	Peak	360.00	400	Vertical	Pass
4**	7320.275	36.88	54.0	17.12	AV	360.00	400	Vertical	Pass
5	12597.913	48.65	74.0	25.35	Peak	346.00	150	Vertical	Pass
5**	12597.913	39.97	54.0	14.03	AV	346.00	150	Vertical	Pass
6	16182.450	50.88	74.0	23.12	Peak	81.00	400	Vertical	Pass
6**	16182.450	41.19	54.0	12.81	AV	81.00	400	Vertical	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.600	37.57	74.0	36.43	Peak	0.00	300	Horizontal	Pass
1**	1528.600	27.53	54.0	26.47	AV	0.00	300	Horizontal	Pass
2	2849.600	43.61	74.0	30.39	Peak	94.00	150	Horizontal	Pass
2**	2849.600	34.27	54.0	19.73	AV	94.00	150	Horizontal	Pass
3	4373.800	49.31	74.0	24.69	Peak	18.00	200	Horizontal	Pass
3**	4373.800	40.56	54.0	13.44	AV	18.00	200	Horizontal	Pass
4	7378.062	45.38	74.0	28.62	Peak	0.00	100	Horizontal	Pass
4**	7378.062	35.62	54.0	18.38	AV	0.00	100	Horizontal	Pass
5	12480.612	48.91	74.0	25.09	Peak	173.00	200	Horizontal	Pass
5**	12480.612	39.10	54.0	14.90	AV	173.00	200	Horizontal	Pass
6	15793.950	50.76	74.0	23.24	Peak	306.00	100	Horizontal	Pass
6**	15793.950	41.64	54.0	12.36	AV	306.00	100	Horizontal	Pass

40 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	38.21	74.0	35.79	Peak	21.00	100	Vertical	Pass
1**	1439.900	30.01	54.0	23.99	AV	21.00	100	Vertical	Pass
2	2849.400	43.07	74.0	30.93	Peak	212.00	150	Vertical	Pass
2**	2849.400	34.06	54.0	19.94	AV	212.00	150	Vertical	Pass
3	4373.800	48.59	74.0	25.41	Peak	82.00	200	Vertical	Pass
3**	4373.800	40.48	54.0	13.52	AV	82.00	200	Vertical	Pass
4	7273.700	45.39	74.0	28.61	Peak	325.00	300	Vertical	Pass
4**	7273.700	36.05	54.0	17.95	AV	325.00	300	Vertical	Pass
5	12510.800	49.51	74.0	24.49	Peak	201.00	150	Vertical	Pass
5**	12510.800	39.69	54.0	14.31	AV	201.00	150	Vertical	Pass
6	15690.263	51.47	74.0	22.53	Peak	277.00	400	Vertical	Pass
6**	15690.263	41.52	54.0	12.48	AV	277.00	400	Vertical	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.300	38.09	74.0	35.91	Peak	360.00	200	Horizontal	Pass
1**	1502.300	28.26	54.0	25.74	AV	360.00	200	Horizontal	Pass
2	4368.400	48.31	74.0	25.69	Peak	136.00	200	Horizontal	Pass
2**	4368.400	40.74	54.0	13.26	AV	136.00	200	Horizontal	Pass
3	4839.200	50.15	74.0	23.85	Peak	167.00	150	Horizontal	Pass
3**	4839.200	41.31	54.0	12.69	AV	167.00	150	Horizontal	Pass
4	6907.000	55.60	68.2	12.60	Peak	348.00	150	Horizontal	Pass
4**	6907.000	51.65	--	--	AV	348.00	150	Horizontal	N/A
5	12452.150	49.17	74.0	24.83	Peak	339.00	150	Horizontal	Pass
5**	12452.150	39.76	54.0	14.24	AV	339.00	150	Horizontal	Pass
6	15808.912	50.80	74.0	23.20	Peak	50.00	400	Horizontal	Pass
6**	15808.912	40.69	54.0	13.31	AV	50.00	400	Horizontal	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.600	37.63	74.0	36.37	Peak	41.00	200	Vertical	Pass
1**	1591.600	27.80	54.0	26.20	AV	41.00	200	Vertical	Pass
2	4370.000	49.24	74.0	24.76	Peak	315.00	400	Vertical	Pass
2**	4370.000	39.52	54.0	14.48	AV	315.00	400	Vertical	Pass
3	6906.800	57.65	68.2	10.55	Peak	254.00	150	Vertical	Pass
3**	6906.800	53.82	--	--	AV	254.00	150	Vertical	N/A
4	7319.700	45.98	74.0	28.02	Peak	0.00	200	Vertical	Pass
4**	7319.700	36.64	54.0	17.36	AV	0.00	200	Vertical	Pass
5	11885.776	48.40	74.0	25.60	Peak	27.00	150	Vertical	Pass
5**	11885.776	39.34	54.0	14.66	AV	27.00	150	Vertical	Pass
6	15539.325	49.88	74.0	24.12	Peak	269.00	200	Vertical	Pass
6**	15539.325	39.88	54.0	14.12	AV	269.00	200	Vertical	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	38.68	74.0	35.32	Peak	0.00	300	Horizontal	Pass
1**	1440.300	32.64	54.0	21.36	AV	0.00	300	Horizontal	Pass
2	4371.800	49.30	74.0	24.70	Peak	0.00	400	Horizontal	Pass
2**	4371.800	40.60	54.0	13.40	AV	0.00	400	Horizontal	Pass
3	4913.200	51.04	74.0	22.96	Peak	121.00	150	Horizontal	Pass
3**	4913.200	41.56	54.0	12.44	AV	121.00	150	Horizontal	Pass
4	6932.000	55.82	68.2	12.38	Peak	332.00	150	Horizontal	Pass
4**	6932.000	51.42	--	--	AV	332.00	150	Horizontal	N/A
5	12485.213	48.28	74.0	25.72	Peak	268.00	150	Horizontal	Pass
5**	12485.213	39.83	54.0	14.17	AV	268.00	150	Horizontal	Pass
6	15748.013	49.75	74.0	24.25	Peak	105.00	200	Horizontal	Pass
6**	15748.013	39.63	54.0	14.37	AV	105.00	200	Horizontal	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	37.48	74.0	36.52	Peak	84.00	200	Vertical	Pass
1**	1595.500	27.92	54.0	26.08	AV	84.00	200	Vertical	Pass
2	4368.000	49.62	74.0	24.38	Peak	73.00	200	Vertical	Pass
2**	4368.000	40.45	54.0	13.55	AV	73.00	200	Vertical	Pass
3	4848.200	51.62	74.0	22.38	Peak	195.00	150	Vertical	Pass
3**	4848.200	41.36	54.0	12.64	AV	195.00	150	Vertical	Pass
4	6931.800	57.42	68.2	10.78	Peak	256.00	150	Vertical	Pass
4**	6931.800	52.54	--	--	AV	256.00	150	Vertical	N/A
5	12480.037	48.72	74.0	25.28	Peak	315.00	150	Vertical	Pass
5**	12480.037	39.49	54.0	14.51	AV	315.00	150	Vertical	Pass
6	15731.738	49.48	74.0	24.52	Peak	193.00	150	Vertical	Pass
6**	15731.738	40.81	54.0	13.19	AV	193.00	150	Vertical	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	39.70	74.0	34.30	Peak	309.00	200	Horizontal	Pass
1**	1440.400	34.52	54.0	19.48	AV	309.00	200	Horizontal	Pass
2	4363.400	48.49	74.0	25.51	Peak	104.00	400	Horizontal	Pass
2**	4363.400	40.01	54.0	13.99	AV	104.00	400	Horizontal	Pass
3	4892.400	51.91	74.0	22.09	Peak	119.00	150	Horizontal	Pass
3**	4892.400	42.29	54.0	11.71	AV	119.00	150	Horizontal	Pass
4	6960.400	56.86	68.2	11.34	Peak	333.00	150	Horizontal	Pass
4**	6960.400	53.49	--	--	AV	333.00	150	Horizontal	N/A
5	12442.662	48.70	74.0	25.30	Peak	292.00	100	Horizontal	Pass
5**	12442.662	39.75	54.0	14.25	AV	292.00	100	Horizontal	Pass
6	15805.763	49.57	74.0	24.43	Peak	160.00	200	Horizontal	Pass
6**	15805.763	40.55	54.0	13.45	AV	160.00	200	Horizontal	Pass

60 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.900	37.76	74.0	36.24	Peak	68.00	400	Vertical	Pass
1**	1452.900	28.52	54.0	25.48	AV	68.00	400	Vertical	Pass
2	4367.200	48.73	74.0	25.27	Peak	181.00	100	Vertical	Pass
2**	4367.200	40.66	54.0	13.34	AV	181.00	100	Vertical	Pass
3	6960.000	58.24	68.2	9.96	Peak	256.00	150	Vertical	Pass
3**	6960.000	55.08	--	--	AV	256.00	150	Vertical	N/A
4	7529.575	46.55	74.0	27.45	Peak	291.00	300	Vertical	Pass
4**	7529.575	36.85	54.0	17.15	AV	291.00	300	Vertical	Pass
5	12471.700	48.89	74.0	25.11	Peak	267.00	100	Vertical	Pass
5**	12471.700	39.51	54.0	14.49	AV	267.00	100	Vertical	Pass
6	15740.925	49.85	74.0	24.15	Peak	52.00	100	Vertical	Pass
6**	15740.925	40.28	54.0	13.72	AV	52.00	100	Vertical	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.800	37.40	74.0	36.60	Peak	35.00	100	Horizontal	Pass
1**	1621.800	27.79	54.0	26.21	AV	35.00	100	Horizontal	Pass
2	5133.200	55.36	74.0	18.64	Peak	146.00	150	Horizontal	Pass
2**	5133.200	50.36	54.0	3.64	AV	146.00	150	Horizontal	Pass
3	6919.800	54.50	68.2	13.70	Peak	271.00	150	Horizontal	Pass
3**	6919.800	49.42	--	--	AV	271.00	150	Horizontal	N/A
4	7533.600	45.42	74.0	28.58	Peak	319.00	400	Horizontal	Pass
4**	7533.600	37.13	54.0	16.87	AV	319.00	400	Horizontal	Pass
5	12477.450	48.65	74.0	25.35	Peak	360.00	200	Horizontal	Pass
5**	12477.450	39.41	54.0	14.59	AV	360.00	200	Horizontal	Pass
6	15874.013	50.26	74.0	23.74	Peak	282.00	300	Horizontal	Pass
6**	15874.013	40.69	54.0	13.31	AV	282.00	300	Horizontal	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.400	37.89	74.0	36.11	Peak	208.00	200	Vertical	Pass
1**	1487.400	28.35	54.0	25.65	AV	208.00	200	Vertical	Pass
2	4367.600	49.90	74.0	24.10	Peak	163.00	100	Vertical	Pass
2**	4367.600	40.49	54.0	13.51	AV	163.00	100	Vertical	Pass
3	6919.800	55.89	68.2	12.31	Peak	242.00	150	Vertical	Pass
3**	6919.800	52.44	--	--	AV	242.00	150	Vertical	N/A
4	7557.463	45.23	74.0	28.77	Peak	340.00	400	Vertical	Pass
4**	7557.463	35.78	54.0	18.22	AV	340.00	400	Vertical	Pass
5	11824.250	48.37	74.0	25.63	Peak	217.00	150	Vertical	Pass
5**	11824.250	38.27	54.0	15.73	AV	217.00	150	Vertical	Pass
6	15481.050	49.67	74.0	24.33	Peak	255.00	200	Vertical	Pass
6**	15481.050	38.30	54.0	15.70	AV	255.00	200	Vertical	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.700	43.67	74.0	30.33	Peak	201.00	200	Horizontal	Pass
1**	1623.700	31.29	54.0	22.71	AV	201.00	200	Horizontal	Pass
2	4373.600	48.98	74.0	25.02	Peak	239.00	100	Horizontal	Pass
2**	4373.600	40.17	54.0	13.83	AV	239.00	100	Horizontal	Pass
3	4898.200	50.90	74.0	23.10	Peak	239.00	150	Horizontal	Pass
3**	4898.200	41.18	54.0	12.82	AV	239.00	150	Horizontal	Pass
4	6933.200	56.10	68.2	12.10	Peak	102.00	150	Horizontal	Pass
4**	6933.200	51.47	--	--	AV	102.00	150	Horizontal	N/A
5	12599.638	48.49	74.0	25.51	Peak	360.00	200	Horizontal	Pass
5**	12599.638	39.50	54.0	14.50	AV	360.00	200	Horizontal	Pass
6	15904.201	49.74	74.0	24.26	Peak	309.00	400	Horizontal	Pass
6**	15904.201	40.78	54.0	13.22	AV	309.00	400	Horizontal	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	37.96	74.0	36.04	Peak	286.00	200	Vertical	Pass
1**	1500.500	28.93	54.0	25.07	AV	286.00	200	Vertical	Pass
2	4368.400	48.55	74.0	25.45	Peak	165.00	300	Vertical	Pass
2**	4368.400	40.42	54.0	13.58	AV	165.00	300	Vertical	Pass
3	6933.400	58.45	68.2	9.75	Peak	241.00	150	Vertical	Pass
3**	6933.400	55.04	--	--	AV	241.00	150	Vertical	N/A
4	7556.600	45.44	74.0	28.56	Peak	213.00	200	Vertical	Pass
4**	7556.600	36.34	54.0	17.66	AV	213.00	200	Vertical	Pass
5	12456.175	48.78	74.0	25.22	Peak	360.00	200	Vertical	Pass
5**	12456.175	39.10	54.0	14.90	AV	360.00	200	Vertical	Pass
6	16022.062	49.68	74.0	24.32	Peak	145.00	400	Vertical	Pass
6**	16022.062	40.16	54.0	13.84	AV	145.00	400	Vertical	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	40.15	74.0	33.85	Peak	5.00	400	Horizontal	Pass
1**	1440.100	35.11	54.0	18.89	AV	5.00	400	Horizontal	Pass
2	4366.200	48.89	74.0	25.11	Peak	55.00	300	Horizontal	Pass
2**	4366.200	40.41	54.0	13.59	AV	55.00	300	Horizontal	Pass
3	6946.600	56.46	68.2	11.74	Peak	315.00	150	Horizontal	Pass
3**	6946.600	51.71	--	--	AV	315.00	150	Horizontal	N/A
4	7514.050	45.37	74.0	28.63	Peak	71.00	200	Horizontal	Pass
4**	7514.050	35.37	54.0	18.63	AV	71.00	200	Horizontal	Pass
5	12467.100	48.60	74.0	25.40	Peak	71.00	200	Horizontal	Pass
5**	12467.100	40.19	54.0	13.81	AV	71.00	200	Horizontal	Pass
6	15875.588	49.23	74.0	24.77	Peak	142.00	100	Horizontal	Pass
6**	15875.588	39.60	54.0	14.40	AV	142.00	100	Horizontal	Pass

80 MHz, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	37.79	74.0	36.21	Peak	60.00	300	Vertical	Pass
1**	1500.400	28.89	54.0	25.11	AV	60.00	300	Vertical	Pass
2	4363.400	49.12	74.0	24.88	Peak	58.00	200	Vertical	Pass
2**	4363.400	39.54	54.0	14.46	AV	58.00	200	Vertical	Pass
3	4828.200	50.61	74.0	23.39	Peak	58.00	150	Vertical	Pass
3**	4828.200	41.62	54.0	12.38	AV	58.00	150	Vertical	Pass
4	6946.600	56.85	68.2	11.35	Peak	257.00	150	Vertical	Pass
4**	6946.600	53.57	--	--	AV	257.00	150	Vertical	N/A
5	12478.026	49.04	74.0	24.96	Peak	69.00	100	Vertical	Pass
5**	12478.026	40.22	54.0	13.78	AV	69.00	100	Vertical	Pass
6	15556.125	49.84	74.0	24.16	Peak	197.00	300	Vertical	Pass
6**	15556.125	39.00	54.0	15.00	AV	197.00	300	Vertical	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.500	36.99	74.0	37.01	Peak	147.00	100	Horizontal	Pass
1**	1479.500	27.59	54.0	26.41	AV	147.00	100	Horizontal	Pass
2	4282.400	48.22	74.0	25.78	Peak	360.00	300	Horizontal	Pass
2**	4282.400	40.39	54.0	13.61	AV	360.00	300	Horizontal	Pass
3	4837.800	50.76	74.0	23.24	Peak	185.00	150	Horizontal	Pass
3**	4837.800	41.25	54.0	12.75	AV	185.00	150	Horizontal	Pass
4	7267.375	45.51	74.0	28.49	Peak	164.00	300	Horizontal	Pass
4**	7267.375	35.54	54.0	18.46	AV	164.00	300	Horizontal	Pass
5	11457.112	51.55	74.0	22.45	Peak	0.00	150	Horizontal	Pass
5**	11457.112	47.76	54.0	6.24	AV	0.00	150	Horizontal	Pass
6	15800.776	50.58	74.0	23.42	Peak	190.00	100	Horizontal	Pass
6**	15800.776	41.88	54.0	12.12	AV	190.00	100	Horizontal	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	37.37	74.0	36.63	Peak	27.00	100	Vertical	Pass
1**	1499.200	27.84	54.0	26.16	AV	27.00	100	Vertical	Pass
2	4383.000	50.06	74.0	23.94	Peak	141.00	100	Vertical	Pass
2**	4383.000	39.27	54.0	14.73	AV	141.00	100	Vertical	Pass
3	4832.000	49.99	74.0	24.01	Peak	157.00	150	Vertical	Pass
3**	4832.000	41.19	54.0	12.81	AV	157.00	150	Vertical	Pass
4	7525.263	45.85	74.0	28.15	Peak	193.00	400	Vertical	Pass
4**	7525.263	36.69	54.0	17.31	AV	193.00	400	Vertical	Pass
5	11457.401	56.11	74.0	17.89	Peak	19.00	150	Vertical	Pass
5**	11457.401	50.30	54.0	3.70	AV	19.00	150	Vertical	Pass
6	15811.276	50.69	74.0	23.31	Peak	190.00	300	Vertical	Pass
6**	15811.276	41.66	54.0	12.34	AV	190.00	300	Vertical	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	37.92	74.0	36.08	Peak	207.00	100	Horizontal	Pass
1**	1440.000	33.78	54.0	20.22	AV	207.00	100	Horizontal	Pass
2	4361.400	48.35	74.0	25.65	Peak	68.00	200	Horizontal	Pass
2**	4361.400	40.12	54.0	13.88	AV	68.00	200	Horizontal	Pass
3	4824.000	49.86	74.0	24.14	Peak	224.00	150	Horizontal	Pass
3**	4824.000	40.41	54.0	13.59	AV	224.00	150	Horizontal	Pass
4	7403.362	45.26	74.0	28.74	Peak	56.00	400	Horizontal	Pass
4**	7403.362	35.21	54.0	18.79	AV	56.00	400	Horizontal	Pass
5	11572.975	53.47	74.0	20.53	Peak	31.00	150	Horizontal	Pass
5**	11572.975	48.84	54.0	5.16	AV	31.00	150	Horizontal	Pass
6	15672.674	50.08	74.0	23.92	Peak	258.00	400	Horizontal	Pass
6**	15672.674	40.59	54.0	13.41	AV	258.00	400	Horizontal	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.300	37.31	74.0	36.69	Peak	146.00	300	Vertical	Pass
1**	1541.300	27.63	54.0	26.37	AV	146.00	300	Vertical	Pass
2	4378.800	48.32	74.0	25.68	Peak	357.00	100	Vertical	Pass
2**	4378.800	39.83	54.0	14.17	AV	357.00	100	Vertical	Pass
3	4829.200	50.51	74.0	23.49	Peak	140.00	150	Vertical	Pass
3**	4829.200	40.63	54.0	13.37	AV	140.00	150	Vertical	Pass
4	7331.487	46.23	74.0	27.77	Peak	360.00	400	Vertical	Pass
4**	7331.487	35.65	54.0	18.35	AV	360.00	400	Vertical	Pass
5	11573.262	55.46	74.0	18.54	Peak	55.00	150	Vertical	Pass
5**	11573.262	51.99	54.0	2.01	AV	55.00	150	Vertical	Pass
6	11573.550	56.29	74.0	17.71	Peak	55.00	150	Vertical	Pass
6**	11573.550	52.09	54.0	1.91	AV	55.00	150	Vertical	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	39.49	74.0	34.51	Peak	208.00	100	Horizontal	Pass
1**	1440.200	32.48	54.0	21.52	AV	208.00	100	Horizontal	Pass
2	4367.200	49.34	74.0	24.66	Peak	334.00	100	Horizontal	Pass
2**	4367.200	40.32	54.0	13.68	AV	334.00	100	Horizontal	Pass
3	4835.800	50.24	74.0	23.76	Peak	272.00	150	Horizontal	Pass
3**	4835.800	41.43	54.0	12.57	AV	272.00	150	Horizontal	Pass
4	7611.800	45.79	74.0	28.21	Peak	205.00	100	Horizontal	Pass
4**	7611.800	35.93	54.0	18.07	AV	205.00	100	Horizontal	Pass
5	11690.563	53.16	74.0	20.84	Peak	32.00	150	Horizontal	Pass
5**	11690.563	45.73	54.0	8.27	AV	32.00	150	Horizontal	Pass
6	11691.425	52.17	74.0	21.83	Peak	32.00	150	Horizontal	Pass
6**	11691.425	48.86	54.0	5.14	AV	32.00	150	Horizontal	Pass

1.4 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	40.34	74.0	33.66	Peak	99.00	400	Vertical	Pass
1**	1440.200	32.86	54.0	21.14	AV	99.00	400	Vertical	Pass
2	4368.200	48.33	74.0	25.67	Peak	0.00	300	Vertical	Pass
2**	4368.200	39.60	54.0	14.40	AV	0.00	300	Vertical	Pass
3	4858.400	50.45	74.0	23.55	Peak	177.00	150	Vertical	Pass
3**	4858.400	42.02	54.0	11.98	AV	177.00	150	Vertical	Pass
4	7572.125	45.51	74.0	28.49	Peak	360.00	200	Vertical	Pass
4**	7572.125	36.55	54.0	17.45	AV	360.00	200	Vertical	Pass
5	11690.849	56.12	74.0	17.88	Peak	56.00	150	Vertical	Pass
5**	11690.849	51.46	54.0	2.54	AV	56.00	150	Vertical	Pass
6	16042.800	49.96	74.0	24.04	Peak	327.00	300	Vertical	Pass
6**	16042.800	40.55	54.0	13.45	AV	327.00	300	Vertical	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	37.24	74.0	36.76	Peak	173.00	200	Horizontal	Pass
1**	1440.300	31.42	54.0	22.58	AV	173.00	200	Horizontal	Pass
2	4319.200	48.32	74.0	25.68	Peak	114.00	100	Horizontal	Pass
2**	4319.200	39.13	54.0	14.87	AV	114.00	100	Horizontal	Pass
3	4860.600	49.88	74.0	24.12	Peak	129.00	150	Horizontal	Pass
3**	4860.600	41.32	54.0	12.68	AV	129.00	150	Horizontal	Pass
4	7327.462	45.43	74.0	28.57	Peak	354.00	400	Horizontal	Pass
4**	7327.462	36.90	54.0	17.10	AV	354.00	400	Horizontal	Pass
5	11454.812	51.20	74.0	22.80	Peak	32.00	150	Horizontal	Pass
5**	11454.812	46.92	54.0	7.08	AV	32.00	150	Horizontal	Pass
6	11456.250	52.37	74.0	21.63	Peak	32.00	100	Horizontal	Pass
6**	11456.250	45.19	54.0	8.81	AV	32.00	100	Horizontal	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.000	36.87	74.0	37.13	Peak	0.00	300	Vertical	Pass
1**	1453.000	28.20	54.0	25.80	AV	0.00	300	Vertical	Pass
2	4392.800	48.33	74.0	25.67	Peak	85.00	300	Vertical	Pass
2**	4392.800	39.80	54.0	14.20	AV	85.00	300	Vertical	Pass
3	4825.400	51.46	74.0	22.54	Peak	53.00	150	Vertical	Pass
3**	4825.400	40.76	54.0	13.24	AV	53.00	150	Vertical	Pass
4	7529.862	46.59	74.0	27.41	Peak	103.00	100	Vertical	Pass
4**	7529.862	37.07	54.0	16.93	AV	103.00	100	Vertical	Pass
5	11455.388	56.01	74.0	17.99	Peak	55.00	150	Vertical	Pass
5**	11455.388	50.10	54.0	3.90	AV	55.00	150	Vertical	Pass
6	15811.276	50.19	74.0	23.81	Peak	0.00	150	Vertical	Pass
6**	15811.276	41.32	54.0	12.68	AV	0.00	150	Vertical	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	37.98	74.0	36.02	Peak	206.00	300	Horizontal	Pass
1**	1440.200	33.09	54.0	20.91	AV	206.00	300	Horizontal	Pass
2	4382.000	48.98	74.0	25.02	Peak	253.00	200	Horizontal	Pass
2**	4382.000	39.45	54.0	14.55	AV	253.00	200	Horizontal	Pass
3	4937.600	50.04	74.0	23.96	Peak	3.00	150	Horizontal	Pass
3**	4937.600	41.25	54.0	12.75	AV	3.00	150	Horizontal	Pass
4	7533.025	45.92	74.0	28.08	Peak	352.00	200	Horizontal	Pass
4**	7533.025	36.72	54.0	17.28	AV	352.00	200	Horizontal	Pass
5	11568.663	52.00	74.0	22.00	Peak	29.00	150	Horizontal	Pass
5**	11568.663	47.16	54.0	6.84	AV	29.00	150	Horizontal	Pass
6	16072.200	50.94	74.0	23.06	Peak	50.00	150	Horizontal	Pass
6**	16072.200	42.18	54.0	11.82	AV	50.00	150	Horizontal	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.800	36.96	74.0	37.04	Peak	171.00	100	Vertical	Pass
1**	1489.800	27.67	54.0	26.33	AV	171.00	100	Vertical	Pass
2	4327.200	48.92	74.0	25.08	Peak	328.00	100	Vertical	Pass
2**	4327.200	39.36	54.0	14.64	AV	328.00	100	Vertical	Pass
3	4900.200	50.43	74.0	23.57	Peak	328.00	150	Vertical	Pass
3**	4900.200	41.22	54.0	12.78	AV	328.00	150	Vertical	Pass
4	7519.225	45.55	74.0	28.45	Peak	315.00	300	Vertical	Pass
4**	7519.225	35.91	54.0	18.09	AV	315.00	300	Vertical	Pass
5	11569.526	54.13	74.0	19.87	Peak	41.00	150	Vertical	Pass
5**	11569.526	50.82	54.0	3.18	AV	41.00	150	Vertical	Pass
6	15800.250	50.93	74.0	23.07	Peak	52.00	300	Vertical	Pass
6**	15800.250	41.82	54.0	12.18	AV	52.00	300	Vertical	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	38.38	74.0	35.62	Peak	55.00	100	Horizontal	Pass
1**	1440.000	29.44	54.0	24.56	AV	55.00	100	Horizontal	Pass
2	4389.000	48.61	74.0	25.39	Peak	93.00	100	Horizontal	Pass
2**	4389.000	38.19	54.0	15.81	AV	93.00	100	Horizontal	Pass
3	5847.200	117.15	--	--	Peak	295.00	100	Horizontal	Pass
3**	5847.200	112.91	--	--	AV	295.00	100	Horizontal	N/A
4	7570.400	45.95	74.0	28.05	Peak	141.00	400	Horizontal	Pass
4**	7570.400	36.55	54.0	17.45	AV	141.00	400	Horizontal	Pass
5	11693.725	51.38	74.0	22.62	Peak	0.00	150	Horizontal	Pass
5**	11693.725	46.58	54.0	7.42	AV	0.00	150	Horizontal	Pass
6	16167.750	50.76	74.0	23.24	Peak	219.00	300	Horizontal	Pass
6**	16167.750	40.75	54.0	13.25	AV	219.00	300	Horizontal	Pass

3 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.200	39.59	74.0	34.41	Peak	104.00	100	Vertical	Pass
1**	1516.200	27.98	54.0	26.02	AV	104.00	100	Vertical	Pass
2	4316.400	49.03	74.0	24.97	Peak	265.00	100	Vertical	Pass
2**	4316.400	38.94	54.0	15.06	AV	265.00	100	Vertical	Pass
3	4873.600	50.58	74.0	23.42	Peak	186.00	150	Vertical	Pass
3**	4873.600	41.45	54.0	12.55	AV	186.00	150	Vertical	Pass
4	7530.725	45.58	74.0	28.42	Peak	0.00	300	Vertical	Pass
4**	7530.725	36.63	54.0	17.37	AV	0.00	300	Vertical	Pass
5	11693.438	53.28	74.0	20.72	Peak	16.00	150	Vertical	Pass
5**	11693.438	51.27	54.0	2.73	AV	16.00	150	Vertical	Pass
6	15851.175	51.17	74.0	22.83	Peak	321.00	300	Vertical	Pass
6**	15851.175	41.27	54.0	12.73	AV	321.00	300	Vertical	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.700	37.40	74.0	36.60	Peak	186.00	400	Horizontal	Pass
1**	1517.700	27.23	54.0	26.77	AV	186.00	400	Horizontal	Pass
2	4312.200	48.18	74.0	25.82	Peak	13.00	100	Horizontal	Pass
2**	4312.200	38.26	54.0	15.74	AV	13.00	100	Horizontal	Pass
3	4760.600	50.24	74.0	23.76	Peak	360.00	150	Horizontal	Pass
3**	4760.600	39.75	54.0	14.25	AV	360.00	150	Horizontal	Pass
4	7324.875	45.49	74.0	28.51	Peak	91.00	400	Horizontal	Pass
4**	7324.875	36.76	54.0	17.24	AV	91.00	400	Horizontal	Pass
5	11464.300	48.48	74.0	25.52	Peak	0.00	150	Horizontal	Pass
5**	11464.300	45.44	54.0	8.56	AV	0.00	150	Horizontal	Pass
6	15857.475	51.04	74.0	22.96	Peak	360.00	300	Horizontal	Pass
6**	15857.475	41.50	54.0	12.50	AV	360.00	300	Horizontal	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.400	36.93	74.0	37.07	Peak	316.00	100	Vertical	Pass
1**	1610.400	27.37	54.0	26.63	AV	316.00	100	Vertical	Pass
2	4322.000	48.27	74.0	25.73	Peak	220.00	300	Vertical	Pass
2**	4322.000	38.70	54.0	15.30	AV	220.00	300	Vertical	Pass
3	4837.600	50.13	74.0	23.87	Peak	76.00	150	Vertical	Pass
3**	4837.600	41.45	54.0	12.55	AV	76.00	150	Vertical	Pass
4	7340.400	46.59	74.0	27.41	Peak	0.00	200	Vertical	Pass
4**	7340.400	37.10	54.0	16.90	AV	0.00	200	Vertical	Pass
5	11466.599	51.66	74.0	22.34	Peak	15.00	150	Vertical	Pass
5**	11466.599	48.81	54.0	5.19	AV	15.00	150	Vertical	Pass
6	15870.599	50.91	74.0	23.09	Peak	79.00	100	Vertical	Pass
6**	15870.599	41.20	54.0	12.80	AV	79.00	100	Vertical	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	38.52	74.0	35.48	Peak	333.00	300	Horizontal	Pass
1**	1440.300	33.40	54.0	20.60	AV	333.00	300	Horizontal	Pass
2	4322.800	48.69	74.0	25.31	Peak	297.00	100	Horizontal	Pass
2**	4322.800	39.62	54.0	14.38	AV	297.00	100	Horizontal	Pass
3	4810.000	50.59	74.0	23.41	Peak	202.00	150	Horizontal	Pass
3**	4810.000	40.53	54.0	13.47	AV	202.00	150	Horizontal	Pass
4	7269.675	45.82	74.0	28.18	Peak	337.00	100	Horizontal	Pass
4**	7269.675	36.09	54.0	17.91	AV	337.00	100	Horizontal	Pass
5	11573.262	49.75	74.0	24.25	Peak	0.00	150	Horizontal	Pass
5**	11573.262	45.70	54.0	8.30	AV	0.00	150	Horizontal	Pass
6	15798.150	51.12	74.0	22.88	Peak	357.00	300	Horizontal	Pass
6**	15798.150	41.90	54.0	12.10	AV	357.00	300	Horizontal	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	36.87	74.0	37.13	Peak	183.00	200	Vertical	Pass
1**	1500.300	28.63	54.0	25.37	AV	183.00	200	Vertical	Pass
2	4395.800	49.30	74.0	24.70	Peak	344.00	400	Vertical	Pass
2**	4395.800	39.34	54.0	14.66	AV	344.00	400	Vertical	Pass
3	4840.600	50.53	74.0	23.47	Peak	359.00	150	Vertical	Pass
3**	4840.600	41.16	54.0	12.84	AV	359.00	150	Vertical	Pass
4	7503.413	45.35	74.0	28.65	Peak	66.00	100	Vertical	Pass
4**	7503.413	35.97	54.0	18.03	AV	66.00	100	Vertical	Pass
5	11574.412	54.57	74.0	19.43	Peak	15.00	150	Vertical	Pass
5**	11574.412	48.57	54.0	5.43	AV	15.00	150	Vertical	Pass
6	15819.412	51.06	74.0	22.94	Peak	191.00	200	Vertical	Pass
6**	15819.412	42.78	54.0	11.22	AV	191.00	200	Vertical	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.900	37.12	74.0	36.88	Peak	10.00	300	Horizontal	Pass
1**	1500.900	27.09	54.0	26.91	AV	10.00	300	Horizontal	Pass
2	4367.200	49.00	74.0	25.00	Peak	123.00	400	Horizontal	Pass
2**	4367.200	40.08	54.0	13.92	AV	123.00	400	Horizontal	Pass
3	4895.200	49.86	74.0	24.14	Peak	91.00	150	Horizontal	Pass
3**	4895.200	40.47	54.0	13.53	AV	91.00	150	Horizontal	Pass
4	7269.100	45.30	74.0	28.70	Peak	68.00	100	Horizontal	Pass
4**	7269.100	35.37	54.0	18.63	AV	68.00	100	Horizontal	Pass
5	11687.113	49.27	74.0	24.73	Peak	0.00	150	Horizontal	Pass
5**	11687.113	46.15	54.0	7.85	AV	0.00	150	Horizontal	Pass
6	15854.588	51.53	74.0	22.47	Peak	55.00	100	Horizontal	Pass
6**	15854.588	40.90	54.0	13.10	AV	55.00	100	Horizontal	Pass

5 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.700	36.63	74.0	37.37	Peak	170.00	100	Vertical	Pass
1**	1491.700	27.71	54.0	26.29	AV	170.00	100	Vertical	Pass
2	4365.000	48.78	74.0	25.22	Peak	279.00	300	Vertical	Pass
2**	4365.000	39.69	54.0	14.31	AV	279.00	300	Vertical	Pass
3	4831.600	50.53	74.0	23.47	Peak	107.00	150	Vertical	Pass
3**	4831.600	40.70	54.0	13.30	AV	107.00	150	Vertical	Pass
4	7529.288	45.99	74.0	28.01	Peak	241.00	200	Vertical	Pass
4**	7529.288	36.96	54.0	17.04	AV	241.00	200	Vertical	Pass
5	11684.237	53.23	74.0	20.77	Peak	42.00	150	Vertical	Pass
5**	11684.237	49.00	54.0	5.00	AV	42.00	150	Vertical	Pass
6	15727.537	50.46	74.0	23.54	Peak	274.00	400	Vertical	Pass
6**	15727.537	40.10	54.0	13.90	AV	274.00	400	Vertical	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.100	37.32	74.0	36.68	Peak	168.00	200	Horizontal	Pass
1**	1458.100	27.77	54.0	26.23	AV	168.00	200	Horizontal	Pass
2	2852.300	43.54	74.0	30.46	Peak	53.00	150	Horizontal	Pass
2**	2852.300	33.83	54.0	20.17	AV	53.00	150	Horizontal	Pass
3	4367.400	49.21	74.0	24.79	Peak	0.00	300	Horizontal	Pass
3**	4367.400	40.17	54.0	13.83	AV	0.00	300	Horizontal	Pass
4	7501.687	45.45	74.0	28.55	Peak	199.00	300	Horizontal	Pass
4**	7501.687	35.65	54.0	18.35	AV	199.00	300	Horizontal	Pass
5	11462.862	46.57	74.0	27.43	Peak	360.00	150	Horizontal	Pass
5**	11462.862	41.92	54.0	12.08	AV	360.00	150	Horizontal	Pass
6	15513.862	51.24	74.0	22.76	Peak	2.00	300	Horizontal	Pass
6**	15513.862	40.65	54.0	13.35	AV	2.00	300	Horizontal	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	36.76	74.0	37.24	Peak	330.00	400	Vertical	Pass
1**	1499.500	27.00	54.0	27.00	AV	330.00	400	Vertical	Pass
2	2843.100	42.22	74.0	31.78	Peak	124.00	150	Vertical	Pass
2**	2843.100	32.38	54.0	21.62	AV	124.00	150	Vertical	Pass
3	4368.600	48.04	74.0	25.96	Peak	360.00	200	Vertical	Pass
3**	4368.600	39.99	54.0	14.01	AV	360.00	200	Vertical	Pass
4	7352.763	45.38	74.0	28.62	Peak	0.00	300	Vertical	Pass
4**	7352.763	36.24	54.0	17.76	AV	0.00	300	Vertical	Pass
5	11462.575	48.85	74.0	25.15	Peak	24.00	150	Vertical	Pass
5**	11462.575	43.22	54.0	10.78	AV	24.00	150	Vertical	Pass
6	16172.474	51.63	74.0	22.37	Peak	167.00	200	Vertical	Pass
6**	16172.474	41.45	54.0	12.55	AV	167.00	200	Vertical	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	37.76	74.0	36.24	Peak	308.00	200	Horizontal	Pass
1**	1439.800	28.71	54.0	25.29	AV	308.00	200	Horizontal	Pass
2	2842.900	43.38	74.0	30.62	Peak	127.00	150	Horizontal	Pass
2**	2842.900	34.29	54.0	19.71	AV	127.00	150	Horizontal	Pass
3	4389.000	48.43	74.0	25.57	Peak	328.00	300	Horizontal	Pass
3**	4389.000	39.22	54.0	14.78	AV	328.00	300	Horizontal	Pass
4	7365.700	45.43	74.0	28.57	Peak	175.00	100	Horizontal	Pass
4**	7365.700	36.53	54.0	17.47	AV	175.00	100	Horizontal	Pass
5	12478.026	49.33	74.0	24.67	Peak	25.00	200	Horizontal	Pass
5**	12478.026	40.42	54.0	13.58	AV	25.00	200	Horizontal	Pass
6	15848.025	50.71	74.0	23.29	Peak	197.00	200	Horizontal	Pass
6**	15848.025	41.65	54.0	12.35	AV	197.00	200	Horizontal	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.600	36.60	74.0	37.40	Peak	87.00	300	Vertical	Pass
1**	1584.600	26.91	54.0	27.09	AV	87.00	300	Vertical	Pass
2	2848.600	42.73	74.0	31.27	Peak	69.00	150	Vertical	Pass
2**	2848.600	32.72	54.0	21.28	AV	69.00	150	Vertical	Pass
3	4316.600	48.52	74.0	25.48	Peak	160.00	200	Vertical	Pass
3**	4316.600	39.56	54.0	14.44	AV	160.00	200	Vertical	Pass
4	7601.450	45.36	74.0	28.64	Peak	360.00	200	Vertical	Pass
4**	7601.450	35.03	54.0	18.97	AV	360.00	200	Vertical	Pass
5	11572.112	48.61	74.0	25.39	Peak	49.00	150	Vertical	Pass
5**	11572.112	43.56	54.0	10.44	AV	49.00	150	Vertical	Pass
6	15815.474	51.45	74.0	22.55	Peak	360.00	100	Vertical	Pass
6**	15815.474	41.84	54.0	12.16	AV	360.00	100	Vertical	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.700	37.17	74.0	36.83	Peak	34.00	100	Horizontal	Pass
1**	1620.700	27.35	54.0	26.65	AV	34.00	100	Horizontal	Pass
2	2852.400	42.92	74.0	31.08	Peak	0.00	150	Horizontal	Pass
2**	2852.400	34.56	54.0	19.44	AV	0.00	150	Horizontal	Pass
3	4368.600	48.88	74.0	25.12	Peak	1.00	100	Horizontal	Pass
3**	4368.600	39.73	54.0	14.27	AV	1.00	100	Horizontal	Pass
4	7516.638	45.38	74.0	28.62	Peak	273.00	300	Horizontal	Pass
4**	7516.638	35.97	54.0	18.03	AV	273.00	300	Horizontal	Pass
5	12612.575	48.97	74.0	25.03	Peak	198.00	200	Horizontal	Pass
5**	12612.575	38.96	54.0	15.04	AV	198.00	200	Horizontal	Pass
6	15576.863	50.71	74.0	23.29	Peak	332.00	200	Horizontal	Pass
6**	15576.863	41.54	54.0	12.46	AV	332.00	200	Horizontal	Pass

10 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.000	36.53	74.0	37.47	Peak	73.00	300	Vertical	Pass
1**	1458.000	27.13	54.0	26.87	AV	73.00	300	Vertical	Pass
2	2840.800	42.41	74.0	31.59	Peak	304.00	150	Vertical	Pass
2**	2840.800	32.77	54.0	21.23	AV	304.00	150	Vertical	Pass
3	4377.400	48.20	74.0	25.80	Peak	275.00	100	Vertical	Pass
3**	4377.400	38.80	54.0	15.20	AV	275.00	100	Vertical	Pass
4	7445.338	45.50	74.0	28.50	Peak	104.00	300	Vertical	Pass
4**	7445.338	35.82	54.0	18.18	AV	104.00	300	Vertical	Pass
5	11689.987	49.40	74.0	24.60	Peak	54.00	150	Vertical	Pass
5**	11689.987	43.32	54.0	10.68	AV	54.00	150	Vertical	Pass
6	16177.463	50.77	74.0	23.23	Peak	92.00	200	Vertical	Pass
6**	16177.463	41.30	54.0	12.70	AV	92.00	200	Vertical	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.600	37.83	74.0	36.17	Peak	360.00	300	Horizontal	Pass
1**	1480.600	28.32	54.0	25.68	AV	360.00	300	Horizontal	Pass
2	3880.600	46.04	74.0	27.96	Peak	137.00	150	Horizontal	Pass
2**	3880.600	36.79	54.0	17.21	AV	137.00	150	Horizontal	Pass
3	4717.600	49.08	74.0	24.92	Peak	360.00	150	Horizontal	Pass
3**	4717.600	39.75	54.0	14.25	AV	360.00	150	Horizontal	Pass
4	7589.663	45.23	74.0	28.77	Peak	0.00	100	Horizontal	Pass
4**	7589.663	35.99	54.0	18.01	AV	0.00	100	Horizontal	Pass
5	12443.813	48.69	74.0	25.31	Peak	258.00	150	Horizontal	Pass
5**	12443.813	39.56	54.0	14.44	AV	258.00	150	Horizontal	Pass
6	15787.125	51.06	74.0	22.94	Peak	78.00	150	Horizontal	Pass
6**	15787.125	41.41	54.0	12.59	AV	78.00	150	Horizontal	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	37.16	74.0	36.84	Peak	114.00	200	Vertical	Pass
1**	1500.500	29.11	54.0	24.89	AV	114.00	200	Vertical	Pass
2	4125.400	47.69	74.0	26.31	Peak	0.00	150	Vertical	Pass
2**	4125.400	38.31	54.0	15.69	AV	0.00	150	Vertical	Pass
3	4860.600	50.15	74.0	23.85	Peak	0.00	150	Vertical	Pass
3**	4860.600	40.89	54.0	13.11	AV	0.00	150	Vertical	Pass
4	7525.837	46.24	74.0	27.76	Peak	172.00	300	Vertical	Pass
4**	7525.837	37.75	54.0	16.25	AV	172.00	300	Vertical	Pass
5	12435.763	48.68	74.0	25.32	Peak	0.00	100	Vertical	Pass
5**	12435.763	39.48	54.0	14.52	AV	0.00	100	Vertical	Pass
6	15750.112	51.62	74.0	22.38	Peak	360.00	200	Vertical	Pass
6**	15750.112	41.72	54.0	12.28	AV	360.00	200	Vertical	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	38.04	74.0	35.96	Peak	288.00	200	Horizontal	Pass
1**	1440.200	34.32	54.0	19.68	AV	288.00	200	Horizontal	Pass
2	4390.000	48.11	74.0	25.89	Peak	215.00	100	Horizontal	Pass
2**	4390.000	39.43	54.0	14.57	AV	215.00	100	Horizontal	Pass
3	4902.200	50.59	74.0	23.41	Peak	106.00	150	Horizontal	Pass
3**	4902.200	40.74	54.0	13.26	AV	106.00	150	Horizontal	Pass
4	7350.750	45.65	74.0	28.35	Peak	216.00	400	Horizontal	Pass
4**	7350.750	36.45	54.0	17.55	AV	216.00	400	Horizontal	Pass
5	12480.037	48.72	74.0	25.28	Peak	119.00	200	Horizontal	Pass
5**	12480.037	39.71	54.0	14.29	AV	119.00	200	Horizontal	Pass
6	15570.562	50.91	74.0	23.09	Peak	25.00	200	Horizontal	Pass
6**	15570.562	41.36	54.0	12.64	AV	25.00	200	Horizontal	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.500	36.83	74.0	37.17	Peak	305.00	400	Vertical	Pass
1**	1540.500	28.25	54.0	25.75	AV	305.00	400	Vertical	Pass
2	4361.000	48.18	74.0	25.82	Peak	211.00	300	Vertical	Pass
2**	4361.000	39.24	54.0	14.76	AV	211.00	300	Vertical	Pass
3	5082.400	52.17	74.0	21.83	Peak	336.00	150	Vertical	Pass
3**	5082.400	41.84	54.0	12.16	AV	336.00	150	Vertical	Pass
4	7336.950	45.61	74.0	28.39	Peak	360.00	300	Vertical	Pass
4**	7336.950	36.10	54.0	17.90	AV	360.00	300	Vertical	Pass
5	11575.562	47.03	74.0	26.97	Peak	18.00	150	Vertical	Pass
5**	11575.562	43.27	54.0	10.73	AV	18.00	150	Vertical	Pass
6	15522.000	51.18	74.0	22.82	Peak	215.00	100	Vertical	Pass
6**	15522.000	41.16	54.0	12.84	AV	215.00	100	Vertical	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	37.12	74.0	36.88	Peak	57.00	400	Horizontal	Pass
1**	1436.900	27.76	54.0	26.24	AV	57.00	400	Horizontal	Pass
2	4322.000	48.10	74.0	25.90	Peak	285.00	400	Horizontal	Pass
2**	4322.000	38.62	54.0	15.38	AV	285.00	400	Horizontal	Pass
3	5410.800	53.61	74.0	20.39	Peak	255.00	150	Horizontal	Pass
3**	5410.800	50.42	54.0	3.58	AV	255.00	150	Horizontal	Pass
4	7568.675	45.78	74.0	28.22	Peak	360.00	200	Horizontal	Pass
4**	7568.675	37.10	54.0	16.90	AV	360.00	200	Horizontal	Pass
5	12499.299	50.21	74.0	23.79	Peak	298.00	150	Horizontal	Pass
5**	12499.299	39.53	54.0	14.47	AV	298.00	150	Horizontal	Pass
6	16044.900	51.02	74.0	22.98	Peak	168.00	200	Horizontal	Pass
6**	16044.900	41.51	54.0	12.49	AV	168.00	200	Horizontal	Pass

20 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.100	37.63	74.0	36.37	Peak	61.00	400	Vertical	Pass
1**	1531.100	27.54	54.0	26.46	AV	61.00	400	Vertical	Pass
2	2845.900	43.54	74.0	30.46	Peak	44.00	150	Vertical	Pass
2**	2845.900	34.21	54.0	19.79	AV	44.00	150	Vertical	Pass
3	4200.000	48.98	74.0	25.02	Peak	0.00	200	Vertical	Pass
3**	4200.000	39.23	54.0	14.77	AV	0.00	200	Vertical	Pass
4	7614.962	46.24	74.0	27.76	Peak	298.00	300	Vertical	Pass
4**	7614.962	36.07	54.0	17.93	AV	298.00	300	Vertical	Pass
5	11281.450	48.91	74.0	25.09	Peak	322.00	150	Vertical	Pass
5**	11281.450	38.55	54.0	15.45	AV	322.00	150	Vertical	Pass
6	15813.900	51.63	74.0	22.37	Peak	84.00	300	Vertical	Pass
6**	15813.900	42.44	54.0	11.56	AV	84.00	300	Vertical	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.200	38.17	74.0	35.83	Peak	360.00	100	Horizontal	Pass
1**	1460.200	27.88	54.0	26.12	AV	360.00	100	Horizontal	Pass
2	4202.400	48.28	74.0	25.72	Peak	360.00	150	Horizontal	Pass
2**	4202.400	39.40	54.0	14.60	AV	360.00	150	Horizontal	Pass
3	4823.600	49.71	74.0	24.29	Peak	114.00	150	Horizontal	Pass
3**	4823.600	41.03	54.0	12.97	AV	114.00	150	Horizontal	Pass
4	7566.663	45.39	74.0	28.61	Peak	220.00	300	Horizontal	Pass
4**	7566.663	36.52	54.0	17.48	AV	220.00	300	Horizontal	Pass
5	12474.000	48.68	74.0	25.32	Peak	149.00	200	Horizontal	Pass
5**	12474.000	39.73	54.0	14.27	AV	149.00	200	Horizontal	Pass
6	15588.675	51.35	74.0	22.65	Peak	78.00	200	Horizontal	Pass
6**	15588.675	41.28	54.0	12.72	AV	78.00	200	Horizontal	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.000	37.53	74.0	36.47	Peak	95.00	400	Vertical	Pass
1**	1512.000	28.44	54.0	25.56	AV	95.00	400	Vertical	Pass
2	4191.200	48.15	74.0	25.85	Peak	222.00	400	Vertical	Pass
2**	4191.200	38.70	54.0	15.30	AV	222.00	400	Vertical	Pass
3	4838.000	49.67	74.0	24.33	Peak	58.00	150	Vertical	Pass
3**	4838.000	41.02	54.0	12.98	AV	58.00	150	Vertical	Pass
4	7525.837	46.47	74.0	27.53	Peak	99.00	400	Vertical	Pass
4**	7525.837	36.16	54.0	17.84	AV	99.00	400	Vertical	Pass
5	11892.100	48.78	74.0	25.22	Peak	265.00	150	Vertical	Pass
5**	11892.100	39.52	54.0	14.48	AV	265.00	150	Vertical	Pass
6	15746.700	51.28	74.0	22.72	Peak	185.00	100	Vertical	Pass
6**	15746.700	41.81	54.0	12.19	AV	185.00	100	Vertical	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	38.22	74.0	35.78	Peak	87.00	100	Horizontal	Pass
1**	1440.100	32.84	54.0	21.16	AV	87.00	100	Horizontal	Pass
2	4254.400	48.99	74.0	25.01	Peak	138.00	200	Horizontal	Pass
2**	4254.400	39.18	54.0	14.82	AV	138.00	200	Horizontal	Pass
3	4842.400	50.80	74.0	23.20	Peak	232.00	150	Horizontal	Pass
3**	4842.400	40.41	54.0	13.59	AV	232.00	150	Horizontal	Pass
4	7579.313	45.24	74.0	28.76	Peak	91.00	300	Horizontal	Pass
4**	7579.313	36.41	54.0	17.59	AV	91.00	300	Horizontal	Pass
5	11570.388	48.84	74.0	25.16	Peak	264.00	200	Horizontal	Pass
5**	11570.388	40.42	54.0	13.58	AV	264.00	200	Horizontal	Pass
6	15731.738	50.57	74.0	23.43	Peak	327.00	300	Horizontal	Pass
6**	15731.738	40.87	54.0	13.13	AV	327.00	300	Horizontal	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	37.09	74.0	36.91	Peak	76.00	300	Vertical	Pass
1**	1440.100	28.08	54.0	25.92	AV	76.00	300	Vertical	Pass
2	4238.000	48.41	74.0	25.59	Peak	279.00	200	Vertical	Pass
2**	4238.000	38.92	54.0	15.08	AV	279.00	200	Vertical	Pass
3	4796.000	50.25	74.0	23.75	Peak	279.00	150	Vertical	Pass
3**	4796.000	40.69	54.0	13.31	AV	279.00	150	Vertical	Pass
4	7289.512	45.42	74.0	28.58	Peak	19.00	300	Vertical	Pass
4**	7289.512	35.29	54.0	18.71	AV	19.00	300	Vertical	Pass
5	11576.713	47.56	74.0	26.44	Peak	19.00	150	Vertical	Pass
5**	11576.713	43.57	54.0	10.43	AV	19.00	150	Vertical	Pass
6	15823.875	51.31	74.0	22.69	Peak	81.00	300	Vertical	Pass
6**	15823.875	41.77	54.0	12.23	AV	81.00	300	Vertical	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.600	37.85	74.0	36.15	Peak	0.00	400	Horizontal	Pass
1**	1445.600	27.50	54.0	26.50	AV	0.00	400	Horizontal	Pass
2	4275.600	48.86	74.0	25.14	Peak	280.00	400	Horizontal	Pass
2**	4275.600	38.20	54.0	15.80	AV	280.00	400	Horizontal	Pass
3	5437.200	54.34	74.0	19.66	Peak	264.00	150	Horizontal	Pass
3**	5437.200	50.82	54.0	3.18	AV	264.00	150	Horizontal	Pass
4	7350.462	45.37	74.0	28.63	Peak	123.00	300	Horizontal	Pass
4**	7350.462	35.97	54.0	18.03	AV	123.00	300	Horizontal	Pass
5	12664.901	48.87	74.0	25.13	Peak	198.00	200	Horizontal	Pass
5**	12664.901	38.05	54.0	15.95	AV	198.00	200	Horizontal	Pass
6	15850.387	51.47	74.0	22.53	Peak	360.00	400	Horizontal	Pass
6**	15850.387	41.85	54.0	12.15	AV	360.00	400	Horizontal	Pass

40 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.200	37.57	74.0	36.43	Peak	26.00	200	Vertical	Pass
1**	1559.200	28.63	54.0	25.37	AV	26.00	200	Vertical	Pass
2	2766.700	43.34	74.0	30.66	Peak	360.00	150	Vertical	Pass
2**	2766.700	34.01	54.0	19.99	AV	360.00	150	Vertical	Pass
3	4368.200	49.54	74.0	24.46	Peak	47.00	400	Vertical	Pass
3**	4368.200	39.53	54.0	14.47	AV	47.00	400	Vertical	Pass
4	7528.425	45.53	74.0	28.47	Peak	98.00	300	Vertical	Pass
4**	7528.425	36.90	54.0	17.10	AV	98.00	300	Vertical	Pass
5	12487.513	49.14	74.0	24.86	Peak	0.00	200	Vertical	Pass
5**	12487.513	39.98	54.0	14.02	AV	0.00	200	Vertical	Pass
6	15562.951	51.52	74.0	22.48	Peak	306.00	400	Vertical	Pass
6**	15562.951	41.44	54.0	12.56	AV	306.00	400	Vertical	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.200	37.85	74.0	36.15	Peak	194.00	100	Horizontal	Pass
1**	1512.200	31.28	54.0	22.72	AV	194.00	100	Horizontal	Pass
2	4382.600	48.26	74.0	25.74	Peak	212.00	100	Horizontal	Pass
2**	4382.600	38.94	54.0	15.06	AV	212.00	100	Horizontal	Pass
3	4837.800	49.91	74.0	24.09	Peak	151.00	150	Horizontal	Pass
3**	4837.800	41.44	54.0	12.56	AV	151.00	150	Horizontal	Pass
4	7360.813	45.66	74.0	28.34	Peak	45.00	400	Horizontal	Pass
4**	7360.813	36.16	54.0	17.84	AV	45.00	400	Horizontal	Pass
5	12468.537	48.44	74.0	25.56	Peak	338.00	150	Horizontal	Pass
5**	12468.537	39.38	54.0	14.62	AV	338.00	150	Horizontal	Pass
6	15467.662	49.19	74.0	24.81	Peak	4.00	100	Horizontal	Pass
6**	15467.662	39.41	54.0	14.59	AV	4.00	100	Horizontal	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.900	37.49	74.0	36.51	Peak	108.00	100	Vertical	Pass
1**	1467.900	27.73	54.0	26.27	AV	108.00	100	Vertical	Pass
2	4279.400	48.51	74.0	25.49	Peak	191.00	100	Vertical	Pass
2**	4279.400	38.96	54.0	15.04	AV	191.00	100	Vertical	Pass
3	4746.200	50.13	74.0	23.87	Peak	114.00	150	Vertical	Pass
3**	4746.200	40.12	54.0	13.88	AV	114.00	150	Vertical	Pass
4	7365.412	45.47	74.0	28.53	Peak	342.00	400	Vertical	Pass
4**	7365.412	36.26	54.0	17.74	AV	342.00	400	Vertical	Pass
5	12537.538	49.23	74.0	24.77	Peak	266.00	100	Vertical	Pass
5**	12537.538	39.87	54.0	14.13	AV	266.00	100	Vertical	Pass
6	15801.825	49.68	74.0	24.32	Peak	138.00	150	Vertical	Pass
6**	15801.825	39.75	54.0	14.25	AV	138.00	150	Vertical	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	38.17	74.0	35.83	Peak	190.00	200	Horizontal	Pass
1**	1440.100	34.41	54.0	19.59	AV	190.00	200	Horizontal	Pass
2	3858.000	47.90	74.0	26.10	Peak	288.00	200	Horizontal	Pass
2**	3858.000	36.50	54.0	17.50	AV	288.00	200	Horizontal	Pass
3	4818.800	50.22	74.0	23.78	Peak	254.00	150	Horizontal	Pass
3**	4818.800	40.26	54.0	13.74	AV	254.00	150	Horizontal	Pass
4	7524.112	45.32	74.0	28.68	Peak	343.00	400	Horizontal	Pass
4**	7524.112	36.19	54.0	17.81	AV	343.00	400	Horizontal	Pass
5	12475.437	48.90	74.0	25.10	Peak	343.00	150	Horizontal	Pass
5**	12475.437	40.14	54.0	13.86	AV	343.00	150	Horizontal	Pass
6	15666.638	50.02	74.0	23.98	Peak	308.00	100	Horizontal	Pass
6**	15666.638	39.37	54.0	14.63	AV	308.00	100	Horizontal	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.900	37.43	74.0	36.57	Peak	80.00	300	Vertical	Pass
1**	1530.900	29.12	54.0	24.88	AV	80.00	300	Vertical	Pass
2	4367.200	48.47	74.0	25.53	Peak	24.00	300	Vertical	Pass
2**	4367.200	40.28	54.0	13.72	AV	24.00	300	Vertical	Pass
3	5416.000	58.36	74.0	15.64	Peak	346.00	150	Vertical	Pass
3**	5416.000	51.99	54.0	2.01	AV	346.00	150	Vertical	Pass
4	7527.850	45.78	74.0	28.22	Peak	360.00	300	Vertical	Pass
4**	7527.850	36.72	54.0	17.28	AV	360.00	300	Vertical	Pass
5	12465.950	48.97	74.0	25.03	Peak	21.00	200	Vertical	Pass
5**	12465.950	39.42	54.0	14.58	AV	21.00	200	Vertical	Pass
6	15864.563	49.24	74.0	24.76	Peak	336.00	400	Vertical	Pass
6**	15864.563	39.48	54.0	14.52	AV	336.00	400	Vertical	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	39.74	74.0	34.26	Peak	306.00	400	Horizontal	Pass
1**	1440.400	36.31	54.0	17.69	AV	306.00	400	Horizontal	Pass
2	4392.400	48.33	74.0	25.67	Peak	191.00	200	Horizontal	Pass
2**	4392.400	39.13	54.0	14.87	AV	191.00	200	Horizontal	Pass
3	4837.000	50.47	74.0	23.53	Peak	223.00	150	Horizontal	Pass
3**	4837.000	41.70	54.0	12.30	AV	223.00	150	Horizontal	Pass
4	7550.275	45.30	74.0	28.70	Peak	47.00	400	Horizontal	Pass
4**	7550.275	35.72	54.0	18.28	AV	47.00	400	Horizontal	Pass
5	12460.488	48.69	74.0	25.31	Peak	47.00	150	Horizontal	Pass
5**	12460.488	39.60	54.0	14.40	AV	47.00	150	Horizontal	Pass
6	15571.088	49.38	74.0	24.62	Peak	308.00	400	Horizontal	Pass
6**	15571.088	41.12	54.0	12.88	AV	308.00	400	Horizontal	Pass

60 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.500	37.48	74.0	36.52	Peak	64.00	100	Vertical	Pass
1**	1493.500	29.63	54.0	24.37	AV	64.00	100	Vertical	Pass
2	4064.200	49.03	74.0	24.97	Peak	22.00	400	Vertical	Pass
2**	4064.200	37.71	54.0	16.29	AV	22.00	400	Vertical	Pass
3	4847.800	50.29	74.0	23.71	Peak	347.00	150	Vertical	Pass
3**	4847.800	41.19	54.0	12.81	AV	347.00	150	Vertical	Pass
4	7592.250	46.00	74.0	28.00	Peak	98.00	300	Vertical	Pass
4**	7592.250	35.99	54.0	18.01	AV	98.00	300	Vertical	Pass
5	12478.599	49.23	74.0	24.77	Peak	360.00	100	Vertical	Pass
5**	12478.599	39.37	54.0	14.63	AV	360.00	100	Vertical	Pass
6	15755.099	49.50	74.0	24.50	Peak	38.00	300	Vertical	Pass
6**	15755.099	39.07	54.0	14.93	AV	38.00	300	Vertical	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	39.81	74.0	34.19	Peak	298.00	200	Horizontal	Pass
1**	1440.300	35.76	54.0	18.24	AV	298.00	200	Horizontal	Pass
2	4320.600	48.09	74.0	25.91	Peak	285.00	100	Horizontal	Pass
2**	4320.600	39.17	54.0	14.83	AV	285.00	100	Horizontal	Pass
3	4887.200	51.73	74.0	22.27	Peak	315.00	150	Horizontal	Pass
3**	4887.200	41.23	54.0	12.77	AV	315.00	150	Horizontal	Pass
4	7318.837	46.14	74.0	27.86	Peak	194.00	300	Horizontal	Pass
4**	7318.837	36.11	54.0	17.89	AV	194.00	300	Horizontal	Pass
5	12484.924	48.78	74.0	25.22	Peak	292.00	150	Horizontal	Pass
5**	12484.924	39.81	54.0	14.19	AV	292.00	150	Horizontal	Pass
6	15667.951	49.35	74.0	24.65	Peak	223.00	300	Horizontal	Pass
6**	15667.951	40.80	54.0	13.20	AV	223.00	300	Horizontal	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.600	37.26	74.0	36.74	Peak	62.00	400	Vertical	Pass
1**	1562.600	29.34	54.0	24.66	AV	62.00	400	Vertical	Pass
2	4345.000	48.24	74.0	25.76	Peak	0.00	200	Vertical	Pass
2**	4345.000	38.39	54.0	15.61	AV	0.00	200	Vertical	Pass
3	4894.600	50.61	74.0	23.39	Peak	126.00	150	Vertical	Pass
3**	4894.600	41.42	54.0	12.58	AV	126.00	150	Vertical	Pass
4	7533.600	45.50	74.0	28.50	Peak	46.00	200	Vertical	Pass
4**	7533.600	37.02	54.0	16.98	AV	46.00	200	Vertical	Pass
5	12493.550	49.47	74.0	24.53	Peak	360.00	150	Vertical	Pass
5**	12493.550	39.73	54.0	14.27	AV	360.00	150	Vertical	Pass
6	15797.888	49.94	74.0	24.06	Peak	92.00	300	Vertical	Pass
6**	15797.888	40.07	54.0	13.93	AV	92.00	300	Vertical	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.800	37.04	74.0	36.96	Peak	0.00	400	Horizontal	Pass
1**	1611.800	27.73	54.0	26.27	AV	0.00	400	Horizontal	Pass
2	4320.800	48.50	74.0	25.50	Peak	22.00	400	Horizontal	Pass
2**	4320.800	39.63	54.0	14.37	AV	22.00	400	Horizontal	Pass
3	4836.800	50.80	74.0	23.20	Peak	241.00	150	Horizontal	Pass
3**	4836.800	41.46	54.0	12.54	AV	241.00	150	Horizontal	Pass
4	7385.250	44.97	74.0	29.03	Peak	219.00	400	Horizontal	Pass
4**	7385.250	35.09	54.0	18.91	AV	219.00	400	Horizontal	Pass
5	11201.237	49.36	74.0	24.64	Peak	194.00	100	Horizontal	Pass
5**	11201.237	38.02	54.0	15.98	AV	194.00	100	Horizontal	Pass
6	15899.475	49.63	74.0	24.37	Peak	279.00	300	Horizontal	Pass
6**	15899.475	40.53	54.0	13.47	AV	279.00	300	Horizontal	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	39.21	74.0	34.79	Peak	96.00	200	Vertical	Pass
1**	1440.200	33.39	54.0	20.61	AV	96.00	200	Vertical	Pass
2	4384.800	48.17	74.0	25.83	Peak	164.00	400	Vertical	Pass
2**	4384.800	40.36	54.0	13.64	AV	164.00	400	Vertical	Pass
3	5420.000	55.68	74.0	18.32	Peak	194.00	150	Vertical	Pass
3**	5420.000	50.07	54.0	3.93	AV	194.00	150	Vertical	Pass
4	7299.000	45.26	74.0	28.74	Peak	73.00	300	Vertical	Pass
4**	7299.000	35.58	54.0	18.42	AV	73.00	300	Vertical	Pass
5	12450.425	48.65	74.0	25.35	Peak	340.00	100	Vertical	Pass
5**	12450.425	39.81	54.0	14.19	AV	340.00	100	Vertical	Pass
6	15569.776	48.97	74.0	25.03	Peak	335.00	200	Vertical	Pass
6**	15569.776	39.87	54.0	14.13	AV	335.00	200	Vertical	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	37.64	74.0	36.36	Peak	360.00	400	Horizontal	Pass
1**	1440.300	32.89	54.0	21.11	AV	360.00	400	Horizontal	Pass
2	4366.600	48.42	74.0	25.58	Peak	223.00	100	Horizontal	Pass
2**	4366.600	39.57	54.0	14.43	AV	223.00	100	Horizontal	Pass
3	4836.200	51.16	74.0	22.84	Peak	240.00	150	Horizontal	Pass
3**	4836.200	41.60	54.0	12.40	AV	240.00	150	Horizontal	Pass
4	7317.975	45.32	74.0	28.68	Peak	329.00	100	Horizontal	Pass
4**	7317.975	36.06	54.0	17.94	AV	329.00	100	Horizontal	Pass
5	12449.563	48.63	74.0	25.37	Peak	0.00	100	Horizontal	Pass
5**	12449.563	40.64	54.0	13.36	AV	0.00	100	Horizontal	Pass
6	15906.825	49.12	74.0	24.88	Peak	360.00	100	Horizontal	Pass
6**	15906.825	40.61	54.0	13.39	AV	360.00	100	Horizontal	Pass

80 MHz, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

RE Test case_FCC Part 15E_DJ_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.600	37.37	74.0	36.63	Peak	117.00	400	Vertical	Pass
1**	1467.600	27.73	54.0	26.27	AV	117.00	400	Vertical	Pass
2	4383.400	48.44	74.0	25.56	Peak	162.00	400	Vertical	Pass
2**	4383.400	39.31	54.0	14.69	AV	162.00	400	Vertical	Pass
3	4880.600	50.40	74.0	23.60	Peak	0.00	150	Vertical	Pass
3**	4880.600	40.74	54.0	13.26	AV	0.00	150	Vertical	Pass
4	7534.462	45.47	74.0	28.53	Peak	190.00	400	Vertical	Pass
4**	7534.462	36.08	54.0	17.92	AV	190.00	400	Vertical	Pass
5	12485.500	48.75	74.0	25.25	Peak	239.00	100	Vertical	Pass
5**	12485.500	39.90	54.0	14.10	AV	239.00	100	Vertical	Pass
6	15801.562	49.04	74.0	24.96	Peak	198.00	200	Vertical	Pass
6**	15801.562	39.11	54.0	14.89	AV	198.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	1.4 MHz	Low	Pass
		High	Pass
	3 MHz	Low	Pass
		High	Pass
	5 MHz	Low	Pass
		High	Pass
	10 MHz	Low	Pass
		High	Pass
	20 MHz	Low	Pass
		High	Pass
	40 MHz	Low	Pass
		High	Pass
	60 MHz	Low	Pass
		Middle	Pass
		High	Pass
	80 MHz	Low	Pass
		Middle	Pass
		High	Pass
U-NII-3	1.4 MHz	Low	Pass
		High	Pass
	3 MHz	Low	Pass
		High	Pass
	5 MHz	Low	Pass
		High	Pass
	10 MHz	Low	Pass
		High	Pass
	20 MHz	Low	Pass
		High	Pass
	40 MHz	Low	Pass
		High	Pass
	60 MHz	Low	Pass
		Middle	Pass
		High	Pass
	80 MHz	Low	Pass
		Middle	Pass
		High	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

ANT0


U-NII-1 1.4 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.550	60.36	74.0	13.64	Peak	215.00	100	Vertical	Pass
1**	5141.550	48.16	54.0	5.84	AV	215.00	100	Vertical	Pass
2	5150.000	58.39	74.0	15.61	Peak	47.00	200	Vertical	Pass
2**	5150.000	48.27	54.0	5.73	AV	47.00	200	Vertical	Pass


U-NII-1 1.4 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.77	74.0	15.23	Peak	329.00	100	Vertical	Pass
1**	5350.055	48.72	54.0	5.28	AV	329.00	100	Vertical	Pass
2	5357.645	60.16	74.0	13.84	Peak	171.00	200	Vertical	Pass
2**	5357.645	48.44	54.0	5.56	AV	171.00	200	Vertical	Pass


U-NII-1 3 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5022.275	60.23	74.0	13.77	Peak	109.00	100	Vertical	Pass
1**	5022.275	48.68	54.0	5.32	AV	109.00	100	Vertical	Pass
2	5150.000	57.95	74.0	16.05	Peak	0.00	100	Vertical	Pass
2**	5150.000	48.34	54.0	5.66	AV	0.00	100	Vertical	Pass


U-NII-1 3 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.78	74.0	15.22	Peak	29.00	200	Vertical	Pass
1**	5350.000	48.67	54.0	5.33	AV	29.00	200	Vertical	Pass
2	5375.740	60.80	74.0	13.20	Peak	346.00	100	Vertical	Pass
2**	5375.740	48.56	54.0	5.44	AV	346.00	100	Vertical	Pass


U-NII-1 5 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5066.800	60.46	74.0	13.54	Peak	210.00	150	Vertical	Pass
1**	5066.800	48.41	54.0	5.59	AV	210.00	150	Vertical	Pass
2	5150.000	58.28	74.0	15.72	Peak	360.00	100	Vertical	Pass
2**	5150.000	48.69	54.0	5.31	AV	360.00	100	Vertical	Pass


U-NII-1 5 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.21	74.0	14.79	Peak	220.00	150	Vertical	Pass
1**	5350.000	49.62	54.0	4.38	AV	220.00	150	Vertical	Pass
2	5454.885	60.68	74.0	13.32	Peak	181.00	150	Vertical	Pass
2**	5454.885	48.82	54.0	5.18	AV	181.00	150	Vertical	Pass


U-NII-1 10 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.11	74.0	12.89	Peak	45.00	200	Vertical	Pass
1**	5149.350	49.79	54.0	4.21	AV	45.00	200	Vertical	Pass
2	5150.000	60.78	74.0	13.22	Peak	45.00	150	Vertical	Pass
2**	5150.000	49.60	54.0	4.40	AV	45.00	150	Vertical	Pass
3	5149.675	58.46	74.0	15.54	Peak	93.00	150	Vertical	Pass
3**	5149.675	50.34	54.0	3.66	AV	93.00	150	Vertical	Pass


U-NII-1 10 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.90	74.0	15.10	Peak	1.00	100	Vertical	Pass
1**	5350.055	49.14	54.0	4.86	AV	1.00	100	Vertical	Pass
2	5440.255	60.64	74.0	13.36	Peak	87.00	100	Vertical	Pass
2**	5440.255	48.45	54.0	5.55	AV	87.00	100	Vertical	Pass


U-NII-1 20 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	63.08	74.0	10.92	Peak	89.00	150	Vertical	Pass
1**	5148.700	49.52	54.0	4.48	AV	89.00	150	Vertical	Pass
2	5150.000	64.40	74.0	9.60	Peak	71.00	150	Vertical	Pass
2**	5150.000	50.37	54.0	3.63	AV	71.00	150	Vertical	Pass


U-NII-1 20 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.75	74.0	15.25	Peak	344.00	150	Vertical	Pass
1**	5350.055	49.65	54.0	4.35	AV	344.00	150	Vertical	Pass
2	5407.585	60.66	74.0	13.34	Peak	51.00	200	Vertical	Pass
2**	5407.585	49.44	54.0	4.56	AV	51.00	200	Vertical	Pass


U-NII-1 40 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	66.57	74.0	7.43	Peak	77.00	150	Vertical	Pass
1**	5149.350	51.05	54.0	2.95	AV	77.00	150	Vertical	Pass
2	5150.000	65.47	74.0	8.53	Peak	80.00	150	Vertical	Pass
2**	5150.000	51.09	54.0	2.91	AV	80.00	150	Vertical	Pass


U-NII-1 40 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.47	74.0	13.53	Peak	41.00	100	Vertical	Pass
1**	5350.000	50.10	54.0	3.90	AV	41.00	100	Vertical	Pass
2	5350.495	61.13	74.0	12.87	Peak	56.00	200	Vertical	Pass
2**	5350.495	49.71	54.0	4.29	AV	56.00	200	Vertical	Pass

U-NII-1 60 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	64.47	74.0	9.53	Peak	83.00	150	Vertical	Pass
1**	5145.775	51.28	54.0	2.72	AV	83.00	150	Vertical	Pass
2	5150.000	63.76	74.0	10.24	Peak	57.00	150	Vertical	Pass
2**	5150.000	52.00	54.0	2.00	AV	57.00	150	Vertical	Pass


U-NII-1 60 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	62.09	74.0	11.91	Peak	69.00	200	Vertical	Pass
1**	5148.375	50.28	54.0	3.72	AV	69.00	200	Vertical	Pass
2	5150.000	62.08	74.0	11.92	Peak	66.00	100	Vertical	Pass
2**	5150.000	50.56	54.0	3.44	AV	66.00	100	Vertical	Pass

U-NII-1 60 MHz Middle Channel


Bandedge - ZT_FCC_5G_Band18&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.93	74.0	16.07	Peak	55.00	200	Vertical	Pass
1**	5350.000	48.78	54.0	5.22	AV	55.00	200	Vertical	Pass
2	5350.605	60.84	74.0	13.16	Peak	91.00	150	Vertical	Pass
2**	5350.605	48.65	54.0	5.35	AV	91.00	150	Vertical	Pass


U-NII-1 60 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.49	74.0	13.51	Peak	58.00	200	Vertical	Pass
1**	5350.055	51.66	54.0	2.34	AV	58.00	200	Vertical	Pass
2	5359.515	62.67	74.0	11.33	Peak	42.00	100	Vertical	Pass
2**	5359.515	50.60	54.0	3.40	AV	42.00	100	Vertical	Pass

U-NII-1 80 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	59.25	74.0	14.75	Peak	84.00	150	Vertical	Pass
1**	5140.575	50.57	54.0	3.43	AV	84.00	150	Vertical	Pass
2	5147.725	64.03	74.0	9.97	Peak	45.00	200	Vertical	Pass
2**	5147.725	50.40	54.0	3.60	AV	45.00	200	Vertical	Pass
3	5150.000	62.98	74.0	11.02	Peak	83.00	200	Vertical	Pass
3**	5150.000	50.22	54.0	3.78	AV	83.00	200	Vertical	Pass

U-NII-1 80 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	64.02	74.0	9.98	Peak	68.00	200	Vertical	Pass
1**	5149.350	50.87	54.0	3.13	AV	68.00	200	Vertical	Pass
2	5150.000	63.54	74.0	10.46	Peak	63.00	100	Vertical	Pass
2**	5150.000	51.99	54.0	2.01	AV	63.00	100	Vertical	Pass


U-NII-1 80 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.95	74.0	16.05	Peak	2.00	100	Vertical	Pass
1**	5350.055	49.01	54.0	4.99	AV	2.00	100	Vertical	Pass
2	5388.280	59.77	74.0	14.23	Peak	272.00	100	Vertical	Pass
2**	5388.280	48.55	54.0	5.45	AV	272.00	100	Vertical	Pass


U-NII-1 80 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.93	74.0	14.07	Peak	64.00	100	Vertical	Pass
1**	5350.000	50.89	54.0	3.11	AV	64.00	100	Vertical	Pass
2	5352.420	61.93	74.0	12.07	Peak	64.00	100	Vertical	Pass
2**	5352.420	50.65	54.0	3.35	AV	64.00	100	Vertical	Pass
3	5353.685	59.12	74.0	14.88	Peak	64.00	150	Vertical	Pass
3**	5353.685	51.24	54.0	2.76	AV	64.00	150	Vertical	Pass

U-NII-3 1.4 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.700	62.74	68.2	5.46	Peak	77.00	150	Vertical	Pass
2	5650.000	60.91	68.2	7.29	Peak	26.00	150	Vertical	Pass

U-NII-3 1.4 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	61.22	68.2	6.98	Peak	144.00	150	Vertical	Pass
2	5932.100	62.63	68.2	5.57	Peak	67.00	150	Vertical	Pass

U-NII-3 3 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.750	62.31	68.2	5.89	Peak	234.00	150	Vertical	Pass
2	5650.000	59.98	68.2	8.22	Peak	174.00	150	Vertical	Pass

U-NII-3 3 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.93	68.2	7.27	Peak	340.00	150	Vertical	Pass
2	5941.100	61.99	68.2	6.21	Peak	133.00	150	Vertical	Pass

U-NII-3 5 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.900	62.72	68.2	5.48	Peak	360.00	150	Horizontal	Pass
2	5650.000	60.07	68.2	8.13	Peak	179.00	150	Horizontal	Pass

U-NII-3 5 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.94	68.2	7.26	Peak	203.00	150	Vertical	Pass
2	5936.200	62.21	68.2	5.99	Peak	172.00	150	Vertical	Pass

U-NII-3 10 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.750	63.10	68.2	5.10	Peak	62.00	200	Vertical	Pass
2	5650.000	60.58	68.2	7.62	Peak	59.00	150	Vertical	Pass

U-NII-3 10 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.29	68.2	7.91	Peak	24.00	150	Vertical	Pass
2	5928.050	62.69	68.2	5.51	Peak	18.00	150	Vertical	Pass

U-NII-3 20 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.300	64.48	68.2	3.72	Peak	67.00	100	Vertical	Pass
2	5650.000	62.59	68.2	5.61	Peak	74.00	100	Vertical	Pass

U-NII-3 20 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	63.31	68.2	4.89	Peak	0.00	150	Vertical	Pass
2	5929.450	65.50	68.2	2.70	Peak	68.00	200	Vertical	Pass

U-NII-3 40 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.100	65.74	68.2	2.46	Peak	78.00	200	Vertical	Pass
2	5650.000	63.99	68.2	4.21	Peak	66.00	200	Vertical	Pass

U-NII-3 40 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	64.04	68.2	4.16	Peak	58.00	100	Vertical	Pass
2	5931.450	64.85	68.2	3.35	Peak	15.00	100	Vertical	Pass

U-NII-3 60 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.600	65.33	68.2	2.87	Peak	52.00	100	Vertical	Pass
2	5650.000	61.40	68.2	6.80	Peak	20.00	200	Vertical	Pass

U-NII-3 60 MHz Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.500	65.54	68.2	2.66	Peak	56.00	200	Vertical	Pass
2	5650.000	62.57	68.2	5.63	Peak	73.00	200	Vertical	Pass

U-NII-3 60 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	63.09	68.2	5.11	Peak	360.00	150	Vertical	Pass
2	5931.650	65.31	68.2	2.89	Peak	72.00	150	Vertical	Pass


U-NII-3 60 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	63.59	68.2	4.61	Peak	350.00	100	Vertical	Pass
2	5933.800	65.35	68.2	2.85	Peak	55.00	150	Vertical	Pass


U-NII-3 80 MHz Low Channel

Bandedge - ZT_FCC_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.100	65.24	68.2	2.96	Peak	65.00	200	Vertical	Pass
2	5650.000	63.61	68.2	4.59	Peak	56.00	100	Vertical	Pass

U-NII-3 80 MHz Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.050	63.36	68.2	4.84	Peak	59.00	100	Vertical	Pass
2	5650.000	61.38	68.2	6.82	Peak	0.00	150	Vertical	Pass

U-NII-3 80 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	62.15	68.2	6.05	Peak	4.00	150	Vertical	Pass
2	5931.650	64.64	68.2	3.56	Peak	87.00	200	Vertical	Pass


U-NII-3 80 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	65.10	68.2	3.10	Peak	73.00	100	Vertical	Pass
2	5925.450	66.10	68.2	2.10	Peak	62.00	150	Vertical	Pass

ANT1**U-NII-1 1.4 MHz Low Channel**


Bandedge - ZT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.650	60.66	74.0	13.34	Peak	341.00	150	Horizontal	Pass
1**	4994.650	48.54	54.0	5.46	AV	341.00	150	Horizontal	Pass
2	5150.000	57.84	74.0	16.16	Peak	271.00	100	Horizontal	Pass
2**	5150.000	48.37	54.0	5.63	AV	271.00	100	Horizontal	Pass


U-NII-1 1.4 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.97	74.0	16.03	Peak	328.00	150	Horizontal	Pass
1**	5350.055	48.60	54.0	5.40	AV	328.00	150	Horizontal	Pass
2	5353.520	59.97	74.0	14.03	Peak	271.00	200	Horizontal	Pass
2**	5353.520	48.38	54.0	5.62	AV	271.00	200	Horizontal	Pass

U-NII-1 3 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5026.825	60.37	74.0	13.63	Peak	304.00	150	Horizontal	Pass
1**	5026.825	48.55	54.0	5.45	AV	304.00	150	Horizontal	Pass
2	5150.000	58.22	74.0	15.78	Peak	57.00	100	Horizontal	Pass
2**	5150.000	49.01	54.0	4.99	AV	57.00	100	Horizontal	Pass

U-NII-1 3 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.85	74.0	16.15	Peak	197.00	200	Horizontal	Pass
1**	5350.000	48.34	54.0	5.66	AV	197.00	200	Horizontal	Pass
2	5433.655	60.88	74.0	13.12	Peak	211.00	100	Horizontal	Pass
2**	5433.655	48.21	54.0	5.79	AV	211.00	100	Horizontal	Pass


U-NII-1 5 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4972.225	60.23	74.0	13.77	Peak	299.00	100	Horizontal	Pass
1**	4972.225	48.53	54.0	5.47	AV	299.00	100	Horizontal	Pass
2	5150.000	58.11	74.0	15.89	Peak	156.00	200	Horizontal	Pass
2**	5150.000	48.30	54.0	5.70	AV	156.00	200	Horizontal	Pass


U-NII-1 5 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.51	74.0	15.49	Peak	104.00	150	Horizontal	Pass
1**	5350.000	49.20	54.0	4.80	AV	104.00	150	Horizontal	Pass
2	5386.410	60.69	74.0	13.31	Peak	129.00	100	Horizontal	Pass
2**	5386.410	48.69	54.0	5.31	AV	129.00	100	Horizontal	Pass

U-NII-1 10 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5000.825	60.16	74.0	13.84	Peak	56.00	100	Vertical	Pass
1**	5000.825	48.52	54.0	5.48	AV	56.00	100	Vertical	Pass
2	5150.000	61.47	74.0	12.53	Peak	250.00	100	Vertical	Pass
2**	5150.000	49.15	54.0	4.85	AV	250.00	100	Vertical	Pass


U-NII-1 10 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.84	74.0	15.16	Peak	315.00	200	Vertical	Pass
1**	5350.055	49.62	54.0	4.38	AV	315.00	200	Vertical	Pass
2	5372.000	60.88	74.0	13.12	Peak	321.00	200	Vertical	Pass
2**	5372.000	49.11	54.0	4.89	AV	321.00	200	Vertical	Pass

U-NII-1 20 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4985.875	60.75	74.0	13.25	Peak	87.00	200	Vertical	Pass
1**	4985.875	48.82	54.0	5.18	AV	87.00	200	Vertical	Pass
2	5150.000	60.41	74.0	13.59	Peak	317.00	100	Vertical	Pass
2**	5150.000	48.57	54.0	5.43	AV	317.00	100	Vertical	Pass


U-NII-1 20 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.20	74.0	14.80	Peak	195.00	100	Vertical	Pass
1**	5350.055	49.30	54.0	4.70	AV	195.00	100	Vertical	Pass
2	5369.085	60.53	74.0	13.47	Peak	199.00	150	Vertical	Pass
2**	5369.085	48.98	54.0	5.02	AV	199.00	150	Vertical	Pass


U-NII-1 40 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5041.125	60.17	74.0	13.83	Peak	199.00	150	Vertical	Pass
1**	5041.125	48.47	54.0	5.53	AV	199.00	150	Vertical	Pass
2	5150.000	60.53	74.0	13.47	Peak	326.00	100	Vertical	Pass
2**	5150.000	48.62	54.0	5.38	AV	326.00	100	Vertical	Pass


U-NII-1 40 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.95	74.0	15.05	Peak	343.00	200	Vertical	Pass
1**	5350.055	49.86	54.0	4.14	AV	343.00	200	Vertical	Pass
2	5351.980	61.42	74.0	12.58	Peak	240.00	100	Vertical	Pass
2**	5351.980	49.95	54.0	4.05	AV	240.00	100	Vertical	Pass

U-NII-1 60 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	61.98	74.0	12.02	Peak	109.00	100	Vertical	Pass
1**	5149.350	49.99	54.0	4.01	AV	109.00	100	Vertical	Pass
2	5150.000	62.05	74.0	11.95	Peak	109.00	150	Vertical	Pass
2**	5150.000	50.42	54.0	3.58	AV	109.00	150	Vertical	Pass
3	5144.150	59.08	74.0	14.92	Peak	201.00	150	Vertical	Pass
3**	5144.150	50.28	54.0	3.72	AV	201.00	150	Vertical	Pass

U-NII-1 60 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.40	74.0	11.60	Peak	342.00	100	Vertical	Pass
1**	5149.025	51.83	54.0	2.17	AV	342.00	100	Vertical	Pass
2	5150.000	62.33	74.0	11.67	Peak	36.00	200	Vertical	Pass
2**	5150.000	51.97	54.0	2.03	AV	36.00	200	Vertical	Pass

U-NII-1 60 MHz Middle Channel


Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.09	74.0	14.91	Peak	0.00	200	Vertical	Pass
1**	5350.055	49.22	54.0	4.78	AV	0.00	200	Vertical	Pass
2	5439.265	60.77	74.0	13.23	Peak	192.00	200	Vertical	Pass
2**	5439.265	48.94	54.0	5.06	AV	192.00	200	Vertical	Pass


U-NII-1 60 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.24	74.0	13.76	Peak	225.00	100	Vertical	Pass
1**	5350.055	50.66	54.0	3.34	AV	225.00	100	Vertical	Pass
2	5409.125	61.64	74.0	12.36	Peak	336.00	150	Vertical	Pass
2**	5409.125	50.20	54.0	3.80	AV	336.00	150	Vertical	Pass
3	5351.980	59.42	74.0	14.58	Peak	182.00	150	Vertical	Pass
3**	5351.980	50.84	54.0	3.16	AV	182.00	150	Vertical	Pass

U-NII-1 80 MHz Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.97	74.0	11.03	Peak	256.00	200	Vertical	Pass
1**	5149.025	50.12	54.0	3.88	AV	256.00	200	Vertical	Pass
2	5150.000	62.51	74.0	11.49	Peak	356.00	200	Vertical	Pass
2**	5150.000	50.30	54.0	3.70	AV	356.00	200	Vertical	Pass
3	5144.150	61.85	74.0	12.15	Peak	325.00	150	Vertical	Pass
3**	5144.150	50.51	54.0	3.49	AV	325.00	150	Vertical	Pass


U-NII-1 80 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.97	74.0	11.03	Peak	246.00	150	Vertical	Pass
1**	5149.025	51.34	54.0	2.66	AV	246.00	150	Vertical	Pass
2	5150.000	62.68	74.0	11.32	Peak	255.00	150	Vertical	Pass
2**	5150.000	50.88	54.0	3.12	AV	255.00	150	Vertical	Pass
3	5143.500	61.09	74.0	12.91	Peak	44.00	150	Vertical	Pass
3**	5143.500	51.59	54.0	2.41	AV	44.00	150	Vertical	Pass

U-NII-1 80 MHz Middle Channel


Bandedge - ZT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.69	74.0	15.31	Peak	5.00	150	Vertical	Pass
1**	5350.000	48.88	54.0	5.12	AV	5.00	150	Vertical	Pass
2	5384.980	60.03	74.0	13.97	Peak	262.00	200	Vertical	Pass
2**	5384.980	48.57	54.0	5.43	AV	262.00	200	Vertical	Pass


U-NII-1 80 MHz High Channel

Bandedge - ZT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.23	74.0	14.77	Peak	227.00	200	Vertical	Pass
1**	5350.055	50.99	54.0	3.01	AV	227.00	200	Vertical	Pass
2	5456.315	61.42	74.0	12.58	Peak	38.00	150	Vertical	Pass
2**	5456.315	49.94	54.0	4.06	AV	38.00	150	Vertical	Pass
3	5357.315	58.99	74.0	15.01	Peak	345.00	150	Vertical	Pass
3**	5357.315	51.04	54.0	2.96	AV	345.00	150	Vertical	Pass

U-NII-3 1.4 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.700	63.15	68.2	5.05	Peak	273.00	150	Horizontal	Pass
2	5650.000	61.08	68.2	7.12	Peak	20.00	150	Horizontal	Pass

U-NII-3 1.4 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.08	68.2	8.12	Peak	32.00	150	Horizontal	Pass
2	5926.300	62.63	68.2	5.57	Peak	232.00	150	Horizontal	Pass

U-NII-3 3 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	62.49	68.2	5.71	Peak	285.00	150	Horizontal	Pass
2	5650.000	60.10	68.2	8.10	Peak	273.00	150	Horizontal	Pass

U-NII-3 3 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.73	68.2	7.47	Peak	123.00	150	Horizontal	Pass
2	5940.250	62.95	68.2	5.25	Peak	294.00	150	Horizontal	Pass

U-NII-3 5 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.950	62.44	68.2	5.76	Peak	286.00	150	Horizontal	Pass
2	5650.000	60.33	68.2	7.87	Peak	343.00	150	Horizontal	Pass

U-NII-3 5 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	60.31	68.2	7.89	Peak	239.00	150	Horizontal	Pass
2	5933.850	62.73	68.2	5.47	Peak	301.00	150	Horizontal	Pass

U-NII-3 10 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.300	63.90	68.2	4.30	Peak	146.00	200	Vertical	Pass
2	5650.000	61.48	68.2	6.72	Peak	149.00	100	Vertical	Pass

U-NII-3 10 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	62.26	68.2	5.94	Peak	186.00	200	Vertical	Pass
2	5926.250	64.61	68.2	3.59	Peak	205.00	200	Vertical	Pass

U-NII-3 20 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.450	65.87	68.2	2.33	Peak	183.00	100	Vertical	Pass
2	5650.000	64.73	68.2	3.47	Peak	135.00	150	Vertical	Pass

U-NII-3 20 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	63.84	68.2	4.36	Peak	209.00	100	Vertical	Pass
2	5932.000	65.55	68.2	2.65	Peak	204.00	100	Vertical	Pass

U-NII-3 40 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.200	65.36	68.2	2.84	Peak	176.00	200	Vertical	Pass
2	5650.000	64.96	68.2	3.24	Peak	181.00	100	Vertical	Pass

U-NII-3 40 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	63.81	68.2	4.39	Peak	360.00	150	Vertical	Pass
2	5926.600	65.68	68.2	2.52	Peak	213.00	150	Vertical	Pass

U-NII-3 60 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.350	66.17	68.2	2.03	Peak	148.00	100	Vertical	Pass
2	5650.000	63.52	68.2	4.68	Peak	353.00	200	Vertical	Pass

U-NII-3 60 MHz Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.800	64.71	68.2	3.49	Peak	152.00	100	Vertical	Pass
2	5650.000	62.22	68.2	5.98	Peak	185.00	200	Vertical	Pass

U-NII-3 60 MHz Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	62.29	68.2	5.91	Peak	228.00	100	Vertical	Pass
2	5937.400	65.06	68.2	3.14	Peak	209.00	100	Vertical	Pass

U-NII-3 60 MHz High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	62.12	68.2	6.08	Peak	138.00	150	Vertical	Pass
2	5934.950	64.72	68.2	3.48	Peak	199.00	100	Vertical	Pass

U-NII-3 80 MHz Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.750	65.96	68.2	2.24	Peak	154.00	200	Vertical	Pass
2	5650.000	63.14	68.2	5.06	Peak	360.00	200	Vertical	Pass

U-NII-3 80 MHz Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.650	64.57	68.2	3.63	Peak	360.00	150	Vertical	Pass
2	5650.000	62.37	68.2	5.83	Peak	160.00	100	Vertical	Pass

U-NII-3 80 MHz Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	62.41	68.2	5.79	Peak	152.00	200	Vertical	Pass
2	5932.550	64.60	68.2	3.60	Peak	213.00	100	Vertical	Pass

U-NII-3 80 MHz High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	64.27	68.2	3.93	Peak	200.00	200	Vertical	Pass
2	5927.550	64.82	68.2	3.38	Peak	156.00	100	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25A1162-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25A1162-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25A1162-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--