




5M_MCH_5202MHz_Ant0_NTNV




5M_HCH_5247MHz_Ant0_NTNV




60M_LCH_5180MHz_Ant0_NTNV




60M_MCH_5200MHz_Ant0_NTNV



60M_HCH_5220MHz_Ant0_NTNV



80M_LCH_5190MHz_Ant0_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


80M_MCH_5200MHz_Ant0_NTNV




80M_HCH_5210MHz_Ant0_NTNV




2.2.2 26dB BW




10M_HCH_5245MHz_Ant0_NTNV




20M_LCH_5161MHz_Ant0_NTNV




20M_MCH_5200MHz_Ant0_NTNV




20M_HCH_5240MHz_Ant0_NTNV




40M_LCH_5170MHz_Ant0_NTNV




40M_MCH_5200MHz_Ant0_NTNV




40M_HCH_5230MHz_Ant0_NTNV




1.4M_LCH_5154MHz_Ant0_NTNV




1.4M_MCH_5202MHz_Ant0_NTNV




1.4M_HCH_5248MHz_Ant0_NTNV



3M_LCH_5154MHz_Ant0_NTNV



3M_MCH_5199MHz_Ant0_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


3M_HCH_5247MHz_Ant0_NTNV




5M_LCH_5155MHz_Ant0_NTNV



5M_MCH_5202MHz_Ant0_NTNV



5M_HCH_5247MHz_Ant0_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


60M_LCH_5180MHz_Ant0_NTNV




60M_MCH_5200MHz_Ant0_NTNV




60M_HCH_5220MHz_Ant0_NTNV




80M_LCH_5190MHz_Ant0_NTNV



80M_MCH_5200MHz_Ant0_NTNV



80M_HCH_5210MHz_Ant0_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)			Verdict
			ANT0	ANT1	Limit	
10M	SISO	5157	4.51	5.53	≤ 23.98	Pass
		5200	17.42	18.31	≤ 23.98	Pass
		5245	18.81	18.70	≤ 23.98	Pass
20M	SISO	5161	4.76	6.25	≤ 23.98	Pass
		5200	18.11	18.58	≤ 23.98	Pass
		5240	18.48	18.39	≤ 23.98	Pass
40M	SISO	5170	7.62	8.73	≤ 23.98	Pass
		5200	17.06	17.56	≤ 23.98	Pass
		5230	18.16	18.30	≤ 23.98	Pass
1.4M	SISO	5154	2.71	3.12	≤ 23.98	Pass
		5202	10.17	10.88	≤ 23.98	Pass
		5248	10.48	10.79	≤ 23.98	Pass
3M	SISO	5154	3.01	4.38	≤ 23.98	Pass
		5199	12.29	9.78	≤ 23.98	Pass
		5247	12.76	12.66	≤ 23.98	Pass
5M	SISO	5155	4.82	6.03	≤ 23.98	Pass
		5202	15.96	16.14	≤ 23.98	Pass
		5247	16.06	16.04	≤ 23.98	Pass
60M	SISO	5180	6.40	6.75	≤ 23.98	Pass
		5200	11.16	11.90	≤ 23.98	Pass
		5220	14.75	14.60	≤ 23.98	Pass
80M	SISO	5190	8.82	9.19	≤ 23.98	Pass
		5200	11.28	11.53	≤ 23.98	Pass
		5210	11.77	11.57	≤ 23.98	Pass



4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)			Verdict
			ANT0	ANT1	Limit	
10M	SISO	5157	-3.42	-2.62	<=11	Pass
		5200	8.89	9.79	<=11	Pass
		5245	10.30	10.30	<=11	Pass
20M	SISO	5161	-4.90	-1.83	<=11	Pass
		5200	7.71	7.89	<=11	Pass
		5240	7.98	8.18	<=11	Pass
40M	SISO	5170	-2.08	-0.85	<=11	Pass
		5200	6.65	6.92	<=11	Pass
		5230	8.54	8.57	<=11	Pass
1.4M	SISO	5154	3.20	3.57	<=11	Pass
		5202	10.03	10.81	<=11	Pass
		5248	10.43	10.72	<=11	Pass
3M	SISO	5154	0.94	2.24	<=11	Pass
		5199	10.86	10.53	<=11	Pass
		5247	10.07	10.76	<=11	Pass
5M	SISO	5155	-0.49	0.66	<=11	Pass
		5202	10.67	10.72	<=11	Pass
		5247	10.66	10.70	<=11	Pass
60M	SISO	5180	-9.72	-9.07	<=11	Pass
		5200	-4.98	-4.38	<=11	Pass
		5220	-1.32	-1.55	<=11	Pass
80M	SISO	5190	-8.30	-7.81	<=11	Pass
		5200	-6.03	-5.66	<=11	Pass
		5210	-5.53	-5.46	<=11	Pass

4.2 Test Graph


4.2.1 PSD




10M_MCH_5200MHz_Ant0_NTNV




10M_MCH_5200MHz_Ant1_NTNV




10M_HCH_5245MHz_Ant0_NTNV




10M_HCH_5245MHz_Ant1_NTNV



20M_LCH_5161MHz_Ant0_NTNV




20M_LCH_5161MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


20M_MCH_5200MHz_Ant0_NTNV




20M_MCH_5200MHz_Ant1_NTNV



20M_HCH_5240MHz_Ant0_NTNV



20M_HCH_5240MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

40M_LCH_5170MHz_Ant0_NTNV



40M_LCH_5170MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


40M_MCH_5200MHz_Ant0_NTNV




40M_MCH_5200MHz_Ant1_NTNV




40M_HCH_5230MHz_Ant0_NTNV




40M_HCH_5230MHz_Ant1_NTNV







1.4M_MCH_5202MHz_Ant0_NTNV




1.4M_MCH_5202MHz_Ant1_NTNV




1.4M_HCH_5248MHz_Ant0_NTNV




1.4M_HCH_5248MHz_Ant1_NTNV




3M_LCH_5154MHz_Ant0_NTNV




3M_LCH_5154MHz_Ant1_NTNV




3M_MCH_5199MHz_Ant0_NTNV




3M_MCH_5199MHz_Ant1_NTNV



3M_HCH_5247MHz_Ant0_NTNV



3M HCH 5247MHz Ant1 NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


5M_LCH_5155MHz_Ant0_NTNV




5M_LCH_5155MHz_Ant1_NTNV




5M_MCH_5202MHz_Ant0_NTNV




5M_MCH_5202MHz_Ant1_NTNV




5M_HCH_5247MHz_Ant0_NTNV




5M_HCH_5247MHz_Ant1_NTNV



60M_LCH_5180MHz_Ant0_NTNV




60M_LCH_5180MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

60M_MCH_5200MHz_Ant0_NTNV




60M_MCH_5200MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


60M_HCH_5220MHz_Ant0_NTNV




60M_HCH_5220MHz_Ant1_NTNV



80M_LCH_5190MHz_Ant0_NTNV



80M_LCH_5190MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Shenzhen, China

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

80M_MCH_5200MHz_Ant0_NTNV



80M_MCH_5200MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

80M_HCH_5210MHz_Ant0_NTNV



80M_HCH_5210MHz_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant0

Ant0							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
10M	SISO	5157	20	3.27	5157.010	5150 to 5250	Pass
				3.85	5157.030	5150 to 5250	Pass
				4.43	5157.010	5150 to 5250	Pass
			-10	3.85	5157.020	5150 to 5250	Pass
			-5	3.85	5157.010	5150 to 5250	Pass
			0	3.85	5157.020	5150 to 5250	Pass
			5	3.85	5157.030	5150 to 5250	Pass
			10	3.85	5157.020	5150 to 5250	Pass
			15	3.85	5157.020	5150 to 5250	Pass
			30	3.85	5157.030	5150 to 5250	Pass
			40	3.85	5157.030	5150 to 5250	Pass
		5200	20	3.27	5200.010	5150 to 5250	Pass
				3.85	5200.020	5150 to 5250	Pass
				4.43	5200.030	5150 to 5250	Pass
			-10	3.85	5200.020	5150 to 5250	Pass
			-5	3.85	5200.020	5150 to 5250	Pass
			0	3.85	5200.030	5150 to 5250	Pass
			5	3.85	5200.020	5150 to 5250	Pass
			10	3.85	5200.020	5150 to 5250	Pass
			15	3.85	5200.030	5150 to 5250	Pass
			30	3.85	5200.020	5150 to 5250	Pass
			40	3.85	5200.020	5150 to 5250	Pass
		5245	20	3.27	5245.030	5150 to 5250	Pass
				3.85	5245.000	5150 to 5250	Pass
				4.43	5245.020	5150 to 5250	Pass
			-10	3.85	5245.010	5150 to 5250	Pass
			-5	3.85	5245.020	5150 to 5250	Pass
			0	3.85	5245.010	5150 to 5250	Pass
			5	3.85	5245.010	5150 to 5250	Pass
			10	3.85	5245.010	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 224 of 301

			15	3.85	5245.020	5150 to 5250	Pass
			30	3.85	5245.020	5150 to 5250	Pass
			40	3.85	5245.010	5150 to 5250	Pass
20M	SISO	5161	20	3.27	5161.100	5150 to 5250	Pass
				3.85	5161.060	5150 to 5250	Pass
				4.43	5161.020	5150 to 5250	Pass
			-10	3.85	5161.040	5150 to 5250	Pass
			-5	3.85	5161.040	5150 to 5250	Pass
			0	3.85	5161.040	5150 to 5250	Pass
			5	3.85	5161.040	5150 to 5250	Pass
			10	3.85	5161.040	5150 to 5250	Pass
			15	3.85	5161.060	5150 to 5250	Pass
			30	3.85	5161.060	5150 to 5250	Pass
			40	3.85	5161.100	5150 to 5250	Pass
		5200	20	3.27	5200.040	5150 to 5250	Pass
				3.85	5200.040	5150 to 5250	Pass
				4.43	5200.060	5150 to 5250	Pass
			-10	3.85	5200.040	5150 to 5250	Pass
			-5	3.85	5200.060	5150 to 5250	Pass
			0	3.85	5200.060	5150 to 5250	Pass
			5	3.85	5200.040	5150 to 5250	Pass
			10	3.85	5200.060	5150 to 5250	Pass
			15	3.85	5200.080	5150 to 5250	Pass
			30	3.85	5200.040	5150 to 5250	Pass
			40	3.85	5200.040	5150 to 5250	Pass
		5240	20	3.27	5240.040	5150 to 5250	Pass
				3.85	5240.060	5150 to 5250	Pass
				4.43	5240.040	5150 to 5250	Pass
			-10	3.85	5240.040	5150 to 5250	Pass
			-5	3.85	5240.080	5150 to 5250	Pass
			0	3.85	5240.080	5150 to 5250	Pass
			5	3.85	5240.040	5150 to 5250	Pass
			10	3.85	5240.060	5150 to 5250	Pass
			15	3.85	5240.060	5150 to 5250	Pass
			30	3.85	5240.040	5150 to 5250	Pass
			40	3.85	5240.060	5150 to 5250	Pass
40M	SISO	5170	20	3.27	5170.120	5150 to 5250	Pass
				3.85	5170.160	5150 to 5250	Pass
				4.43	5170.120	5150 to 5250	Pass
			-10	3.85	5170.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 225 of 301

			-5	3.85	5170.200	5150 to 5250	Pass
			0	3.85	5170.160	5150 to 5250	Pass
			5	3.85	5170.160	5150 to 5250	Pass
			10	3.85	5170.480	5150 to 5250	Pass
			15	3.85	5170.160	5150 to 5250	Pass
			30	3.85	5170.200	5150 to 5250	Pass
			40	3.85	5170.200	5150 to 5250	Pass
		5200	20	3.27	5200.280	5150 to 5250	Pass
				3.85	5200.080	5150 to 5250	Pass
				4.43	5200.200	5150 to 5250	Pass
			-10	3.85	5200.200	5150 to 5250	Pass
			-5	3.85	5200.160	5150 to 5250	Pass
			0	3.85	5200.160	5150 to 5250	Pass
			5	3.85	5200.240	5150 to 5250	Pass
			10	3.85	5200.240	5150 to 5250	Pass
			15	3.85	5200.280	5150 to 5250	Pass
			30	3.85	5200.280	5150 to 5250	Pass
			40	3.85	5200.280	5150 to 5250	Pass
		5230	20	3.27	5230.160	5150 to 5250	Pass
				3.85	5230.320	5150 to 5250	Pass
				4.43	5230.400	5150 to 5250	Pass
			-10	3.85	5230.240	5150 to 5250	Pass
			-5	3.85	5230.360	5150 to 5250	Pass
			0	3.85	5230.200	5150 to 5250	Pass
			5	3.85	5230.040	5150 to 5250	Pass
			10	3.85	5230.320	5150 to 5250	Pass
			15	3.85	5230.280	5150 to 5250	Pass
			30	3.85	5230.160	5150 to 5250	Pass
			40	3.85	5230.360	5150 to 5250	Pass
		5154	20	3.27	5153.951	5150 to 5250	Pass
				3.85	5153.950	5150 to 5250	Pass
				4.43	5153.948	5150 to 5250	Pass
			-10	3.85	5153.950	5150 to 5250	Pass
			-5	3.85	5153.955	5150 to 5250	Pass
			0	3.85	5153.954	5150 to 5250	Pass
			5	3.85	5153.952	5150 to 5250	Pass
			10	3.85	5153.958	5150 to 5250	Pass
			15	3.85	5153.951	5150 to 5250	Pass
			30	3.85	5153.950	5150 to 5250	Pass
			40	3.85	5153.950	5150 to 5250	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 226 of 301

		5202	20	3.27	5202.039	5150 to 5250	Pass
				3.85	5202.038	5150 to 5250	Pass
				4.43	5202.036	5150 to 5250	Pass
			-10	3.85	5202.038	5150 to 5250	Pass
			-5	3.85	5202.043	5150 to 5250	Pass
			0	3.85	5202.035	5150 to 5250	Pass
			5	3.85	5202.038	5150 to 5250	Pass
			10	3.85	5202.041	5150 to 5250	Pass
			15	3.85	5202.032	5150 to 5250	Pass
			30	3.85	5202.036	5150 to 5250	Pass
			40	3.85	5202.039	5150 to 5250	Pass
		5248	20	3.27	5248.022	5150 to 5250	Pass
				3.85	5248.025	5150 to 5250	Pass
				4.43	5248.024	5150 to 5250	Pass
			-10	3.85	5248.025	5150 to 5250	Pass
			-5	3.85	5248.021	5150 to 5250	Pass
			0	3.85	5248.017	5150 to 5250	Pass
			5	3.85	5248.024	5150 to 5250	Pass
			10	3.85	5248.020	5150 to 5250	Pass
			15	3.85	5248.018	5150 to 5250	Pass
			30	3.85	5248.021	5150 to 5250	Pass
			40	3.85	5248.024	5150 to 5250	Pass
3M	SISO	5154	20	3.27	5154.021	5150 to 5250	Pass
				3.85	5154.030	5150 to 5250	Pass
				4.43	5154.024	5150 to 5250	Pass
			-10	3.85	5154.027	5150 to 5250	Pass
			-5	3.85	5154.018	5150 to 5250	Pass
			0	3.85	5153.997	5150 to 5250	Pass
			5	3.85	5154.024	5150 to 5250	Pass
			10	3.85	5154.033	5150 to 5250	Pass
			15	3.85	5154.009	5150 to 5250	Pass
			30	3.85	5154.024	5150 to 5250	Pass
			40	3.85	5154.003	5150 to 5250	Pass
		5199	20	3.27	5199.027	5150 to 5250	Pass
				3.85	5199.027	5150 to 5250	Pass
				4.43	5199.021	5150 to 5250	Pass
			-10	3.85	5199.030	5150 to 5250	Pass
			-5	3.85	5199.006	5150 to 5250	Pass
			0	3.85	5199.018	5150 to 5250	Pass
			5	3.85	5199.036	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 227 of 301

			10	3.85	5199.027	5150 to 5250	Pass
			15	3.85	5199.009	5150 to 5250	Pass
			30	3.85	5199.036	5150 to 5250	Pass
			40	3.85	5199.033	5150 to 5250	Pass
		5247	20	3.27	5247.000	5150 to 5250	Pass
				3.85	5246.991	5150 to 5250	Pass
				4.43	5247.021	5150 to 5250	Pass
			-10	3.85	5246.991	5150 to 5250	Pass
			-5	3.85	5246.988	5150 to 5250	Pass
			0	3.85	5246.985	5150 to 5250	Pass
			5	3.85	5246.982	5150 to 5250	Pass
			10	3.85	5246.976	5150 to 5250	Pass
			15	3.85	5246.985	5150 to 5250	Pass
			30	3.85	5246.979	5150 to 5250	Pass
			40	3.85	5246.991	5150 to 5250	Pass
5M	SISO	5155	20	3.27	5155.015	5150 to 5250	Pass
				3.85	5155.005	5150 to 5250	Pass
				4.43	5155.005	5150 to 5250	Pass
			-10	3.85	5155.010	5150 to 5250	Pass
			-5	3.85	5155.015	5150 to 5250	Pass
			0	3.85	5155.005	5150 to 5250	Pass
			5	3.85	5155.005	5150 to 5250	Pass
			10	3.85	5155.010	5150 to 5250	Pass
			15	3.85	5155.005	5150 to 5250	Pass
			30	3.85	5155.005	5150 to 5250	Pass
			40	3.85	5155.010	5150 to 5250	Pass
		5202	20	3.27	5201.960	5150 to 5250	Pass
				3.85	5202.015	5150 to 5250	Pass
				4.43	5201.985	5150 to 5250	Pass
			-10	3.85	5202.005	5150 to 5250	Pass
			-5	3.85	5201.990	5150 to 5250	Pass
			0	3.85	5201.945	5150 to 5250	Pass
			5	3.85	5202.000	5150 to 5250	Pass
			10	3.85	5201.995	5150 to 5250	Pass
			15	3.85	5202.010	5150 to 5250	Pass
			30	3.85	5201.980	5150 to 5250	Pass
			40	3.85	5202.000	5150 to 5250	Pass
		5247	20	3.27	5247.010	5150 to 5250	Pass
				3.85	5246.995	5150 to 5250	Pass
				4.43	5246.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 228 of 301

			-10	3.85	5246.995	5150 to 5250	Pass
			-5	3.85	5247.020	5150 to 5250	Pass
			0	3.85	5246.995	5150 to 5250	Pass
			5	3.85	5247.020	5150 to 5250	Pass
			10	3.85	5247.010	5150 to 5250	Pass
			15	3.85	5246.995	5150 to 5250	Pass
			30	3.85	5246.990	5150 to 5250	Pass
			40	3.85	5247.000	5150 to 5250	Pass
60M	SISO	5180	20	3.27	5180.120	5150 to 5250	Pass
				3.85	5180.120	5150 to 5250	Pass
				4.43	5180.120	5150 to 5250	Pass
			-10	3.85	5180.120	5150 to 5250	Pass
			-5	3.85	5180.120	5150 to 5250	Pass
			0	3.85	5180.120	5150 to 5250	Pass
			5	3.85	5180.180	5150 to 5250	Pass
			10	3.85	5180.120	5150 to 5250	Pass
			15	3.85	5180.120	5150 to 5250	Pass
			30	3.85	5180.120	5150 to 5250	Pass
			40	3.85	5180.120	5150 to 5250	Pass
		5200	20	3.27	5200.120	5150 to 5250	Pass
				3.85	5200.120	5150 to 5250	Pass
				4.43	5200.120	5150 to 5250	Pass
			-10	3.85	5200.120	5150 to 5250	Pass
			-5	3.85	5200.060	5150 to 5250	Pass
			0	3.85	5200.120	5150 to 5250	Pass
			5	3.85	5200.120	5150 to 5250	Pass
			10	3.85	5200.120	5150 to 5250	Pass
			15	3.85	5200.120	5150 to 5250	Pass
			30	3.85	5200.120	5150 to 5250	Pass
			40	3.85	5200.120	5150 to 5250	Pass
		5220	20	3.27	5220.060	5150 to 5250	Pass
				3.85	5220.120	5150 to 5250	Pass
				4.43	5220.120	5150 to 5250	Pass
			-10	3.85	5220.060	5150 to 5250	Pass
			-5	3.85	5220.120	5150 to 5250	Pass
			0	3.85	5220.060	5150 to 5250	Pass
			5	3.85	5220.120	5150 to 5250	Pass
			10	3.85	5220.060	5150 to 5250	Pass
			15	3.85	5220.060	5150 to 5250	Pass
			30	3.85	5220.120	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 229 of 301

			40	3.85	5220.120	5150 to 5250	Pass
80M	SISO	5190	20	3.27	5190.150	5150 to 5250	Pass
				3.85	5190.150	5150 to 5250	Pass
				4.43	5190.150	5150 to 5250	Pass
			-10	3.85	5190.150	5150 to 5250	Pass
			-5	3.85	5190.150	5150 to 5250	Pass
			0	3.85	5190.150	5150 to 5250	Pass
			5	3.85	5190.150	5150 to 5250	Pass
			10	3.85	5190.150	5150 to 5250	Pass
			15	3.85	5190.150	5150 to 5250	Pass
			30	3.85	5190.150	5150 to 5250	Pass
			40	3.85	5190.150	5150 to 5250	Pass
		5200	20	3.27	5200.150	5150 to 5250	Pass
				3.85	5200.150	5150 to 5250	Pass
				4.43	5200.150	5150 to 5250	Pass
			-10	3.85	5200.150	5150 to 5250	Pass
			-5	3.85	5200.150	5150 to 5250	Pass
			0	3.85	5200.150	5150 to 5250	Pass
			5	3.85	5200.150	5150 to 5250	Pass
			10	3.85	5200.150	5150 to 5250	Pass
			15	3.85	5200.150	5150 to 5250	Pass
			30	3.85	5200.150	5150 to 5250	Pass
			40	3.85	5200.150	5150 to 5250	Pass
		5210	20	3.27	5210.150	5150 to 5250	Pass
				3.85	5210.150	5150 to 5250	Pass
				4.43	5210.150	5150 to 5250	Pass
			-10	3.85	5210.150	5150 to 5250	Pass
			-5	3.85	5210.150	5150 to 5250	Pass
			0	3.85	5210.150	5150 to 5250	Pass
			5	3.85	5210.150	5150 to 5250	Pass
			10	3.85	5210.150	5150 to 5250	Pass
			15	3.85	5210.150	5150 to 5250	Pass
			30	3.85	5210.150	5150 to 5250	Pass
			40	3.85	5210.150	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

For 5.8G SDR:

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1.4M	SISO	5728.5	100.000	100.000	100.00	0.00	0.00
		5786.69	100.000	100.000	100.00	0.00	0.00
		5846.12	100.000	100.000	100.00	0.00	0.00
3M	SISO	5727.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5847.2	100.000	100.000	100.00	0.00	0.00
5M	SISO	5732.5	100.000	100.000	100.00	0.00	0.00
		5787.26	100.000	100.000	100.00	0.00	0.00
		5842.5	100.000	100.000	100.00	0.00	0.00
10M	SISO	5730.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5844.5	100.000	100.000	100.00	0.00	0.00
20M	SISO	5735.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5839.5	100.000	100.000	100.00	0.00	0.00
40M	SISO	5745.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5829.5	100.000	100.000	100.00	0.00	0.00
60M	SISO	5755.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5819.5	100.000	100.000	100.00	0.00	0.00
80M	SISO	5765.5	100.000	100.000	100.00	0.00	0.00
		5787.5	100.000	100.000	100.00	0.00	0.00
		5809.5	100.000	100.000	100.00	0.00	0.00

1.2 Test Graph


1.2.1 Ant1




1.4M_HCH_5846.12MHz_Ant1_NTNV




3M_LCH_5727.5MHz_Ant1_NTNV




3M_MCH_5787.5MHz_Ant1_NTNV




3M_HCH_5847.2MHz_Ant1_NTNV




5M_LCH_5732.5MHz_Ant1_NTNV




5M_MCH_5787.26MHz_Ant1_NTNV




5M_HCH_5842.5MHz_Ant1_NTNV




10M_LCH_5730.5MHz_Ant1_NTNV




10M_MCH_5787.5MHz_Ant1_NTNV




10M_HCH_5844.5MHz_Ant1_NTNV




20M_LCH_5735.5MHz_Ant1_NTNV



20M_MCH_5787.5MHz_Ant1_NTNV



20M_HCH_5839.5MHz_Ant1_NTNV



40M_LCH_5745.5MHz_Ant1_NTNV

