



80M_LCH_5765.5MHz_Ant1_NTNV



80M_LCH_5765.5MHz_Ant2_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


80M_MCH_5787.5MHz_Ant1_NTNV




80M_MCH_5787.5MHz_Ant2_NTNV



80M_HCH_5809.5MHz_Ant1_NTNV



80M_HCH_5809.5MHz_Ant2_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4M	SISO	5728.5	20	3.27	5728.475	5725 to 5850	Pass
				3.85	5728.476	5725 to 5850	Pass
				4.43	5728.473	5725 to 5850	Pass
			-10	3.85	5728.476	5725 to 5850	Pass
			-5	3.85	5728.473	5725 to 5850	Pass
			0	3.85	5728.476	5725 to 5850	Pass
			5	3.85	5728.475	5725 to 5850	Pass
			10	3.85	5728.478	5725 to 5850	Pass
			15	3.85	5728.476	5725 to 5850	Pass
			30	3.85	5728.476	5725 to 5850	Pass
			40	3.85	5728.475	5725 to 5850	Pass
		5786.69	20	3.27	5786.673	5725 to 5850	Pass
				3.85	5786.673	5725 to 5850	Pass
				4.43	5786.676	5725 to 5850	Pass
			-10	3.85	5786.672	5725 to 5850	Pass
			-5	3.85	5786.673	5725 to 5850	Pass
			0	3.85	5786.673	5725 to 5850	Pass
			5	3.85	5786.673	5725 to 5850	Pass
			10	3.85	5786.670	5725 to 5850	Pass
			15	3.85	5786.672	5725 to 5850	Pass
			30	3.85	5786.670	5725 to 5850	Pass
			40	3.85	5786.668	5725 to 5850	Pass
		5846.12	20	3.27	5846.124	5725 to 5850	Pass
				3.85	5846.133	5725 to 5850	Pass
				4.43	5846.128	5725 to 5850	Pass
			-10	3.85	5846.128	5725 to 5850	Pass
			-5	3.85	5846.124	5725 to 5850	Pass
			0	3.85	5846.128	5725 to 5850	Pass
			5	3.85	5846.126	5725 to 5850	Pass
			10	3.85	5846.123	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 296 of 301

			15	3.85	5846.120	5725 to 5850	Pass
			30	3.85	5846.130	5725 to 5850	Pass
			40	3.85	5846.128	5725 to 5850	Pass
3M	SISO	5727.5	20	3.27	5727.464	5725 to 5850	Pass
				3.85	5727.449	5725 to 5850	Pass
				4.43	5727.476	5725 to 5850	Pass
			-10	3.85	5727.473	5725 to 5850	Pass
			-5	3.85	5727.455	5725 to 5850	Pass
			0	3.85	5727.452	5725 to 5850	Pass
			5	3.85	5727.437	5725 to 5850	Pass
			10	3.85	5727.434	5725 to 5850	Pass
			15	3.85	5727.455	5725 to 5850	Pass
			30	3.85	5727.443	5725 to 5850	Pass
			40	3.85	5727.449	5725 to 5850	Pass
		5787.5	20	3.27	5787.503	5725 to 5850	Pass
				3.85	5787.506	5725 to 5850	Pass
				4.43	5787.506	5725 to 5850	Pass
			-10	3.85	5787.500	5725 to 5850	Pass
			-5	3.85	5787.500	5725 to 5850	Pass
			0	3.85	5787.500	5725 to 5850	Pass
			5	3.85	5787.500	5725 to 5850	Pass
			10	3.85	5787.494	5725 to 5850	Pass
			15	3.85	5787.503	5725 to 5850	Pass
			30	3.85	5787.500	5725 to 5850	Pass
			40	3.85	5787.503	5725 to 5850	Pass
		5847.2	20	3.27	5847.122	5725 to 5850	Pass
				3.85	5847.122	5725 to 5850	Pass
				4.43	5847.119	5725 to 5850	Pass
			-10	3.85	5847.116	5725 to 5850	Pass
			-5	3.85	5847.119	5725 to 5850	Pass
			0	3.85	5847.122	5725 to 5850	Pass
			5	3.85	5847.116	5725 to 5850	Pass
			10	3.85	5847.116	5725 to 5850	Pass
			15	3.85	5847.119	5725 to 5850	Pass
			30	3.85	5847.119	5725 to 5850	Pass
			40	3.85	5847.119	5725 to 5850	Pass
5M	SISO	5732.5	20	3.27	5732.540	5725 to 5850	Pass
				3.85	5732.555	5725 to 5850	Pass
				4.43	5732.545	5725 to 5850	Pass
			-10	3.85	5732.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 297 of 301

			-5	3.85	5732.535	5725 to 5850	Pass
			0	3.85	5732.545	5725 to 5850	Pass
			5	3.85	5732.545	5725 to 5850	Pass
			10	3.85	5732.550	5725 to 5850	Pass
			15	3.85	5732.555	5725 to 5850	Pass
			30	3.85	5732.540	5725 to 5850	Pass
			40	3.85	5732.555	5725 to 5850	Pass
		5787.26	20	3.27	5787.290	5725 to 5850	Pass
				3.85	5787.275	5725 to 5850	Pass
				4.43	5787.285	5725 to 5850	Pass
			-10	3.85	5787.270	5725 to 5850	Pass
			-5	3.85	5787.245	5725 to 5850	Pass
			0	3.85	5787.255	5725 to 5850	Pass
			5	3.85	5787.260	5725 to 5850	Pass
			10	3.85	5787.250	5725 to 5850	Pass
			15	3.85	5787.250	5725 to 5850	Pass
			30	3.85	5787.275	5725 to 5850	Pass
			40	3.85	5787.275	5725 to 5850	Pass
		5842.5	20	3.27	5842.515	5725 to 5850	Pass
				3.85	5842.505	5725 to 5850	Pass
				4.43	5842.515	5725 to 5850	Pass
			-10	3.85	5842.515	5725 to 5850	Pass
			-5	3.85	5842.510	5725 to 5850	Pass
			0	3.85	5842.525	5725 to 5850	Pass
			5	3.85	5842.505	5725 to 5850	Pass
			10	3.85	5842.520	5725 to 5850	Pass
			15	3.85	5842.505	5725 to 5850	Pass
			30	3.85	5842.490	5725 to 5850	Pass
			40	3.85	5842.510	5725 to 5850	Pass
10M	SISO	5730.5	20	3.27	5730.500	5725 to 5850	Pass
				3.85	5730.500	5725 to 5850	Pass
				4.43	5730.510	5725 to 5850	Pass
			-10	3.85	5730.540	5725 to 5850	Pass
			-5	3.85	5730.520	5725 to 5850	Pass
			0	3.85	5730.500	5725 to 5850	Pass
			5	3.85	5730.520	5725 to 5850	Pass
			10	3.85	5730.520	5725 to 5850	Pass
			15	3.85	5730.510	5725 to 5850	Pass
			30	3.85	5730.510	5725 to 5850	Pass
			40	3.85	5730.510	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 298 of 301

		5787.5	20	3.27	5787.500	5725 to 5850	Pass
				3.85	5787.520	5725 to 5850	Pass
				4.43	5787.510	5725 to 5850	Pass
			-10	3.85	5787.520	5725 to 5850	Pass
			-5	3.85	5787.540	5725 to 5850	Pass
			0	3.85	5787.520	5725 to 5850	Pass
			5	3.85	5787.500	5725 to 5850	Pass
			10	3.85	5787.520	5725 to 5850	Pass
			15	3.85	5787.510	5725 to 5850	Pass
			30	3.85	5787.520	5725 to 5850	Pass
			40	3.85	5787.520	5725 to 5850	Pass
		5844.5	20	3.27	5844.520	5725 to 5850	Pass
				3.85	5844.520	5725 to 5850	Pass
				4.43	5844.520	5725 to 5850	Pass
			-10	3.85	5844.520	5725 to 5850	Pass
			-5	3.85	5844.530	5725 to 5850	Pass
			0	3.85	5844.530	5725 to 5850	Pass
			5	3.85	5844.520	5725 to 5850	Pass
			10	3.85	5844.520	5725 to 5850	Pass
			15	3.85	5844.510	5725 to 5850	Pass
			30	3.85	5844.520	5725 to 5850	Pass
			40	3.85	5844.520	5725 to 5850	Pass
20M	SISO	5735.5	20	3.27	5735.540	5725 to 5850	Pass
				3.85	5735.540	5725 to 5850	Pass
				4.43	5735.540	5725 to 5850	Pass
			-10	3.85	5735.540	5725 to 5850	Pass
			-5	3.85	5735.520	5725 to 5850	Pass
			0	3.85	5735.560	5725 to 5850	Pass
			5	3.85	5735.560	5725 to 5850	Pass
			10	3.85	5735.540	5725 to 5850	Pass
			15	3.85	5735.540	5725 to 5850	Pass
			30	3.85	5735.540	5725 to 5850	Pass
			40	3.85	5735.540	5725 to 5850	Pass
		5787.5	20	3.27	5787.540	5725 to 5850	Pass
				3.85	5787.560	5725 to 5850	Pass
				4.43	5787.540	5725 to 5850	Pass
			-10	3.85	5787.540	5725 to 5850	Pass
			-5	3.85	5787.540	5725 to 5850	Pass
			0	3.85	5787.540	5725 to 5850	Pass
			5	3.85	5787.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 299 of 301

			10	3.85	5787.560	5725 to 5850	Pass
			15	3.85	5787.540	5725 to 5850	Pass
			30	3.85	5787.520	5725 to 5850	Pass
			40	3.85	5787.540	5725 to 5850	Pass
		5839.5	20	3.27	5839.580	5725 to 5850	Pass
				3.85	5839.560	5725 to 5850	Pass
				4.43	5839.540	5725 to 5850	Pass
			-10	3.85	5839.580	5725 to 5850	Pass
			-5	3.85	5839.540	5725 to 5850	Pass
			0	3.85	5839.520	5725 to 5850	Pass
			5	3.85	5839.520	5725 to 5850	Pass
			10	3.85	5839.500	5725 to 5850	Pass
			15	3.85	5839.520	5725 to 5850	Pass
			30	3.85	5839.540	5725 to 5850	Pass
			40	3.85	5839.560	5725 to 5850	Pass
40M	SISO	5745.5	20	3.27	5745.500	5725 to 5850	Pass
				3.85	5745.540	5725 to 5850	Pass
				4.43	5745.540	5725 to 5850	Pass
			-10	3.85	5745.540	5725 to 5850	Pass
			-5	3.85	5745.660	5725 to 5850	Pass
			0	3.85	5745.540	5725 to 5850	Pass
			5	3.85	5745.340	5725 to 5850	Pass
			10	3.85	5745.540	5725 to 5850	Pass
			15	3.85	5745.580	5725 to 5850	Pass
			30	3.85	5745.380	5725 to 5850	Pass
			40	3.85	5745.580	5725 to 5850	Pass
		5787.5	20	3.27	5787.780	5725 to 5850	Pass
				3.85	5787.740	5725 to 5850	Pass
				4.43	5787.820	5725 to 5850	Pass
			-10	3.85	5787.780	5725 to 5850	Pass
			-5	3.85	5787.700	5725 to 5850	Pass
			0	3.85	5787.740	5725 to 5850	Pass
			5	3.85	5787.780	5725 to 5850	Pass
			10	3.85	5787.820	5725 to 5850	Pass
			15	3.85	5787.780	5725 to 5850	Pass
			30	3.85	5787.780	5725 to 5850	Pass
			40	3.85	5787.620	5725 to 5850	Pass
		5829.5	20	3.27	5829.700	5725 to 5850	Pass
				3.85	5829.700	5725 to 5850	Pass
				4.43	5829.660	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 300 of 301

			-10	3.85	5829.620	5725 to 5850	Pass
			-5	3.85	5829.660	5725 to 5850	Pass
			0	3.85	5829.620	5725 to 5850	Pass
			5	3.85	5829.580	5725 to 5850	Pass
			10	3.85	5829.580	5725 to 5850	Pass
			15	3.85	5829.620	5725 to 5850	Pass
			30	3.85	5829.660	5725 to 5850	Pass
			40	3.85	5829.700	5725 to 5850	Pass
60M	SISO	5755.5	20	3.27	5755.620	5725 to 5850	Pass
				3.85	5755.560	5725 to 5850	Pass
				4.43	5755.560	5725 to 5850	Pass
			-10	3.85	5755.560	5725 to 5850	Pass
			-5	3.85	5755.500	5725 to 5850	Pass
			0	3.85	5755.500	5725 to 5850	Pass
			5	3.85	5755.620	5725 to 5850	Pass
			10	3.85	5755.500	5725 to 5850	Pass
			15	3.85	5755.560	5725 to 5850	Pass
			30	3.85	5755.560	5725 to 5850	Pass
			40	3.85	5755.620	5725 to 5850	Pass
		5787.5	20	3.27	5787.620	5725 to 5850	Pass
				3.85	5787.560	5725 to 5850	Pass
				4.43	5787.620	5725 to 5850	Pass
			-10	3.85	5787.560	5725 to 5850	Pass
			-5	3.85	5787.560	5725 to 5850	Pass
			0	3.85	5787.620	5725 to 5850	Pass
			5	3.85	5787.620	5725 to 5850	Pass
			10	3.85	5787.620	5725 to 5850	Pass
			15	3.85	5787.620	5725 to 5850	Pass
			30	3.85	5787.560	5725 to 5850	Pass
			40	3.85	5787.560	5725 to 5850	Pass
		5819.5	20	3.27	5819.620	5725 to 5850	Pass
				3.85	5819.560	5725 to 5850	Pass
				4.43	5819.620	5725 to 5850	Pass
			-10	3.85	5819.620	5725 to 5850	Pass
			-5	3.85	5819.560	5725 to 5850	Pass
			0	3.85	5819.620	5725 to 5850	Pass
			5	3.85	5819.620	5725 to 5850	Pass
			10	3.85	5819.560	5725 to 5850	Pass
			15	3.85	5819.620	5725 to 5850	Pass
			30	3.85	5819.620	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Calibration Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240600214005

Page: 301 of 301

			40	3.85	5819.560	5725 to 5850	Pass
80M	SISO	5765.5	20	3.27	5765.500	5725 to 5850	Pass
				3.85	5765.500	5725 to 5850	Pass
				4.43	5765.500	5725 to 5850	Pass
			-10	3.85	5765.425	5725 to 5850	Pass
			-5	3.85	5765.425	5725 to 5850	Pass
			0	3.85	5765.350	5725 to 5850	Pass
			5	3.85	5765.425	5725 to 5850	Pass
			10	3.85	5765.500	5725 to 5850	Pass
			15	3.85	5765.425	5725 to 5850	Pass
			30	3.85	5765.425	5725 to 5850	Pass
			40	3.85	5765.575	5725 to 5850	Pass
		5787.5	20	3.27	5787.425	5725 to 5850	Pass
				3.85	5787.275	5725 to 5850	Pass
				4.43	5787.275	5725 to 5850	Pass
			-10	3.85	5787.275	5725 to 5850	Pass
			-5	3.85	5787.275	5725 to 5850	Pass
			0	3.85	5787.350	5725 to 5850	Pass
			5	3.85	5787.125	5725 to 5850	Pass
			10	3.85	5787.275	5725 to 5850	Pass
			15	3.85	5787.200	5725 to 5850	Pass
			30	3.85	5787.275	5725 to 5850	Pass
			40	3.85	5787.275	5725 to 5850	Pass
		5809.5	20	3.27	5809.350	5725 to 5850	Pass
				3.85	5809.350	5725 to 5850	Pass
				4.43	5809.275	5725 to 5850	Pass
			-10	3.85	5809.500	5725 to 5850	Pass
			-5	3.85	5809.275	5725 to 5850	Pass
			0	3.85	5809.350	5725 to 5850	Pass
			5	3.85	5809.350	5725 to 5850	Pass
			10	3.85	5809.350	5725 to 5850	Pass
			15	3.85	5809.050	5725 to 5850	Pass
			30	3.85	5809.350	5725 to 5850	Pass
			40	3.85	5809.350	5725 to 5850	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com