

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	5955	/	/	2.098	2.114	99.24	0.03	0.03
			6175	/	/	2.098	2.114	99.24	0.03	0.03
			6415	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	5955	/	/	5.430	5.446	99.71	0.01	0.00
			6175	/	/	5.430	5.446	99.71	0.01	0.00
			6415	/	/	5.430	5.446	99.71	0.01	0.00
	802.11n (HT40)	SISO	5965	/	/	5.428	5.444	99.71	0.01	0.00
			6165	/	/	5.428	5.444	99.71	0.01	0.00
			6405	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	5955	/	/	5.430	5.447	99.69	0.01	0.03
			6175	/	/	5.429	5.446	99.69	0.01	0.03
			6415	/	/	5.430	5.446	99.71	0.01	0.04
	802.11n (HT40)	MIMO	5965	/	/	5.428	5.445	99.69	0.01	0.03
			6165	/	/	5.429	5.445	99.71	0.01	0.03
			6405	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT20)	SISO	5955	/	/	5.430	5.446	99.71	0.01	0.00
			6175	/	/	5.430	5.446	99.71	0.01	0.00
			6415	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT40)	SISO	5965	/	/	5.428	5.444	99.71	0.01	0.00
			6165	/	/	5.428	5.445	99.69	0.01	0.03
			6405	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	SISO	5985	/	/	5.428	5.444	99.71	0.01	0.00
			6145	/	/	5.429	5.446	99.69	0.01	0.03
			6385	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	SISO	6025	/	/	5.428	5.444	99.71	0.01	0.00
			6185	/	/	5.428	5.444	99.71	0.01	0.00
			6345	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	5955	/	/	5.430	5.448	99.67	0.01	0.04
			6175	/	/	5.430	5.446	99.71	0.01	0.00
			6415	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	5965	/	/	5.428	5.444	99.71	0.01	0.04
			6165	/	/	5.428	5.444	99.71	0.01	0.00
			6405	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	MIMO	5985	/	/	5.428	5.444	99.71	0.01	0.04
			6145	/	/	5.428	5.444	99.71	0.01	0.00
			6385	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	MIMO	6025	/	/	5.429	5.446	99.69	0.01	0.03
			6185	/	/	5.428	5.444	99.71	0.01	0.04
			6345	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW20)	SISO	5955	SU	/	5.444	5.462	99.67	0.01	0.00
			6175	SU	/	5.443	5.462	99.65	0.02	0.03
			6415	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	SISO	5965	SU	/	5.444	5.462	99.67	0.01	0.04
			6165	SU	/	5.444	5.462	99.67	0.01	0.04
			6405	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	5985	SU	/	5.444	5.460	99.71	0.01	0.00
			6145	SU	/	5.444	5.462	99.67	0.01	0.04
			6385	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6025	SU	/	5.444	5.462	99.67	0.01	0.04
			6185	SU	/	5.444	5.460	99.71	0.01	0.00

	802.11ax (HEW20)	MIMO	6345	SU	/	5.444	5.462	99.67	0.01	0.04
			5955	SU	/	5.444	5.462	99.67	0.01	0.04
			6175	SU	/	5.444	5.462	99.67	0.01	0.00
			6415	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	5965	SU	/	5.443	5.460	99.69	0.01	0.00
			6165	SU	/	5.444	5.462	99.67	0.01	0.04
			6405	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	5985	SU	/	5.444	5.462	99.67	0.01	0.04
			6145	SU	/	5.443	5.460	99.69	0.01	0.03
			6385	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6025	SU	/	5.444	5.460	99.71	0.01	0.03
			6185	SU	/	5.443	5.460	99.69	0.01	0.03
			6345	SU	/	5.444	5.462	99.67	0.01	0.04

1.1.2 Ant2

Ant2										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	5955	/	/	2.097	2.113	99.24	0.03	0.00
			6175	/	/	2.098	2.114	99.24	0.03	0.03
			6415	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	5955	/	/	5.428	5.446	99.67	0.01	0.04
			6175	/	/	5.428	5.446	99.67	0.01	0.04
			6415	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	SISO	5965	/	/	5.428	5.446	99.67	0.01	0.04
			6165	/	/	5.428	5.444	99.71	0.01	0.00
			6405	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	5955	/	/	5.430	5.447	99.69	0.01	0.03
			6175	/	/	5.430	5.447	99.69	0.01	0.03
			6415	/	/	5.430	5.446	99.71	0.01	0.04
	802.11n (HT40)	MIMO	5965	/	/	5.428	5.445	99.69	0.01	0.03
			6165	/	/	5.428	5.445	99.69	0.01	0.03
			6405	/	/	5.429	5.446	99.69	0.01	0.03
	802.11ac (VHT20)	SISO	5955	/	/	5.429	5.445	99.71	0.01	0.03
			6175	/	/	5.428	5.445	99.69	0.01	0.00
			6415	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT40)	SISO	5965	/	/	5.428	5.446	99.67	0.01	0.04
			6165	/	/	5.428	5.445	99.69	0.01	0.03
			6405	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	SISO	5985	/	/	5.428	5.444	99.71	0.01	0.00
			6145	/	/	5.428	5.444	99.71	0.01	0.00
			6385	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	SISO	6025	/	/	5.429	5.446	99.69	0.01	0.03
			6185	/	/	5.428	5.444	99.71	0.01	0.04
			6345	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	5955	/	/	5.431	5.447	99.71	0.01	0.03
			6175	/	/	5.430	5.447	99.69	0.01	0.03
			6415	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT40)	MIMO	5965	/	/	5.428	5.444	99.71	0.01	0.04
			6165	/	/	5.428	5.445	99.69	0.01	0.03
			6405	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT80)	MIMO	5985	/	/	5.428	5.445	99.69	0.01	0.03
			6145	/	/	5.429	5.445	99.71	0.01	0.03
			6385	/	/	5.429	5.446	99.69	0.01	0.03
	802.11ac (VHT160)	MIMO	6025	/	/	5.428	5.445	99.69	0.01	0.03
			6185	/	/	5.428	5.445	99.69	0.01	0.03
			6345	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax	SISO	5955	SU	/	5.444	5.462	99.67	0.01	0.04

	(HEW20)		6175	SU	/	5.445	5.462	99.69	0.01	0.00
			6415	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	SISO	5965	SU	/	5.444	5.462	99.67	0.01	0.04
			6165	SU	/	5.443	5.460	99.69	0.01	0.00
			6405	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax (HEW80)	SISO	5985	SU	/	5.443	5.460	99.69	0.01	0.03
			6145	SU	/	5.444	5.462	99.67	0.01	0.04
			6385	SU	/	5.444	5.460	99.71	0.01	0.03
	802.11ax (HEW160)	SISO	6025	SU	/	5.443	5.460	99.69	0.01	0.03
			6185	SU	/	5.443	5.460	99.69	0.01	0.03
			6345	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	5955	SU	/	5.444	5.462	99.67	0.01	0.04
			6175	SU	/	5.446	5.462	99.71	0.01	0.00
			6415	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	MIMO	5965	SU	/	5.443	5.460	99.69	0.01	0.00
			6165	SU	/	5.444	5.462	99.67	0.01	0.04
			6405	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax (HEW80)	MIMO	5985	SU	/	5.444	5.462	99.67	0.01	0.04
			6145	SU	/	5.444	5.460	99.71	0.01	0.00
			6385	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6025	SU	/	5.443	5.460	99.69	0.01	0.03
			6185	SU	/	5.444	5.460	99.71	0.01	0.00
			6345	SU	/	5.444	5.460	99.71	0.01	0.00

1.1.3 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6435	/	/	2.097	2.114	99.20	0.04	0.03
			6475	/	/	2.097	2.114	99.20	0.04	0.03
			6515	/	/	2.098	2.115	99.20	0.04	0.07
	802.11n (HT20)	SISO	6435	/	/	5.430	5.446	99.71	0.01	0.00
			6475	/	/	5.428	5.446	99.67	0.01	0.04
			6515	/	/	5.431	5.447	99.71	0.01	0.03
	802.11n (HT40)	SISO	6445	/	/	5.428	5.445	99.69	0.01	0.03
			6485	/	/	5.428	5.444	99.71	0.01	0.00
			6435	/	/	5.430	5.448	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6475	/	/	5.430	5.447	99.69	0.01	0.03
			6515	/	/	5.430	5.446	99.71	0.01	0.00
			6445	/	/	5.428	5.444	99.71	0.01	0.00
	802.11n (HT40)	MIMO	6485	/	/	5.428	5.444	99.71	0.01	0.04
			6435	/	/	5.428	5.445	99.69	0.01	0.03
			6475	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT20)	SISO	6515	/	/	5.430	5.446	99.71	0.01	0.00
			6445	/	/	5.428	5.444	99.71	0.01	0.04
			6485	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	SISO	6465	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT20)	MIMO	6435	/	/	5.430	5.446	99.71	0.01	0.00
			6475	/	/	5.430	5.446	99.71	0.01	0.00
			6515	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6445	/	/	5.428	5.444	99.71	0.01	0.00
			6485	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT80)	MIMO	6465	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ax (HEW20)	SISO	6435	SU	/	5.444	5.462	99.67	0.01	0.04
			6475	SU	/	5.445	5.462	99.69	0.01	0.00
			6515	SU	/	5.443	5.462	99.65	0.02	0.03

	802.11ax (HEW40)	SISO	6445	SU	/	5.444	5.462	99.67	0.01	0.04
			6485	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	6465	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6435	SU	/	5.444	5.462	99.67	0.01	0.00
			6475	SU	/	5.443	5.462	99.65	0.02	0.03
			6515	SU	/	5.444	5.462	99.67	0.01	0.03
	802.11ax (HEW40)	MIMO	6445	SU	/	5.444	5.462	99.67	0.01	0.04
			6485	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6465	SU	/	5.444	5.462	99.67	0.01	0.04

1.1.4 Ant2

Ant2										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6435	/	/	2.098	2.115	99.20	0.04	0.03
			6475	/	/	2.098	2.115	99.20	0.04	0.07
			6515	/	/	2.098	2.115	99.20	0.04	0.03
	802.11n (HT20)	SISO	6435	/	/	5.430	5.446	99.71	0.01	0.00
			6475	/	/	5.428	5.446	99.67	0.01	0.04
			6515	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	SISO	6445	/	/	5.428	5.444	99.71	0.01	0.00
			6485	/	/	5.428	5.444	99.71	0.01	0.00
	802.11n (HT20)	MIMO	6435	/	/	5.429	5.445	99.71	0.01	0.03
			6475	/	/	5.430	5.446	99.71	0.01	0.00
			6515	/	/	5.428	5.445	99.69	0.01	0.03
	802.11n (HT40)	MIMO	6445	/	/	5.428	5.446	99.67	0.01	0.04
			6485	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT20)	SISO	6435	/	/	5.430	5.446	99.71	0.01	0.00
			6475	/	/	5.428	5.445	99.69	0.01	0.03
			6515	/	/	5.428	5.446	99.67	0.01	0.00
	802.11ac (VHT40)	SISO	6445	/	/	5.428	5.444	99.71	0.01	0.00
			6485	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	SISO	6465	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	6435	/	/	5.430	5.446	99.71	0.01	0.00
			6475	/	/	5.430	5.446	99.71	0.01	0.00
			6515	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6445	/	/	5.428	5.444	99.71	0.01	0.00
			6485	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT80)	MIMO	6465	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ax (HEW20)	SISO	6435	SU	/	5.444	5.462	99.67	0.01	0.04
			6475	SU	/	5.444	5.462	99.67	0.01	0.04
			6515	SU	/	5.445	5.462	99.69	0.01	0.00
	802.11ax (HEW40)	SISO	6445	SU	/	5.444	5.462	99.67	0.01	0.04
			6485	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax (HEW80)	SISO	6465	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6435	SU	/	5.444	5.462	99.67	0.01	0.04
			6475	SU	/	5.445	5.461	99.71	0.01	0.00
			6515	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	6445	SU	/	5.443	5.460	99.69	0.01	0.00
			6485	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6465	SU	/	5.444	5.462	99.67	0.01	0.04

1.1.5 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6535	/	/	2.098	2.115	99.20	0.04	0.03
			6695	/	/	2.098	2.114	99.24	0.03	0.03
			6855	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	6535	/	/	5.428	5.445	99.69	0.01	0.03
			6695	/	/	5.430	5.446	99.71	0.01	0.00
			6855	/	/	5.430	5.446	99.71	0.01	0.00
	802.11n (HT40)	SISO	6565	/	/	5.428	5.445	99.69	0.01	0.03
			6685	/	/	5.428	5.444	99.71	0.01	0.00
			6845	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6535	/	/	5.430	5.446	99.71	0.01	0.00
			6695	/	/	5.430	5.446	99.71	0.01	0.00
			6855	/	/	5.429	5.446	99.69	0.01	0.00
	802.11n (HT40)	MIMO	6565	/	/	5.428	5.444	99.71	0.01	0.00
			6685	/	/	5.429	5.445	99.71	0.01	0.03
			6845	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT20)	SISO	6535	/	/	5.430	5.448	99.67	0.01	0.04
			6695	/	/	5.430	5.447	99.69	0.01	0.03
			6855	/	/	5.429	5.446	99.69	0.01	0.03
	802.11ac (VHT40)	SISO	6565	/	/	5.428	5.444	99.71	0.01	0.00
			6685	/	/	5.428	5.444	99.71	0.01	0.04
			6845	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT80)	SISO	6625	/	/	5.428	5.444	99.71	0.01	0.00
			6705	/	/	5.428	5.445	99.69	0.01	0.03
			6785	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	SISO	6665	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT20)	MIMO	6535	/	/	5.430	5.447	99.69	0.01	0.03
			6695	/	/	5.430	5.447	99.69	0.01	0.03
			6855	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6565	/	/	5.429	5.445	99.71	0.01	0.03
			6685	/	/	5.428	5.444	99.71	0.01	0.04
			6845	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	MIMO	6625	/	/	5.428	5.444	99.71	0.01	0.04
			6705	/	/	5.428	5.444	99.71	0.01	0.00
			6785	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	MIMO	6665	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ax (HEW20)	SISO	6535	SU	/	5.444	5.462	99.67	0.01	0.04
			6695	SU	/	5.444	5.462	99.67	0.01	0.04
			6855	SU	/	5.445	5.461	99.71	0.01	0.00
	802.11ax (HEW40)	SISO	6565	SU	/	5.444	5.462	99.67	0.01	0.04
			6685	SU	/	5.443	5.460	99.69	0.01	0.00
			6845	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax (HEW80)	SISO	6625	SU	/	5.444	5.462	99.67	0.01	0.04
			6705	SU	/	5.444	5.462	99.67	0.01	0.04
			6785	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6665	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6535	SU	/	5.445	5.462	99.69	0.01	0.00
			6695	SU	/	5.444	5.462	99.67	0.01	0.04
			6855	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	6565	SU	/	5.444	5.460	99.71	0.01	0.00
			6685	SU	/	5.444	5.462	99.67	0.01	0.04
			6845	SU	/	5.444	5.462	99.67	0.01	0.03
	802.11ax	MIMO	6625	SU	/	5.444	5.460	99.71	0.01	0.03

	(HEW80)		6705	SU	/	5.443	5.460	99.69	0.01	0.00
			6785	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax (HEW160)	MIMO	6665	SU	/	5.444	5.460	99.71	0.01	0.00

1.1.6 Ant2

Ant2										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6535	/	/	2.097	2.113	99.24	0.03	0.03
			6695	/	/	2.098	2.115	99.20	0.04	0.03
			6855	/	/	2.097	2.114	99.20	0.04	0.03
	802.11n (HT20)	SISO	6535	/	/	5.428	5.446	99.67	0.01	0.04
			6695	/	/	5.428	5.445	99.69	0.01	0.03
			6855	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	SISO	6565	/	/	5.428	5.444	99.71	0.01	0.00
			6685	/	/	5.428	5.445	99.69	0.01	0.03
			6845	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6535	/	/	5.430	5.446	99.71	0.01	0.04
			6695	/	/	5.430	5.448	99.67	0.01	0.04
			6855	/	/	5.430	5.447	99.69	0.01	0.03
	802.11n (HT40)	MIMO	6565	/	/	5.428	5.444	99.71	0.01	0.04
			6685	/	/	5.428	5.444	99.71	0.01	0.04
			6845	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	SISO	6535	/	/	5.428	5.446	99.67	0.01	0.04
			6695	/	/	5.428	5.446	99.67	0.01	0.04
			6855	/	/	5.428	5.445	99.69	0.01	0.00
	802.11ac (VHT40)	SISO	6565	/	/	5.428	5.444	99.71	0.01	0.00
			6685	/	/	5.428	5.445	99.69	0.01	0.03
			6845	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	SISO	6625	/	/	5.429	5.445	99.71	0.01	0.03
			6705	/	/	5.428	5.446	99.67	0.01	0.04
			6785	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT160)	SISO	6665	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT20)	MIMO	6535	/	/	5.430	5.446	99.71	0.01	0.00
			6695	/	/	5.430	5.447	99.69	0.01	0.03
			6855	/	/	5.431	5.447	99.71	0.01	0.03
	802.11ac (VHT40)	MIMO	6565	/	/	5.428	5.445	99.69	0.01	0.03
			6685	/	/	5.428	5.444	99.71	0.01	0.04
			6845	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	MIMO	6625	/	/	5.429	5.446	99.69	0.01	0.03
			6705	/	/	5.428	5.445	99.69	0.01	0.03
			6785	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	MIMO	6665	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ax (HEW20)	SISO	6535	SU	/	5.445	5.462	99.69	0.01	0.00
			6695	SU	/	5.444	5.462	99.67	0.01	0.00
			6855	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	SISO	6565	SU	/	5.443	5.460	99.69	0.01	0.00
			6685	SU	/	5.444	5.462	99.67	0.01	0.04
			6845	SU	/	5.443	5.462	99.65	0.02	0.03
	802.11ax (HEW80)	SISO	6625	SU	/	5.444	5.462	99.67	0.01	0.04
			6705	SU	/	5.444	5.462	99.67	0.01	0.04
			6785	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6665	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax	MIMO	6535	SU	/	5.444	5.462	99.67	0.01	0.04

	(HEW20)		6695	SU	/	5.444	5.462	99.67	0.01	0.00
			6855	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	MIMO	6565	SU	/	5.444	5.462	99.67	0.01	0.04
			6685	SU	/	5.443	5.460	99.69	0.01	0.00
			6845	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6625	SU	/	5.444	5.462	99.67	0.01	0.04
			6705	SU	/	5.443	5.460	99.69	0.01	0.03
			6785	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6665	SU	/	5.443	5.460	99.69	0.01	0.03

1.1.7 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6895	/	/	2.098	2.114	99.24	0.03	0.00
			6995	/	/	2.098	2.114	99.24	0.03	0.03
			7115	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	6895	/	/	5.430	5.446	99.71	0.01	0.00
			6995	/	/	5.430	5.446	99.71	0.01	0.00
			7115	/	/	5.430	5.446	99.71	0.01	0.04
	802.11n (HT40)	SISO	6925	/	/	5.428	5.445	99.69	0.01	0.03
			7005	/	/	5.428	5.445	99.69	0.01	0.03
			7085	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6895	/	/	5.430	5.448	99.67	0.01	0.04
			6995	/	/	5.430	5.446	99.71	0.01	0.00
			7115	/	/	5.430	5.446	99.71	0.01	0.00
	802.11n (HT40)	MIMO	6925	/	/	5.428	5.444	99.71	0.01	0.00
			7005	/	/	5.428	5.445	99.69	0.01	0.03
			7085	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT20)	SISO	6895	/	/	5.430	5.446	99.71	0.01	0.00
			6995	/	/	5.428	5.445	99.69	0.01	0.03
			7115	/	/	5.430	5.446	99.71	0.01	0.04
	802.11ac (VHT40)	SISO	6925	/	/	5.428	5.445	99.69	0.01	0.00
			7005	/	/	5.428	5.445	99.69	0.01	0.03
			7085	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	SISO	6945	/	/	5.428	5.444	99.71	0.01	0.00
			7025	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	SISO	6985	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	6895	/	/	5.430	5.448	99.67	0.01	0.04
			6995	/	/	5.430	5.446	99.71	0.01	0.00
			7115	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6925	/	/	5.428	5.444	99.71	0.01	0.00
			7005	/	/	5.428	5.446	99.67	0.01	0.04
			7085	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	MIMO	6945	/	/	5.428	5.444	99.71	0.01	0.00
			7025	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	MIMO	6985	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW20)	SISO	6895	SU	/	5.444	5.462	99.67	0.01	0.00
			6995	SU	/	5.444	5.462	99.67	0.01	0.04
			7115	SU	/	5.445	5.462	99.69	0.01	0.00
	802.11ax (HEW40)	SISO	6925	SU	/	5.443	5.460	99.69	0.01	0.03
			7005	SU	/	5.444	5.462	99.67	0.01	0.04
			7085	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	6945	SU	/	5.444	5.462	99.67	0.01	0.04
			7025	SU	/	5.444	5.462	99.67	0.01	0.04

	802.11ax (HEW160)	SISO	6985	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6895	SU	/	5.444	5.462	99.67	0.01	0.00
			6995	SU	/	5.444	5.462	99.67	0.01	0.00
			7115	SU	/	5.446	5.462	99.71	0.01	0.00
	802.11ax (HEW40)	MIMO	6925	SU	/	5.443	5.460	99.69	0.01	0.00
			7005	SU	/	5.444	5.462	99.67	0.01	0.04
			7085	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax (HEW80)	MIMO	6945	SU	/	5.444	5.462	99.67	0.01	0.04
			7025	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6985	SU	/	5.444	5.462	99.67	0.01	0.04

1.1.8 Ant2

Ant2										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6895	/	/	2.098	2.114	99.24	0.03	0.03
			6995	/	/	2.097	2.114	99.20	0.04	0.03
			7115	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	6895	/	/	5.428	5.445	99.69	0.01	0.03
			6995	/	/	5.428	5.446	99.67	0.01	0.04
			7115	/	/	5.430	5.446	99.71	0.01	0.00
	802.11n (HT40)	SISO	6925	/	/	5.428	5.444	99.71	0.01	0.00
			7005	/	/	5.428	5.446	99.67	0.01	0.04
			7085	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6895	/	/	5.428	5.445	99.69	0.01	0.03
			6995	/	/	5.430	5.446	99.71	0.01	0.00
			7115	/	/	5.430	5.447	99.69	0.01	0.03
	802.11n (HT40)	MIMO	6925	/	/	5.428	5.444	99.71	0.01	0.04
			7005	/	/	5.428	5.445	99.69	0.01	0.03
			7085	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	SISO	6895	/	/	5.430	5.448	99.67	0.01	0.04
			6995	/	/	5.428	5.446	99.67	0.01	0.04
			7115	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	SISO	6925	/	/	5.428	5.444	99.71	0.01	0.00
			7005	/	/	5.428	5.446	99.67	0.01	0.04
			7085	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT80)	SISO	6945	/	/	5.428	5.444	99.71	0.01	0.00
			7025	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	SISO	6985	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	6895	/	/	5.430	5.447	99.69	0.01	0.03
			6995	/	/	5.431	5.447	99.71	0.01	0.03
			7115	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT40)	MIMO	6925	/	/	5.428	5.445	99.69	0.01	0.03
			7005	/	/	5.428	5.444	99.71	0.01	0.00
			7085	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	MIMO	6945	/	/	5.428	5.444	99.71	0.01	0.04
			7025	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	MIMO	6985	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW20)	SISO	6895	SU	/	5.443	5.462	99.65	0.02	0.03
			6995	SU	/	5.444	5.462	99.67	0.01	0.04
			7115	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	SISO	6925	SU	/	5.443	5.460	99.69	0.01	0.00
			7005	SU	/	5.443	5.460	99.69	0.01	0.00
			7085	SU	/	5.444	5.462	99.67	0.01	0.04

	802.11ax (HEW80)	SISO	6945	SU	/	5.444	5.462	99.67	0.01	0.04
			7025	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax (HEW160)	SISO	6985	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6895	SU	/	5.444	5.462	99.67	0.01	0.04
			6995	SU	/	5.446	5.462	99.71	0.01	0.00
			7115	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	6925	SU	/	5.444	5.462	99.67	0.01	0.04
			7005	SU	/	5.444	5.462	99.67	0.01	0.04
			7085	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6945	SU	/	5.445	5.461	99.71	0.01	0.03
			7025	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax (HEW160)	MIMO	6985	SU	/	5.444	5.462	99.67	0.01	0.04

1.1.9 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6875	/	/	2.097	2.114	99.20	0.04	0.03
	802.11n (HT20)	SISO	6875	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	SISO	6885	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6875	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	MIMO	6885	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT20)	SISO	6875	/	/	5.430	5.448	99.67	0.01	0.04
	802.11ac (VHT40)	SISO	6885	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	SISO	6865	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	SISO	6825	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT20)	MIMO	6875	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6885	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	MIMO	6865	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT160)	MIMO	6825	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW20)	SISO	6875	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	SISO	6885	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	6865	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6825	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW20)	MIMO	6875	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	6885	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6865	SU	/	5.443	5.460	99.69	0.01	0.00
	802.11ax	MIMO	6825	SU	/	5.443	5.460	99.69	0.01	0.03

(HEW160)										
----------	--	--	--	--	--	--	--	--	--	--

1.1.10 Ant2

Ant2										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6875	/	/	2.098	2.114	99.24	0.03	0.03
	802.11n (HT20)	SISO	6875	/	/	5.430	5.446	99.71	0.01	0.00
	802.11n (HT40)	SISO	6885	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT20)	MIMO	6875	/	/	5.428	5.446	99.67	0.01	0.04
	802.11n (HT40)	MIMO	6885	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT20)	SISO	6875	/	/	5.429	5.445	99.71	0.01	0.03
	802.11ac (VHT40)	SISO	6885	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT80)	SISO	6865	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT160)	SISO	6825	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT20)	MIMO	6875	/	/	5.430	5.446	99.71	0.01	0.00
	802.11ac (VHT40)	MIMO	6885	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT80)	MIMO	6865	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT160)	MIMO	6825	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW20)	SISO	6875	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	SISO	6885	SU	/	5.443	5.462	99.65	0.02	0.03
	802.11ax (HEW80)	SISO	6865	SU	/	5.444	5.460	99.71	0.01	0.03
	802.11ax (HEW160)	SISO	6825	SU	/	5.444	5.460	99.71	0.01	0.00
	802.11ax (HEW20)	MIMO	6875	SU	/	5.444	5.462	99.67	0.01	0.00
	802.11ax (HEW40)	MIMO	6885	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6865	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax (HEW160)	MIMO	6825	SU	/	5.443	5.460	99.69	0.01	0.03

1.1.11 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11n (HT40)	SISO	6525	/	/	5.428	5.444	99.71	0.01	0.00
		MIMO	6525	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT40)	SISO	6525	/	/	5.429	5.446	99.69	0.01	0.03
	802.11ac	SISO	6545	/	/	5.428	5.444	99.71	0.01	0.00

	(VHT80)									
	802.11ac (VHT160)	SISO	6505	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT40)	MIMO	6525	/	/	5.428	5.445	99.69	0.01	0.03
	802.11ac (VHT80)	MIMO	6545	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	MIMO	6505	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW40)	SISO	6525	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	6545	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6505	SU	/	5.443	5.460	99.69	0.01	0.03
	802.11ax (HEW40)	MIMO	6525	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	MIMO	6545	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6505	SU	/	5.444	5.460	99.71	0.01	0.00


1.1.12 Ant2

Ant2										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11n (HT40)	SISO	6525	/	/	5.429	5.445	99.71	0.01	0.03
		MIMO	6525	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT40)	SISO	6525	/	/	5.428	5.446	99.67	0.01	0.04
	802.11ac (VHT80)	SISO	6545	/	/	5.428	5.444	99.71	0.01	0.00
	802.11ac (VHT160)	SISO	6505	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT40)	MIMO	6525	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ac (VHT80)	MIMO	6545	/	/	5.429	5.446	99.69	0.01	0.03
	802.11ac (VHT160)	MIMO	6505	/	/	5.428	5.444	99.71	0.01	0.04
	802.11ax (HEW40)	SISO	6525	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW80)	SISO	6545	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	SISO	6505	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW40)	MIMO	6525	SU	/	5.443	5.462	99.65	0.02	0.03
	802.11ax (HEW80)	MIMO	6545	SU	/	5.444	5.462	99.67	0.01	0.04
	802.11ax (HEW160)	MIMO	6505	SU	/	5.443	5.460	99.69	0.01	0.03


1.2 Test Graph

1.2.1 Ant1


802.11a_LCH_5955MHz_Ant1_NTNV




802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV




802.11n(HT20) LCH 5955MHz Ant1 NTN




802.11n(HT20) MCH 6175MHz Ant1 NTN




802.11n(HT20) HCH 6415MHz Ant1 NTN




802.11n(HT40) LCH 5965MHz Ant1_NTNV




802.11n(HT40) MCH 6165MHz Ant1_NTNV




802.11n(HT40) HCH 6405MHz Ant1_NTNV




802.11n(HT20) LCH 5955MHz Ant1_NTNV




802.11n(HT20) MCH 6175MHz Ant1_NTNV




802.11n(HT20) HCH 6415MHz Ant1_NTNV




802.11n(HT40) LCH 5965MHz Ant1_NTNV




802.11n(HT40) MCH 6165MHz Ant1_NTNV




802.11n(HT40) HCH 6405MHz Ant1_NTNV




802.11ac(VHT20) LCH_5955MHz_Ant1_NTNV




802.11ac(VHT20) MCH_6175MHz_Ant1_NTNV




802.11ac(VHT20) HCH_6415MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5965MHz_Ant1_NTNV




802.11ac(VHT40) MCH_6165MHz_Ant1_NTNV




802.11ac(VHT40) HCH_6405MHz_Ant1_NTNV




802.11ac(VHT80) LCH_5985MHz_Ant1_NTNV




802.11ac(VHT80) MCH_6145MHz_Ant1_NTNV




802.11ac(VHT80) HCH_6385MHz_Ant1_NTNV




802.11ac(VHT160) LCH 6025MHz Ant1 NTN




802.11ac(VHT160) MCH 6185MHz Ant1 NTN




802.11ac(VHT160) HCH 6345MHz Ant1 NTN




802.11ac(VHT20) LCH_5955MHz_Ant1_NTNV




802.11ac(VHT20) MCH_6175MHz_Ant1_NTNV




802.11ac(VHT20) HCH_6415MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5965MHz_Ant1_NTNV




802.11ac(VHT40) MCH_6165MHz_Ant1_NTNV




802.11ac(VHT40) HCH_6405MHz_Ant1_NTNV




802.11ac(VHT80) LCH_5985MHz_Ant1_NTNV




802.11ac(VHT80) MCH_6145MHz_Ant1_NTNV




802.11ac(VHT80) HCH_6385MHz_Ant1_NTNV




802.11ac(VHT160) LCH 6025MHz Ant1 NTN




802.11ac(VHT160) MCH 6185MHz Ant1 NTN




802.11ac(VHT160) HCH 6345MHz Ant1 NTN




802.11ax(HEW20) LCH 5955MHz_SU / Ant1 NTN




802.11ax(HEW20) MCH 6175MHz_SU / Ant1 NTN




802.11ax(HEW20) HCH 6415MHz_SU / Ant1 NTN




802.11ax(HEW40) LCH_5965MHz_SU_ / Ant1_NTNV




802.11ax(HEW40) MCH_6165MHz_SU_ / Ant1_NTNV




802.11ax(HEW40) HCH_6405MHz_SU_ / Ant1_NTNV




802.11ax(HEW80) LCH_5985MHz_SU_ / Ant1_NTNV




802.11ax(HEW80) MCH_6145MHz_SU_ / Ant1_NTNV




802.11ax(HEW80) HCH_6385MHz_SU_ / Ant1_NTNV



802.11ax(HEW160) LCH 6025MHz_SU / Ant1 NTN



802.11ax(HEW160) MCH 6185MHz_SU / Ant1 NTN



802.11ax(HEW160) HCH 6345MHz_SU / Ant1 NTN

