




802.11ac(VHT80) HCH 6545MHz Ant1 NTN




802.11ac(VHT160) HCH 6505MHz Ant1 NTN




802.11ax(HEW40) HCH 6525MHz_SU_ / Ant1 NTN




802.11ax(HEW80) HCH 6545MHz_SU / Ant1 NTN




802.11ax(HEW160) HCH 6505MHz_SU / Ant1 NTN




802.11ax(HEW40) HCH 6525MHz_SU / Ant1 NTN



802.11ax(HEW80) HCH 6545MHz_SU / Ant1 NTN




802.11ax(HEW160) HCH 6505MHz_SU / Ant1 NTN




1.2.12 Ant2


802.11n(HT40) HCH 6525MHz_Ant2 NTN




802.11n(HT40) HCH 6525MHz Ant2_NTNV




802.11ac(VHT40) HCH_6525MHz_Ant2_NTNV




802.11ac(VHT80) HCH 6545MHz Ant2_NTNV




802.11ac(VHT160) HCH 6505MHz Ant2_NTNV




802.11ac(VHT40) HCH 6525MHz Ant2_NTNV




802.11ac(VHT80) HCH 6545MHz Ant2 NTN




802.11ac(VHT160) HCH 6505MHz Ant2 NTN




802.11ax(HEW40) HCH 6525MHz_SU_ / Ant2 NTN




802.11ax(HEW80) HCH 6545MHz_SU / Ant2 NTN




802.11ax(HEW160) HCH 6505MHz_SU / Ant2 NTN




802.11ax(HEW40) HCH 6525MHz_SU / Ant2 NTN



802.11ax(HEW80) HCH 6545MHz_SU / Ant2 NTN



802.11ax(HEW160) HCH 6505MHz_SU / Ant2 NTN



2. Bandwidth

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	5955	/	/	1	16.606	<=320	Pass
						2	16.591	<=320	Pass
			6175	/	/	1	16.543	<=320	Pass
						2	16.553	<=320	Pass
			6415	/	/	1	16.575	<=320	Pass
						2	16.609	<=320	Pass
	802.11n (HT20)	SISO	5955	/	/	1	17.735	<=320	Pass
						2	17.731	<=320	Pass
			6175	/	/	1	17.714	<=320	Pass
						2	17.717	<=320	Pass
			6415	/	/	1	17.763	<=320	Pass
						2	17.767	<=320	Pass
	802.11n (HT40)	SISO	5965	/	/	1	36.072	<=320	Pass
						2	36.061	<=320	Pass
			6165	/	/	1	36.114	<=320	Pass
						2	36.086	<=320	Pass
			6405	/	/	1	36.024	<=320	Pass
						2	36.030	<=320	Pass
	802.11n (HT20)	MIMO	5955	/	/	1	17.783	<=320	Pass
						2	17.793	<=320	Pass
			6175	/	/	1	17.759	<=320	Pass
						2	17.718	<=320	Pass
			6415	/	/	1	17.778	<=320	Pass
						2	17.776	<=320	Pass
	802.11n (HT40)	MIMO	5965	/	/	1	36.098	<=320	Pass
						2	36.124	<=320	Pass
			6165	/	/	1	36.134	<=320	Pass
						2	36.152	<=320	Pass
			6405	/	/	1	36.033	<=320	Pass
						2	36.028	<=320	Pass
	802.11ac (VHT20)	SISO	5955	/	/	1	17.725	<=320	Pass
						2	17.714	<=320	Pass
			6175	/	/	1	17.777	<=320	Pass
						2	17.687	<=320	Pass
			6415	/	/	1	17.729	<=320	Pass
						2	17.724	<=320	Pass
	802.11ac (VHT40)	SISO	5965	/	/	1	36.089	<=320	Pass
						2	36.110	<=320	Pass
			6165	/	/	1	36.098	<=320	Pass
						2	36.133	<=320	Pass
			6405	/	/	1	36.078	<=320	Pass
						2	36.055	<=320	Pass
	802.11ac (VHT80)	SISO	5985	/	/	1	75.665	<=320	Pass
						2	75.356	<=320	Pass
			6145	/	/	1	75.350	<=320	Pass
						2	75.114	<=320	Pass
			6385	/	/	1	75.720	<=320	Pass
						2	75.338	<=320	Pass
	802.11ac (VHT160)	SISO	6025	/	/	1	154.853	<=320	Pass
						2	154.004	<=320	Pass

			6185	/	/	1	155.670	<=320	Pass
			6345	/	/	2	154.594	<=320	Pass
						1	153.029	<=320	Pass
						2	155.085	<=320	Pass
	802.11ac (VHT20)	MIMO	5955	/	/	1	17.734	<=320	Pass
			6175	/	/	2	17.679	<=320	Pass
						1	17.726	<=320	Pass
			6415	/	/	2	17.699	<=320	Pass
						1	17.719	<=320	Pass
						2	17.696	<=320	Pass
	802.11ac (VHT40)	MIMO	5965	/	/	1	36.078	<=320	Pass
			6165	/	/	2	36.043	<=320	Pass
						1	36.120	<=320	Pass
			6405	/	/	2	36.046	<=320	Pass
						1	36.055	<=320	Pass
						2	36.002	<=320	Pass
	802.11ac (VHT80)	MIMO	5985	/	/	1	75.793	<=320	Pass
			6145	/	/	2	75.502	<=320	Pass
						1	75.822	<=320	Pass
			6385	/	/	2	75.385	<=320	Pass
						1	75.486	<=320	Pass
						2	75.498	<=320	Pass
	802.11ac (VHT160)	MIMO	6025	/	/	1	154.318	<=320	Pass
			6185	/	/	2	154.083	<=320	Pass
						1	154.298	<=320	Pass
			6345	/	/	2	154.518	<=320	Pass
						1	154.270	<=320	Pass
						2	154.895	<=320	Pass
	802.11ax (HEW20)	SISO	5955	SU	/	1	19.379	<=320	Pass
			6175	SU	/	2	19.398	<=320	Pass
						1	19.462	<=320	Pass
			6415	SU	/	2	19.426	<=320	Pass
						1	19.364	<=320	Pass
						2	19.396	<=320	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	1	38.550	<=320	Pass
			6165	SU	/	2	38.531	<=320	Pass
						1	38.947	<=320	Pass
			6405	SU	/	2	38.635	<=320	Pass
						1	38.523	<=320	Pass
						2	38.418	<=320	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	1	78.759	<=320	Pass
			6145	SU	/	2	78.671	<=320	Pass
						1	79.995	<=320	Pass
			6385	SU	/	2	78.966	<=320	Pass
						1	78.849	<=320	Pass
						2	78.782	<=320	Pass
	802.11ax (HEW160)	SISO	6025	SU	/	1	159.514	<=320	Pass
			6185	SU	/	2	158.232	<=320	Pass
						1	158.941	<=320	Pass
			6345	SU	/	2	159.028	<=320	Pass
						1	157.701	<=320	Pass
						2	158.229	<=320	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	1	19.405	<=320	Pass
			6175	SU	/	2	19.393	<=320	Pass
						1	19.399	<=320	Pass
			6415	SU	/	2	19.408	<=320	Pass
						1	19.348	<=320	Pass
						2	19.412	<=320	Pass
	802.11ax	MIMO	5965	SU	/	1	38.602	<=320	Pass

	(HEW40)					2	38.571	<=320	Pass
			6165	SU	/	1	38.679	<=320	Pass
						2	38.672	<=320	Pass
			6405	SU	/	1	38.507	<=320	Pass
	802.11ax (HEW80)	MIMO				2	38.504	<=320	Pass
			5985	SU	/	1	78.874	<=320	Pass
						2	79.080	<=320	Pass
			6145	SU	/	1	79.783	<=320	Pass
						2	79.129	<=320	Pass
			6385	SU	/	1	78.929	<=320	Pass
						2	78.775	<=320	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	1	159.010	<=320	Pass
						2	158.450	<=320	Pass
			6185	SU	/	1	159.613	<=320	Pass
						2	159.266	<=320	Pass
			6345	SU	/	1	157.774	<=320	Pass
						2	158.547	<=320	Pass

2.1.2 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	5955	/	/	1	18.811	/	Pass
						2	19.611	/	Pass
			6175	/	/	1	18.540	/	Pass
						2	18.422	/	Pass
			6415	/	/	1	19.041	/	Pass
						2	18.766	/	Pass
	802.11n (HT20)	SISO	5955	/	/	1	20.125	/	Pass
						2	20.177	/	Pass
			6175	/	/	1	20.233	/	Pass
						2	19.989	/	Pass
			6415	/	/	1	19.879	/	Pass
						2	20.055	/	Pass
	802.11n (HT40)	SISO	5965	/	/	1	40.207	/	Pass
						2	40.131	/	Pass
			6165	/	/	1	39.275	/	Pass
						2	39.658	/	Pass
			6405	/	/	1	39.515	/	Pass
						2	39.374	/	Pass
	802.11n (HT20)	MIMO	5955	/	/	1	20.505	/	Pass
						2	19.625	/	Pass
			6175	/	/	1	19.907	/	Pass
						2	19.855	/	Pass
			6415	/	/	1	20.639	/	Pass
						2	20.353	/	Pass
	802.11n (HT40)	MIMO	5965	/	/	1	39.503	/	Pass
						2	39.758	/	Pass
			6165	/	/	1	39.747	/	Pass
						2	39.672	/	Pass
			6405	/	/	1	39.584	/	Pass
						2	39.550	/	Pass
	802.11ac (VHT20)	SISO	5955	/	/	1	20.000	/	Pass
						2	20.150	/	Pass
			6175	/	/	1	20.347	/	Pass
						2	20.026	/	Pass
			6415	/	/	1	20.536	/	Pass
						2	20.493	/	Pass
	802.11ac	SISO	5965	/	/	1	39.900	/	Pass

	(VHT40)					2	39.670	/	Pass
			6165	/	/	1	39.519	/	Pass
						2	39.735	/	Pass
			6405	/	/	1	39.835	/	Pass
						2	39.177	/	Pass
	802.11ac (VHT80)	SISO	5985	/	/	1	81.354	/	Pass
						2	80.821	/	Pass
			6145	/	/	1	80.883	/	Pass
						2	80.781	/	Pass
			6385	/	/	1	101.931	/	Pass
						2	80.542	/	Pass
	802.11ac (VHT160)	SISO	6025	/	/	1	163.216	/	Pass
						2	162.683	/	Pass
			6185	/	/	1	164.454	/	Pass
						2	163.625	/	Pass
			6345	/	/	1	162.309	/	Pass
						2	223.652	/	Pass
	802.11ac (VHT20)	MIMO	5955	/	/	1	20.384	/	Pass
						2	19.775	/	Pass
			6175	/	/	1	20.204	/	Pass
						2	20.581	/	Pass
			6415	/	/	1	20.080	/	Pass
						2	20.202	/	Pass
	802.11ac (VHT40)	MIMO	5965	/	/	1	39.853	/	Pass
						2	39.064	/	Pass
			6165	/	/	1	39.790	/	Pass
						2	38.930	/	Pass
			6405	/	/	1	39.552	/	Pass
						2	39.152	/	Pass
	802.11ac (VHT80)	MIMO	5985	/	/	1	81.072	/	Pass
						2	80.918	/	Pass
			6145	/	/	1	81.227	/	Pass
						2	82.486	/	Pass
			6385	/	/	1	81.182	/	Pass
						2	80.692	/	Pass
	802.11ac (VHT160)	MIMO	6025	/	/	1	163.404	/	Pass
						2	163.276	/	Pass
			6185	/	/	1	163.794	/	Pass
						2	163.936	/	Pass
			6345	/	/	1	163.880	/	Pass
						2	162.555	/	Pass
	802.11ax (HEW20)	SISO	5955	SU	/	1	22.315	/	Pass
						2	22.156	/	Pass
			6175	SU	/	1	22.506	/	Pass
						2	22.311	/	Pass
			6415	SU	/	1	22.103	/	Pass
						2	22.532	/	Pass
	802.11ax (HEW40)	SISO	5965	SU	/	1	44.505	/	Pass
						2	44.299	/	Pass
			6165	SU	/	1	58.230	/	Pass
						2	49.731	/	Pass
			6405	SU	/	1	44.059	/	Pass
						2	44.496	/	Pass
	802.11ax (HEW80)	SISO	5985	SU	/	1	86.397	/	Pass
						2	85.893	/	Pass
			6145	SU	/	1	153.373	/	Pass
						2	121.854	/	Pass
			6385	SU	/	1	122.982	/	Pass
						2	89.424	/	Pass

	802.11ax (HEW160)	SISO	6025	SU	/	1	317.239	/	Pass
						2	168.845	/	Pass
			6185	SU	/	1	304.626	/	Pass
						2	224.855	/	Pass
			6345	SU	/	1	212.654	/	Pass
						2	225.387	/	Pass
	802.11ax (HEW20)	MIMO	5955	SU	/	1	22.777	/	Pass
						2	21.743	/	Pass
			6175	SU	/	1	21.674	/	Pass
						2	22.322	/	Pass
			6415	SU	/	1	21.888	/	Pass
						2	22.272	/	Pass
	802.11ax (HEW40)	MIMO	5965	SU	/	1	44.335	/	Pass
						2	43.807	/	Pass
			6165	SU	/	1	43.847	/	Pass
						2	43.584	/	Pass
			6405	SU	/	1	43.952	/	Pass
						2	43.758	/	Pass
	802.11ax (HEW80)	MIMO	5985	SU	/	1	93.618	/	Pass
						2	87.792	/	Pass
			6145	SU	/	1	134.706	/	Pass
						2	89.190	/	Pass
			6385	SU	/	1	123.946	/	Pass
						2	87.164	/	Pass
	802.11ax (HEW160)	MIMO	6025	SU	/	1	314.945	/	Pass
						2	170.079	/	Pass
			6185	SU	/	1	305.249	/	Pass
						2	237.166	/	Pass
			6345	SU	/	1	242.331	/	Pass
						2	213.216	/	Pass

2.1.3 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6435	/	/	1	16.566	<=320	Pass
						2	16.571	<=320	Pass
			6475	/	/	1	16.554	<=320	Pass
						2	16.549	<=320	Pass
			6515	/	/	1	16.562	<=320	Pass
						2	16.569	<=320	Pass
	802.11n (HT20)	SISO	6435	/	/	1	17.748	<=320	Pass
						2	17.725	<=320	Pass
			6475	/	/	1	17.743	<=320	Pass
						2	17.729	<=320	Pass
			6515	/	/	1	17.748	<=320	Pass
						2	17.767	<=320	Pass
	802.11n (HT40)	SISO	6445	/	/	1	36.089	<=320	Pass
						2	36.076	<=320	Pass
			6485	/	/	1	36.080	<=320	Pass
						2	36.095	<=320	Pass
			6435	/	/	1	17.744	<=320	Pass
						2	17.762	<=320	Pass
	802.11n (HT20)	MIMO	6475	/	/	1	17.745	<=320	Pass
						2	17.750	<=320	Pass
			6515	/	/	1	17.738	<=320	Pass
						2	17.801	<=320	Pass
	802.11n (HT40)	MIMO	6445	/	/	1	36.065	<=320	Pass
						2	36.087	<=320	Pass

			6485	/	/	1	36.164	<=320	Pass
						2	36.117	<=320	Pass
	802.11ac (VHT20)	SISO	6435	/	/	1	17.783	<=320	Pass
						2	17.729	<=320	Pass
			6475	/	/	1	17.728	<=320	Pass
						2	17.736	<=320	Pass
			6515	/	/	1	17.736	<=320	Pass
						2	17.722	<=320	Pass
	802.11ac (VHT40)	SISO	6445	/	/	1	36.060	<=320	Pass
						2	36.113	<=320	Pass
			6485	/	/	1	36.093	<=320	Pass
						2	36.085	<=320	Pass
	802.11ac (VHT80)	SISO	6465	/	/	1	76.165	<=320	Pass
						2	75.333	<=320	Pass
	802.11ac (VHT20)	MIMO	6435	/	/	1	17.771	<=320	Pass
						2	17.667	<=320	Pass
			6475	/	/	1	17.718	<=320	Pass
						2	17.715	<=320	Pass
			6515	/	/	1	17.775	<=320	Pass
						2	17.675	<=320	Pass
	802.11ac (VHT40)	MIMO	6445	/	/	1	36.074	<=320	Pass
						2	36.051	<=320	Pass
			6485	/	/	1	36.114	<=320	Pass
						2	36.109	<=320	Pass
	802.11ac (VHT80)	MIMO	6465	/	/	1	75.848	<=320	Pass
						2	75.278	<=320	Pass
	802.11ax (HEW20)	SISO	6435	SU	/	1	19.359	<=320	Pass
						2	19.366	<=320	Pass
			6475	SU	/	1	19.405	<=320	Pass
						2	19.314	<=320	Pass
			6515	SU	/	1	19.406	<=320	Pass
						2	19.354	<=320	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	1	38.532	<=320	Pass
						2	38.509	<=320	Pass
			6485	SU	/	1	38.606	<=320	Pass
						2	38.572	<=320	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	1	78.883	<=320	Pass
						2	78.686	<=320	Pass
	802.11ax (HEW20)	MIMO	6435	SU	/	1	19.406	<=320	Pass
						2	19.369	<=320	Pass
			6475	SU	/	1	19.422	<=320	Pass
						2	19.433	<=320	Pass
			6515	SU	/	1	19.440	<=320	Pass
						2	19.396	<=320	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	1	38.502	<=320	Pass
						2	38.565	<=320	Pass
			6485	SU	/	1	38.601	<=320	Pass
						2	38.699	<=320	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	1	79.087	<=320	Pass
						2	78.662	<=320	Pass

2.1.4 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6435	/	/	1	19.098	/	Pass
						2	18.939	/	Pass
			6475	/	/	1	18.914	/	Pass
						2	18.522	/	Pass

			6515	/	/	1	18.718	/	Pass
						2	19.786	/	Pass
	802.11n (HT20)	SISO	6435	/	/	1	20.571	/	Pass
						2	20.456	/	Pass
			6475	/	/	1	19.875	/	Pass
						2	20.480	/	Pass
			6515	/	/	1	20.424	/	Pass
						2	20.105	/	Pass
	802.11n (HT40)	SISO	6445	/	/	1	39.633	/	Pass
						2	39.488	/	Pass
			6485	/	/	1	39.394	/	Pass
						2	39.521	/	Pass
	802.11n (HT20)	MIMO	6435	/	/	1	19.870	/	Pass
						2	19.895	/	Pass
			6475	/	/	1	20.028	/	Pass
						2	20.456	/	Pass
			6515	/	/	1	19.826	/	Pass
						2	20.087	/	Pass
	802.11n (HT40)	MIMO	6445	/	/	1	39.496	/	Pass
						2	39.186	/	Pass
			6485	/	/	1	39.690	/	Pass
						2	39.938	/	Pass
	802.11ac (VHT20)	SISO	6435	/	/	1	20.341	/	Pass
						2	20.006	/	Pass
			6475	/	/	1	20.441	/	Pass
						2	20.323	/	Pass
			6515	/	/	1	20.101	/	Pass
						2	20.282	/	Pass
	802.11ac (VHT40)	SISO	6445	/	/	1	39.503	/	Pass
						2	39.544	/	Pass
			6485	/	/	1	39.664	/	Pass
						2	39.623	/	Pass
	802.11ac (VHT80)	SISO	6465	/	/	1	116.865	/	Pass
						2	80.480	/	Pass
	802.11ac (VHT20)	MIMO	6435	/	/	1	20.452	/	Pass
						2	19.669	/	Pass
			6475	/	/	1	20.109	/	Pass
						2	20.154	/	Pass
			6515	/	/	1	19.832	/	Pass
						2	19.895	/	Pass
	802.11ac (VHT40)	MIMO	6445	/	/	1	39.650	/	Pass
						2	38.985	/	Pass
			6485	/	/	1	39.982	/	Pass
						2	38.690	/	Pass
	802.11ac (VHT80)	MIMO	6465	/	/	1	96.915	/	Pass
						2	80.329	/	Pass
	802.11ax (HEW20)	SISO	6435	SU	/	1	22.118	/	Pass
						2	22.072	/	Pass
			6475	SU	/	1	22.127	/	Pass
						2	22.129	/	Pass
			6515	SU	/	1	21.886	/	Pass
						2	22.423	/	Pass
	802.11ax (HEW40)	SISO	6445	SU	/	1	44.654	/	Pass
						2	44.352	/	Pass
			6485	SU	/	1	44.159	/	Pass
						2	44.518	/	Pass
	802.11ax (HEW80)	SISO	6465	SU	/	1	103.402	/	Pass
						2	88.350	/	Pass
	802.11ax	MIMO	6435	SU	/	1	22.211	/	Pass

	(HEW20)					2	22.478	/	Pass
			6475	SU	/	1	21.948	/	Pass
						2	22.466	/	Pass
			6515	SU	/	1	22.231	/	Pass
						2	22.806	/	Pass
	802.11ax (HEW40)	MIMO	6445	SU	/	1	43.793	/	Pass
						2	43.522	/	Pass
			6485	SU	/	1	44.504	/	Pass
						2	43.922	/	Pass
	802.11ax (HEW80)	MIMO	6465	SU	/	1	96.858	/	Pass
						2	87.203	/	Pass

2.1.5 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6535	/	/	1	16.594	<=320	Pass
						2	16.604	<=320	Pass
			6695	/	/	1	16.579	<=320	Pass
						2	16.615	<=320	Pass
			6855	/	/	1	16.572	<=320	Pass
						2	16.543	<=320	Pass
	802.11n (HT20)	SISO	6535	/	/	1	17.734	<=320	Pass
						2	17.750	<=320	Pass
			6695	/	/	1	17.768	<=320	Pass
						2	17.804	<=320	Pass
			6855	/	/	1	17.749	<=320	Pass
						2	17.693	<=320	Pass
	802.11n (HT40)	SISO	6565	/	/	1	36.104	<=320	Pass
						2	36.131	<=320	Pass
			6685	/	/	1	36.034	<=320	Pass
						2	36.086	<=320	Pass
			6845	/	/	1	36.033	<=320	Pass
						2	36.109	<=320	Pass
	802.11n (HT20)	MIMO	6535	/	/	1	17.756	<=320	Pass
						2	17.773	<=320	Pass
			6695	/	/	1	17.780	<=320	Pass
						2	17.797	<=320	Pass
			6855	/	/	1	17.718	<=320	Pass
						2	17.739	<=320	Pass
	802.11n (HT40)	MIMO	6565	/	/	1	36.129	<=320	Pass
						2	36.198	<=320	Pass
			6685	/	/	1	36.058	<=320	Pass
						2	36.119	<=320	Pass
			6845	/	/	1	36.011	<=320	Pass
						2	36.132	<=320	Pass
	802.11ac (VHT20)	SISO	6535	/	/	1	17.741	<=320	Pass
						2	17.721	<=320	Pass
			6695	/	/	1	17.729	<=320	Pass
						2	17.750	<=320	Pass
			6855	/	/	1	17.700	<=320	Pass
						2	17.698	<=320	Pass
	802.11ac (VHT40)	SISO	6565	/	/	1	36.070	<=320	Pass
						2	36.149	<=320	Pass
			6685	/	/	1	36.088	<=320	Pass
						2	36.068	<=320	Pass
			6845	/	/	1	36.081	<=320	Pass
						2	36.104	<=320	Pass
	802.11ac	SISO	6625	/	/	1	75.210	<=320	Pass

	(VHT80)					2	75.317	<=320	Pass
			6705	/	/	1	75.344	<=320	Pass
						2	75.276	<=320	Pass
			6785	/	/	1	75.805	<=320	Pass
	802.11ac (VHT160)	SISO				2	75.048	<=320	Pass
			6665	/	/	1	155.592	<=320	Pass
						2	153.917	<=320	Pass
			6535	/	/	1	17.744	<=320	Pass
	802.11ac (VHT20)	MIMO				2	17.748	<=320	Pass
			6695	/	/	1	17.747	<=320	Pass
						2	17.709	<=320	Pass
			6855	/	/	1	17.728	<=320	Pass
						2	17.683	<=320	Pass
			6565	/	/	1	36.146	<=320	Pass
						2	36.114	<=320	Pass
			6685	/	/	1	36.100	<=320	Pass
	802.11ac (VHT40)	MIMO				2	36.088	<=320	Pass
			6845	/	/	1	36.099	<=320	Pass
						2	36.052	<=320	Pass
			6625	/	/	1	75.461	<=320	Pass
						2	75.562	<=320	Pass
			6705	/	/	1	75.711	<=320	Pass
						2	75.402	<=320	Pass
			6785	/	/	1	76.121	<=320	Pass
	802.11ac (VHT80)	MIMO				2	75.356	<=320	Pass
			6665	/	/	1	157.215	<=320	Pass
						2	154.426	<=320	Pass
			6535	SU	/	1	19.399	<=320	Pass
						2	19.351	<=320	Pass
			6695	SU	/	1	19.599	<=320	Pass
						2	19.424	<=320	Pass
			6855	SU	/	1	19.405	<=320	Pass
	802.11ax (HEW20)	SISO				2	19.341	<=320	Pass
			6565	SU	/	1	38.622	<=320	Pass
						2	38.569	<=320	Pass
			6685	SU	/	1	38.504	<=320	Pass
						2	38.570	<=320	Pass
			6845	SU	/	1	38.676	<=320	Pass
						2	38.533	<=320	Pass
			6625	SU	/	1	79.794	<=320	Pass
	802.11ax (HEW40)	SISO				2	78.808	<=320	Pass
			6705	SU	/	1	79.290	<=320	Pass
						2	78.640	<=320	Pass
			6785	SU	/	1	79.370	<=320	Pass
						2	78.646	<=320	Pass
			6665	SU	/	1	159.669	<=320	Pass
						2	157.897	<=320	Pass
			6535	SU	/	1	19.417	<=320	Pass
	802.11ax (HEW80)	SISO				2	19.381	<=320	Pass
			6695	SU	/	1	19.499	<=320	Pass
						2	19.425	<=320	Pass
			6855	SU	/	1	19.452	<=320	Pass
						2	19.377	<=320	Pass
			6565	SU	/	1	38.767	<=320	Pass
						2	38.669	<=320	Pass
			6685	SU	/	1	38.570	<=320	Pass
	802.11ax (HEW160)	MIMO				2	38.629	<=320	Pass
			6845	SU	/	1	38.697	<=320	Pass
						2	38.642	<=320	Pass

	802.11ax (HEW80)	MIMO	6625	SU	/	1	79.584	<=320	Pass
						2	78.765	<=320	Pass
			6705	SU	/	1	79.324	<=320	Pass
						2	78.773	<=320	Pass
			6785	SU	/	1	79.361	<=320	Pass
						2	78.805	<=320	Pass
	802.11ax (HEW160)	MIMO	6665	SU	/	1	159.417	<=320	Pass
						2	158.322	<=320	Pass

2.1.6 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6535	/	/	1	18.684	/	Pass
						2	19.612	/	Pass
			6695	/	/	1	18.538	/	Pass
						2	18.677	/	Pass
			6855	/	/	1	19.529	/	Pass
						2	18.787	/	Pass
	802.11n (HT20)	SISO	6535	/	/	1	20.075	/	Pass
						2	20.270	/	Pass
			6695	/	/	1	20.052	/	Pass
						2	20.468	/	Pass
			6855	/	/	1	19.828	/	Pass
						2	19.961	/	Pass
	802.11n (HT40)	SISO	6565	/	/	1	40.107	/	Pass
						2	39.575	/	Pass
			6685	/	/	1	39.990	/	Pass
						2	40.153	/	Pass
			6845	/	/	1	39.563	/	Pass
						2	40.281	/	Pass
	802.11n (HT20)	MIMO	6535	/	/	1	20.177	/	Pass
						2	20.226	/	Pass
			6695	/	/	1	20.289	/	Pass
						2	19.753	/	Pass
			6855	/	/	1	20.213	/	Pass
						2	19.573	/	Pass
	802.11n (HT40)	MIMO	6565	/	/	1	39.756	/	Pass
						2	39.744	/	Pass
			6685	/	/	1	39.914	/	Pass
						2	39.454	/	Pass
			6845	/	/	1	39.472	/	Pass
						2	39.086	/	Pass
	802.11ac (VHT20)	SISO	6535	/	/	1	20.413	/	Pass
						2	19.978	/	Pass
			6695	/	/	1	20.054	/	Pass
						2	20.440	/	Pass
			6855	/	/	1	19.878	/	Pass
						2	20.163	/	Pass
	802.11ac (VHT40)	SISO	6565	/	/	1	39.480	/	Pass
						2	39.978	/	Pass
			6685	/	/	1	39.710	/	Pass
						2	39.778	/	Pass
			6845	/	/	1	39.788	/	Pass
						2	39.735	/	Pass
	802.11ac (VHT80)	SISO	6625	/	/	1	80.812	/	Pass
						2	80.974	/	Pass
			6705	/	/	1	80.998	/	Pass
						2	80.506	/	Pass

			6785	/	/	1	82.841	/	Pass
						2	80.841	/	Pass
	802.11ac (VHT160)	SISO	6665	/	/	1	286.732	/	Pass
						2	163.485	/	Pass
	802.11ac (VHT20)	MIMO	6535	/	/	1	20.585	/	Pass
						2	19.950	/	Pass
			6695	/	/	1	20.112	/	Pass
						2	19.969	/	Pass
			6855	/	/	1	20.413	/	Pass
						2	19.992	/	Pass
	802.11ac (VHT40)	MIMO	6565	/	/	1	39.981	/	Pass
						2	39.221	/	Pass
			6685	/	/	1	39.439	/	Pass
						2	39.352	/	Pass
			6845	/	/	1	39.833	/	Pass
						2	39.020	/	Pass
	802.11ac (VHT80)	MIMO	6625	/	/	1	81.708	/	Pass
						2	80.502	/	Pass
			6705	/	/	1	81.162	/	Pass
						2	80.840	/	Pass
			6785	/	/	1	81.534	/	Pass
						2	80.197	/	Pass
	802.11ac (VHT160)	MIMO	6665	/	/	1	303.882	/	Pass
						2	163.005	/	Pass
	802.11ax (HEW20)	SISO	6535	SU	/	1	22.673	/	Pass
						2	22.290	/	Pass
			6695	SU	/	1	39.227	/	Pass
						2	22.484	/	Pass
			6855	SU	/	1	24.416	/	Pass
						2	22.138	/	Pass
	802.11ax (HEW40)	SISO	6565	SU	/	1	47.345	/	Pass
						2	44.241	/	Pass
			6685	SU	/	1	44.573	/	Pass
						2	44.681	/	Pass
			6845	SU	/	1	51.229	/	Pass
						2	44.387	/	Pass
	802.11ax (HEW80)	SISO	6625	SU	/	1	146.467	/	Pass
						2	89.910	/	Pass
			6705	SU	/	1	109.411	/	Pass
						2	88.471	/	Pass
			6785	SU	/	1	106.900	/	Pass
						2	86.196	/	Pass
	802.11ax (HEW160)	SISO	6665	SU	/	1	313.554	/	Pass
						2	167.402	/	Pass
	802.11ax (HEW20)	MIMO	6535	SU	/	1	22.877	/	Pass
						2	22.015	/	Pass
			6695	SU	/	1	26.732	/	Pass
						2	22.149	/	Pass
			6855	SU	/	1	22.400	/	Pass
						2	21.986	/	Pass
	802.11ax (HEW40)	MIMO	6565	SU	/	1	45.153	/	Pass
						2	45.312	/	Pass
			6685	SU	/	1	47.679	/	Pass
						2	43.771	/	Pass
			6845	SU	/	1	51.386	/	Pass
						2	43.827	/	Pass
	802.11ax (HEW80)	MIMO	6625	SU	/	1	140.460	/	Pass
						2	89.148	/	Pass
			6705	SU	/	1	106.106	/	Pass

	802.11ax (HEW160)	MIMO	6785	SU	/	2	87.568	/	Pass
						1	114.447	/	Pass
						2	88.855	/	Pass
						1	309.899	/	Pass
						2	169.119	/	Pass

2.1.7 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6895	/	/	1	16.578	<=320	Pass
						2	16.587	<=320	Pass
			6995	/	/	1	16.601	<=320	Pass
						2	16.582	<=320	Pass
			7115	/	/	1	16.592	<=320	Pass
						2	16.561	<=320	Pass
	802.11n (HT20)	SISO	6895	/	/	1	17.766	<=320	Pass
						2	17.750	<=320	Pass
			6995	/	/	1	17.763	<=320	Pass
						2	17.748	<=320	Pass
			7115	/	/	1	17.766	<=320	Pass
						2	17.759	<=320	Pass
	802.11n (HT40)	SISO	6925	/	/	1	36.101	<=320	Pass
						2	36.093	<=320	Pass
			7005	/	/	1	36.054	<=320	Pass
						2	36.072	<=320	Pass
			7085	/	/	1	36.251	<=320	Pass
						2	36.173	<=320	Pass
	802.11n (HT20)	MIMO	6895	/	/	1	17.740	<=320	Pass
						2	17.796	<=320	Pass
			6995	/	/	1	17.721	<=320	Pass
						2	17.765	<=320	Pass
			7115	/	/	1	17.752	<=320	Pass
						2	17.775	<=320	Pass
	802.11n (HT40)	MIMO	6925	/	/	1	36.026	<=320	Pass
						2	36.116	<=320	Pass
			7005	/	/	1	36.053	<=320	Pass
						2	36.219	<=320	Pass
			7085	/	/	1	36.256	<=320	Pass
						2	36.190	<=320	Pass
	802.11ac (VHT20)	SISO	6895	/	/	1	17.737	<=320	Pass
						2	17.765	<=320	Pass
			6995	/	/	1	17.704	<=320	Pass
						2	17.722	<=320	Pass
			7115	/	/	1	17.758	<=320	Pass
						2	17.735	<=320	Pass
	802.11ac (VHT40)	SISO	6925	/	/	1	36.079	<=320	Pass
						2	36.115	<=320	Pass
			7005	/	/	1	36.111	<=320	Pass
						2	36.094	<=320	Pass
			7085	/	/	1	36.249	<=320	Pass
						2	36.159	<=320	Pass
	802.11ac (VHT80)	SISO	6945	/	/	1	76.691	<=320	Pass
						2	76.007	<=320	Pass
			7025	/	/	1	76.060	<=320	Pass
						2	75.601	<=320	Pass
	802.11ac (VHT160)	SISO	6985	/	/	1	154.724	<=320	Pass
						2	155.714	<=320	Pass
	802.11ac	MIMO	6895	/	/	1	17.751	<=320	Pass

	(VHT20)					2	17.703	<=320	Pass
			6995	/	/	1	17.759	<=320	Pass
						2	17.692	<=320	Pass
			7115	/	/	1	17.746	<=320	Pass
	802.11ac (VHT40)	MIMO				2	17.668	<=320	Pass
			6925	/	/	1	36.116	<=320	Pass
						2	36.053	<=320	Pass
			7005	/	/	1	36.126	<=320	Pass
						2	36.039	<=320	Pass
			7085	/	/	1	36.207	<=320	Pass
	802.11ac (VHT80)	MIMO				2	36.124	<=320	Pass
			6945	/	/	1	76.049	<=320	Pass
						2	76.063	<=320	Pass
			7025	/	/	1	76.039	<=320	Pass
	802.11ac (VHT160)	MIMO				2	75.647	<=320	Pass
			6985	/	/	1	154.606	<=320	Pass
	802.11ax (HEW20)	SISO				2	156.879	<=320	Pass
			6895	SU	/	1	19.506	<=320	Pass
						2	19.435	<=320	Pass
			6995	SU	/	1	19.561	<=320	Pass
						2	19.395	<=320	Pass
			7115	SU	/	1	19.339	<=320	Pass
	802.11ax (HEW40)	SISO				2	19.418	<=320	Pass
			6925	SU	/	1	38.739	<=320	Pass
						2	38.733	<=320	Pass
			7005	SU	/	1	38.708	<=320	Pass
						2	38.680	<=320	Pass
			7085	SU	/	1	38.879	<=320	Pass
	802.11ax (HEW80)	SISO				2	38.597	<=320	Pass
			6945	SU	/	1	79.624	<=320	Pass
						2	79.498	<=320	Pass
			7025	SU	/	1	79.186	<=320	Pass
	802.11ax (HEW160)	SISO				2	78.792	<=320	Pass
			6985	SU	/	1	159.139	<=320	Pass
	802.11ax (HEW20)	MIMO				2	158.372	<=320	Pass
			6895	SU	/	1	19.505	<=320	Pass
						2	19.427	<=320	Pass
			6995	SU	/	1	19.360	<=320	Pass
						2	19.414	<=320	Pass
			7115	SU	/	1	19.359	<=320	Pass
	802.11ax (HEW40)	MIMO				2	19.390	<=320	Pass
			6925	SU	/	1	38.614	<=320	Pass
						2	38.797	<=320	Pass
			7005	SU	/	1	38.676	<=320	Pass
						2	38.862	<=320	Pass
			7085	SU	/	1	38.791	<=320	Pass
	802.11ax (HEW80)	MIMO				2	38.695	<=320	Pass
			6945	SU	/	1	78.948	<=320	Pass
						2	79.054	<=320	Pass
			7025	SU	/	1	79.683	<=320	Pass
	802.11ax (HEW160)	MIMO				2	78.669	<=320	Pass
			6985	SU	/	1	159.003	<=320	Pass
						2	158.340	<=320	Pass

2.1.8 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6895	/	/	1	18.872	/	Pass

						2	18.804	/	Pass
			6995	/	/	1	18.608	/	Pass
						2	18.958	/	Pass
			7115	/	/	1	19.082	/	Pass
						2	18.733	/	Pass
	802.11n (HT20)	SISO	6895	/	/	1	19.966	/	Pass
						2	19.871	/	Pass
			6995	/	/	1	19.625	/	Pass
						2	20.146	/	Pass
			7115	/	/	1	19.951	/	Pass
						2	20.309	/	Pass
	802.11n (HT40)	SISO	6925	/	/	1	39.455	/	Pass
						2	39.807	/	Pass
			7005	/	/	1	39.566	/	Pass
						2	39.593	/	Pass
			7085	/	/	1	39.794	/	Pass
						2	39.770	/	Pass
	802.11n (HT20)	MIMO	6895	/	/	1	20.181	/	Pass
						2	19.746	/	Pass
			6995	/	/	1	20.094	/	Pass
						2	20.064	/	Pass
			7115	/	/	1	19.989	/	Pass
						2	19.968	/	Pass
	802.11n (HT40)	MIMO	6925	/	/	1	39.595	/	Pass
						2	39.262	/	Pass
			7005	/	/	1	39.858	/	Pass
						2	39.555	/	Pass
			7085	/	/	1	39.949	/	Pass
						2	39.545	/	Pass
	802.11ac (VHT20)	SISO	6895	/	/	1	19.793	/	Pass
						2	20.296	/	Pass
			6995	/	/	1	19.665	/	Pass
						2	20.368	/	Pass
			7115	/	/	1	19.915	/	Pass
						2	19.727	/	Pass
	802.11ac (VHT40)	SISO	6925	/	/	1	39.625	/	Pass
						2	39.974	/	Pass
			7005	/	/	1	39.631	/	Pass
						2	39.432	/	Pass
			7085	/	/	1	39.941	/	Pass
						2	39.760	/	Pass
	802.11ac (VHT80)	SISO	6945	/	/	1	140.812	/	Pass
						2	82.620	/	Pass
			7025	/	/	1	111.703	/	Pass
						2	80.463	/	Pass
	802.11ac (VHT160)	SISO	6985	/	/	1	162.949	/	Pass
						2	239.555	/	Pass
	802.11ac (VHT20)	MIMO	6895	/	/	1	20.056	/	Pass
						2	19.765	/	Pass
			6995	/	/	1	20.181	/	Pass
						2	19.536	/	Pass
			7115	/	/	1	19.735	/	Pass
						2	20.168	/	Pass
	802.11ac (VHT40)	MIMO	6925	/	/	1	39.626	/	Pass
						2	38.911	/	Pass
			7005	/	/	1	39.643	/	Pass
						2	38.678	/	Pass
			7085	/	/	1	39.585	/	Pass
						2	38.915	/	Pass

	802.11ac (VHT80)	MIMO	6945	/	/	1	81.447	/	Pass
						2	81.343	/	Pass
			7025	/	/	1	82.897	/	Pass
						2	80.859	/	Pass
	802.11ac (VHT160)	MIMO	6985	/	/	1	162.615	/	Pass
						2	239.175	/	Pass
	802.11ax (HEW20)	SISO	6895	SU	/	1	25.293	/	Pass
						2	22.390	/	Pass
			6995	SU	/	1	34.163	/	Pass
						2	22.187	/	Pass
			7115	SU	/	1	22.178	/	Pass
						2	21.991	/	Pass
	802.11ax (HEW40)	SISO	6925	SU	/	1	44.238	/	Pass
						2	45.715	/	Pass
			7005	SU	/	1	48.157	/	Pass
						2	44.177	/	Pass
			7085	SU	/	1	45.025	/	Pass
						2	44.443	/	Pass
	802.11ax (HEW80)	SISO	6945	SU	/	1	108.813	/	Pass
						2	137.532	/	Pass
			7025	SU	/	1	105.778	/	Pass
						2	87.938	/	Pass
	802.11ax (HEW160)	SISO	6985	SU	/	1	229.328	/	Pass
						2	211.589	/	Pass
	802.11ax (HEW20)	MIMO	6895	SU	/	1	22.069	/	Pass
						2	22.882	/	Pass
			6995	SU	/	1	22.528	/	Pass
						2	21.749	/	Pass
			7115	SU	/	1	21.764	/	Pass
						2	21.840	/	Pass
	802.11ax (HEW40)	MIMO	6925	SU	/	1	44.632	/	Pass
						2	44.736	/	Pass
			7005	SU	/	1	53.514	/	Pass
						2	44.159	/	Pass
			7085	SU	/	1	46.624	/	Pass
						2	44.471	/	Pass
	802.11ax (HEW80)	MIMO	6945	SU	/	1	87.446	/	Pass
						2	88.068	/	Pass
			7025	SU	/	1	128.535	/	Pass
						2	86.977	/	Pass
	802.11ax (HEW160)	MIMO	6985	SU	/	1	200.662	/	Pass
						2	230.640	/	Pass

2.1.9 OBW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6875	/	/	1	16.586	<=320	Pass
						2	16.605	<=320	Pass
	802.11n (HT20)	SISO	6875	/	/	1	17.736	<=320	Pass
						2	17.759	<=320	Pass
	802.11n (HT40)	SISO	6885	/	/	1	36.068	<=320	Pass
						2	36.055	<=320	Pass
	802.11n (HT20)	MIMO	6875	/	/	1	17.731	<=320	Pass
						2	17.755	<=320	Pass
	802.11n (HT40)	MIMO	6885	/	/	1	36.057	<=320	Pass
						2	36.060	<=320	Pass
	802.11ac (VHT20)	SISO	6875	/	/	1	17.727	<=320	Pass
						2	17.757	<=320	Pass

	802.11ac (VHT40)	SISO	6885	/	/	1	36.101	<=320	Pass
						2	36.112	<=320	Pass
	802.11ac (VHT80)	SISO	6865	/	/	1	75.493	<=320	Pass
						2	75.263	<=320	Pass
	802.11ac (VHT160)	SISO	6825	/	/	1	155.871	<=320	Pass
						2	153.995	<=320	Pass
	802.11ac (VHT20)	MIMO	6875	/	/	1	17.730	<=320	Pass
						2	17.671	<=320	Pass
	802.11ac (VHT40)	MIMO	6885	/	/	1	36.057	<=320	Pass
						2	36.043	<=320	Pass
	802.11ac (VHT80)	MIMO	6865	/	/	1	75.472	<=320	Pass
						2	75.332	<=320	Pass
	802.11ac (VHT160)	MIMO	6825	/	/	1	157.311	<=320	Pass
						2	153.912	<=320	Pass
	802.11ax (HEW20)	SISO	6875	SU	/	1	19.444	<=320	Pass
						2	19.425	<=320	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	1	38.793	<=320	Pass
						2	38.625	<=320	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	1	78.527	<=320	Pass
						2	78.546	<=320	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	1	159.849	<=320	Pass
						2	158.327	<=320	Pass
	802.11ax (HEW20)	MIMO	6875	SU	/	1	19.460	<=320	Pass
						2	19.350	<=320	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	1	38.884	<=320	Pass
						2	38.651	<=320	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	1	78.601	<=320	Pass
						2	78.662	<=320	Pass
	802.11ax (HEW160)	MIMO	6825	SU	/	1	158.889	<=320	Pass
						2	158.457	<=320	Pass

2.1.10 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11a	SISO	6875	/	/	1	19.077	/	Pass
						2	18.573	/	Pass
	802.11n (HT20)	SISO	6875	/	/	1	19.583	/	Pass
						2	19.942	/	Pass
	802.11n (HT40)	SISO	6885	/	/	1	39.353	/	Pass
						2	39.680	/	Pass
	802.11n (HT20)	MIMO	6875	/	/	1	20.132	/	Pass
						2	19.872	/	Pass
	802.11n (HT40)	MIMO	6885	/	/	1	39.637	/	Pass
						2	39.374	/	Pass
	802.11ac (VHT20)	SISO	6875	/	/	1	20.010	/	Pass
						2	20.367	/	Pass
	802.11ac (VHT40)	SISO	6885	/	/	1	39.580	/	Pass
						2	39.843	/	Pass
	802.11ac (VHT80)	SISO	6865	/	/	1	81.216	/	Pass
						2	81.008	/	Pass
	802.11ac (VHT160)	SISO	6825	/	/	1	295.775	/	Pass
						2	164.759	/	Pass
	802.11ac (VHT20)	MIMO	6875	/	/	1	20.031	/	Pass
						2	19.852	/	Pass
	802.11ac (VHT40)	MIMO	6885	/	/	1	39.765	/	Pass
						2	38.909	/	Pass
	802.11ac (VHT80)	MIMO	6865	/	/	1	80.611	/	Pass
						2	80.152	/	Pass

	802.11ac (VHT160)	MIMO	6825	/	/	1	308.012	/	Pass
						2	162.078	/	Pass
	802.11ax (HEW20)	SISO	6875	SU	/	1	25.715	/	Pass
						2	22.488	/	Pass
	802.11ax (HEW40)	SISO	6885	SU	/	1	54.109	/	Pass
						2	43.418	/	Pass
	802.11ax (HEW80)	SISO	6865	SU	/	1	87.156	/	Pass
						2	86.510	/	Pass
	802.11ax (HEW160)	SISO	6825	SU	/	1	312.497	/	Pass
						2	170.011	/	Pass
	802.11ax (HEW20)	MIMO	6875	SU	/	1	22.017	/	Pass
						2	21.784	/	Pass
	802.11ax (HEW40)	MIMO	6885	SU	/	1	52.182	/	Pass
						2	43.693	/	Pass
	802.11ax (HEW80)	MIMO	6865	SU	/	1	87.794	/	Pass
						2	88.774	/	Pass
	802.11ax (HEW160)	MIMO	6825	SU	/	1	243.617	/	Pass
						2	169.388	/	Pass

2.1.11 OBW


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11n (HT40)	SISO	6525	/	/	1	36.162	<=320	Pass
						2	36.154	<=320	Pass
		MIMO	6525	/	/	1	36.135	<=320	Pass
						2	36.171	<=320	Pass
	802.11ac (VHT40)	SISO	6525	/	/	1	36.194	<=320	Pass
						2	36.129	<=320	Pass
	802.11ac (VHT80)	SISO	6545	/	/	1	76.729	<=320	Pass
						2	75.287	<=320	Pass
	802.11ac (VHT160)	SISO	6505	/	/	1	157.336	<=320	Pass
						2	154.433	<=320	Pass
	802.11ac (VHT40)	MIMO	6525	/	/	1	36.119	<=320	Pass
						2	36.061	<=320	Pass
	802.11ac (VHT80)	MIMO	6545	/	/	1	76.008	<=320	Pass
						2	75.628	<=320	Pass
	802.11ac (VHT160)	MIMO	6505	/	/	1	157.221	<=320	Pass
						2	153.686	<=320	Pass
	802.11ax (HEW40)	SISO	6525	SU	/	1	38.891	<=320	Pass
						2	38.468	<=320	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	1	79.855	<=320	Pass
						2	78.631	<=320	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	1	159.085	<=320	Pass
						2	157.666	<=320	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	1	38.872	<=320	Pass
						2	38.608	<=320	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	1	79.152	<=320	Pass
						2	78.789	<=320	Pass
	802.11ax (HEW160)	MIMO	6505	SU	/	1	159.187	<=320	Pass
						2	157.982	<=320	Pass

2.1.12 26dB BW


ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
							Result	Limit	
NTNV	802.11n (HT40)	SISO	6525	/	/	1	39.322	/	Pass
						2	39.463	/	Pass

		MIMO	6525	/	/	1	39.958	/	Pass
						2	39.944	/	Pass
	802.11ac (VHT40)	SISO	6525	/	/	1	39.499	/	Pass
						2	39.961	/	Pass
	802.11ac (VHT80)	SISO	6545	/	/	1	123.294	/	Pass
						2	81.031	/	Pass
	802.11ac (VHT160)	SISO	6505	/	/	1	317.975	/	Pass
						2	163.726	/	Pass
	802.11ac (VHT40)	MIMO	6525	/	/	1	39.804	/	Pass
						2	39.167	/	Pass
	802.11ac (VHT80)	MIMO	6545	/	/	1	82.402	/	Pass
						2	80.199	/	Pass
	802.11ac (VHT160)	MIMO	6505	/	/	1	315.928	/	Pass
						2	163.277	/	Pass
	802.11ax (HEW40)	SISO	6525	SU	/	1	51.800	/	Pass
						2	43.851	/	Pass
	802.11ax (HEW80)	SISO	6545	SU	/	1	146.612	/	Pass
						2	86.692	/	Pass
	802.11ax (HEW160)	SISO	6505	SU	/	1	299.674	/	Pass
						2	168.436	/	Pass
	802.11ax (HEW40)	MIMO	6525	SU	/	1	48.838	/	Pass
						2	43.909	/	Pass
	802.11ax (HEW80)	MIMO	6545	SU	/	1	91.945	/	Pass
						2	87.533	/	Pass
	802.11ax (HEW160)	MIMO	6505	SU	/	1	318.557	/	Pass
						2	169.328	/	Pass


2.2 Test Graph
2.2.1 OBW




802.11a_MCH_6175MHz_Ant2_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant2_NTNV




802.11n(HT20)_LCH_5955MHz_Ant1_NTNV




802.11n(HT20)_LCH_5955MHz_Ant2_NTNV




802.11n(HT20)_MCH_6175MHz_Ant1_NTNV




802.11n(HT20) MCH 6175MHz Ant2_NTNV




802.11n(HT20) HCH 6415MHz Ant1_NTNV




802.11n(HT20) HCH 6415MHz Ant2_NTNV




802.11n(HT40) LCH_5965MHz_Ant1_NTNV




802.11n(HT40) LCH_5965MHz_Ant2_NTNV




802.11n(HT40) MCH_6165MHz_Ant1_NTNV




802.11n(HT40) MCH 6165MHz Ant2 NTN




802.11n(HT40) HCH 6405MHz Ant1 NTN




802.11n(HT40) HCH 6405MHz Ant2 NTN



802.11n(HT20) LCH_5955MHz_Ant1_NTNV



802.11n(HT20) LCH_5955MHz_Ant2_NTNV



802.11n(HT20) MCH_6175MHz_Ant1_NTNV

