









































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	4.05	0	4.05	11	Pass
NVNT	a	5200	Ant1	4.07	0	4.07	11	Pass
NVNT	a	5240	Ant1	3.65	0	3.65	11	Pass
NVNT	a	5260	Ant1	4.17	0	4.17	11	Pass
NVNT	a	5300	Ant1	4.01	0	4.01	11	Pass
NVNT	a	5320	Ant1	2.14	0	2.14	11	Pass
NVNT	a	5500	Ant1	4.65	0	4.65	11	Pass
NVNT	a	5580	Ant1	4.16	0	4.16	11	Pass
NVNT	a	5700	Ant1	2.31	0	2.31	11	Pass
NVNT	a	5180	Ant2	3.87	0	3.87	11	Pass
NVNT	a	5200	Ant2	4.36	0	4.36	11	Pass
NVNT	a	5240	Ant2	3.8	0	3.8	11	Pass
NVNT	a	5260	Ant2	3.66	0	3.66	11	Pass
NVNT	a	5300	Ant2	2.91	0	2.91	11	Pass
NVNT	a	5320	Ant2	3.68	0	3.68	11	Pass
NVNT	a	5500	Ant2	4.14	0	4.14	11	Pass
NVNT	a	5580	Ant2	4.54	0	4.54	11	Pass
NVNT	a	5700	Ant2	2.46	0	2.46	11	Pass
NVNT	n20	5180	Ant1	3.13	0	3.13	11	Pass
NVNT	n20	5200	Ant1	3.46	0	3.46	11	Pass
NVNT	n20	5240	Ant1	3.41	0	3.41	11	Pass
NVNT	n20	5260	Ant1	3.57	0	3.57	11	Pass
NVNT	n20	5300	Ant1	3.36	0	3.36	11	Pass
NVNT	n20	5320	Ant1	2.77	0	2.77	11	Pass
NVNT	n20	5500	Ant1	4.26	0	4.26	11	Pass
NVNT	n20	5580	Ant1	4.1	0	4.1	11	Pass
NVNT	n20	5700	Ant1	3.11	0	3.11	11	Pass
NVNT	n20	5180	Ant2	3.19	0	3.19	11	Pass
NVNT	n20	5200	Ant2	3.68	0	3.68	11	Pass
NVNT	n20	5240	Ant2	3.36	0	3.36	11	Pass
NVNT	n20	5260	Ant2	3.67	0	3.67	11	Pass
NVNT	n20	5300	Ant2	3.23	0	3.23	11	Pass
NVNT	n20	5320	Ant2	2.89	0	2.89	11	Pass
NVNT	n20	5500	Ant2	3.83	0	3.83	11	Pass
NVNT	n20	5580	Ant2	4.39	0	4.39	11	Pass
NVNT	n20	5700	Ant2	2.34	0	2.34	11	Pass
NVNT	n20	5180	Ant1	3.1	0	3.1	11	Pass
NVNT	n20	5180	Ant2	1	0	1	11	Pass
NVNT	n20	5180	MIMO	5.19	0	5.19	11	Pass
NVNT	n20	5200	Ant1	3.3	0	3.3	11	Pass
NVNT	n20	5200	Ant2	0.93	0	0.93	11	Pass
NVNT	n20	5200	MIMO	5.29	0	5.29	11	Pass
NVNT	n20	5240	Ant1	3	0	3	11	Pass
NVNT	n20	5240	Ant2	0.77	0	0.77	11	Pass
NVNT	n20	5240	MIMO	5.04	0	5.04	11	Pass
NVNT	n20	5260	Ant1	4	0	4	11	Pass
NVNT	n20	5260	Ant2	2.44	0	2.44	11	Pass
NVNT	n20	5260	MIMO	6.3	0	6.3	11	Pass
NVNT	n20	5300	Ant1	3.58	0	3.58	11	Pass
NVNT	n20	5300	Ant2	1.84	0	1.84	11	Pass
NVNT	n20	5300	MIMO	5.81	0	5.81	11	Pass



NVNT	n20	5320	Ant1	1.87	0	1.87	11	Pass
NVNT	n20	5320	Ant2	1.52	0	1.52	11	Pass
NVNT	n20	5320	MIMO	4.71	0	4.71	11	Pass
NVNT	n20	5500	Ant1	2.87	0	2.87	11	Pass
NVNT	n20	5500	Ant2	2.91	0	2.91	11	Pass
NVNT	n20	5500	MIMO	5.9	0	5.9	11	Pass
NVNT	n20	5580	Ant1	3.72	0	3.72	11	Pass
NVNT	n20	5580	Ant2	3.24	0	3.24	11	Pass
NVNT	n20	5580	MIMO	6.5	0	6.5	11	Pass
NVNT	n20	5700	Ant1	1.88	0	1.88	11	Pass
NVNT	n20	5700	Ant2	1.25	0	1.25	11	Pass
NVNT	n20	5700	MIMO	4.59	0	4.59	11	Pass
NVNT	n40	5190	Ant1	0.76	0	0.76	11	Pass
NVNT	n40	5230	Ant1	0.66	0	0.66	11	Pass
NVNT	n40	5270	Ant1	0.74	0	0.74	11	Pass
NVNT	n40	5310	Ant1	-0.99	0	-0.99	11	Pass
NVNT	n40	5510	Ant1	0.72	0	0.72	11	Pass
NVNT	n40	5550	Ant1	1.75	0	1.75	11	Pass
NVNT	n40	5670	Ant1	1.16	0	1.16	11	Pass
NVNT	n40	5190	Ant2	1.07	0	1.07	11	Pass
NVNT	n40	5230	Ant2	0.83	0	0.83	11	Pass
NVNT	n40	5270	Ant2	1.41	0	1.41	11	Pass
NVNT	n40	5310	Ant2	0.22	0	0.22	11	Pass
NVNT	n40	5510	Ant2	-0.04	0	-0.04	11	Pass
NVNT	n40	5550	Ant2	0.35	0	0.35	11	Pass
NVNT	n40	5670	Ant2	0.64	0	0.64	11	Pass
NVNT	n40	5190	Ant1	0.69	0	0.69	11	Pass
NVNT	n40	5190	Ant2	0.69	0	0.69	11	Pass
NVNT	n40	5190	MIMO	3.7	0	3.7	11	Pass
NVNT	n40	5230	Ant1	0.92	0	0.92	11	Pass
NVNT	n40	5230	Ant2	-1.64	0	-1.64	11	Pass
NVNT	n40	5230	MIMO	2.84	0	2.84	11	Pass
NVNT	n40	5270	Ant1	0.28	0	0.28	11	Pass
NVNT	n40	5270	Ant2	-0.64	0	-0.64	11	Pass
NVNT	n40	5270	MIMO	2.85	0	2.85	11	Pass
NVNT	n40	5310	Ant1	-0.64	0	-0.64	11	Pass
NVNT	n40	5310	Ant2	-1.63	0	-1.63	11	Pass
NVNT	n40	5310	MIMO	1.9	0	1.9	11	Pass
NVNT	n40	5510	Ant1	-0.91	0	-0.91	11	Pass
NVNT	n40	5510	Ant2	-1.24	0	-1.24	11	Pass
NVNT	n40	5510	MIMO	1.94	0	1.94	11	Pass
NVNT	n40	5550	Ant1	0.26	0	0.26	11	Pass
NVNT	n40	5550	Ant2	-0.84	0	-0.84	11	Pass
NVNT	n40	5550	MIMO	2.76	0	2.76	11	Pass
NVNT	n40	5670	Ant1	0.61	0	0.61	11	Pass
NVNT	n40	5670	Ant2	-0.5	0	-0.5	11	Pass
NVNT	n40	5670	MIMO	3.1	0	3.1	11	Pass
NVNT	ac20	5180	Ant1	3.47	0	3.47	11	Pass
NVNT	ac20	5200	Ant1	3.45	0	3.45	11	Pass
NVNT	ac20	5240	Ant1	3.18	0	3.18	11	Pass
NVNT	ac20	5260	Ant1	3.68	0	3.68	11	Pass
NVNT	ac20	5300	Ant1	3.36	0	3.36	11	Pass
NVNT	ac20	5320	Ant1	1.66	0	1.66	11	Pass
NVNT	ac20	5500	Ant1	4.07	0	4.07	11	Pass
NVNT	ac20	5580	Ant1	4.14	0	4.14	11	Pass
NVNT	ac20	5700	Ant1	3.12	0	3.12	11	Pass



NVNT	ac20	5180	Ant2	3.42	0	3.42	11	Pass
NVNT	ac20	5200	Ant2	3.52	0	3.52	11	Pass
NVNT	ac20	5240	Ant2	3.18	0	3.18	11	Pass
NVNT	ac20	5260	Ant2	3.98	0	3.98	11	Pass
NVNT	ac20	5300	Ant2	3.24	0	3.24	11	Pass
NVNT	ac20	5320	Ant2	3.01	0	3.01	11	Pass
NVNT	ac20	5500	Ant2	4.06	0	4.06	11	Pass
NVNT	ac20	5580	Ant2	4.07	0	4.07	11	Pass
NVNT	ac20	5700	Ant2	1.95	0	1.95	11	Pass
NVNT	ac20	5180	Ant1	3.02	0	3.02	11	Pass
NVNT	ac20	5180	Ant2	0.45	0	0.45	11	Pass
NVNT	ac20	5180	MIMO	4.93	0	4.93	11	Pass
NVNT	ac20	5200	Ant1	3.41	0	3.41	11	Pass
NVNT	ac20	5200	Ant2	1.21	0	1.21	11	Pass
NVNT	ac20	5200	MIMO	5.46	0	5.46	11	Pass
NVNT	ac20	5240	Ant1	3.04	0	3.04	11	Pass
NVNT	ac20	5240	Ant2	0.25	0	0.25	11	Pass
NVNT	ac20	5240	MIMO	4.88	0	4.88	11	Pass
NVNT	ac20	5260	Ant1	3.6	0	3.6	11	Pass
NVNT	ac20	5260	Ant2	2.27	0	2.27	11	Pass
NVNT	ac20	5260	MIMO	6	0	6	11	Pass
NVNT	ac20	5300	Ant1	3.58	0	3.58	11	Pass
NVNT	ac20	5300	Ant2	1.59	0	1.59	11	Pass
NVNT	ac20	5300	MIMO	5.71	0	5.71	11	Pass
NVNT	ac20	5320	Ant1	1.71	0	1.71	11	Pass
NVNT	ac20	5320	Ant2	1.09	0	1.09	11	Pass
NVNT	ac20	5320	MIMO	4.42	0	4.42	11	Pass
NVNT	ac20	5500	Ant1	2.58	0	2.58	11	Pass
NVNT	ac20	5500	Ant2	2.5	0	2.5	11	Pass
NVNT	ac20	5500	MIMO	5.55	0	5.55	11	Pass
NVNT	ac20	5580	Ant1	3.68	0	3.68	11	Pass
NVNT	ac20	5580	Ant2	2.8	0	2.8	11	Pass
NVNT	ac20	5580	MIMO	6.27	0	6.27	11	Pass
NVNT	ac20	5700	Ant1	1.58	0	1.58	11	Pass
NVNT	ac20	5700	Ant2	0.75	0	0.75	11	Pass
NVNT	ac20	5700	MIMO	4.2	0	4.2	11	Pass
NVNT	ac40	5190	Ant1	0.71	0	0.71	11	Pass
NVNT	ac40	5230	Ant1	-0.05	0	-0.05	11	Pass
NVNT	ac40	5270	Ant1	0.97	0	0.97	11	Pass
NVNT	ac40	5310	Ant1	-1.01	0	-1.01	11	Pass
NVNT	ac40	5510	Ant1	0.31	0	0.31	11	Pass
NVNT	ac40	5550	Ant1	1.03	0	1.03	11	Pass
NVNT	ac40	5670	Ant1	1.06	0	1.06	11	Pass
NVNT	ac40	5190	Ant2	1.05	0	1.05	11	Pass
NVNT	ac40	5230	Ant2	0.64	0	0.64	11	Pass
NVNT	ac40	5270	Ant2	1.1	0	1.1	11	Pass
NVNT	ac40	5310	Ant2	0.66	0	0.66	11	Pass
NVNT	ac40	5510	Ant2	-0.21	0	-0.21	11	Pass
NVNT	ac40	5550	Ant2	0.49	0	0.49	11	Pass
NVNT	ac40	5670	Ant2	0.71	0	0.71	11	Pass
NVNT	ac40	5190	Ant1	0.64	0	0.64	11	Pass
NVNT	ac40	5190	Ant2	-1.83	0	-1.83	11	Pass
NVNT	ac40	5190	MIMO	2.59	0	2.59	11	Pass
NVNT	ac40	5230	Ant1	0.82	0	0.82	11	Pass
NVNT	ac40	5230	Ant2	-2.08	0	-2.08	11	Pass
NVNT	ac40	5230	MIMO	2.62	0	2.62	11	Pass



NVNT	ac40	5270	Ant1	0.27	0	0.27	11	Pass
NVNT	ac40	5270	Ant2	-0.94	0	-0.94	11	Pass
NVNT	ac40	5270	MIMO	2.72	0	2.72	11	Pass
NVNT	ac40	5310	Ant1	-0.85	0	-0.85	11	Pass
NVNT	ac40	5310	Ant2	-1.78	0	-1.78	11	Pass
NVNT	ac40	5310	MIMO	1.72	0	1.72	11	Pass
NVNT	ac40	5510	Ant1	-1.18	0	-1.18	11	Pass
NVNT	ac40	5510	Ant2	-1	0	-1	11	Pass
NVNT	ac40	5510	MIMO	1.92	0	1.92	11	Pass
NVNT	ac40	5550	Ant1	-0.3	0	-0.3	11	Pass
NVNT	ac40	5550	Ant2	-1.09	0	-1.09	11	Pass
NVNT	ac40	5550	MIMO	2.33	0	2.33	11	Pass
NVNT	ac40	5670	Ant1	0.4	0	0.4	11	Pass
NVNT	ac40	5670	Ant2	-0.81	0	-0.81	11	Pass
NVNT	ac40	5670	MIMO	2.85	0	2.85	11	Pass
NVNT	ac80	5210	Ant1	-1.52	0	-1.52	11	Pass
NVNT	ac80	5290	Ant1	-2.23	0	-2.23	11	Pass
NVNT	ac80	5530	Ant1	-1.57	0	-1.57	11	Pass
NVNT	ac80	5610	Ant1	-0.15	0	-0.15	11	Pass
NVNT	ac80	5210	Ant2	-1.76	0	-1.76	11	Pass
NVNT	ac80	5290	Ant2	-1.76	0	-1.76	11	Pass
NVNT	ac80	5530	Ant2	-1.57	0	-1.57	11	Pass
NVNT	ac80	5610	Ant2	-1.47	0	-1.47	11	Pass
NVNT	ac80	5210	Ant1	-1.36	0	-1.36	11	Pass
NVNT	ac80	5210	Ant2	-4.81	0	-4.81	11	Pass
NVNT	ac80	5210	MIMO	0.26	0	0.26	11	Pass
NVNT	ac80	5290	Ant1	-1.98	0	-1.98	11	Pass
NVNT	ac80	5290	Ant2	-3.8	0	-3.8	11	Pass
NVNT	ac80	5290	MIMO	0.21	0	0.21	11	Pass
NVNT	ac80	5530	Ant1	-3.9	0	-3.9	11	Pass
NVNT	ac80	5530	Ant2	-3.14	0	-3.14	11	Pass
NVNT	ac80	5530	MIMO	-0.49	0	-0.49	11	Pass
NVNT	ac80	5610	Ant1	-3.88	0	-3.88	11	Pass
NVNT	ac80	5610	Ant2	-2.57	0	-2.57	11	Pass
NVNT	ac80	5610	MIMO	-0.17	0	-0.17	11	Pass
NVNT	ac16 0	5250	Ant1	-4.05	0	-4.05	11	Pass
NVNT	ac16 0	5570	Ant1	-4.37	0	-4.37	11	Pass
NVNT	ac16 0	5250	Ant2	-3.89	0	-3.89	11	Pass
NVNT	ac16 0	5570	Ant2	-4.31	0	-4.31	11	Pass
NVNT	ac16 0	5250	Ant1	-4.26	0	-4.26	11	Pass
NVNT	ac16 0	5250	Ant2	-6.77	0	-6.77	11	Pass
NVNT	ac16 0	5250	MIMO	-2.33	0	-2.33	11	Pass
NVNT	ac16 0	5570	Ant1	-5.2	0	-5.2	11	Pass
NVNT	ac16 0	5570	Ant2	-6.96	0	-6.96	11	Pass
NVNT	ac16 0	5570	MIMO	-2.98	0	-2.98	11	Pass
NVNT	ax20	5180	Ant1	2.16	0	2.16	11	Pass



NVNT	ax20	5200	Ant1	2.15	0	2.15	11	Pass
NVNT	ax20	5240	Ant1	2.06	0	2.06	11	Pass
NVNT	ax20	5260	Ant1	2.43	0	2.43	11	Pass
NVNT	ax20	5300	Ant1	2.14	0	2.14	11	Pass
NVNT	ax20	5320	Ant1	0.51	0	0.51	11	Pass
NVNT	ax20	5500	Ant1	2.77	0	2.77	11	Pass
NVNT	ax20	5580	Ant1	2.48	0	2.48	11	Pass
NVNT	ax20	5700	Ant1	2.1	0	2.1	11	Pass
NVNT	ax20	5180	Ant2	2.26	0	2.26	11	Pass
NVNT	ax20	5200	Ant2	2.03	0	2.03	11	Pass
NVNT	ax20	5240	Ant2	1.74	0	1.74	11	Pass
NVNT	ax20	5260	Ant2	2.67	0	2.67	11	Pass
NVNT	ax20	5300	Ant2	2.32	0	2.32	11	Pass
NVNT	ax20	5320	Ant2	1.36	0	1.36	11	Pass
NVNT	ax20	5500	Ant2	2.48	0	2.48	11	Pass
NVNT	ax20	5580	Ant2	2.61	0	2.61	11	Pass
NVNT	ax20	5700	Ant2	0.87	0	0.87	11	Pass
NVNT	ax20	5180	Ant1	2.11	0	2.11	11	Pass
NVNT	ax20	5180	Ant2	-0.69	0	-0.69	11	Pass
NVNT	ax20	5180	MIMO	3.94	0	3.94	11	Pass
NVNT	ax20	5200	Ant1	2.12	0	2.12	11	Pass
NVNT	ax20	5200	Ant2	-0.59	0	-0.59	11	Pass
NVNT	ax20	5200	MIMO	3.98	0	3.98	11	Pass
NVNT	ax20	5240	Ant1	2.19	0	2.19	11	Pass
NVNT	ax20	5240	Ant2	-0.54	0	-0.54	11	Pass
NVNT	ax20	5240	MIMO	4.05	0	4.05	11	Pass
NVNT	ax20	5260	Ant2	1.74	0	1.74	11	Pass
NVNT	ax20	5260	MIMO	5.11	0	5.11	11	Pass
NVNT	ax20	5300	Ant1	2.01	0	2.01	11	Pass
NVNT	ax20	5300	Ant2	0.12	0	0.12	11	Pass
NVNT	ax20	5300	MIMO	4.18	0	4.18	11	Pass
NVNT	ax20	5320	Ant1	0.5	0	0.5	11	Pass
NVNT	ax20	5320	Ant2	-0.07	0	-0.07	11	Pass
NVNT	ax20	5320	MIMO	3.23	0	3.23	11	Pass
NVNT	ax20	5500	Ant1	1.43	0	1.43	11	Pass
NVNT	ax20	5500	Ant2	1.17	0	1.17	11	Pass
NVNT	ax20	5500	MIMO	4.31	0	4.31	11	Pass
NVNT	ax20	5580	Ant1	3.27	0	3.27	11	Pass
NVNT	ax20	5580	Ant2	1.54	0	1.54	11	Pass
NVNT	ax20	5580	MIMO	5.5	0	5.5	11	Pass
NVNT	ax20	5700	Ant1	1.06	0	1.06	11	Pass
NVNT	ax20	5700	Ant2	-0.73	0	-0.73	11	Pass
NVNT	ax20	5700	MIMO	3.27	0	3.27	11	Pass
NVNT	ax40	5190	Ant1	-0.32	0	-0.32	11	Pass
NVNT	ax40	5230	Ant1	-0.98	0	-0.98	11	Pass
NVNT	ax40	5270	Ant1	-0.69	0	-0.69	11	Pass
NVNT	ax40	5310	Ant1	-2.93	0	-2.93	11	Pass
NVNT	ax40	5510	Ant1	-2.07	0	-2.07	11	Pass
NVNT	ax40	5550	Ant1	-2.53	0	-2.53	11	Pass
NVNT	ax40	5670	Ant1	-0.63	0	-0.63	11	Pass
NVNT	ax40	5190	Ant2	-0.62	0	-0.62	11	Pass
NVNT	ax40	5230	Ant2	-0.91	0	-0.91	11	Pass
NVNT	ax40	5270	Ant2	-0.76	0	-0.76	11	Pass
NVNT	ax40	5310	Ant2	-1.45	0	-1.45	11	Pass
NVNT	ax40	5510	Ant2	-4.31	0	-4.31	11	Pass
NVNT	ax40	5550	Ant2	-1.48	0	-1.48	11	Pass



NVNT	ax40	5670	Ant2	-1.01	0	-1.01	11	Pass
NVNT	ax40	5190	Ant1	-1.36	0	-1.36	11	Pass
NVNT	ax40	5190	Ant2	-2.38	0	-2.38	11	Pass
NVNT	ax40	5190	MIMO	1.17	0	1.17	11	Pass
NVNT	ax40	5230	Ant1	-1.26	0	-1.26	11	Pass
NVNT	ax40	5230	Ant2	-4.24	0	-4.24	11	Pass
NVNT	ax40	5230	MIMO	0.51	0	0.51	11	Pass
NVNT	ax40	5270	Ant1	-0.14	0	-0.14	11	Pass
NVNT	ax40	5270	Ant2	-2.78	0	-2.78	11	Pass
NVNT	ax40	5270	MIMO	1.75	0	1.75	11	Pass
NVNT	ax40	5310	Ant1	-3.09	0	-3.09	11	Pass
NVNT	ax40	5310	Ant2	-3.81	0	-3.81	11	Pass
NVNT	ax40	5310	MIMO	-0.42	0	-0.42	11	Pass
NVNT	ax40	5510	Ant1	-2.79	0	-2.79	11	Pass
NVNT	ax40	5510	Ant2	-3.11	0	-3.11	11	Pass
NVNT	ax40	5510	MIMO	0.06	0	0.06	11	Pass
NVNT	ax40	5550	Ant1	-0.42	0	-0.42	11	Pass
NVNT	ax40	5550	Ant2	-3.07	0	-3.07	11	Pass
NVNT	ax40	5550	MIMO	1.46	0	1.46	11	Pass
NVNT	ax40	5670	Ant1	-1.65	0	-1.65	11	Pass
NVNT	ax40	5670	Ant2	-2.74	0	-2.74	11	Pass
NVNT	ax40	5670	MIMO	0.85	0	0.85	11	Pass
NVNT	ax80	5210	Ant1	-3.63	0	-3.63	11	Pass
NVNT	ax80	5290	Ant1	-3.45	0	-3.45	11	Pass
NVNT	ax80	5530	Ant1	-3.86	0	-3.86	11	Pass
NVNT	ax80	5610	Ant1	-5.24	0	-5.24	11	Pass
NVNT	ax80	5210	Ant2	-3.83	0	-3.83	11	Pass
NVNT	ax80	5290	Ant2	-3.52	0	-3.52	11	Pass
NVNT	ax80	5530	Ant2	-5.44	0	-5.44	11	Pass
NVNT	ax80	5610	Ant2	-3.93	0	-3.93	11	Pass
NVNT	ax80	5210	Ant1	-4.85	0	-4.85	11	Pass
NVNT	ax80	5210	Ant2	-6.62	0	-6.62	11	Pass
NVNT	ax80	5210	MIMO	-2.64	0	-2.64	11	Pass
NVNT	ax80	5290	Ant1	-3.83	0	-3.83	11	Pass
NVNT	ax80	5290	Ant2	-6.05	0	-6.05	11	Pass
NVNT	ax80	5290	MIMO	-1.79	0	-1.79	11	Pass
NVNT	ax80	5530	Ant1	-4.28	0	-4.28	11	Pass
NVNT	ax80	5530	Ant2	-6.24	0	-6.24	11	Pass
NVNT	ax80	5530	MIMO	-2.14	0	-2.14	11	Pass
NVNT	ax80	5610	Ant1	-2.64	0	-2.64	11	Pass
NVNT	ax80	5610	Ant2	-3.25	0	-3.25	11	Pass
NVNT	ax80	5610	MIMO	0.08	0	0.08	11	Pass
NVNT	ax16 0	5250	Ant1	-6.94	0	-6.94	11	Pass
NVNT	ax16 0	5570	Ant1	-5.86	0	-5.86	11	Pass
NVNT	ax16 0	5250	Ant2	-5.93	0	-5.93	11	Pass
NVNT	ax16 0	5570	Ant2	-6.03	0	-6.03	11	Pass
NVNT	ax16 0	5250	Ant1	-6.72	0	-6.72	11	Pass
NVNT	ax16 0	5250	Ant2	-9.65	0	-9.65	11	Pass
NVNT	ax16 0	5250	MIMO	-4.93	0	-4.93	11	Pass



NVNT	ax160	5570	Ant1	-7.9	0	-7.9	11	Pass
NVNT	ax160	5570	Ant2	-7.7	0	-7.7	11	Pass
NVNT	ax160	5570	MIMO	-4.79	0	-4.79	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	0.43	0	0.43	30	Pass
NVNT	a	5785	Ant1	0.6	0	0.6	30	Pass
NVNT	a	5825	Ant1	0.94	0	0.94	30	Pass
NVNT	a	5745	Ant2	-1.48	0	-1.48	30	Pass
NVNT	a	5785	Ant2	0.35	0	0.35	30	Pass
NVNT	a	5825	Ant2	0.25	0	0.25	30	Pass
NVNT	n20	5745	Ant1	-0.49	0	-0.49	30	Pass
NVNT	n20	5785	Ant1	0.28	0	0.28	30	Pass
NVNT	n20	5825	Ant1	0.25	0	0.25	30	Pass
NVNT	n20	5745	Ant2	-0.24	0	-0.24	30	Pass
NVNT	n20	5785	Ant2	-0.67	0	-0.67	30	Pass
NVNT	n20	5825	Ant2	-0.23	0	-0.23	30	Pass
NVNT	n20	5745	Ant1	-0.6	0	-0.6	30	Pass
NVNT	n20	5745	Ant2	-0.84	0	-0.84	30	Pass
NVNT	n20	5745	MIMO	2.29	0	2.29	30	Pass
NVNT	n20	5785	Ant1	0.55	0	0.55	30	Pass
NVNT	n20	5785	Ant2	-0.99	0	-0.99	30	Pass
NVNT	n20	5785	MIMO	2.86	0	2.86	30	Pass
NVNT	n20	5825	Ant1	0.93	0	0.93	30	Pass
NVNT	n20	5825	Ant2	-1.15	0	-1.15	30	Pass
NVNT	n20	5825	MIMO	3.02	0	3.02	30	Pass
NVNT	n40	5755	Ant1	-3.04	0	-3.04	30	Pass
NVNT	n40	5795	Ant1	-1.9	0	-1.9	30	Pass
NVNT	n40	5755	Ant2	-3.37	0	-3.37	30	Pass
NVNT	n40	5795	Ant2	-3.23	0	-3.23	30	Pass
NVNT	n40	5755	Ant1	-2.85	0	-2.85	30	Pass
NVNT	n40	5755	Ant2	-4.1	0	-4.1	30	Pass
NVNT	n40	5755	MIMO	-0.42	0	-0.42	30	Pass
NVNT	n40	5795	Ant1	-1.82	0	-1.82	30	Pass
NVNT	n40	5795	Ant2	-3.71	0	-3.71	30	Pass
NVNT	n40	5795	MIMO	0.35	0	0.35	30	Pass
NVNT	ac20	5745	Ant1	-0.52	0	-0.52	30	Pass
NVNT	ac20	5785	Ant1	-0.19	0	-0.19	30	Pass
NVNT	ac20	5825	Ant1	0.23	0	0.23	30	Pass
NVNT	ac20	5745	Ant2	-0.14	0	-0.14	30	Pass
NVNT	ac20	5785	Ant2	-0.26	0	-0.26	30	Pass
NVNT	ac20	5825	Ant2	-0.15	0	-0.15	30	Pass
NVNT	ac20	5745	Ant1	-0.95	0	-0.95	30	Pass
NVNT	ac20	5745	Ant2	-1.78	0	-1.78	30	Pass
NVNT	ac20	5745	MIMO	1.67	0	1.67	30	Pass
NVNT	ac20	5785	Ant1	0.06	0	0.06	30	Pass
NVNT	ac20	5785	Ant2	-1.86	0	-1.86	30	Pass
NVNT	ac20	5785	MIMO	2.22	0	2.22	30	Pass
NVNT	ac20	5825	Ant1	0.22	0	0.22	30	Pass
NVNT	ac20	5825	Ant2	-1.6	0	-1.6	30	Pass



NVNT	ac20	5825	MIMO	2.41	0	2.41	30	Pass
NVNT	ac40	5755	Ant1	-3.28	0	-3.28	30	Pass
NVNT	ac40	5795	Ant1	-2.13	0	-2.13	30	Pass
NVNT	ac40	5755	Ant2	-3.12	0	-3.12	30	Pass
NVNT	ac40	5795	Ant2	-3.22	0	-3.22	30	Pass
NVNT	ac40	5755	Ant1	-3.19	0	-3.19	30	Pass
NVNT	ac40	5755	Ant2	-4.48	0	-4.48	30	Pass
NVNT	ac40	5755	MIMO	-0.78	0	-0.78	30	Pass
NVNT	ac40	5795	Ant1	-2.05	0	-2.05	30	Pass
NVNT	ac40	5795	Ant2	-4.4	0	-4.4	30	Pass
NVNT	ac40	5795	MIMO	-0.06	0	-0.06	30	Pass
NVNT	ac80	5775	Ant1	-5.43	0	-5.43	30	Pass
NVNT	ac80	5775	Ant2	-5.94	0	-5.94	30	Pass
NVNT	ac80	5775	Ant1	-4.53	0	-4.53	30	Pass
NVNT	ac80	5775	Ant2	-6.88	0	-6.88	30	Pass
NVNT	ac80	5775	MIMO	-2.54	0	-2.54	30	Pass
NVNT	ax20	5745	Ant1	-1.25	0	-1.25	30	Pass
NVNT	ax20	5785	Ant1	-2.72	0	-2.72	30	Pass
NVNT	ax20	5825	Ant1	-0.83	0	-0.83	30	Pass
NVNT	ax20	5745	Ant2	-1.59	0	-1.59	30	Pass
NVNT	ax20	5785	Ant2	-1.93	0	-1.93	30	Pass
NVNT	ax20	5825	Ant2	-1.85	0	-1.85	30	Pass
NVNT	ax20	5745	Ant1	-1.26	0	-1.26	30	Pass
NVNT	ax20	5745	Ant2	-3.3	0	-3.3	30	Pass
NVNT	ax20	5745	MIMO	0.85	0	0.85	30	Pass
NVNT	ax20	5785	Ant1	-1.45	0	-1.45	30	Pass
NVNT	ax20	5785	Ant2	-3.35	0	-3.35	30	Pass
NVNT	ax20	5785	MIMO	0.71	0	0.71	30	Pass
NVNT	ax20	5825	Ant1	-2.99	0	-2.99	30	Pass
NVNT	ax20	5825	Ant2	-5.22	0	-5.22	30	Pass
NVNT	ax20	5825	MIMO	-0.95	0	-0.95	30	Pass
NVNT	ax40	5755	Ant1	-4.56	0	-4.56	30	Pass
NVNT	ax40	5795	Ant1	-4.17	0	-4.17	30	Pass
NVNT	ax40	5755	Ant2	-5.09	0	-5.09	30	Pass
NVNT	ax40	5795	Ant2	-4.14	0	-4.14	30	Pass
NVNT	ax40	5755	Ant1	-3.75	0	-3.75	30	Pass
NVNT	ax40	5755	Ant2	-6.43	0	-6.43	30	Pass
NVNT	ax40	5755	MIMO	-1.88	0	-1.88	30	Pass
NVNT	ax40	5795	Ant1	-4	0	-4	30	Pass
NVNT	ax40	5795	Ant2	-6.52	0	-6.52	30	Pass
NVNT	ax40	5795	MIMO	-2.07	0	-2.07	30	Pass
NVNT	ax80	5775	Ant1	-7.22	0	-7.22	30	Pass
NVNT	ax80	5775	Ant2	-9.12	0	-9.12	30	Pass
NVNT	ax80	5775	Ant1	-6.91	0	-6.91	30	Pass
NVNT	ax80	5775	Ant2	-8.95	0	-8.95	30	Pass
NVNT	ax80	5775	MIMO	-4.8	0	-4.8	30	Pass

