


Test Graphs Channel Power






**Maximum power spectral density
Test Result**

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11a	Ant1	5180	0.10	≤11.00	PASS
11a	Ant1	5240	3.06	≤11.00	PASS
11a	Ant1	5260	4.04	≤11.00	PASS
11a	Ant1	5300	3.59	≤11.00	PASS
11a	Ant1	5320	2.69	≤11.00	PASS
11a	Ant1	5500	3.51	≤11.00	PASS
11a	Ant1	5600	4.57	≤11.00	PASS
11a	Ant1	5720 UNII-2C	4.20	≤11.00	PASS
11a	Ant1	5720 UNII-3	-0.96	≤30.00	PASS
11a	Ant1	5745	2.16	≤30.00	PASS
11a	Ant1	5785	1.88	≤30.00	PASS
11a	Ant1	5825	1.51	≤30.00	PASS
11ac20SISO	Ant1	5180	-2.17	≤11.00	PASS
11ac20SISO	Ant1	5220	0.45	≤11.00	PASS
11ac20SISO	Ant1	5240	0.73	≤11.00	PASS
11ac20SISO	Ant1	5260	1.60	≤11.00	PASS
11ac20SISO	Ant1	5300	1.20	≤11.00	PASS
11ac20SISO	Ant1	5320	0.29	≤11.00	PASS
11ac20SISO	Ant1	5500	0.06	≤11.00	PASS
11ac20SISO	Ant1	5600	1.90	≤11.00	PASS
11ac20SISO	Ant1	5720 UNII-2C	2.70	≤11.00	PASS
11ac20SISO	Ant1	5720 UNII-3	-2.22	≤30.00	PASS
11ac20SISO	Ant1	5745	0.53	≤30.00	PASS
11ac20SISO	Ant1	5785	-0.21	≤30.00	PASS
11ac20SISO	Ant1	5825	-0.34	≤30.00	PASS
11ac40SISO	Ant1	5190	-4.58	≤11.00	PASS
11ac40SISO	Ant1	5230	-1.71	≤11.00	PASS
11ac40SISO	Ant1	5270	-1.39	≤11.00	PASS
11ac40SISO	Ant1	5310	-1.39	≤11.00	PASS
11ac40SISO	Ant1	5510	-3.06	≤11.00	PASS
11ac40SISO	Ant1	5590	-1.78	≤11.00	PASS
11ac40SISO	Ant1	5710 UNII-2C	0.02	≤11.00	PASS
11ac40SISO	Ant1	5710 UNII-3	-5.49	≤30.00	PASS
11ac40SISO	Ant1	5755	-1.83	≤30.00	PASS
11ac40SISO	Ant1	5795	-2.51	≤30.00	PASS
11ac80SISO	Ant1	5210	-5.31	≤11.00	PASS
11ac80SISO	Ant1	5290	-5.41	≤11.00	PASS
11ac80SISO	Ant1	5530	-3.66	≤11.00	PASS
11ac80SISO	Ant1	5610	-3.96	≤11.00	PASS
11ac80SISO	Ant1	5690 UNII-2C	-2.94	≤11.00	PASS
11ac80SISO	Ant1	5690 UNII-3	-8.81	≤30.00	PASS
11ac80SISO	Ant1	5775	-6.05	≤30.00	PASS


Note:

- 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
- 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

















Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	36.16	51.41	-31.03	20.38	40.00	19.62	Horizontal	PASS
2	57.94	46.90	-26.32	20.58	40.00	19.42	Horizontal	PASS
3	146.84	57.83	-30.13	27.70	43.50	15.80	Horizontal	PASS
4	176.72	58.89	-28.71	30.18	43.50	13.32	Horizontal	PASS
5	224.30	55.54	-26.07	29.47	47.00	17.53	Horizontal	PASS
6	240.60	55.08	-24.84	30.24	47.00	16.76	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	31.12	59.76	-31.11	28.65	40.00	11.35	Vertical	PASS
2	38.10	56.13	-29.52	26.61	40.00	13.39	Vertical	PASS
3	45.18	52.89	-27.09	25.80	40.00	14.20	Vertical	PASS
4	55.56	49.10	-25.89	23.21	40.00	16.79	Vertical	PASS
5	148.73	56.71	-30.17	26.54	43.50	16.96	Vertical	PASS
6	177.30	57.79	-28.64	29.15	43.50	14.35	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7499.85	30.22	16.71	46.93	54.00	7.07	Horizontal	PASS
2	12366.00	33.59	7.56	41.15	54.00	12.85	Horizontal	PASS
3	17941.00	30.42	16.41	46.83	54.00	7.17	Horizontal	PASS
4	5177.60	96.96	9.90	106.86	-	-	Horizontal	NA
5	7438.25	39.49	16.55	56.04	74.00	17.96	Horizontal	PASS
6	12277.67	42.24	7.48	49.72	74.00	24.28	Horizontal	PASS
7	17966.33	38.08	16.61	54.69	74.00	19.31	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7484.10	30.63	16.69	47.32	54.00	6.68	Vertical	PASS
2	11725.00	34.24	6.47	40.71	54.00	13.29	Vertical	PASS
3	17968.00	30.51	16.61	47.12	54.00	6.88	Vertical	PASS
4	5179.35	93.35	9.89	103.24	-	-	Vertical	NA
5	7372.80	39.43	16.29	55.72	74.00	18.28	Vertical	PASS
6	11679.67	41.73	6.48	48.21	74.00	25.79	Vertical	PASS
7	17982.33	37.96	16.73	54.69	74.00	19.31	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.60	30.50	16.69	47.19	54.00	6.81	Horizontal	PASS
2	11489.00	34.56	6.48	41.04	54.00	12.96	Horizontal	PASS
3	17930.00	30.50	16.33	46.83	54.00	7.17	Horizontal	PASS
4	5202.10	97.42	9.87	107.29	-	-	Horizontal	NA
5	7667.15	39.65	16.20	55.85	74.00	18.15	Horizontal	PASS
6	11710.33	43.38	6.46	49.84	74.00	24.16	Horizontal	PASS
7	17947.33	38.09	16.46	54.55	74.00	19.45	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7461.35	30.87	16.67	47.54	54.00	6.46	Vertical	PASS
2	12216.33	33.63	7.65	41.28	54.00	12.72	Vertical	PASS
3	17982.33	29.90	16.73	46.63	54.00	7.37	Vertical	PASS
4	5201.05	94.36	9.86	104.22	-	-	Vertical	NA
5	7469.05	38.91	16.68	55.59	74.00	18.41	Vertical	PASS
6	12231.67	41.60	7.61	49.21	74.00	24.79	Vertical	PASS
7	17998.33	38.34	16.84	55.18	74.00	18.82	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7321.70	31.33	16.21	47.54	54.00	6.46	Horizontal	PASS
2	12333.67	33.48	7.50	40.98	54.00	13.02	Horizontal	PASS
3	17944.33	30.29	16.44	46.73	54.00	7.27	Horizontal	PASS
4	5240.95	99.88	10.03	109.91	-	-	Horizontal	NA
5	7552.35	39.42	16.35	55.77	74.00	18.23	Horizontal	PASS
6	12423.00	41.55	7.54	49.09	74.00	24.91	Horizontal	PASS
7	17928.33	38.67	16.31	54.98	74.00	19.02	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7321.00	31.45	16.22	47.67	54.00	6.33	Vertical	PASS
2	11444.67	34.85	6.34	41.19	54.00	12.81	Vertical	PASS
3	17962.67	30.12	16.58	46.70	54.00	7.30	Vertical	PASS
4	5238.50	97.62	10.02	107.64	-	-	Vertical	NA
5	7494.60	39.20	16.70	55.90	74.00	18.10	Vertical	PASS
6	12536.67	41.95	7.17	49.12	74.00	24.88	Vertical	PASS
7	17958.33	37.84	16.54	54.38	74.00	19.62	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7494.95	30.27	16.70	46.97	54.00	7.03	Horizontal	PASS
2	12205.00	33.31	7.68	40.99	54.00	13.01	Horizontal	PASS
3	17976.67	30.45	16.69	47.14	54.00	6.86	Horizontal	PASS
4	5241.65	98.65	10.04	108.69	-	-	Horizontal	NA
5	7531.35	38.97	16.49	55.46	74.00	18.54	Horizontal	PASS
6	12216.33	40.91	7.65	48.56	74.00	25.44	Horizontal	PASS
7	17970.67	37.66	16.63	54.29	74.00	19.71	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7496.70	30.28	16.70	46.98	54.00	7.02	Vertical	PASS
2	12219.33	33.62	7.65	41.27	54.00	12.73	Vertical	PASS
3	17953.00	29.97	16.50	46.47	54.00	7.53	Vertical	PASS
4	5238.50	95.72	10.02	105.74	-	-	Vertical	NA
5	7251.00	39.90	16.26	56.16	74.00	17.84	Vertical	PASS
6	11864.67	43.11	6.41	49.52	74.00	24.48	Vertical	PASS
7	17903.33	38.44	16.12	54.56	74.00	19.44	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7452.25	30.39	16.66	47.05	54.00	6.95	Horizontal	PASS
2	11722.33	34.19	6.46	40.65	54.00	13.35	Horizontal	PASS
3	17977.67	30.98	16.69	47.67	54.00	6.33	Horizontal	PASS
4	5231.85	95.51	10.00	105.51	-	-	Horizontal	NA
5	7452.60	40.04	16.66	56.70	74.00	17.30	Horizontal	PASS
6	12370.00	41.75	7.57	49.32	74.00	24.68	Horizontal	PASS
7	17994.33	37.03	16.82	53.85	74.00	20.15	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7517.70	30.60	16.59	47.19	54.00	6.81	Vertical	PASS
2	12418.67	33.35	7.57	40.92	54.00	13.08	Vertical	PASS
3	17990.00	30.33	16.78	47.11	54.00	6.89	Vertical	PASS
4	5226.60	92.44	9.98	102.42	-	-	Vertical	NA
5	7479.20	39.91	16.69	56.60	74.00	17.40	Vertical	PASS
6	12255.67	40.91	7.54	48.45	74.00	25.55	Vertical	PASS
7	17944.00	37.79	16.44	54.23	74.00	19.77	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7413.05	30.79	16.33	47.12	54.00	6.88	Horizontal	PASS
2	11598.67	34.23	6.56	40.79	54.00	13.21	Horizontal	PASS
3	17991.00	29.83	16.79	46.62	54.00	7.38	Horizontal	PASS
4	5216.45	90.51	9.93	100.44	-	-	Horizontal	NA
5	7386.10	39.63	16.25	55.88	74.00	18.12	Horizontal	PASS
6	11430.33	42.17	6.29	48.46	74.00	25.54	Horizontal	PASS
7	17944.00	37.81	16.44	54.25	74.00	19.75	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7525.05	30.36	16.54	46.90	54.00	7.10	Vertical	PASS
2	12218.67	33.42	7.65	41.07	54.00	12.93	Vertical	PASS
3	17986.33	30.16	16.76	46.92	54.00	7.08	Vertical	PASS
4	5211.20	87.91	9.90	97.81	-	-	Vertical	NA
5	7368.25	39.53	16.31	55.84	74.00	18.16	Vertical	PASS
6	12281.67	41.56	7.47	49.03	74.00	24.97	Vertical	PASS
7	17951.67	37.88	16.50	54.38	74.00	19.62	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7580.35	30.70	16.10	46.80	54.00	7.20	Horizontal	PASS
2	12294.67	33.64	7.44	41.08	54.00	12.92	Horizontal	PASS
3	17924.00	30.33	16.29	46.62	54.00	7.38	Horizontal	PASS
4	5259.15	99.98	10.12	110.10	-	-	Horizontal	NA
5	7526.10	39.51	16.53	56.04	74.00	17.96	Horizontal	PASS
6	12219.33	41.00	7.65	48.65	74.00	25.35	Horizontal	PASS
7	17931.67	37.73	16.34	54.07	74.00	19.93	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7526.80	30.69	16.53	47.22	54.00	6.78	Vertical	PASS
2	12358.67	33.60	7.55	41.15	54.00	12.85	Vertical	PASS
3	17985.33	29.96	16.75	46.71	54.00	7.29	Vertical	PASS
4	5260.55	98.05	10.13	108.18	-	-	Vertical	NA
5	7493.20	39.04	16.71	55.75	74.00	18.25	Vertical	PASS
6	12351.33	41.72	7.53	49.25	74.00	24.75	Vertical	PASS
7	17949.33	37.52	16.48	54.00	74.00	20.00	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7467.30	30.30	16.68	46.98	54.00	7.02	Horizontal	PASS
2	12219.67	33.51	7.64	41.15	54.00	12.85	Horizontal	PASS
3	17925.33	30.28	16.29	46.57	54.00	7.43	Horizontal	PASS
4	5303.60	100.23	10.41	110.64	-	-	Horizontal	NA
5	7427.75	39.58	16.46	56.04	74.00	17.96	Horizontal	PASS
6	12238.67	40.95	7.59	48.54	74.00	25.46	Horizontal	PASS
7	17984.00	37.54	16.74	54.28	74.00	19.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7589.10	31.03	16.02	47.05	54.00	6.95	Vertical	PASS
2	11679.67	34.55	6.48	41.03	54.00	12.97	Vertical	PASS
3	17995.67	30.47	16.82	47.29	54.00	6.71	Vertical	PASS
4	5299.05	98.24	10.37	108.61	-	-	Vertical	NA
5	7484.80	39.14	16.69	55.83	74.00	18.17	Vertical	PASS
6	11686.33	41.78	6.47	48.25	74.00	25.75	Vertical	PASS
7	17929.33	37.70	16.33	54.03	74.00	19.97	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7483.40	30.39	16.70	47.09	54.00	6.91	Horizontal	PASS
2	12227.00	33.23	7.62	40.85	54.00	13.15	Horizontal	PASS
3	17937.00	30.28	16.38	46.66	54.00	7.34	Horizontal	PASS
4	5321.10	100.36	10.56	110.92	-	-	Horizontal	NA
5	7474.30	39.03	16.68	55.71	74.00	18.29	Horizontal	PASS
6	12406.33	41.27	7.62	48.89	74.00	25.11	Horizontal	PASS
7	17993.67	37.52	16.81	54.33	74.00	19.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7510.35	30.65	16.64	47.29	54.00	6.71	Vertical	PASS
2	11806.33	34.14	6.47	40.61	54.00	13.39	Vertical	PASS
3	17997.67	30.32	16.84	47.16	54.00	6.84	Vertical	PASS
4	5320.75	97.82	10.55	108.37	-	-	Vertical	NA
5	7412.00	39.63	16.32	55.95	74.00	18.05	Vertical	PASS
6	11568.33	42.51	6.55	49.06	74.00	24.94	Vertical	PASS
7	17992.00	37.45	16.80	54.25	74.00	19.75	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7389.95	31.09	16.24	47.33	54.00	6.67	Horizontal	PASS
2	12227.67	34.12	7.62	41.74	54.00	12.26	Horizontal	PASS
3	17957.00	30.29	16.54	46.83	54.00	7.17	Horizontal	PASS
4	5298.70	99.65	10.37	110.02	-	-	Horizontal	NA
5	7345.50	39.83	16.33	56.16	74.00	17.84	Horizontal	PASS
6	12412.67	41.57	7.59	49.16	74.00	24.84	Horizontal	PASS
7	17982.33	37.70	16.73	54.43	74.00	19.57	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7509.30	30.28	16.65	46.93	54.00	7.07	Vertical	PASS
2	12401.33	33.42	7.63	41.05	54.00	12.95	Vertical	PASS
3	17959.67	30.02	16.55	46.57	54.00	7.43	Vertical	PASS
4	5301.15	96.82	10.39	107.21	-	-	Vertical	NA
5	7482.70	40.30	16.69	56.99	74.00	17.01	Vertical	PASS
6	12385.33	41.50	7.60	49.10	74.00	24.90	Vertical	PASS
7	17942.00	38.54	16.42	54.96	74.00	19.04	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	46
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7474.65	30.51	16.68	47.19	54.00	6.81	Horizontal	PASS
2	12262.00	33.63	7.53	41.16	54.00	12.84	Horizontal	PASS
3	17990.67	30.09	16.79	46.88	54.00	7.12	Horizontal	PASS
4	5274.90	96.20	10.22	106.42	-	-	Horizontal	NA
5	7480.95	39.19	16.69	55.88	74.00	18.12	Horizontal	PASS
6	12174.33	41.21	7.37	48.58	74.00	25.42	Horizontal	PASS
7	17989.67	37.31	16.78	54.09	74.00	19.91	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	46
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7466.25	30.36	16.68	47.04	54.00	6.96	Vertical	PASS
2	12320.67	33.88	7.47	41.35	54.00	12.65	Vertical	PASS
3	17993.00	30.03	16.80	46.83	54.00	7.17	Vertical	PASS
4	5265.10	93.66	10.16	103.82	-	-	Vertical	NA
5	7517.00	39.06	16.59	55.65	74.00	18.35	Vertical	PASS
6	11580.00	41.97	6.55	48.52	74.00	25.48	Vertical	PASS
7	17946.00	37.99	16.45	54.44	74.00	19.56	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7446.65	30.57	16.63	47.20	54.00	6.80	Horizontal	PASS
2	11784.33	34.59	6.48	41.07	54.00	12.93	Horizontal	PASS
3	17979.67	29.78	16.71	46.49	54.00	7.51	Horizontal	PASS
4	5278.40	90.97	10.25	101.22	-	-	Horizontal	NA
5	7606.25	39.73	15.94	55.67	74.00	18.33	Horizontal	PASS
6	11583.00	42.13	6.56	48.69	74.00	25.31	Horizontal	PASS
7	17926.00	38.26	16.29	54.55	74.00	19.45	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7314.35	30.87	16.18	47.05	54.00	6.95	Vertical	PASS
2	12335.33	33.60	7.49	41.09	54.00	12.91	Vertical	PASS
3	17988.67	30.15	16.77	46.92	54.00	7.08	Vertical	PASS
4	5294.50	87.63	10.35	97.98	-	-	Vertical	NA
5	7524.35	39.52	16.54	56.06	74.00	17.94	Vertical	PASS
6	12211.33	41.98	7.67	49.65	74.00	24.35	Vertical	PASS
7	17945.33	37.80	16.44	54.24	74.00	19.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7496.00	30.51	16.71	47.22	54.00	6.78	Horizontal	PASS
2	12242.00	33.76	7.58	41.34	54.00	12.66	Horizontal	PASS
3	17917.67	30.33	16.23	46.56	54.00	7.44	Horizontal	PASS
4	5502.40	98.48	11.66	110.14	-	-	Horizontal	NA
5	7461.00	39.34	16.67	56.01	74.00	17.99	Horizontal	PASS
6	12243.67	41.09	7.58	48.67	74.00	25.33	Horizontal	PASS
7	17927.33	38.28	16.31	54.59	74.00	19.41	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7501.25	30.55	16.70	47.25	54.00	6.75	Vertical	PASS
2	12214.00	33.56	7.66	41.22	54.00	12.78	Vertical	PASS
3	17987.67	29.80	16.77	46.57	54.00	7.43	Vertical	PASS
4	5498.55	95.02	11.65	106.67	-	-	Vertical	NA
5	7402.90	39.35	16.23	55.58	74.00	18.42	Vertical	PASS
6	12209.67	41.10	7.67	48.77	74.00	25.23	Vertical	PASS
7	17978.33	37.69	16.69	54.38	74.00	19.62	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7476.40	30.11	16.68	46.79	54.00	7.21	Horizontal	PASS
2	12337.67	33.93	7.50	41.43	54.00	12.57	Horizontal	PASS
3	17989.33	30.00	16.78	46.78	54.00	7.22	Horizontal	PASS
4	5597.95	98.18	11.94	110.12	-	-	Horizontal	NA
5	7386.10	39.11	16.25	55.36	74.00	18.64	Horizontal	PASS
6	12229.33	42.19	7.62	49.81	74.00	24.19	Horizontal	PASS
7	17965.33	37.38	16.60	53.98	74.00	20.02	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7497.75	30.75	16.71	47.46	54.00	6.54	Vertical	PASS
2	12458.00	34.18	7.41	41.59	54.00	12.41	Vertical	PASS
3	17981.00	30.28	16.71	46.99	54.00	7.01	Vertical	PASS
4	5599.00	93.55	11.94	105.49	-	-	Vertical	NA
5	7440.70	39.20	16.57	55.77	74.00	18.23	Vertical	PASS
6	12226.00	41.79	7.62	49.41	74.00	24.59	Vertical	PASS
7	17963.67	37.95	16.58	54.53	74.00	19.47	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7290.90	30.93	16.14	47.07	54.00	6.93	Horizontal	PASS
2	12211.33	32.92	7.67	40.59	54.00	13.41	Horizontal	PASS
3	17967.00	30.21	16.61	46.82	54.00	7.18	Horizontal	PASS
4	5718.35	97.68	12.95	110.63	-	-	Horizontal	NA
5	7446.65	39.34	16.63	55.97	74.00	18.03	Horizontal	PASS
6	12257.33	40.87	7.54	48.41	74.00	25.59	Horizontal	PASS
7	17973.33	37.53	16.65	54.18	74.00	19.82	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7497.05	30.66	16.71	47.37	54.00	6.63	Vertical	PASS
2	12260.33	33.11	7.53	40.64	54.00	13.36	Vertical	PASS
3	17999.33	29.99	16.86	46.85	54.00	7.15	Vertical	PASS
4	5719.40	94.43	12.96	107.39	-	-	Vertical	NA
5	7440.70	39.24	16.57	55.81	74.00	18.19	Vertical	PASS
6	12353.33	41.22	7.54	48.76	74.00	25.24	Vertical	PASS
7	17945.67	37.29	16.44	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7499.85	30.73	16.71	47.44	54.00	6.56	Horizontal	PASS
2	11765.00	34.59	6.47	41.06	54.00	12.94	Horizontal	PASS
3	17939.33	30.83	16.40	47.23	54.00	6.77	Horizontal	PASS
4	5719.05	97.76	12.95	110.71	-	-	Horizontal	NA
5	7365.10	39.67	16.31	55.98	74.00	18.02	Horizontal	PASS
6	12321.67	41.78	7.47	49.25	74.00	24.75	Horizontal	PASS
7	17988.00	37.19	16.77	53.96	74.00	20.04	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7693.75	30.65	16.34	46.99	54.00	7.01	Vertical	PASS
2	12390.33	33.24	7.62	40.86	54.00	13.14	Vertical	PASS
3	17959.67	29.80	16.55	46.35	54.00	7.65	Vertical	PASS
4	5719.75	93.06	12.96	106.02	-	-	Vertical	NA
5	7548.50	39.15	16.38	55.53	74.00	18.47	Vertical	PASS
6	12377.00	41.04	7.59	48.63	74.00	25.37	Vertical	PASS
7	17934.67	38.25	16.36	54.61	74.00	19.39	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7382.60	30.72	16.26	46.98	54.00	7.02	Horizontal	PASS
2	12216.00	33.29	7.65	40.94	54.00	13.06	Horizontal	PASS
3	17980.00	30.34	16.71	47.05	54.00	6.95	Horizontal	PASS
4	5704.70	93.82	12.82	106.64	-	-	Horizontal	NA
5	7437.20	39.92	16.55	56.47	74.00	17.53	Horizontal	PASS
6	12224.67	42.09	7.64	49.73	74.00	24.27	Horizontal	PASS
7	17998.33	37.58	16.84	54.42	74.00	19.58	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7312.25	31.08	16.17	47.25	54.00	6.75	Vertical	PASS
2	12264.00	33.56	7.52	41.08	54.00	12.92	Vertical	PASS
3	17961.67	30.38	16.57	46.95	54.00	7.05	Vertical	PASS
4	5714.85	89.91	12.91	102.82	-	-	Vertical	NA
5	7500.55	38.85	16.71	55.56	74.00	18.44	Vertical	PASS
6	12271.00	41.36	7.50	48.86	74.00	25.14	Vertical	PASS
7	17905.33	38.45	16.14	54.59	74.00	19.41	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7261.50	31.15	16.22	47.37	54.00	6.63	Horizontal	PASS
2	11810.67	34.02	6.47	40.49	54.00	13.51	Horizontal	PASS
3	17942.00	30.54	16.42	46.96	54.00	7.04	Horizontal	PASS
4	5684.40	90.33	12.63	102.96	-	-	Horizontal	NA
5	7632.50	40.47	16.04	56.51	74.00	17.49	Horizontal	PASS
6	11457.33	42.13	6.38	48.51	74.00	25.49	Horizontal	PASS
7	17927.67	38.27	16.31	54.58	74.00	19.42	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7494.60	30.64	16.70	47.34	54.00	6.66	Vertical	PASS
2	11705.33	33.82	6.46	40.28	54.00	13.72	Vertical	PASS
3	17984.00	30.15	16.74	46.89	54.00	7.11	Vertical	PASS
4	5701.55	86.39	12.78	99.17	-	-	Vertical	NA
5	7468.35	39.18	16.68	55.86	74.00	18.14	Vertical	PASS
6	11790.33	42.08	6.48	48.56	74.00	25.44	Vertical	PASS
7	17964.33	37.53	16.59	54.12	74.00	19.88	Vertical	PASS