




BUREAU
VERITAS

FCC SAR Test Report




Certificate #6613.01

Appendix E. Photographs of EUT and Setup



<Antenna Location>



The separation distance for antenna to edge:


Antenna	Overall diagonal(mm)	Display diagonal(mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN TX Antenna-8	170	152	62	0	20	130
WWAN TX Antenna-9			0	55	7	140

Antenna	Supported bands
WWAN TX Antenna-8	WLAN2.4G / WLAN5G
WWAN TX Antenna-9	WLAN2.4G / WLAN5G


EUT Setup Photos




**Fig-4.5 Right Cheek
(Head Mode)**



**Fig-4.6 Left Cheek
(Head Mode)**



**Fig-4.7 Right Tilted
(Head Mode)**




**Fig-4.8 Left Tilted
(Head Mode)**




**Fig-4.9 Front Face of EUT with 1 cm Gap
(Body-Worn Mode)**




**Fig-4.10 Rear Face of EUT with 1 cm Gap
(Body-Worn Mode)**



**Fig-4.11 Left Side of EUT with 1 cm Gap
(Body-Worn Mode)**



**Fig-4.12 Right Side of EUT with 1 cm Gap
(Body-Worn Mode)**




**Fig-4.13 Top Side of EUT with 1 cm Gap
(Body-Worn Mode)**



**Fig-4.14 Front Face of EUT with 0 cm Gap
(Extremity Mode)**




**Fig-4.15 Rear Face of EUT with 0 cm Gap
(Extremity Mode)**



**Fig-4.16 Left Side of EUT with 0 cm Gap
(Extremity Mode)**



**Fig-4.17 Right Side of EUT with 0 cm Gap
(Extremity Mode)**



**Fig-4.18 Top Side of EUT with 0 cm Gap
(Extremity Mode)**