

U-NII-3		Worst mode: 802.11a				Test channel: CH _L			
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3225.04	40.83	28.80	4.68	36.89	37.42	68.20	-30.78	Peak
2	4809.50	37.04	31.40	5.72	35.28	38.88	68.20	-29.32	Peak
3	8063.40	33.99	37.20	7.65	33.32	45.52	68.20	-22.68	Peak
4	10944.09	33.81	40.60	9.11	36.72	46.80	68.20	-21.40	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3120.06	39.56	29.00	4.56	37.33	35.79	68.20	-32.41	Peak
2	4641.12	37.60	31.18	5.70	36.01	38.47	68.20	-29.73	Peak
3	7981.72	34.46	37.03	7.60	33.31	45.78	68.20	-22.42	Peak
4	10888.51	34.19	40.57	9.10	36.76	47.10	68.20	-21.10	Peak

U-NII-3		Worst mode: 802.11a					Test channel: CH _M		
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3168.08	39.74	28.96	4.63	37.12	36.21	68.20	-31.99	Peak
2	4946.07	37.30	31.49	5.83	35.20	39.42	68.20	-28.78	Peak
3	7800.94	34.85	36.60	7.44	33.20	45.69	68.20	-22.51	Peak
4	10534.09	35.29	40.03	9.00	37.06	47.26	68.20	-20.94	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3184.25	39.37	28.93	4.65	37.05	35.90	68.20	-32.30	Peak
2	4748.67	38.27	31.40	5.69	35.52	39.84	68.20	-28.36	Peak
3	8042.90	34.58	37.19	7.64	33.31	46.10	68.20	-22.10	Peak
4	10888.51	34.24	40.57	9.10	36.76	47.15	68.20	-21.05	Peak

U-NII-3		Worst mode: 802.11a					Test channel: CH _H		
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3176.16	40.25	28.95	4.64	37.09	36.75	68.20	-31.45	Peak
2	4594.10	38.48	31.08	5.71	36.11	39.16	68.20	-29.04	Peak
3	8083.96	34.22	37.20	7.66	33.32	45.76	68.20	-22.44	Peak
4	10860.83	33.43	40.48	9.09	36.78	46.22	68.20	-21.98	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	2861.38	40.28	28.60	4.30	37.33	35.85	68.20	-32.35	Peak
2	5009.43	36.87	31.96	5.81	35.27	39.37	68.20	-28.83	Peak
3	8083.96	34.48	37.20	7.66	33.32	46.02	68.20	-22.18	Peak
4	11370.05	33.41	40.54	9.38	36.45	46.88	68.20	-21.32	Peak

U-NII-3		Worst mode: 802.11n(HT40)					Test channel: CH _L		
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3192.37	39.68	28.92	4.66	37.01	36.25	68.20	-31.95	Peak
2	4664.81	37.71	31.26	5.69	35.94	38.72	68.20	-29.48	Peak
3	8022.46	34.46	37.14	7.62	33.31	45.91	68.20	-22.29	Peak
4	10480.59	35.63	39.98	8.99	37.12	47.48	68.20	-20.72	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3104.22	39.65	29.00	4.54	37.41	35.78	68.20	-32.42	Peak
2	4605.81	37.46	31.11	5.72	36.09	38.20	68.20	-30.00	Peak
3	8125.22	34.34	37.10	7.69	33.36	45.77	68.20	-22.43	Peak
4	10833.22	35.00	40.40	9.08	36.81	47.67	68.20	-20.53	Peak

U-NII-3		Worst mode: 802.11n(HT40)					Test channel: CH _H		
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3200.50	39.85	28.90	4.67	36.98	36.44	68.20	-31.76	Peak
2	4760.78	37.12	31.40	5.69	35.47	38.74	68.20	-29.46	Peak
3	7961.43	34.96	36.95	7.58	33.32	46.17	68.20	-22.03	Peak
4	11370.05	34.16	40.54	9.38	36.45	47.63	68.20	-20.57	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3200.50	39.05	28.90	4.67	36.98	35.64	68.20	-32.56	Peak
2	4676.70	38.94	31.31	5.68	35.87	40.06	68.20	-28.14	Peak
3	8063.40	34.52	37.20	7.65	33.32	46.05	68.20	-22.15	Peak
4	10833.22	34.41	40.40	9.08	36.81	47.08	68.20	-21.12	Peak


U-NII-3		Worst mode: 802.11ac(VHT80)					Test channel: CH _M		
Polarization:					Horizontal				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3135.99	40.11	29.00	4.58	37.25	36.44	68.20	-31.76	Peak
2	4958.68	37.57	31.57	5.82	35.20	39.76	68.20	-28.44	Peak
3	7702.28	35.78	36.40	7.41	33.15	46.44	68.20	-21.76	Peak
4	10916.26	35.17	40.60	9.11	36.74	48.14	68.20	-20.06	Peak
Polarization:					Vertical				
Mark	Frequency MHz	Reading dBuV/m	Antenna dB	Cable dB	Preamp dB	Level dBuV/m	Limit dBuV/m	Over limit	Remark
1	3168.08	39.81	28.96	4.63	37.12	36.28	68.20	-31.92	Peak
2	4772.91	37.42	31.40	5.70	35.41	39.11	68.20	-29.09	Peak
3	8022.46	34.94	37.14	7.62	33.31	46.39	68.20	-21.81	Peak
4	10888.51	35.20	40.57	9.10	36.76	48.11	68.20	-20.09	Peak

5.9. Frequency stability

LIMIT

Within Operation Band

TEST CONFIGURATION



Note : Measurement setup for testing on Antenna connector

TEST PROCEDURE

1. The equipment under test was connected to an external power supply.
2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.
3. The EUT was placed inside the temperature chamber.
4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.
5. Turn EUT off and set the chamber temperature to -20°C. After the temperature stabilized for approximately 30 minutes recorded the frequency.
6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached..

TEST MODE:

Please refer to the clause 4.3


TEST RESULT


☒ Passed ☐ Not Applicable

Please refer to appendix F on the appendix report

6. TEST SETUP PHOTOS

Radiated Emission





AC Conducted Emission



7. EXTERNAL AND INTERNAL PHOTOS

Refer to the test report No.: CHTEW22120050

8. APPENDIX REPORT

APPENDIX REPORT

Project No.	SHT2208214102EW	Radio Specification	WIFI 5G
Test sample No.	YPHT22082141009	Model No.	SF650
Start test date	2022-12-23	Finish date	2022-12-24
Temperature	25.5℃	Humidity	36%
Test Engineer	Xiaoxiao Li	Auditor	Xiaodong Zhe

Appendix clause	Test item	Result
A	Maximum Conducted Output Power	PASS
B	Maximum Power Spectral Density	PASS
C	26 dB Bandwidth	PASS
D	99% Occupy bandwidth	PASS
E	6 dB Bandwidth	PASS
F	Frequency stability	PASS

Appendix A: Maximum Conducted Output Power

Band	Bandwidth (MHz)	Type	Channel	Reading (dBm)	Duty cycle (%)	Duty cycle factor (dB)	Conducted Output Power (dBm)	Limit (dBm)	Result
I	20	802.11 ac	CH _L	12.79	96.58	0.15	12.94	24.00	Pass
			CH _M	12.44	96.58	0.15	12.59		
			CH _H	12.42	96.58	0.15	12.57		
		802.11 n	CH _L	12.58	96.55	0.15	12.73	24.00	Pass
			CH _M	12.45	96.55	0.15	12.60		
			CH _H	12.49	96.55	0.15	12.64		
		802.11 a	CH _L	13.77	96.77	0.14	13.91	24.00	Pass
			CH _M	13.40	96.77	0.14	13.54		
			CH _H	13.46	96.77	0.14	13.60		
	40	802.11 ac	CH _L	12.52	93.48	0.29	12.81	24.00	Pass
			CH _H	12.32	93.48	0.29	12.61		
		802.11 n	CH _L	12.50	93.45	0.29	12.79	24.00	Pass
			CH _H	12.34	93.45	0.29	12.63		
	80	802.11 ac	CH _M	12.24	87.69	0.57	12.81	24.00	Pass
II	20	802.11 ac	CH _L	12.61	96.58	0.15	12.76	24.00	Pass
			CH _M	12.81	96.58	0.15	12.96		
			CH _H	13.20	96.58	0.15	13.35		
		802.11 n	CH _L	12.51	96.55	0.15	12.66	24.00	Pass
			CH _M	12.79	96.55	0.15	12.94		
			CH _H	13.18	96.55	0.15	13.33		
		802.11 a	CH _L	13.63	96.77	0.14	13.77	24.00	Pass
			CH _M	13.99	96.77	0.14	14.13		
			CH _H	14.37	96.77	0.14	14.51		
	40	802.11 ac	CH _L	12.59	93.57	0.29	12.88	24.00	Pass
			CH _H	12.90	93.48	0.29	13.19		
		802.11 n	CH _L	12.57	93.45	0.29	12.86	24.00	Pass
			CH _H	12.87	93.45	0.29	13.16		
	80	802.11 ac	CH _M	12.70	87.67	0.57	13.27	24.00	Pass

Band	Bandwidth (MHz)	Type	Channel	Reading (dBm)	Duty cycle (%)	Duty cycle factor (dB)	Conducted Output Power (dBm)	Limit (dBm)	Result
III	20	802.11ac	CH _L	12.86	96.58	0.15	13.01	24.00	Pass
			CH _{M1}	12.94	96.58	0.15	13.09		
			CH _{M2}	12.96	96.58	0.15	13.11		
			CH _H	12.92	96.58	0.15	13.07		
		802.11n	CH _L	12.60	96.46	0.16	12.76	24.00	Pass
			CH _{M1}	13.00	96.46	0.16	13.16		
			CH _{M2}	12.96	96.55	0.15	13.11		
			CH _H	12.98	96.55	0.15	13.13		
		802.11a	CH _L	13.61	96.68	0.15	13.76	24.00	Pass
			CH _{M1}	14.15	96.77	0.14	14.29		
			CH _{M2}	14.13	96.77	0.14	14.27		
			CH _H	14.17	96.77	0.14	14.31		
	40	802.11ac	CH _L	12.64	93.48	0.29	12.93	24.00	Pass
			CH _{M1}	12.89	93.57	0.29	13.18		
			CH _{M2}	12.55	93.48	0.29	12.84		
			CH _H	12.77	93.48	0.29	13.06		
		802.11n	CH _L	12.65	93.45	0.29	12.94	24.00	Pass
			CH _{M1}	12.88	93.45	0.29	13.17		
			CH _{M2}	12.51	93.44	0.29	12.80		
			CH _H	13.02	93.45	0.29	13.31		
	80	802.11ac	CH _L	12.57	87.69	0.57	13.14	24.00	Pass
			CH _M	12.44	87.69	0.57	13.01		
			CH _H	12.51	87.69	0.57	13.08		
IV	20	802.11ac	CH _L	12.92	96.58	0.15	13.07	30.00	Pass
			CH _M	12.86	96.58	0.15	13.01		
			CH _H	12.80	96.58	0.15	12.95		
		802.11n	CH _L	12.89	96.55	0.15	13.04	30.00	Pass
			CH _M	12.75	96.55	0.15	12.90		
			CH _H	12.69	96.55	0.15	12.84		
		802.11a	CH _L	14.03	96.68	0.15	14.18	30.00	Pass
			CH _M	14.12	96.77	0.14	14.26		
			CH _H	14.03	96.77	0.14	14.17		
	40	802.11ac	CH _L	12.58	93.48	0.29	12.87	30.00	Pass
			CH _H	12.75	93.48	0.29	13.04		
		802.11n	CH _L	12.61	93.45	0.29	12.90	30.00	Pass
			CH _H	12.62	93.44	0.29	12.91		
	80	802.11ac	CH _M	12.36	87.69	0.57	12.93	30.00	Pass


NOTE: duty cycle factor =10LOG(1/ duty cycle)

Appendix B: Maximum Power Spectral Density

Band	Bandwidth (MHz)	Type	Channel	Reading (dBm)	Duty cycle (%)	Duty cycle factor (dB)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)	Result
I	20	802.11ac	CH _L	3.03	96.58	0.15	3.18	11.00	Pass
			CH _M	2.59	96.58	0.15	2.74		
			CH _H	2.35	96.58	0.15	2.50		
		802.11n	CH _L	2.42	96.55	0.15	2.57	11.00	Pass
			CH _M	2.72	96.55	0.15	2.87		
			CH _H	2.51	96.55	0.15	2.66		
		802.11a	CH _L	4.30	96.77	0.14	4.44	11.00	Pass
			CH _M	4.05	96.77	0.14	4.19		
			CH _H	3.70	96.77	0.14	3.84		
	40	802.11ac	CH _L	0.13	93.48	0.29	0.42	11.00	Pass
			CH _H	-0.58	93.48	0.29	-0.29		
		802.11n	CH _L	-1.07	93.45	0.29	-0.78	11.00	Pass
			CH _H	-0.81	93.45	0.29	-0.52		
	80	802.11ac	CH _M	-4.17	87.69	0.57	-3.60	11.00	Pass
II	20	802.11ac	CH _L	1.76	96.58	0.15	1.91	11.00	Pass
			CH _M	2.02	96.58	0.15	2.17		
			CH _H	2.76	96.58	0.15	2.91		
		802.11n	CH _L	1.49	96.55	0.15	1.64	11.00	Pass
			CH _M	2.27	96.55	0.15	2.42		
			CH _H	2.37	96.55	0.15	2.52		
		802.11a	CH _L	3.78	96.77	0.14	3.92	11.00	Pass
			CH _M	3.37	96.77	0.14	3.51		
			CH _H	4.38	96.77	0.14	4.52		
	40	802.11ac	CH _L	-1.24	93.57	0.29	-0.95	11.00	Pass
			CH _H	-0.96	93.48	0.29	-0.67		
		802.11n	CH _L	-1.14	93.45	0.29	-0.85	11.00	Pass
			CH _H	-0.56	93.45	0.29	-0.27		
	80	802.11ac	CH _M	-3.63	87.67	0.57	-3.06	11.00	Pass



Band	Bandwidth (MHz)	Type	Channel	Reading (dBm)	Duty cycle (%)	Duty cycle factor (dB)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)	Result
III	20	802.11 ac	CH _L	1.82	96.58	0.15	1.97	11.00	Pass
			CH _M	2.12	96.58	0.15	2.27		
			CH _H	2.45	96.58	0.15	2.60		
		802.11 n	CH _L	1.91	96.46	0.16	2.07	11.00	Pass
			CH _M	2.60	96.46	0.16	2.76		
			CH _H	2.64	96.55	0.15	2.79		
		802.11 a	CH _L	3.47	96.68	0.15	3.62	11.00	Pass
			CH _M	3.80	96.77	0.14	3.94		
			CH _H	3.44	96.77	0.14	3.58		
	40	802.11 ac	CH _L	-1.37	93.48	0.29	-1.08	11.00	Pass
			CH _M	-1.01	93.57	0.29	-0.72		
			CH _H	-0.80	93.48	0.29	-0.51		
		802.11 n	CH _L	-1.37	93.45	0.29	-1.08	11.00	Pass
			CH _M	-0.60	93.45	0.29	-0.31		
			CH _H	-0.72	93.45	0.29	-0.43		
	80	802.11 ac	CH _L	-4.49	87.69	0.57	-3.92	11.00	Pass
			CH _H	-4.26	87.69	0.57	-3.69		
IV	20	802.11 ac	CH _L	-0.60	96.58	0.15	-0.45	30.00	Pass
			CH _M	-0.59	96.58	0.15	-0.44		
			CH _H	-0.95	96.58	0.15	-0.80		
		802.11 n	CH _L	-0.58	96.55	0.15	-0.43	30.00	Pass
			CH _M	-0.67	96.55	0.15	-0.52		
			CH _H	-0.59	96.55	0.15	-0.44		
		802.11 a	CH _L	-1.43	96.68	0.15	-1.28	30.00	Pass
			CH _M	0.76	96.77	0.14	0.90		
			CH _H	0.62	96.77	0.14	0.76		
	40	802.11 ac	CH _L	-4.11	93.48	0.29	-3.82	30.00	Pass
			CH _H	-3.76	93.48	0.29	-3.47		
		802.11 n	CH _L	-4.28	93.45	0.29	-3.99	30.00	Pass
			CH _H	-3.24	93.44	0.29	-2.95		
	80	802.11 ac	CH _M	-7.07	87.69	0.57	-6.50	30.00	Pass




Test plot as follows:









Band I		802.11n (HT20)
CH _L	MultiView Spectrum Ref Level 20.00 dBm Att 30.0 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 2.42 dBm 5.1785610 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:52:06	
CH _M	MultiView Spectrum Ref Level 20.00 dBm Att 30.0 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 2.72 dBm 5.2209290 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.22 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:53:21	
CH _H	MultiView Spectrum Ref Level 20.00 dBm Att 30.0 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 2.51 dBm 5.2386210 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.24 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:54:47	




Band I		802.11a
CH _L	MultiView Spectrum Ref Level 20.00 dBm Att 30.00 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 4.30 dBm 5.1789810 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:48:45	
CH _M	MultiView Spectrum Ref Level 20.00 dBm Att 30.00 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 4.05 dBm 5.2189510 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.22 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:49:51	
CH _H	MultiView Spectrum Ref Level 20.00 dBm Att 30.00 dB Offset 1.00 dB RBW 1 MHz SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1 3.70 dBm 5.2407490 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.24 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 13:50:50	



Band I		802.11ac (HT40)
CH _L	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 1 MHz = Att 30.00 SWF 1.01 ms = VBW 3 MHz Mode Auto Sweep Count 100/100 15m Avg 1 Frequency Sweep M1[1] 0.13 dBm 5.1876020 GHz  CF 5.19 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 14:02:31	
CH _H	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 1 MHz = Att 30.00 SWF 1.01 ms = VBW 3 MHz Mode Auto Sweep Count 100/100 15m Avg 1 Frequency Sweep M1[1] -0.58 dBm 5.2280220 GHz  CF 5.23 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 14:03:05	


Band I		802.11n (HT40)
CH _L	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -1.07 dBm 5.1926970 GHz  CF 5.19 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23.NOV.2022 13:55:56	
CH _H	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -0.81 dBm 5.2277220 GHz  CF 5.23 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23.NOV.2022 13:57:14	
Band I		802.11ac (HT80)
CH _M	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 1 MHz Att 30 dB SWI 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -4.17 dBm 5.212640 GHz  CF 5.21 GHz 1001 pts 12.0 MHz/ Span 120.0 MHz Date: 23.NOV.2022 14:04:47	




Band II		802.11ac (HT20)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.76 dBm 5.2612890 GHz  CF 5.26 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:02:08	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.02 dBm 5.2811990 GHz  CF 5.28 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:03:04	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.76 dBm 5.3190110 GHz  CF 5.32 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:04:02	




Band II		802.11n (HT20)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.49 dBm 5.2588310 GHz  CF 5.26 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:25:01	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.27 dBm 5.2790110 GHz  CF 5.28 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:26:09	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.37 dBm 5.3210490 GHz  CF 5.32 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 14:27:11	

Band II	802.11a
CH _L	 The spectrum plot for CH_L shows a signal centered at approximately 5.265 GHz. The frequency span is 30.0 MHz, ranging from 5.26 GHz to 5.27 GHz. The signal level is approximately 0 dBm. The plot includes a grid and various measurement parameters such as Ref Level, Offset, and Span.
CH _M	 The spectrum plot for CH_M shows a signal centered at approximately 5.2789 GHz. The frequency span is 30.0 MHz, ranging from 5.278 GHz to 5.28 GHz. The signal level is approximately 0 dBm. The plot includes a grid and various measurement parameters such as Ref Level, Offset, and Span.
CH _H	 The spectrum plot for CH_H shows a signal centered at approximately 5.3190 GHz. The frequency span is 30.0 MHz, ranging from 5.319 GHz to 5.32 GHz. The signal level is approximately 0 dBm. The plot includes a grid and various measurement parameters such as Ref Level, Offset, and Span.




Band II		802.11ac (HT40)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Att 40.00 Offset 1.00 dB RBW 1 MHz Mode Auto Sweep Count 100/100 15m Avg 1 Frequency Sweep M1[1] -1.24 dBm 5.2731170 GHz  CF 5.27 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 14:55:11	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Att 40.00 Offset 1.00 dB RBW 1 MHz Mode Auto Sweep Count 100/100 15m Avg 1 Frequency Sweep M1[1] -0.96 dBm 5.3082620 GHz  CF 5.31 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 14:56:17	




Band III		802.11ac (HT20)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.82 dBm 5.5008390 GHz  CF 5.5 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 15:47:46	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.12 dBm 5.5785010 GHz  CF 5.58 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 15:48:15	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.45 dBm 5.7212890 GHz  CF 5.72 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 NOV 2022 15:50:03	

Band III		802.11n (HT20)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.91 dBm 5.4988310 GHz  CF 5.5 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23.NOV.2022 15:08:42	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.60 dBm 5.5787110 GHz  CF 5.58 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23.NOV.2022 15:09:44	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 2.64 dBm 5.7210190 GHz  CF 5.72 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23.NOV.2022 15:41:23	

Band III		802.11a
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 3.47 dBm 5.4989510 GHz CF 5.5 GHz1001 pts3.0 MHz/Span 30.0 MHz Date: 23 NOV 2022 15:02:40	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 3.80 dBm 5.5787710 GHz CF 5.58 GHz1001 pts3.0 MHz/Span 30.0 MHz Date: 23 NOV 2022 15:04:08	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 3.44 dBm 5.7210190 GHz CF 5.72 GHz1001 pts3.0 MHz/Span 30.0 MHz Date: 23 NOV 2022 15:07:05	

Band III		802.11ac (HT40)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -13.7 dBm 5.5084420 GHz  CF 5.51 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 15:51:00	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -10.4 dBm 5.5516780 GHz  CF 5.55 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 15:52:01	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -0.80 dBm 5.7123380 GHz  CF 5.71 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 23 NOV 2022 15:54:16	



Band III		802.11n (HT40)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -1.37 dBm 5.5114990 GHz CF 5.51 GHz1001 pts6.0 MHz/Span 60.0 MHz Date: 23 NOV 2022 15:42:01	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -0.60 dBm 5.5526370 GHz CF 5.55 GHz1001 pts6.0 MHz/Span 60.0 MHz Date: 23 NOV 2022 15:43:06	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 1 MHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MU[1] -0.72 dBm 5.7075420 GHz CF 5.71 GHz1001 pts6.0 MHz/Span 60.0 MHz Date: 23 NOV 2022 15:45:05	



Band IV		802.11ac (HT20)	
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.60 dBm 5.7443710 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.745 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 08:13:05		
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.59 dBm 5.7856890 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.785 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 08:15:25		
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.95 dBm 5.8242510 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.825 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 08:16:43		



Band IV		802.11n (HT20)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.34 dBm 5.7462290 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.745 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24.10.17.2022 08:08:20	
CH _M	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.67 dBm 5.7860490 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.785 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24.10.17.2022 08:09:20	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -10.59 dBm 5.8260790 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 5.825 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24.10.17.2022 08:10:21	

Band IV		802.11a
CH _L	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.43 dBm 5.7443110 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.745 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 07:58:29	
CH _M	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 0.75 dBm 5.7844010 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.785 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 07:59:40	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 0.62 dBm 5.8257790 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.825 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 24/10/2022 08:06:04	

Band IV		802.11ac (HT40)
CH _L	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Freq Sweep M1[1] -4.11 dBm 5.7532620 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm  CF 5.755 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 24 NOV 2022 08:18:01	
CH _H	MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 500 kHz Att 40 dB SWT 1.01 ms VBW 3 MHz Mode Auto Sweep Count 100/100 1 Freq Sweep M1[1] -3.76 dBm 5.7936210 GHz 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm  CF 5.795 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 24 NOV 2022 08:19:09	


Band IV

802.11n (HT40)

CH_LCH_H

Band IV


802.11ac (HT80)

CH_M

Appendix C: 26dB bandwidth


Band	Bandwidth (MHz)	Type	Channel	26dB bandwidth (MHz)	Result
I	20	802.11ac	CH _L	20.49	Pass
			CH _M	20.61	
			CH _H	20.76	
		802.11n	CH _L	20.58	Pass
			CH _M	20.55	
			CH _H	20.64	
		802.11a	CH _L	20.28	Pass
			CH _M	20.19	
			CH _H	20.28	
	40	802.11ac	CH _L	40.68	Pass
			CH _H	40.86	
		802.11n	CH _L	40.68	Pass
			CH _H	42.24	
	80	802.11ac	CH _M	83.04	Pass
II	20	802.11ac	CH _L	20.64	Pass
			CH _M	20.58	
			CH _H	20.49	
		802.11n	CH _L	20.46	Pass
			CH _M	20.55	
			CH _H	20.70	
		802.11a	CH _L	20.13	Pass
			CH _M	20.31	
			CH _H	20.28	
	40	802.11ac	CH _L	40.80	Pass
			CH _H	40.98	
		802.11n	CH _L	40.68	Pass
			CH _H	40.74	
	80	802.11ac	CH _M	81.36	Pass

Band	Bandwidth (MHz)	Type	Channel	26dB bandwidth (MHz)	Result
III	20	802.11ac	CH _L	20.61	Pass
			CH _M	20.40	
			CH _H	20.49	
		802.11n	CH _L	20.52	Pass
			CH _M	20.58	
			CH _H	20.49	
		802.11a	CH _L	20.31	Pass
			CH _M	20.31	
			CH _H	20.49	
	40	802.11ac	CH _L	41.16	Pass
			CH _M	40.98	
			CH _H	40.92	
		802.11n	CH _L	40.92	Pass
			CH _M	40.92	
			CH _H	40.80	
	80	802.11ac	CH _L	81.72	Pass
			CH _H	81.48	




Band I


802.11n (HT20)

CH_L

Date: 23 NOV 2022 13:51:23

CH_M




Date: 23 NOV 2022 13:52:50


CH_H

Date: 23 NOV 2022 13:54:13

Band I


802.11a

CH_LCH_MCH_H




Band I

802.11n (HT40)

CH_L


Date: 23 NOV 2022 13:55:25

CH_H

Date: 23 NOV 2022 13:56:44

Band I




802.11ac (HT80)

CH_M

Date: 23 NOV 2022 14:04:14




Band II

802.11ac (HT20)

CH_LCH_MCH_H




Band II


802.11n (HT20)

CH_LCH_MCH_H

Band II


802.11a

CH_LCH_MCH_H




Band II

802.11n (HT40)

CH_L


Date: 23 NOV 2022 14:27:54

CH_H




Date: 23 NOV 2022 14:28:57

Band II

802.11ac (HT80)




CH_M

Date: 23 NOV 2022 14:06:48

Band III		802.11ac (HT20)																											
CH _L	MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.48971 GHz</td><td>-21.47 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.49898 GHz</td><td>6.12 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>20.61 MHz</td><td>-0.20 dB</td><td></td><td></td></tr></table> Date: 23/10/2022 15:46:46	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.48971 GHz	-21.47 dBm			M2	1		5.49898 GHz	6.12 dBm			D3	M1	1	20.61 MHz	-0.20 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.48971 GHz	-21.47 dBm																									
M2	1		5.49898 GHz	6.12 dBm																									
D3	M1	1	20.61 MHz	-0.20 dB																									
CH _M	MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.5698 GHz</td><td>-20.36 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.57844 GHz</td><td>6.45 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>20.4 MHz</td><td>0.76 dB</td><td></td><td></td></tr></table> Date: 23/10/2022 15:47:42	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.5698 GHz	-20.36 dBm			M2	1		5.57844 GHz	6.45 dBm			D3	M1	1	20.4 MHz	0.76 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.5698 GHz	-20.36 dBm																									
M2	1		5.57844 GHz	6.45 dBm																									
D3	M1	1	20.4 MHz	0.76 dB																									
CH _H	MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>5.70977 GHz</td><td>-20.23 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>5.7209 GHz</td><td>6.50 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>20.49 MHz</td><td>0.11 dB</td><td></td><td></td></tr></table> Date: 23/10/2022 15:49:29	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		5.70977 GHz	-20.23 dBm			M2	1		5.7209 GHz	6.50 dBm			D3	M1	1	20.49 MHz	0.11 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		5.70977 GHz	-20.23 dBm																									
M2	1		5.7209 GHz	6.50 dBm																									
D3	M1	1	20.49 MHz	0.11 dB																									



Band III

802.11n (HT20)

CH_LCH_MCH_H

Band III

802.11a

CH_LCH_MCH_H