


11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.300	41.00	-14.11	74.0	33.00	Peak	258.00	150	Horizontal	Pass
1**	1385.300	32.78	-14.11	54.0	21.22	AV	258.00	150	Horizontal	Pass
2	2815.400	48.93	-6.66	74.0	25.07	Peak	191.00	300	Horizontal	Pass
2**	2815.400	39.45	-6.66	54.0	14.55	AV	191.00	300	Horizontal	Pass
3	4295.500	49.02	-4.70	74.0	24.98	Peak	348.00	200	Horizontal	Pass
3**	4295.500	39.80	-4.70	54.0	14.20	AV	348.00	200	Horizontal	Pass
4	5301.500	105.82	-3.17	--	--	Peak	290.00	200	Horizontal	N/A
4**	5301.500	99.30	-3.17	--	--	AV	290.00	200	Horizontal	N/A
5	7066.750	64.82	0.96	68.2	3.38	Peak	300.00	150	Horizontal	Pass
5**	7066.750	63.19	0.96	--	--	AV	300.00	150	Horizontal	N/A
6	12379.737	50.18	3.91	74.0	23.82	Peak	16.00	100	Horizontal	Pass
6**	12379.737	40.61	3.91	54.0	13.39	AV	16.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.900	42.86	-14.26	74.0	31.14	Peak	145.00	150	Vertical	Pass
1**	1186.900	33.09	-14.26	54.0	20.91	AV	145.00	150	Vertical	Pass
2	2848.900	48.59	-6.74	74.0	25.41	Peak	78.00	300	Vertical	Pass
2**	2848.900	39.50	-6.74	54.0	14.50	AV	78.00	300	Vertical	Pass
3	4290.500	49.21	-4.78	74.0	24.79	Peak	321.00	150	Vertical	Pass
3**	4290.500	39.66	-4.78	54.0	14.34	AV	321.00	150	Vertical	Pass
4	5303.750	100.97	-3.06	--	--	Peak	96.00	400	Vertical	N/A
4**	5303.750	91.95	-3.06	--	--	AV	96.00	400	Vertical	N/A
5	7066.750	62.43	0.96	68.2	5.77	Peak	65.00	150	Vertical	Pass
5**	7066.750	60.21	0.96	--	--	AV	65.00	150	Vertical	N/A
6	12080.963	50.42	3.19	74.0	23.58	Peak	302.00	300	Vertical	Pass
6**	12080.963	40.67	3.19	54.0	13.33	AV	302.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.500	42.63	-14.20	74.0	31.37	Peak	96.00	200	Horizontal	Pass
1**	1350.500	32.80	-14.20	54.0	21.20	AV	96.00	200	Horizontal	Pass
2	2732.400	49.40	-6.43	74.0	24.60	Peak	236.00	200	Horizontal	Pass
2**	2732.400	39.19	-6.43	54.0	14.81	AV	236.00	200	Horizontal	Pass
3	4327.500	49.28	-4.65	74.0	24.72	Peak	334.00	200	Horizontal	Pass
3**	4327.500	38.79	-4.65	54.0	15.21	AV	334.00	200	Horizontal	Pass
4	5318.500	105.37	-3.14	--	--	Peak	272.00	300	Horizontal	N/A
4**	5318.500	97.36	-3.14	--	--	AV	272.00	300	Horizontal	N/A
5	7093.250	64.55	0.75	68.2	3.65	Peak	303.00	150	Horizontal	Pass
5**	7093.250	62.65	0.75	--	--	AV	303.00	150	Horizontal	N/A
6	11766.038	50.45	1.96	74.0	23.55	Peak	2.00	300	Horizontal	Pass
6**	11766.038	39.94	1.96	54.0	14.06	AV	2.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.000	42.45	-14.72	74.0	31.55	Peak	145.00	150	Vertical	Pass
1**	1131.000	32.33	-14.72	54.0	21.67	AV	145.00	150	Vertical	Pass
2	2738.100	49.06	-6.41	74.0	24.94	Peak	72.00	300	Vertical	Pass
2**	2738.100	39.32	-6.41	54.0	14.68	AV	72.00	300	Vertical	Pass
3	4298.000	50.30	-4.72	74.0	23.70	Peak	168.00	100	Vertical	Pass
3**	4298.000	40.39	-4.72	54.0	13.61	AV	168.00	100	Vertical	Pass
4	5313.500	100.64	-3.13	--	--	Peak	96.00	100	Vertical	N/A
4**	5313.500	92.01	-3.13	--	--	AV	96.00	100	Vertical	N/A
5	7093.500	63.33	0.74	68.2	4.87	Peak	358.00	150	Vertical	Pass
5**	7093.500	61.38	0.74	--	--	AV	358.00	150	Vertical	N/A
6	12323.213	50.59	4.22	74.0	23.41	Peak	152.00	400	Vertical	Pass
6**	12323.213	41.84	4.22	54.0	12.16	AV	152.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	42.41	-14.48	74.0	31.59	Peak	2.00	300	Horizontal	Pass
1**	1331.200	32.57	-14.48	54.0	21.43	AV	2.00	300	Horizontal	Pass
2	2816.600	48.91	-6.59	74.0	25.09	Peak	323.00	200	Horizontal	Pass
2**	2816.600	40.26	-6.59	54.0	13.74	AV	323.00	200	Horizontal	Pass
3	4298.750	49.55	-4.70	74.0	24.45	Peak	35.00	150	Horizontal	Pass
3**	4298.750	40.18	-4.70	54.0	13.82	AV	35.00	150	Horizontal	Pass
4	5271.250	103.97	-3.29	--	--	Peak	274.00	100	Horizontal	N/A
4**	5271.250	95.75	-3.29	--	--	AV	274.00	100	Horizontal	N/A
5	7026.750	62.56	0.46	68.2	5.64	Peak	305.00	150	Horizontal	Pass
5**	7026.750	60.85	0.46	--	--	AV	305.00	150	Horizontal	N/A
6	12194.013	50.49	3.54	74.0	23.51	Peak	233.00	400	Horizontal	Pass
6**	12194.013	40.96	3.54	54.0	13.04	AV	233.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1219.400	42.84	-13.98	74.0	31.16	Peak	138.00	150	Vertical	Pass
1**	1219.400	34.01	-13.98	54.0	19.99	AV	138.00	150	Vertical	Pass
2	2789.900	48.70	-7.10	74.0	25.30	Peak	27.00	400	Vertical	Pass
2**	2789.900	38.92	-7.10	54.0	15.08	AV	27.00	400	Vertical	Pass
3	4291.500	49.18	-4.80	74.0	24.82	Peak	0.00	100	Vertical	Pass
3**	4291.500	39.70	-4.80	54.0	14.30	AV	0.00	100	Vertical	Pass
4	5271.750	101.14	-3.31	--	--	Peak	99.00	300	Vertical	N/A
4**	5271.750	91.85	-3.31	--	--	AV	99.00	300	Vertical	N/A
5	7026.500	61.58	0.45	68.2	6.62	Peak	151.00	150	Vertical	Pass
5**	7026.500	57.61	0.45	--	--	AV	151.00	150	Vertical	N/A
6	12265.026	50.90	3.77	74.0	23.10	Peak	188.00	400	Vertical	Pass
6**	12265.026	41.71	3.77	54.0	12.29	AV	188.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	41.93	-14.41	74.0	32.07	Peak	4.00	300	Horizontal	Pass
1**	1329.800	32.75	-14.41	54.0	21.25	AV	4.00	300	Horizontal	Pass
2	2747.700	48.95	-6.27	74.0	25.05	Peak	360.00	300	Horizontal	Pass
2**	2747.700	39.31	-6.27	54.0	14.69	AV	360.00	300	Horizontal	Pass
3	4106.500	48.94	-4.87	74.0	25.06	Peak	200.00	100	Horizontal	Pass
3**	4106.500	40.59	-4.87	54.0	13.41	AV	200.00	100	Horizontal	Pass
4	5311.750	104.41	-3.09	--	--	Peak	263.00	300	Horizontal	N/A
4**	5311.750	96.05	-3.09	--	--	AV	263.00	300	Horizontal	N/A
5	7079.750	64.23	1.01	68.2	3.97	Peak	294.00	150	Horizontal	Pass
5**	7079.750	60.59	1.01	--	--	AV	294.00	150	Horizontal	N/A
6	12266.925	50.25	3.72	74.0	23.75	Peak	134.00	300	Horizontal	Pass
6**	12266.925	40.38	3.72	54.0	13.62	AV	134.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.100	42.41	-14.22	74.0	31.59	Peak	250.00	150	Vertical	Pass
1**	1195.100	32.60	-14.22	54.0	21.40	AV	250.00	150	Vertical	Pass
2	2856.300	48.66	-6.22	74.0	25.34	Peak	1.00	200	Vertical	Pass
2**	2856.300	39.29	-6.22	54.0	14.71	AV	1.00	200	Vertical	Pass
3	4297.000	50.07	-4.73	74.0	23.93	Peak	189.00	150	Vertical	Pass
3**	4297.000	39.90	-4.73	54.0	14.10	AV	189.00	150	Vertical	Pass
4	5313.000	99.63	-3.13	--	--	Peak	86.00	100	Vertical	N/A
4**	5313.000	91.17	-3.13	--	--	AV	86.00	100	Vertical	N/A
5	7079.750	62.30	1.01	68.2	5.90	Peak	67.00	150	Vertical	Pass
5**	7079.750	58.69	1.01	--	--	AV	67.00	150	Vertical	N/A
6	12379.975	50.52	3.90	74.0	23.48	Peak	360.00	400	Vertical	Pass
6**	12379.975	40.92	3.90	54.0	13.08	AV	360.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	42.83	-14.51	74.0	31.17	Peak	5.00	100	Horizontal	Pass
1**	1332.000	32.62	-14.51	54.0	21.38	AV	5.00	100	Horizontal	Pass
2	2868.100	48.96	-6.52	74.0	25.04	Peak	225.00	100	Horizontal	Pass
2**	2868.100	38.85	-6.52	54.0	15.15	AV	225.00	100	Horizontal	Pass
3	4309.000	54.15	-4.75	74.0	19.85	Peak	328.00	150	Horizontal	Pass
3**	4309.000	39.75	-4.75	54.0	14.25	AV	328.00	150	Horizontal	Pass
4	5284.750	100.43	-3.51	--	-	Peak	266.00	400	Horizontal	N/A
4**	5284.750	92.51	-3.51	--	-	AV	266.00	400	Horizontal	N/A
5	7053.250	64.78	0.96	68.2	3.42	Peak	297.00	150	Horizontal	Pass
5**	7053.250	62.24	0.96	--	-	AV	297.00	150	Horizontal	N/A
6	12360.974	50.21	4.00	74.0	23.79	Peak	360.00	100	Horizontal	Pass
6**	12360.974	40.58	4.00	54.0	13.42	AV	360.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.700	42.30	-13.97	74.0	31.70	Peak	1.00	150	Vertical	Pass
1**	1220.700	34.85	-13.97	54.0	19.15	AV	1.00	150	Vertical	Pass
2	2747.800	48.84	-6.27	74.0	25.16	Peak	158.00	300	Vertical	Pass
2**	2747.800	39.93	-6.27	54.0	14.07	AV	158.00	300	Vertical	Pass
3	4079.250	50.06	-5.26	74.0	23.94	Peak	182.00	100	Vertical	Pass
3**	4079.250	38.75	-5.26	54.0	15.25	AV	182.00	100	Vertical	Pass
4	5278.500	96.79	-3.42	--	--	Peak	318.00	300	Vertical	N/A
4**	5278.500	89.25	-3.42	--	--	AV	318.00	300	Vertical	N/A
5	7053.500	63.05	0.95	68.2	5.15	Peak	66.00	150	Vertical	Pass
5**	7053.500	61.24	0.95	--	--	AV	66.00	150	Vertical	N/A
6	12247.451	50.63	3.77	74.0	23.37	Peak	97.00	400	Vertical	Pass
6**	12247.451	41.05	3.77	54.0	12.95	AV	97.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.800	41.74	-14.23	74.0	32.26	Peak	207.00	300	Horizontal	Pass
1**	1397.800	32.50	-14.23	54.0	21.50	AV	207.00	300	Horizontal	Pass
2	2820.600	48.90	-6.42	74.0	25.10	Peak	360.00	100	Horizontal	Pass
2**	2820.600	38.96	-6.42	54.0	15.04	AV	360.00	100	Horizontal	Pass
3	4182.500	53.31	-4.84	74.0	20.69	Peak	323.00	150	Horizontal	Pass
3**	4182.500	39.64	-4.84	54.0	14.36	AV	323.00	150	Horizontal	Pass
4	5499.250	106.18	-3.17	--	25.82	Peak	132.00	100	Horizontal	N/A
4**	5499.250	99.09	-3.17	--	-99.09	AV	132.00	100	Horizontal	N/A
5	7333.500	52.02	1.41	74.0	21.98	Peak	302.00	100	Horizontal	Pass
5**	7333.500	50.79	1.41	54.0	3.21	AV	302.00	100	Horizontal	Pass
6	12177.388	50.72	3.41	74.0	23.28	Peak	179.00	300	Horizontal	Pass
6**	12177.388	41.02	3.41	54.0	12.98	AV	179.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	45.63	-14.49	74.0	28.37	Peak	144.00	300	Vertical	Pass
1**	1331.600	37.30	-14.49	54.0	16.70	AV	144.00	300	Vertical	Pass
2	2726.800	48.53	-6.50	74.0	25.47	Peak	61.00	100	Vertical	Pass
2**	2726.800	39.03	-6.50	54.0	14.97	AV	61.00	100	Vertical	Pass
3	4265.000	49.11	-4.66	74.0	24.89	Peak	5.00	200	Vertical	Pass
3**	4265.000	39.38	-4.66	54.0	14.62	AV	5.00	200	Vertical	Pass
4	5502.750	103.86	-3.19	--	101.14	Peak	205.00	200	Vertical	N/A
4**	5502.750	96.57	-3.19	--	-96.57	AV	205.00	200	Vertical	N/A
5	7333.500	53.05	1.41	74.0	20.95	Peak	144.00	100	Vertical	Pass
5**	7333.500	50.85	1.41	54.0	3.15	AV	144.00	100	Vertical	Pass
6	12356.938	50.16	4.01	74.0	23.84	Peak	232.00	300	Vertical	Pass
6**	12356.938	41.07	4.01	54.0	12.93	AV	232.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	41.55	-14.35	74.0	32.45	Peak	346.00	400	Horizontal	Pass
1**	1328.800	32.26	-14.35	54.0	21.74	AV	346.00	400	Horizontal	Pass
2	2799.400	48.58	-6.93	74.0	25.42	Peak	312.00	400	Horizontal	Pass
2**	2799.400	39.04	-6.93	54.0	14.96	AV	312.00	400	Horizontal	Pass
3	4252.000	48.91	-4.65	74.0	25.09	Peak	325.00	100	Horizontal	Pass
3**	4252.000	39.17	-4.65	54.0	14.83	AV	325.00	100	Horizontal	Pass
4	5582.250	106.26	-3.31	--	165.74	Peak	272.00	100	Horizontal	N/A
4**	5582.250	98.26	-3.31	--	-98.26	AV	272.00	100	Horizontal	N/A
5	7440.250	52.45	1.45	74.0	21.55	Peak	261.00	100	Horizontal	Pass
5**	7440.250	50.77	1.45	54.0	3.23	AV	261.00	100	Horizontal	Pass
6	11086.788	50.87	1.47	74.0	23.13	Peak	14.00	300	Horizontal	Pass
6**	11086.788	40.05	1.47	54.0	13.95	AV	14.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	46.01	-14.31	74.0	27.99	Peak	151.00	100	Vertical	Pass
1**	1328.100	34.71	-14.31	54.0	19.29	AV	151.00	100	Vertical	Pass
2	2738.000	48.71	-6.40	74.0	25.29	Peak	353.00	200	Vertical	Pass
2**	2738.000	39.33	-6.40	54.0	14.67	AV	353.00	200	Vertical	Pass
3	4357.000	49.56	-4.53	74.0	24.44	Peak	88.00	200	Vertical	Pass
3**	4357.000	39.44	-4.53	54.0	14.56	AV	88.00	200	Vertical	Pass
4	5579.250	104.70	-3.30	--	97.30	Peak	202.00	100	Vertical	N/A
4**	5579.250	97.85	-3.30	--	-97.85	AV	202.00	100	Vertical	N/A
5	7440.250	53.39	1.45	74.0	20.61	Peak	360.00	100	Vertical	Pass
5**	7440.250	50.44	1.45	54.0	3.56	AV	360.00	100	Vertical	Pass
6	12306.588	50.62	4.04	74.0	23.38	Peak	358.00	200	Vertical	Pass
6**	12306.588	41.17	4.04	54.0	12.83	AV	358.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	42.17	-14.53	74.0	31.83	Peak	6.00	400	Horizontal	Pass
1**	1333.000	32.82	-14.53	54.0	21.18	AV	6.00	400	Horizontal	Pass
2	2743.800	49.00	-6.40	74.0	25.00	Peak	29.00	300	Horizontal	Pass
2**	2743.800	39.72	-6.40	54.0	14.28	AV	29.00	300	Horizontal	Pass
3	4260.000	49.77	-4.47	74.0	24.23	Peak	209.00	100	Horizontal	Pass
3**	4260.000	40.96	-4.47	54.0	13.04	AV	209.00	100	Horizontal	Pass
4	5701.250	109.39	-2.55	--	130.61	Peak	240.00	300	Horizontal	Pass
4**	5701.250	101.61	-2.55	--	-101.61	AV	240.00	300	Horizontal	N/A
5	7600.250	53.40	2.36	74.0	20.60	Peak	271.00	100	Horizontal	Pass
5**	7600.250	50.36	2.36	54.0	3.64	AV	271.00	100	Horizontal	Pass
6	12197.100	50.54	3.58	74.0	23.46	Peak	356.00	400	Horizontal	Pass
6**	12197.100	40.93	3.58	54.0	13.07	AV	356.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	46.66	-14.49	74.0	27.34	Peak	150.00	400	Vertical	Pass
1**	1331.600	41.36	-14.49	54.0	12.64	AV	150.00	400	Vertical	Pass
2	2848.800	48.72	-6.75	74.0	25.28	Peak	75.00	400	Vertical	Pass
2**	2848.800	38.75	-6.75	54.0	15.25	AV	75.00	400	Vertical	Pass
3	4266.250	48.96	-4.72	74.0	25.04	Peak	104.00	100	Vertical	Pass
3**	4266.250	39.50	-4.72	54.0	14.50	AV	104.00	100	Vertical	Pass
4	5700.750	107.45	-2.54	--	102.55	Peak	210.00	100	Vertical	Pass
4**	5700.750	100.23	-2.54	--	-100.23	AV	210.00	100	Vertical	N/A
5	7600.250	55.38	2.36	74.0	18.62	Peak	1.00	100	Vertical	Pass
5**	7600.250	50.45	2.36	54.0	3.55	AV	1.00	100	Vertical	Pass
6	11945.825	50.66	3.10	74.0	23.34	Peak	18.00	200	Vertical	Pass
6**	11945.825	40.28	3.10	54.0	13.72	AV	18.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1349.000	42.02	-14.24	74.0	31.98	Peak	52.00	100	Horizontal	Pass
1**	1349.000	32.89	-14.24	54.0	21.11	AV	52.00	100	Horizontal	Pass
2	2740.100	48.99	-6.46	74.0	25.01	Peak	219.00	200	Horizontal	Pass
2**	2740.100	39.81	-6.46	54.0	14.19	AV	219.00	200	Horizontal	Pass
3	4275.750	49.92	-4.66	74.0	24.08	Peak	360.00	150	Horizontal	Pass
3**	4275.750	40.25	-4.66	54.0	13.75	AV	360.00	150	Horizontal	Pass
4	5502.250	103.54	-3.16	--	167.46	Peak	271.00	400	Horizontal	N/A
4**	5502.250	95.48	-3.16	--	-95.48	AV	271.00	400	Horizontal	N/A
5	7333.500	52.03	1.41	74.0	21.97	Peak	292.00	100	Horizontal	Pass
5**	7333.500	50.95	1.41	54.0	3.05	AV	292.00	100	Horizontal	Pass
6	11704.762	50.72	2.02	74.0	23.28	Peak	34.00	200	Horizontal	Pass
6**	11704.762	40.25	2.02	54.0	13.75	AV	34.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	47.35	-14.40	74.0	26.65	Peak	147.00	400	Vertical	Pass
1**	1329.600	37.08	-14.40	54.0	16.92	AV	147.00	400	Vertical	Pass
2	2731.700	48.53	-6.38	74.0	25.47	Peak	291.00	100	Vertical	Pass
2**	2731.700	39.17	-6.38	54.0	14.83	AV	291.00	100	Vertical	Pass
3	4228.750	49.24	-4.46	74.0	24.76	Peak	111.00	100	Vertical	Pass
3**	4228.750	39.73	-4.46	54.0	14.27	AV	111.00	100	Vertical	Pass
4	5498.500	102.26	-3.14	--	103.74	Peak	206.00	400	Vertical	N/A
4**	5498.500	93.58	-3.14	--	-93.58	AV	206.00	400	Vertical	N/A
5	7333.500	53.12	1.41	74.0	20.88	Peak	355.00	100	Vertical	Pass
5**	7333.500	50.89	1.41	54.0	3.11	AV	355.00	100	Vertical	Pass
6	12381.162	50.60	3.94	74.0	23.40	Peak	355.00	100	Vertical	Pass
6**	12381.162	40.95	3.94	54.0	13.05	AV	355.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1361.700	42.32	-14.26	74.0	31.68	Peak	296.00	300	Horizontal	Pass
1**	1361.700	32.82	-14.26	54.0	21.18	AV	296.00	300	Horizontal	Pass
2	2748.200	49.49	-6.28	74.0	24.51	Peak	21.00	400	Horizontal	Pass
2**	2748.200	40.05	-6.28	54.0	13.95	AV	21.00	400	Horizontal	Pass
3	4127.500	48.88	-5.23	74.0	25.12	Peak	282.00	150	Horizontal	Pass
3**	4127.500	40.27	-5.23	54.0	13.73	AV	282.00	150	Horizontal	Pass
4	5578.750	103.74	-3.30	--	169.26	Peak	273.00	400	Horizontal	N/A
4**	5578.750	96.19	-3.30	--	-96.19	AV	273.00	400	Horizontal	N/A
5	7440.250	52.45	1.45	74.0	21.55	Peak	282.00	100	Horizontal	Pass
5**	7440.250	50.77	1.45	54.0	3.23	AV	282.00	100	Horizontal	Pass
6	12150.313	50.13	4.08	74.0	23.87	Peak	156.00	100	Horizontal	Pass
6**	12150.313	40.50	4.08	54.0	13.50	AV	156.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.200	47.92	-14.35	74.0	26.08	Peak	148.00	300	Vertical	Pass
1**	1327.200	32.46	-14.35	54.0	21.54	AV	148.00	300	Vertical	Pass
2	2857.300	49.21	-6.18	74.0	24.79	Peak	0.00	100	Vertical	Pass
2**	2857.300	40.31	-6.18	54.0	13.69	AV	0.00	100	Vertical	Pass
3	4176.500	49.36	-4.75	74.0	24.64	Peak	253.00	200	Vertical	Pass
3**	4176.500	40.09	-4.75	54.0	13.91	AV	253.00	200	Vertical	Pass
4	5581.000	103.96	-3.31	--	97.04	Peak	201.00	100	Vertical	N/A
4**	5581.000	95.35	-3.31	--	-95.35	AV	201.00	100	Vertical	N/A
5	7440.000	53.05	1.45	74.0	20.95	Peak	65.00	100	Vertical	Pass
5**	7440.000	50.86	1.45	54.0	3.14	AV	65.00	100	Vertical	Pass
6	12387.338	50.46	4.15	74.0	23.54	Peak	231.00	400	Vertical	Pass
6**	12387.338	40.69	4.15	54.0	13.31	AV	231.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1349.000	43.37	-14.24	74.0	30.63	Peak	346.00	200	Horizontal	Pass
1**	1349.000	33.07	-14.24	54.0	20.93	AV	346.00	200	Horizontal	Pass
2	2865.900	48.89	-6.31	74.0	25.11	Peak	147.00	300	Horizontal	Pass
2**	2865.900	39.48	-6.31	54.0	14.52	AV	147.00	300	Horizontal	Pass
3	4255.000	49.09	-4.59	74.0	24.91	Peak	313.00	150	Horizontal	Pass
3**	4255.000	39.72	-4.59	54.0	14.28	AV	313.00	150	Horizontal	Pass
4	5699.000	107.13	-2.48	--	161.87	Peak	269.00	200	Horizontal	N/A
4**	5699.000	100.69	-2.48	--	-100.69	AV	269.00	200	Horizontal	N/A
5	7600.250	53.00	2.36	74.0	21.00	Peak	269.00	100	Horizontal	Pass
5**	7600.250	50.79	2.36	54.0	3.21	AV	269.00	100	Horizontal	Pass
6	12016.125	50.45	3.02	74.0	23.55	Peak	358.00	200	Horizontal	Pass
6**	12016.125	40.16	3.02	54.0	13.84	AV	358.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	45.61	-14.53	74.0	28.39	Peak	158.00	300	Vertical	Pass
1**	1333.100	36.09	-14.53	54.0	17.91	AV	158.00	300	Vertical	Pass
2	2734.100	48.38	-6.37	74.0	25.62	Peak	312.00	100	Vertical	Pass
2**	2734.100	39.43	-6.37	54.0	14.57	AV	312.00	100	Vertical	Pass
3	4257.000	49.58	-4.50	74.0	24.42	Peak	89.00	100	Vertical	Pass
3**	4257.000	39.77	-4.50	54.0	14.23	AV	89.00	100	Vertical	Pass
4	5699.750	105.15	-2.51	--	89.85	Peak	195.00	100	Vertical	N/A
4**	5699.750	97.93	-2.51	--	-97.93	AV	195.00	100	Vertical	N/A
5	7600.250	53.69	2.36	74.0	20.31	Peak	355.00	100	Vertical	Pass
5**	7600.250	50.12	2.36	54.0	3.88	AV	355.00	100	Vertical	Pass
6	12318.463	50.50	4.16	74.0	23.50	Peak	65.00	300	Vertical	Pass
6**	12318.463	41.92	4.16	54.0	12.08	AV	65.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	41.98	-14.48	74.0	32.02	Peak	266.00	100	Horizontal	Pass
1**	1331.300	33.06	-14.48	54.0	20.94	AV	266.00	100	Horizontal	Pass
2	2735.600	50.08	-6.31	74.0	23.92	Peak	236.00	100	Horizontal	Pass
2**	2735.600	40.80	-6.31	54.0	13.20	AV	236.00	100	Horizontal	Pass
3	4345.750	48.87	-4.34	74.0	25.13	Peak	13.00	200	Horizontal	Pass
3**	4345.750	39.65	-4.34	54.0	14.35	AV	13.00	200	Horizontal	Pass
4	5504.750	101.23	-3.27	--	162.77	Peak	264.00	200	Horizontal	N/A
4**	5504.750	94.14	-3.27	--	-94.14	AV	264.00	200	Horizontal	N/A
5	7347.000	50.91	1.64	74.0	23.09	Peak	264.00	100	Horizontal	Pass
5**	7347.000	50.91	1.64	54.0	3.09	AV	264.00	100	Horizontal	Pass
6	12320.600	50.46	4.19	74.0	23.54	Peak	218.00	400	Horizontal	Pass
6**	12320.600	41.14	4.19	54.0	12.86	AV	218.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	48.00	-14.43	74.0	26.00	Peak	150.00	300	Vertical	Pass
1**	1330.000	36.89	-14.43	54.0	17.11	AV	150.00	300	Vertical	Pass
2	2763.200	48.87	-7.03	74.0	25.13	Peak	6.00	100	Vertical	Pass
2**	2763.200	39.17	-7.03	54.0	14.83	AV	6.00	100	Vertical	Pass
3	4273.000	49.15	-4.72	74.0	24.85	Peak	292.00	100	Vertical	Pass
3**	4273.000	40.09	-4.72	54.0	13.91	AV	292.00	100	Vertical	Pass
4	5518.000	98.78	-3.19	--	97.22	Peak	196.00	300	Vertical	N/A
4**	5518.000	90.85	-3.19	--	-90.85	AV	196.00	300	Vertical	N/A
5	7346.750	52.27	1.62	74.0	21.73	Peak	345.00	100	Vertical	Pass
5**	7346.750	50.67	1.62	54.0	3.33	AV	345.00	100	Vertical	Pass
6	11795.963	50.46	1.84	74.0	23.54	Peak	73.00	400	Vertical	Pass
6**	11795.963	41.56	1.84	54.0	12.44	AV	73.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.800	42.25	-14.37	74.0	31.75	Peak	1.00	200	Horizontal	Pass
1**	1326.800	32.22	-14.37	54.0	21.78	AV	1.00	200	Horizontal	Pass
2	2759.700	49.98	-6.93	74.0	24.02	Peak	331.00	200	Horizontal	Pass
2**	2759.700	38.86	-6.93	54.0	15.14	AV	331.00	200	Horizontal	Pass
3	4296.000	48.81	-4.71	74.0	25.19	Peak	264.00	150	Horizontal	Pass
3**	4296.000	40.73	-4.71	54.0	13.27	AV	264.00	150	Horizontal	Pass
4	5593.000	102.58	-2.86	--	27.42	Peak	130.00	200	Horizontal	N/A
4**	5593.000	94.89	-2.86	--	-94.89	AV	130.00	200	Horizontal	N/A
5	7453.500	52.02	1.88	74.0	21.98	Peak	305.00	100	Horizontal	Pass
5**	7453.500	50.76	1.88	54.0	3.24	AV	305.00	100	Horizontal	Pass
6	11935.612	50.58	3.13	74.0	23.42	Peak	197.00	200	Horizontal	Pass
6**	11935.612	40.58	3.13	54.0	13.42	AV	197.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	47.37	-14.38	74.0	26.63	Peak	101.00	100	Vertical	Pass
1**	1329.300	34.76	-14.38	54.0	19.24	AV	101.00	100	Vertical	Pass
2	2749.900	48.82	-6.32	74.0	25.18	Peak	42.00	400	Vertical	Pass
2**	2749.900	39.41	-6.32	54.0	14.59	AV	42.00	400	Vertical	Pass
3	4286.250	49.09	-4.82	74.0	24.91	Peak	274.00	200	Vertical	Pass
3**	4286.250	40.49	-4.82	54.0	13.51	AV	274.00	200	Vertical	Pass
4	5591.500	100.14	-2.86	--	101.86	Peak	202.00	300	Vertical	N/A
4**	5591.500	92.07	-2.86	--	-92.07	AV	202.00	300	Vertical	N/A
5	7453.750	51.98	1.90	74.0	22.02	Peak	0.00	100	Vertical	Pass
5**	7453.750	50.72	1.90	54.0	3.28	AV	0.00	100	Vertical	Pass
6	12359.075	50.73	3.98	74.0	23.27	Peak	20.00	200	Vertical	Pass
6**	12359.075	41.70	3.98	54.0	12.30	AV	20.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	41.86	-14.34	74.0	32.14	Peak	354.00	200	Horizontal	Pass
1**	1328.700	33.72	-14.34	54.0	20.28	AV	354.00	200	Horizontal	Pass
2	2828.600	48.91	-6.46	74.0	25.09	Peak	338.00	200	Horizontal	Pass
2**	2828.600	39.09	-6.46	54.0	14.91	AV	338.00	200	Horizontal	Pass
3	4229.750	49.33	-4.53	74.0	24.67	Peak	158.00	200	Horizontal	Pass
3**	4229.750	40.46	-4.53	54.0	13.54	AV	158.00	200	Horizontal	Pass
4	5671.750	104.46	-2.89	--	179.54	Peak	284.00	300	Horizontal	N/A
4**	5671.750	96.80	-2.89	--	-96.80	AV	284.00	300	Horizontal	N/A
5	7560.000	53.14	2.00	74.0	20.86	Peak	305.00	100	Horizontal	Pass
5**	7560.000	50.58	2.00	54.0	3.42	AV	305.00	100	Horizontal	Pass
6	12375.937	50.73	4.06	74.0	23.27	Peak	300.00	100	Horizontal	Pass
6**	12375.937	41.14	4.06	54.0	12.86	AV	300.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	46.40	-14.39	74.0	27.60	Peak	108.00	400	Vertical	Pass
1**	1329.400	35.52	-14.39	54.0	18.48	AV	108.00	400	Vertical	Pass
2	2715.300	48.84	-7.01	74.0	25.16	Peak	340.00	400	Vertical	Pass
2**	2715.300	39.28	-7.01	54.0	14.72	AV	340.00	400	Vertical	Pass
3	4244.500	49.36	-4.95	74.0	24.64	Peak	76.00	200	Vertical	Pass
3**	4244.500	39.52	-4.95	54.0	14.48	AV	76.00	200	Vertical	Pass
4	5666.000	103.47	-3.01	--	106.53	Peak	210.00	200	Vertical	N/A
4**	5666.000	95.81	-3.01	--	-95.81	AV	210.00	200	Vertical	N/A
5	7560.250	53.80	1.99	74.0	20.20	Peak	360.00	100	Vertical	Pass
5**	7560.250	50.29	1.99	54.0	3.71	AV	360.00	100	Vertical	Pass
6	12277.850	50.55	3.72	74.0	23.45	Peak	119.00	300	Vertical	Pass
6**	12277.850	40.79	3.72	54.0	13.21	AV	119.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1407.600	42.20	-14.09	74.0	31.80	Peak	359.00	100	Horizontal	Pass
1**	1407.600	32.71	-14.09	54.0	21.29	AV	359.00	100	Horizontal	Pass
2	2845.300	49.45	-6.73	74.0	24.55	Peak	360.00	100	Horizontal	Pass
2**	2845.300	39.35	-6.73	54.0	14.65	AV	360.00	100	Horizontal	Pass
3	4290.250	50.04	-4.78	74.0	23.96	Peak	171.00	150	Horizontal	Pass
3**	4290.250	39.83	-4.78	54.0	14.17	AV	171.00	150	Horizontal	Pass
4	5501.250	103.23	-3.14	--	181.77	Peak	285.00	300	Horizontal	N/A
4**	5501.250	94.89	-3.14	--	-94.89	AV	285.00	300	Horizontal	N/A
5	7333.500	52.38	1.41	74.0	21.62	Peak	307.00	100	Horizontal	Pass
5**	7333.500	50.92	1.41	54.0	3.08	AV	307.00	100	Horizontal	Pass
6	12374.038	50.35	4.14	74.0	23.65	Peak	164.00	100	Horizontal	Pass
6**	12374.038	40.83	4.14	54.0	13.17	AV	164.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	46.19	-14.46	74.0	27.81	Peak	104.00	300	Vertical	Pass
1**	1330.500	32.84	-14.46	54.0	21.16	AV	104.00	300	Vertical	Pass
2	2824.400	49.28	-6.39	74.0	24.72	Peak	256.00	400	Vertical	Pass
2**	2824.400	39.17	-6.39	54.0	14.83	AV	256.00	400	Vertical	Pass
3	4357.500	48.92	-4.54	74.0	25.08	Peak	275.00	200	Vertical	Pass
3**	4357.500	40.09	-4.54	54.0	13.91	AV	275.00	200	Vertical	Pass
4	5497.750	101.15	-3.12	--	111.85	Peak	213.00	200	Vertical	N/A
4**	5497.750	92.77	-3.12	--	-92.77	AV	213.00	200	Vertical	N/A
5	7333.500	52.89	1.41	74.0	21.11	Peak	150.00	100	Vertical	Pass
5**	7333.500	50.85	1.41	54.0	3.15	AV	150.00	100	Vertical	Pass
6	12358.838	51.07	3.98	74.0	22.93	Peak	137.00	300	Vertical	Pass
6**	12358.838	40.76	3.98	54.0	13.24	AV	137.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	42.94	-14.53	74.0	31.06	Peak	1.00	100	Horizontal	Pass
1**	1333.100	32.70	-14.53	54.0	21.30	AV	1.00	100	Horizontal	Pass
2	2876.900	48.63	-6.29	74.0	25.37	Peak	62.00	400	Horizontal	Pass
2**	2876.900	39.12	-6.29	54.0	14.88	AV	62.00	400	Horizontal	Pass
3	4273.500	49.46	-4.71	74.0	24.54	Peak	107.00	100	Horizontal	Pass
3**	4273.500	40.63	-4.71	54.0	13.37	AV	107.00	100	Horizontal	Pass
4	5578.750	103.85	-3.30	--	85.15	Peak	189.00	100	Horizontal	N/A
4**	5578.750	96.22	-3.30	--	-96.22	AV	189.00	100	Horizontal	N/A
5	7440.250	51.39	1.45	74.0	22.61	Peak	261.00	100	Horizontal	Pass
5**	7440.250	50.49	1.45	54.0	3.51	AV	261.00	100	Horizontal	Pass
6	12227.500	49.96	3.73	74.0	24.04	Peak	184.00	100	Horizontal	Pass
6**	12227.500	41.51	3.73	54.0	12.49	AV	184.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	46.84	-14.53	74.0	27.16	Peak	160.00	100	Vertical	Pass
1**	1332.500	36.93	-14.53	54.0	17.07	AV	160.00	100	Vertical	Pass
2	2750.900	48.97	-6.36	74.0	25.03	Peak	325.00	200	Vertical	Pass
2**	2750.900	39.27	-6.36	54.0	14.73	AV	325.00	200	Vertical	Pass
3	4276.250	48.90	-4.65	74.0	25.10	Peak	56.00	200	Vertical	Pass
3**	4276.250	40.06	-4.65	54.0	13.94	AV	56.00	200	Vertical	Pass
4	5578.750	101.43	-3.30	--	107.57	Peak	209.00	300	Vertical	N/A
4**	5578.750	94.11	-3.30	--	-94.11	AV	209.00	300	Vertical	N/A
5	7440.250	52.82	1.45	74.0	21.18	Peak	0.00	100	Vertical	Pass
5**	7440.250	50.58	1.45	54.0	3.42	AV	0.00	100	Vertical	Pass
6	12190.451	50.16	3.50	74.0	23.84	Peak	1.00	100	Vertical	Pass
6**	12190.451	41.31	3.50	54.0	12.69	AV	1.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	43.09	-14.51	74.0	30.91	Peak	360.00	400	Horizontal	Pass
1**	1332.100	32.69	-14.51	54.0	21.31	AV	360.00	400	Horizontal	Pass
2	2844.200	49.60	-6.70	74.0	24.40	Peak	26.00	100	Horizontal	Pass
2**	2844.200	38.96	-6.70	54.0	15.04	AV	26.00	100	Horizontal	Pass
3	4270.250	49.28	-4.75	74.0	24.72	Peak	359.00	200	Horizontal	Pass
3**	4270.250	39.86	-4.75	54.0	14.14	AV	359.00	200	Horizontal	Pass
4	5698.250	105.59	-2.41	--	183.41	Peak	289.00	100	Horizontal	N/A
4**	5698.250	97.80	-2.41	--	-97.80	AV	289.00	100	Horizontal	N/A
5	7600.250	53.02	2.36	74.0	20.98	Peak	269.00	100	Horizontal	Pass
5**	7600.250	50.71	2.36	54.0	3.29	AV	269.00	100	Horizontal	Pass
6	11362.763	50.20	1.83	74.0	23.80	Peak	168.00	100	Horizontal	Pass
6**	11362.763	39.66	1.83	54.0	14.34	AV	168.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	46.10	-14.46	74.0	27.90	Peak	92.00	400	Vertical	Pass
1**	1330.700	32.69	-14.46	54.0	21.31	AV	92.00	400	Vertical	Pass
2	2860.500	49.52	-6.10	74.0	24.48	Peak	61.00	100	Vertical	Pass
2**	2860.500	39.76	-6.10	54.0	14.24	AV	61.00	100	Vertical	Pass
3	4253.000	49.57	-4.64	74.0	24.43	Peak	278.00	100	Vertical	Pass
3**	4253.000	39.91	-4.64	54.0	14.09	AV	278.00	100	Vertical	Pass
4	5698.500	104.78	-2.43	--	102.22	Peak	207.00	400	Vertical	N/A
4**	5698.500	97.10	-2.43	--	-97.10	AV	207.00	400	Vertical	N/A
5	7600.000	53.26	2.36	74.0	20.74	Peak	166.00	100	Vertical	Pass
5**	7600.000	50.18	2.36	54.0	3.82	AV	166.00	100	Vertical	Pass
6	12217.050	50.18	3.73	74.0	23.82	Peak	170.00	400	Vertical	Pass
6**	12217.050	41.01	3.73	54.0	12.99	AV	170.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	44.01	-14.49	74.0	29.99	Peak	2.00	200	Horizontal	Pass
1**	1331.600	37.46	-14.49	54.0	16.54	AV	2.00	200	Horizontal	Pass
2	2823.300	48.69	-6.40	74.0	25.31	Peak	173.00	400	Horizontal	Pass
2**	2823.300	39.18	-6.40	54.0	14.82	AV	173.00	400	Horizontal	Pass
3	4317.500	48.85	-4.76	74.0	25.15	Peak	359.00	200	Horizontal	Pass
3**	4317.500	39.70	-4.76	54.0	14.30	AV	359.00	200	Horizontal	Pass
4	5511.500	99.87	-3.35	--	24.13	Peak	124.00	200	Horizontal	N/A
4**	5511.500	92.04	-3.35	--	-92.04	AV	124.00	200	Horizontal	N/A
5	7347.000	51.60	1.64	74.0	22.40	Peak	274.00	150	Horizontal	Pass
5**	7347.000	50.95	1.64	54.0	3.05	AV	274.00	150	Horizontal	Pass
6	12467.375	50.05	3.84	74.0	23.95	Peak	184.00	150	Horizontal	Pass
6**	12467.375	40.83	3.84	54.0	13.17	AV	184.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	44.75	-14.42	74.0	29.25	Peak	164.00	400	Vertical	Pass
1**	1329.900	33.62	-14.42	54.0	20.38	AV	164.00	400	Vertical	Pass
2	2857.600	48.91	-6.17	74.0	25.09	Peak	275.00	200	Vertical	Pass
2**	2857.600	39.59	-6.17	54.0	14.41	AV	275.00	200	Vertical	Pass
3	4241.750	48.61	-5.03	74.0	25.39	Peak	114.00	150	Vertical	Pass
3**	4241.750	40.20	-5.03	54.0	13.80	AV	114.00	150	Vertical	Pass
4	5511.750	99.35	-3.36	--	105.65	Peak	205.00	200	Vertical	N/A
4**	5511.750	90.11	-3.36	--	-90.11	AV	205.00	200	Vertical	N/A
5	7347.000	51.81	1.64	74.0	22.19	Peak	143.00	150	Vertical	Pass
5**	7347.000	50.78	1.64	54.0	3.22	AV	143.00	150	Vertical	Pass
6	12306.825	49.84	4.04	74.0	24.16	Peak	279.00	400	Vertical	Pass
6**	12306.825	40.75	4.04	54.0	13.25	AV	279.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	43.46	-14.53	74.0	30.54	Peak	360.00	300	Horizontal	Pass
1**	1332.700	36.87	-14.53	54.0	17.13	AV	360.00	300	Horizontal	Pass
2	2845.100	48.35	-6.72	74.0	25.65	Peak	1.00	200	Horizontal	Pass
2**	2845.100	39.12	-6.72	54.0	14.88	AV	1.00	200	Horizontal	Pass
3	4234.750	49.08	-4.74	74.0	24.92	Peak	34.00	150	Horizontal	Pass
3**	4234.750	39.68	-4.74	54.0	14.32	AV	34.00	150	Horizontal	Pass
4	5592.000	101.18	-2.86	--	22.82	Peak	124.00	100	Horizontal	N/A
4**	5592.000	93.42	-2.86	--	-93.42	AV	124.00	100	Horizontal	N/A
5	7453.500	51.84	1.88	74.0	22.16	Peak	274.00	150	Horizontal	Pass
5**	7453.500	50.38	1.88	54.0	3.62	AV	274.00	150	Horizontal	Pass
6	12340.312	49.77	4.21	74.0	24.23	Peak	360.00	100	Horizontal	Pass
6**	12340.312	40.48	4.21	54.0	13.52	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.700	44.38	-14.37	74.0	29.62	Peak	116.00	100	Vertical	Pass
1**	1326.700	32.85	-14.37	54.0	21.15	AV	116.00	100	Vertical	Pass
2	2749.300	48.97	-6.31	74.0	25.03	Peak	21.00	200	Vertical	Pass
2**	2749.300	39.79	-6.31	54.0	14.21	AV	21.00	200	Vertical	Pass
3	4318.500	49.00	-4.74	74.0	25.00	Peak	63.00	200	Vertical	Pass
3**	4318.500	40.11	-4.74	54.0	13.89	AV	63.00	200	Vertical	Pass
4	5592.000	100.05	-2.86	--	103.95	Peak	204.00	200	Vertical	N/A
4**	5592.000	92.08	-2.86	--	-92.08	AV	204.00	200	Vertical	N/A
5	7453.500	53.24	1.88	74.0	20.76	Peak	0.00	150	Vertical	Pass
5**	7453.500	50.45	1.88	54.0	3.55	AV	0.00	150	Vertical	Pass
6	12326.776	49.98	4.27	74.0	24.02	Peak	184.00	100	Vertical	Pass
6**	12326.776	40.77	4.27	54.0	13.23	AV	184.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.900	43.31	-14.67	74.0	30.69	Peak	28.00	150	Horizontal	Pass
1**	1495.900	32.59	-14.67	54.0	21.41	AV	28.00	150	Horizontal	Pass
2	2736.300	48.30	-6.32	74.0	25.70	Peak	354.00	200	Horizontal	Pass
2**	2736.300	39.12	-6.32	54.0	14.88	AV	354.00	200	Horizontal	Pass
3	4319.250	48.96	-4.74	74.0	25.04	Peak	358.00	100	Horizontal	Pass
3**	4319.250	39.95	-4.74	54.0	14.05	AV	358.00	100	Horizontal	Pass
4	5674.250	103.81	-2.89	--	18.19	Peak	122.00	300	Horizontal	N/A
4**	5674.250	95.25	-2.89	--	-95.25	AV	122.00	300	Horizontal	N/A
5	7560.250	52.68	1.99	74.0	21.32	Peak	272.00	150	Horizontal	Pass
5**	7560.250	50.71	1.99	54.0	3.29	AV	272.00	150	Horizontal	Pass
6	12377.838	49.86	3.99	74.0	24.14	Peak	163.00	300	Horizontal	Pass
6**	12377.838	41.09	3.99	54.0	12.91	AV	163.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.400	44.74	-14.53	74.0	29.26	Peak	116.00	400	Vertical	Pass
1**	1333.400	36.21	-14.53	54.0	17.79	AV	116.00	400	Vertical	Pass
2	2740.000	48.51	-6.47	74.0	25.49	Peak	6.00	200	Vertical	Pass
2**	2740.000	39.90	-6.47	54.0	14.10	AV	6.00	200	Vertical	Pass
3	4312.500	48.57	-4.73	74.0	25.43	Peak	124.00	150	Vertical	Pass
3**	4312.500	39.59	-4.73	54.0	14.41	AV	124.00	150	Vertical	Pass
4	5672.750	102.22	-2.89	--	100.78	Peak	203.00	100	Vertical	N/A
4**	5672.750	94.43	-2.89	--	-94.43	AV	203.00	100	Vertical	N/A
5	7560.250	52.85	1.99	74.0	21.15	Peak	358.00	150	Vertical	Pass
5**	7560.250	50.41	1.99	54.0	3.59	AV	358.00	150	Vertical	Pass
6	12247.213	49.88	3.77	74.0	24.12	Peak	55.00	100	Vertical	Pass
6**	12247.213	40.68	3.77	54.0	13.32	AV	55.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	44.13	-14.59	74.0	29.87	Peak	16.00	150	Horizontal	Pass
1**	1498.000	32.19	-14.59	54.0	21.81	AV	16.00	150	Horizontal	Pass
2	2873.800	49.11	-6.48	74.0	24.89	Peak	360.00	200	Horizontal	Pass
2**	2873.800	38.61	-6.48	54.0	15.39	AV	360.00	200	Horizontal	Pass
3	4306.750	50.28	-4.69	74.0	23.72	Peak	44.00	150	Horizontal	Pass
3**	4306.750	40.20	-4.69	54.0	13.80	AV	44.00	150	Horizontal	Pass
4	5536.500	96.96	-2.96	--	27.04	Peak	124.00	100	Horizontal	N/A
4**	5536.500	89.39	-2.96	--	-89.39	AV	124.00	100	Horizontal	N/A
5	7373.500	51.96	1.49	74.0	22.04	Peak	305.00	150	Horizontal	Pass
5**	7373.500	50.93	1.49	54.0	3.07	AV	305.00	150	Horizontal	Pass
6	12329.862	49.73	4.32	74.0	24.27	Peak	232.00	400	Horizontal	Pass
6**	12329.862	40.85	4.32	54.0	13.15	AV	232.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	45.69	-14.51	74.0	28.31	Peak	108.00	200	Vertical	Pass
1**	1332.000	33.01	-14.51	54.0	20.99	AV	108.00	200	Vertical	Pass
2	2859.300	48.24	-6.12	74.0	25.76	Peak	232.00	300	Vertical	Pass
2**	2859.300	39.37	-6.12	54.0	14.63	AV	232.00	300	Vertical	Pass
3	4250.750	48.56	-4.66	74.0	25.44	Peak	223.00	150	Vertical	Pass
3**	4250.750	39.78	-4.66	54.0	14.22	AV	223.00	150	Vertical	Pass
4	5534.500	96.02	-2.95	--	106.98	Peak	203.00	300	Vertical	N/A
4**	5534.500	87.91	-2.95	--	-87.91	AV	203.00	300	Vertical	N/A
5	7373.500	53.17	1.49	74.0	20.83	Peak	359.00	150	Vertical	Pass
5**	7373.500	50.83	1.49	54.0	3.17	AV	359.00	150	Vertical	Pass
6	12353.138	49.88	4.05	74.0	24.12	Peak	2.00	200	Vertical	Pass
6**	12353.138	40.11	4.05	54.0	13.89	AV	2.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	44.73	-14.51	74.0	29.27	Peak	360.00	200	Horizontal	Pass
1**	1331.900	32.46	-14.51	54.0	21.54	AV	360.00	200	Horizontal	Pass
2	2817.500	48.57	-6.53	74.0	25.43	Peak	360.00	100	Horizontal	Pass
2**	2817.500	39.14	-6.53	54.0	14.86	AV	360.00	100	Horizontal	Pass
3	4281.000	49.67	-4.69	74.0	24.33	Peak	324.00	100	Horizontal	Pass
3**	4281.000	39.66	-4.69	54.0	14.34	AV	324.00	100	Horizontal	Pass
4	5617.000	98.69	-2.69	--	126.31	Peak	225.00	200	Horizontal	N/A
4**	5617.000	90.74	-2.69	--	-90.74	AV	225.00	200	Horizontal	N/A
5	7480.250	52.59	2.29	74.0	21.41	Peak	275.00	150	Horizontal	Pass
5**	7480.250	50.77	2.29	54.0	3.23	AV	275.00	150	Horizontal	Pass
6	11930.863	50.31	3.16	74.0	23.69	Peak	310.00	400	Horizontal	Pass
6**	11930.863	40.42	3.16	54.0	13.58	AV	310.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	42.95	-14.32	74.0	31.05	Peak	164.00	300	Vertical	Pass
1**	1328.400	32.69	-14.32	54.0	21.31	AV	164.00	300	Vertical	Pass
2	2760.500	49.13	-7.00	74.0	24.87	Peak	107.00	300	Vertical	Pass
2**	2760.500	39.44	-7.00	54.0	14.56	AV	107.00	300	Vertical	Pass
3	4220.000	48.85	-4.57	74.0	25.15	Peak	295.00	200	Vertical	Pass
3**	4220.000	39.43	-4.57	54.0	14.57	AV	295.00	200	Vertical	Pass
4	5604.250	97.20	-2.99	--	107.80	Peak	205.00	400	Vertical	N/A
4**	5604.250	89.65	-2.99	--	-89.65	AV	205.00	400	Vertical	N/A
5	7480.250	50.52	2.29	74.0	20.48	Peak	357.00	150	Vertical	Pass
5**	7480.250	50.53	2.29	54.0	3.47	AV	357.00	150	Vertical	Pass
6	12173.350	50.13	3.43	74.0	23.87	Peak	218.00	200	Vertical	Pass
6**	12173.350	40.58	3.43	54.0	13.42	AV	218.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	41.95	-14.48	74.0	32.05	Peak	14.00	300	Horizontal	Pass
1**	1331.200	32.60	-14.48	54.0	21.40	AV	14.00	300	Horizontal	Pass
2	2811.800	48.96	-6.78	74.0	25.04	Peak	108.00	300	Horizontal	Pass
2**	2811.800	39.59	-6.78	54.0	14.41	AV	108.00	300	Horizontal	Pass
3	4228.000	48.90	-4.48	74.0	25.10	Peak	331.00	100	Horizontal	Pass
3**	4228.000	39.83	-4.48	54.0	14.17	AV	331.00	100	Horizontal	Pass
4	5743.750	108.00	-2.61	--	19.00	Peak	127.00	100	Horizontal	N/A
4**	5743.750	100.92	-2.61	--	-100.92	AV	127.00	100	Horizontal	N/A
5	7660.250	52.76	1.95	74.0	21.24	Peak	331.00	100	Horizontal	Pass
5**	7660.250	50.16	1.95	54.0	3.84	AV	331.00	100	Horizontal	Pass
6	12293.763	50.10	4.06	74.0	23.90	Peak	236.00	100	Horizontal	Pass
6**	12293.763	40.04	4.06	54.0	13.96	AV	236.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	46.79	-14.48	74.0	27.21	Peak	99.00	400	Vertical	Pass
1**	1331.200	32.36	-14.48	54.0	21.64	AV	99.00	400	Vertical	Pass
2	2737.000	48.96	-6.32	74.0	25.04	Peak	2.00	100	Vertical	Pass
2**	2737.000	39.37	-6.32	54.0	14.63	AV	2.00	100	Vertical	Pass
3	4304.250	49.19	-4.78	74.0	24.81	Peak	0.00	100	Vertical	Pass
3**	4304.250	39.38	-4.78	54.0	14.62	AV	0.00	100	Vertical	Pass
4	5744.500	107.45	-2.58	--	100.55	Peak	208.00	100	Vertical	N/A
4**	5744.500	99.25	-2.58	--	-99.25	AV	208.00	100	Vertical	N/A
5	7660.250	54.36	1.95	74.0	19.64	Peak	359.00	100	Vertical	Pass
5**	7660.250	50.08	1.95	54.0	3.92	AV	359.00	100	Vertical	Pass
6	12354.326	49.78	4.04	74.0	24.22	Peak	326.00	200	Vertical	Pass
6**	12354.326	40.70	4.04	54.0	13.30	AV	326.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.400	44.24	-14.67	74.0	29.76	Peak	26.00	150	Horizontal	Pass
1**	1496.400	37.73	-14.67	54.0	16.27	AV	26.00	150	Horizontal	Pass
2	2766.400	48.37	-7.09	74.0	25.63	Peak	248.00	300	Horizontal	Pass
2**	2766.400	38.52	-7.09	54.0	15.48	AV	248.00	300	Horizontal	Pass
3	4277.750	49.29	-4.62	74.0	24.71	Peak	95.00	200	Horizontal	Pass
3**	4277.750	40.18	-4.62	54.0	13.82	AV	95.00	200	Horizontal	Pass
4	5784.000	108.14	-2.29	--	129.86	Peak	238.00	300	Horizontal	N/A
4**	5784.000	100.92	-2.29	--	-100.92	AV	238.00	300	Horizontal	N/A
5	7713.500	54.18	1.96	74.0	19.82	Peak	318.00	150	Horizontal	Pass
5**	7713.500	50.18	1.96	54.0	3.82	AV	318.00	150	Horizontal	Pass
6	12370.475	49.87	4.28	74.0	24.13	Peak	320.00	300	Horizontal	Pass
6**	12370.475	40.22	4.28	54.0	13.78	AV	320.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	44.60	-14.49	74.0	29.40	Peak	160.00	300	Vertical	Pass
1**	1331.600	31.67	-14.49	54.0	22.33	AV	160.00	300	Vertical	Pass
2	2805.600	48.48	-6.73	74.0	25.52	Peak	358.00	200	Vertical	Pass
2**	2805.600	39.72	-6.73	54.0	14.28	AV	358.00	200	Vertical	Pass
3	4300.000	49.01	-4.74	74.0	24.99	Peak	171.00	100	Vertical	Pass
3**	4300.000	40.39	-4.74	54.0	13.61	AV	171.00	100	Vertical	Pass
4	5787.250	106.16	-2.21	--	--	Peak	203.00	200	Vertical	N/A
4**	5787.250	97.47	-2.21	--	--	AV	203.00	200	Vertical	N/A
5	7713.250	54.75	1.97	74.0	19.25	Peak	49.00	150	Vertical	Pass
5**	7713.250	50.32	1.97	54.0	3.68	AV	49.00	150	Vertical	Pass
6	12067.662	50.24	2.97	74.0	23.76	Peak	192.00	100	Vertical	Pass
6**	12067.662	39.87	2.97	54.0	14.13	AV	192.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	42.48	-14.53	74.0	31.52	Peak	19.00	150	Horizontal	Pass
1**	1499.000	33.50	-14.53	54.0	20.50	AV	19.00	150	Horizontal	Pass
2	2847.700	48.66	-6.78	74.0	25.34	Peak	145.00	150	Horizontal	Pass
2**	2847.700	38.52	-6.78	54.0	15.48	AV	145.00	150	Horizontal	Pass
3	4266.250	49.43	-4.72	74.0	24.57	Peak	186.00	150	Horizontal	Pass
3**	4266.250	39.73	-4.72	54.0	14.27	AV	186.00	150	Horizontal	Pass
4	5825.750	107.47	-2.22	--	--	Peak	125.00	150	Horizontal	N/A
4**	5825.750	99.23	-2.22	--	--	AV	125.00	150	Horizontal	N/A
5	7641.250	55.94	2.61	74.0	18.06	Peak	176.00	150	Horizontal	Pass
5**	7641.250	47.10	2.61	54.0	6.90	AV	176.00	150	Horizontal	Pass
6	12174.063	49.88	3.42	74.0	24.12	Peak	282.00	150	Horizontal	Pass
6**	12174.063	40.68	3.42	54.0	13.32	AV	282.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	45.60	-14.49	74.0	28.40	Peak	133.00	300	Vertical	Pass
1**	1331.400	33.45	-14.49	54.0	20.55	AV	133.00	300	Vertical	Pass
2	2771.500	48.66	-7.22	74.0	25.34	Peak	36.00	200	Vertical	Pass
2**	2771.500	38.35	-7.22	54.0	15.65	AV	36.00	200	Vertical	Pass
3	4308.750	50.65	-4.74	74.0	23.35	Peak	264.00	200	Vertical	Pass
3**	4308.750	39.77	-4.74	54.0	14.23	AV	264.00	200	Vertical	Pass
4	5826.000	105.51	-2.22	--	--	Peak	214.00	300	Vertical	N/A
4**	5826.000	98.73	-2.22	--	--	AV	214.00	300	Vertical	N/A
5	7605.750	56.92	2.88	74.0	17.08	Peak	294.00	200	Vertical	Pass
5**	7605.750	46.27	2.88	54.0	7.73	AV	294.00	200	Vertical	Pass
6	12374.275	50.00	4.13	74.0	24.00	Peak	12.00	400	Vertical	Pass
6**	12374.275	41.75	4.13	54.0	12.25	AV	12.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	43.50	-14.43	74.0	30.50	Peak	64.00	400	Horizontal	Pass
1**	1330.000	33.41	-14.43	54.0	20.59	AV	64.00	400	Horizontal	Pass
2	2733.900	49.08	-6.38	74.0	24.92	Peak	359.00	100	Horizontal	Pass
2**	2733.900	39.18	-6.38	54.0	14.82	AV	359.00	100	Horizontal	Pass
3	4309.000	48.69	-4.75	74.0	25.31	Peak	275.00	200	Horizontal	Pass
3**	4309.000	40.01	-4.75	54.0	13.99	AV	275.00	200	Horizontal	Pass
4	5743.750	106.65	-2.61	--	138.35	Peak	245.00	300	Horizontal	N/A
4**	5743.750	98.18	-2.61	--	-98.18	AV	245.00	300	Horizontal	N/A
5	7660.250	53.26	1.95	74.0	20.74	Peak	256.00	150	Horizontal	Pass
5**	7660.250	50.45	1.95	54.0	3.55	AV	256.00	150	Horizontal	Pass
6	11948.675	50.15	3.10	74.0	23.85	Peak	246.00	200	Horizontal	Pass
6**	11948.675	40.41	3.10	54.0	13.59	AV	246.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	44.60	-14.47	74.0	29.40	Peak	48.00	200	Vertical	Pass
1**	1330.900	33.25	-14.47	54.0	20.75	AV	48.00	200	Vertical	Pass
2	2848.600	48.38	-6.75	74.0	25.62	Peak	100.00	400	Vertical	Pass
2**	2848.600	38.85	-6.75	54.0	15.15	AV	100.00	400	Vertical	Pass
3	4211.750	49.00	-4.92	74.0	25.00	Peak	359.00	100	Vertical	Pass
3**	4211.750	40.23	-4.92	54.0	13.77	AV	359.00	100	Vertical	Pass
4	5745.750	105.42	-2.49	--	99.58	Peak	205.00	400	Vertical	N/A
4**	5745.750	97.64	-2.49	--	-97.64	AV	205.00	400	Vertical	N/A
5	7660.250	53.37	1.95	74.0	20.63	Peak	0.00	150	Vertical	Pass
5**	7660.250	50.16	1.95	54.0	3.84	AV	0.00	150	Vertical	Pass
6	11768.412	49.77	1.95	74.0	24.23	Peak	7.00	300	Vertical	Pass
6**	11768.412	39.79	1.95	54.0	14.21	AV	7.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	43.95	-14.50	74.0	30.05	Peak	95.00	400	Horizontal	Pass
1**	1331.800	32.13	-14.50	54.0	21.87	AV	95.00	400	Horizontal	Pass
2	2846.100	48.63	-6.75	74.0	25.37	Peak	231.00	400	Horizontal	Pass
2**	2846.100	38.95	-6.75	54.0	15.05	AV	231.00	400	Horizontal	Pass
3	4312.250	48.50	-4.72	74.0	25.50	Peak	55.00	150	Horizontal	Pass
3**	4312.250	39.36	-4.72	54.0	14.64	AV	55.00	150	Horizontal	Pass
4	5783.250	107.32	-2.28	--	140.68	Peak	248.00	100	Horizontal	N/A
4**	5783.250	98.07	-2.28	--	-98.07	AV	248.00	100	Horizontal	N/A
5	7713.500	55.45	1.96	74.0	18.55	Peak	267.00	150	Horizontal	Pass
5**	7713.500	50.35	1.96	54.0	3.65	AV	267.00	150	Horizontal	Pass
6	12321.549	50.00	4.20	74.0	24.00	Peak	63.00	200	Horizontal	Pass
6**	12321.549	40.71	4.20	54.0	13.29	AV	63.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	44.81	-14.49	74.0	29.19	Peak	156.00	300	Vertical	Pass
1**	1331.600	34.51	-14.49	54.0	19.49	AV	156.00	300	Vertical	Pass
2	2811.300	49.04	-6.81	74.0	24.96	Peak	250.00	300	Vertical	Pass
2**	2811.300	38.79	-6.81	54.0	15.21	AV	250.00	300	Vertical	Pass
3	4016.250	49.19	-5.57	74.0	24.81	Peak	345.00	100	Vertical	Pass
3**	4016.250	38.80	-5.57	54.0	15.20	AV	345.00	100	Vertical	Pass
4	5783.750	104.69	-2.29	--	--	Peak	215.00	200	Vertical	N/A
4**	5783.750	97.33	-2.29	--	--	AV	215.00	200	Vertical	N/A
5	7713.750	54.54	1.96	74.0	19.46	Peak	0.00	150	Vertical	Pass
5**	7713.750	50.59	1.96	54.0	3.41	AV	0.00	150	Vertical	Pass
6	12310.625	50.28	4.09	74.0	23.72	Peak	204.00	200	Vertical	Pass
6**	12310.625	40.51	4.09	54.0	13.49	AV	204.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	43.65	-14.52	74.0	30.35	Peak	64.00	200	Horizontal	Pass
1**	1332.200	38.15	-14.52	54.0	15.85	AV	64.00	200	Horizontal	Pass
2	2746.500	48.39	-6.35	74.0	25.61	Peak	229.00	200	Horizontal	Pass
2**	2746.500	39.68	-6.35	54.0	14.32	AV	229.00	200	Horizontal	Pass
3	4280.750	48.59	-4.68	74.0	25.41	Peak	94.00	100	Horizontal	Pass
3**	4280.750	40.08	-4.68	54.0	13.92	AV	94.00	100	Horizontal	Pass
4	5824.000	105.19	-2.26	--	--	Peak	124.00	100	Horizontal	N/A
4**	5824.000	96.94	-2.26	--	--	AV	124.00	100	Horizontal	N/A
5	7390.000	56.51	1.43	74.0	17.49	Peak	354.00	200	Horizontal	Pass
5**	7390.000	46.52	1.43	54.0	7.48	AV	354.00	200	Horizontal	Pass
6	12368.812	50.86	4.26	74.0	23.14	Peak	188.00	100	Horizontal	Pass
6**	12368.812	40.94	4.26	54.0	13.06	AV	188.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.98	-14.52	74.0	29.02	Peak	144.00	300	Vertical	Pass
1**	1332.400	33.10	-14.52	54.0	20.90	AV	144.00	300	Vertical	Pass
2	2752.900	48.84	-6.46	74.0	25.16	Peak	2.00	400	Vertical	Pass
2**	2752.900	39.27	-6.46	54.0	14.73	AV	2.00	400	Vertical	Pass
3	4293.000	49.14	-4.79	74.0	24.86	Peak	244.00	200	Vertical	Pass
3**	4293.000	40.11	-4.79	54.0	13.89	AV	244.00	200	Vertical	Pass
4	5828.750	103.18	-2.28	--	--	Peak	213.00	100	Vertical	N/A
4**	5828.750	94.52	-2.28	--	--	AV	213.00	100	Vertical	N/A
5	7565.750	57.08	1.91	74.0	16.92	Peak	12.00	150	Vertical	Pass
5**	7565.750	48.00	1.91	54.0	6.00	AV	12.00	150	Vertical	Pass
6	12178.338	50.06	3.41	74.0	23.94	Peak	352.00	100	Vertical	Pass
6**	12178.338	40.49	3.41	54.0	13.51	AV	352.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	42.79	-14.33	74.0	31.21	Peak	123.00	400	Horizontal	Pass
1**	1328.600	32.26	-14.33	54.0	21.74	AV	123.00	400	Horizontal	Pass
2	2860.000	48.59	-6.11	74.0	25.41	Peak	1.00	300	Horizontal	Pass
2**	2860.000	39.60	-6.11	54.0	14.40	AV	1.00	300	Horizontal	Pass
3	4371.000	49.31	-4.66	74.0	24.69	Peak	350.00	100	Horizontal	Pass
3**	4371.000	38.43	-4.66	54.0	15.57	AV	350.00	100	Horizontal	Pass
4	5750.250	104.31	-2.50	--	19.69	Peak	124.00	400	Horizontal	N/A
4**	5750.250	96.78	-2.50	--	-96.78	AV	124.00	400	Horizontal	N/A
5	7673.500	53.71	2.12	74.0	20.29	Peak	274.00	150	Horizontal	Pass
5**	7673.500	50.39	2.12	54.0	3.61	AV	274.00	150	Horizontal	Pass
6	12131.550	50.39	3.98	74.0	23.61	Peak	360.00	400	Horizontal	Pass
6**	12131.550	39.93	3.98	54.0	14.07	AV	360.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	45.65	-14.31	74.0	28.35	Peak	123.00	200	Vertical	Pass
1**	1328.200	37.09	-14.31	54.0	16.91	AV	123.00	200	Vertical	Pass
2	2874.900	48.65	-6.44	74.0	25.35	Peak	132.00	300	Vertical	Pass
2**	2874.900	39.10	-6.44	54.0	14.90	AV	132.00	300	Vertical	Pass
3	4347.750	49.04	-4.40	74.0	24.96	Peak	285.00	200	Vertical	Pass
3**	4347.750	39.76	-4.40	54.0	14.24	AV	285.00	200	Vertical	Pass
4	5752.000	103.29	-2.54	--	101.71	Peak	205.00	200	Vertical	N/A
4**	5752.000	95.32	-2.54	--	-95.32	AV	205.00	200	Vertical	N/A
5	7673.500	54.29	2.12	74.0	19.71	Peak	0.00	150	Vertical	Pass
5**	7673.500	52.74	2.12	54.0	3.67	AV	0.00	150	Vertical	Pass
6	12288.062	50.06	4.05	74.0	23.94	Peak	241.00	300	Vertical	Pass
6**	12288.062	40.51	4.05	54.0	13.49	AV	241.00	300	Vertical	Pass